



2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.72	-13	58.72	Pass	401
0.15	30	0.01	RMS	0.17	-68.99	-13	55.99	Pass	2986
30	1000	0.1	RMS	933.856	-60.9	-13	47.9	Pass	9701
1000	2560	1	RMS	2558	-49.63	-13	36.63	Pass	1561
2560	2630	1	RMS	2581.175	21.3	60	38.7	Pass	401
2630	3000	1	RMS	2870.5	-48.35	-13	35.35	Pass	401
3000	6500	1	RMS	5162	-61.61	-13	48.61	Pass	3501
6500	26500	1	RMS	25195	-44.99	-13	31.99	Pass	20003



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.16	-69.18	-13	56.18	Pass	2986
30	1000	0.1	RMS	947.966	-60.8	-13	47.8	Pass	9701
1000	2560	1	RMS	2542	-49.62	-13	36.62	Pass	1561
2560	2630	1	RMS	2618.8	21.33	60	38.67	Pass	401
2630	3000	1	RMS	2864.95	-48.39	-13	35.39	Pass	401
3000	6500	1	RMS	5238	-61.52	-13	48.52	Pass	3501
6500	26500	1	RMS	25521	-45.03	-13	32.03	Pass	20003



6. n41


6.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.29	-68.68	-13	55.68	Pass	2986
30	1000	0.1	RMS	792.5	-61.48	-13	48.48	Pass	9701
1000	2486	1	RMS	2486	-41.29	-13	28.29	Pass	1487
2486	2700	1	RMS	2504.19	12.27	60	47.73	Pass	401
2700	3000	1	RMS	2865.75	-48.59	-13	35.59	Pass	401
3000	6500	1	RMS	6241	-62.38	-13	49.38	Pass	3501
6500	26500	1	RMS	25469	-45.39	-13	32.39	Pass	20003




6.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.7	-13	58.7	Pass	401
0.15	30	0.01	RMS	0.29	-69.31	-13	56.31	Pass	2986
30	1000	0.1	RMS	714.5	-61.51	-13	48.51	Pass	9701
1000	2486	1	RMS	2484	-50.09	-13	37.09	Pass	1487
2486	2700	1	RMS	2496.7	20.63	60	39.37	Pass	401
2700	3000	1	RMS	2869.5	-48.53	-13	35.53	Pass	401
3000	6500	1	RMS	4994	-59.66	-13	46.66	Pass	3501
6500	26500	1	RMS	25201	-45.22	-13	32.22	Pass	20003




6.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.2	-13	60.2	Pass	401
0.15	30	0.01	RMS	0.32	-70.19	-13	57.19	Pass	2986
30	1000	0.1	RMS	717.6	-61.21	-13	48.21	Pass	9701
1000	2486	1	RMS	2485	-50.53	-13	37.53	Pass	1487
2486	2700	1	RMS	2505.26	20.62	60	39.38	Pass	401
2700	3000	1	RMS	2867.25	-48.6	-13	35.6	Pass	401
3000	6500	1	RMS	5010	-61.84	-13	48.84	Pass	3501
6500	26500	1	RMS	26201	-45.28	-13	32.28	Pass	20003




6.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.19	-69.55	-13	56.55	Pass	2986
30	1000	0.1	RMS	964.476	-61.36	-13	48.36	Pass	9701
1000	2486	1	RMS	2476	-50.56	-13	37.56	Pass	1487
2486	2700	1	RMS	2596.21	12.2	60	47.8	Pass	401
2700	3000	1	RMS	2872.5	-48.53	-13	35.53	Pass	401
3000	6500	1	RMS	6068	-62.56	-13	49.56	Pass	3501
6500	26500	1	RMS	25885	-45.26	-13	32.26	Pass	20003




6.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.84	-13	57.84	Pass	401
0.15	30	0.01	RMS	0.16	-70.53	-13	57.53	Pass	2986
30	1000	0.1	RMS	877.919	-61.19	-13	48.19	Pass	9701
1000	2486	1	RMS	2483	-50.52	-13	37.52	Pass	1487
2486	2700	1	RMS	2588.72	20.52	60	39.48	Pass	401
2700	3000	1	RMS	2868.75	-48.59	-13	35.59	Pass	401
3000	6500	1	RMS	6199	-62.57	-13	49.57	Pass	3501
6500	26500	1	RMS	25758	-45.08	-13	32.08	Pass	20003




6.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.19	-70.59	-13	57.59	Pass	2986
30	1000	0.1	RMS	772.1	-61.16	-13	48.16	Pass	9701
1000	2486	1	RMS	2481	-50.56	-13	37.56	Pass	1487
2486	2700	1	RMS	2597.28	20.4	60	39.6	Pass	401
2700	3000	1	RMS	2868	-48.59	-13	35.59	Pass	401
3000	6500	1	RMS	6206	-62.53	-13	49.53	Pass	3501
6500	26500	1	RMS	25199	-45.17	-13	32.17	Pass	20003




6.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.24	-69.11	-13	56.11	Pass	2986
30	1000	0.1	RMS	970.48	-61.57	-13	48.57	Pass	9701
1000	2486	1	RMS	2485	-50.55	-13	37.55	Pass	1487
2486	2700	1	RMS	2688.23	11.49	60	48.51	Pass	401
2700	3000	1	RMS	2700	-42.62	-13	29.62	Pass	401
3000	6500	1	RMS	6203	-62.47	-13	49.47	Pass	3501
6500	26500	1	RMS	25219	-45.4	-13	32.4	Pass	20003




6.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.09	-13	57.09	Pass	401
0.15	30	0.01	RMS	0.15	-69.68	-13	56.68	Pass	2986
30	1000	0.1	RMS	925.351	-60.62	-13	47.62	Pass	9701
1000	2486	1	RMS	2485	-50.54	-13	37.54	Pass	1487
2486	2700	1	RMS	2680.74	20.1	60	39.9	Pass	401
2700	3000	1	RMS	2879.25	-48.64	-13	35.64	Pass	401
3000	6500	1	RMS	5233	-62.53	-13	49.53	Pass	3501
6500	26500	1	RMS	25209	-45.22	-13	32.22	Pass	20003




6.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.72	-13	58.72	Pass	401
0.15	30	0.01	RMS	0.28	-69.9	-13	56.9	Pass	2986
30	1000	0.1	RMS	886.125	-61.33	-13	48.33	Pass	9701
1000	2486	1	RMS	2480	-50.58	-13	37.58	Pass	1487
2486	2700	1	RMS	2689.3	19.85	60	40.15	Pass	401
2700	3000	1	RMS	2868	-48.6	-13	35.6	Pass	401
3000	6500	1	RMS	6202	-62.51	-13	49.51	Pass	3501
6500	26500	1	RMS	25466	-45.01	-13	32.01	Pass	20003




6.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.19	-70.33	-13	57.33	Pass	2986
30	1000	0.1	RMS	893.63	-61.22	-13	48.22	Pass	9701
1000	2486	1	RMS	2486	-37.3	-13	24.3	Pass	1487
2486	2700	1	RMS	2512.75	4.31	60	55.69	Pass	401
2700	3000	1	RMS	2873.25	-48.6	-13	35.6	Pass	401
3000	6500	1	RMS	6204	-62.44	-13	49.44	Pass	3501
6500	26500	1	RMS	25508	-45.24	-13	32.24	Pass	20003




6.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.22	-70.6	-13	57.6	Pass	2986
30	1000	0.1	RMS	910.14	-60.96	-13	47.96	Pass	9701
1000	2486	1	RMS	2486	-50.1	-13	37.1	Pass	1487
2486	2700	1	RMS	2497.235	20.42	60	39.58	Pass	401
2700	3000	1	RMS	2873.25	-48.54	-13	35.54	Pass	401
3000	6500	1	RMS	4994	-59.45	-13	46.45	Pass	3501
6500	26500	1	RMS	25176	-45.41	-13	32.41	Pass	20003




6.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.19	-69.81	-13	56.81	Pass	2986
30	1000	0.1	RMS	898.032	-61.47	-13	48.47	Pass	9701
1000	2486	1	RMS	2486	-50.19	-13	37.19	Pass	1487
2486	2700	1	RMS	2555.015	20.89	60	39.11	Pass	401
2700	3000	1	RMS	2862.75	-48.62	-13	35.62	Pass	401
3000	6500	1	RMS	5110	-61.88	-13	48.88	Pass	3501
6500	26500	1	RMS	25193	-45.06	-13	32.06	Pass	20003




6.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.15	-13	58.15	Pass	401
0.15	30	0.01	RMS	0.15	-70.55	-13	57.55	Pass	2986
30	1000	0.1	RMS	879.92	-61.68	-13	48.68	Pass	9701
1000	2486	1	RMS	2485	-47.84	-13	34.84	Pass	1487
2486	2700	1	RMS	2619.75	5.07	60	54.93	Pass	401
2700	3000	1	RMS	2701.5	-45.75	-13	32.75	Pass	401
3000	6500	1	RMS	6204	-62.47	-13	49.47	Pass	3501
6500	26500	1	RMS	25858	-44.77	-13	31.77	Pass	20003




6.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.27	-69	-13	56	Pass	2986
30	1000	0.1	RMS	727.7	-60.88	-13	47.88	Pass	9701
1000	2486	1	RMS	2480	-50.47	-13	37.47	Pass	1487
2486	2700	1	RMS	2564.11	20.59	60	39.41	Pass	401
2700	3000	1	RMS	2867.25	-48.63	-13	35.63	Pass	401
3000	6500	1	RMS	5128	-62.27	-13	49.27	Pass	3501
6500	26500	1	RMS	25209	-45.17	-13	32.17	Pass	20003




6.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.6	-13	60.6	Pass	401
0.15	30	0.01	RMS	0.16	-69.23	-13	56.23	Pass	2986
30	1000	0.1	RMS	912.142	-61.43	-13	48.43	Pass	9701
1000	2486	1	RMS	2478	-50.47	-13	37.47	Pass	1487
2486	2700	1	RMS	2621.89	20.83	60	39.17	Pass	401
2700	3000	1	RMS	2869.5	-48.61	-13	35.61	Pass	401
3000	6500	1	RMS	6207	-62.64	-13	49.64	Pass	3501
6500	26500	1	RMS	25193	-45.25	-13	32.25	Pass	20003




6.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.19	-68.98	-13	55.98	Pass	2986
30	1000	0.1	RMS	792.1	-61.39	-13	48.39	Pass	9701
1000	2486	1	RMS	2484	-50.48	-13	37.48	Pass	1487
2486	2700	1	RMS	2637.94	4.35	60	55.65	Pass	401
2700	3000	1	RMS	2700	-39.45	-13	26.45	Pass	401
3000	6500	1	RMS	6243	-62.44	-13	49.44	Pass	3501
6500	26500	1	RMS	25476	-45.33	-13	32.33	Pass	20003




6.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.16	-70.02	-13	57.02	Pass	2986
30	1000	0.1	RMS	931.555	-60.57	-13	47.57	Pass	9701
1000	2486	1	RMS	2486	-50.6	-13	37.6	Pass	1487
2486	2700	1	RMS	2630.985	20.63	60	39.37	Pass	401
2700	3000	1	RMS	2874	-48.59	-13	35.59	Pass	401
3000	6500	1	RMS	6202	-62.54	-13	49.54	Pass	3501
6500	26500	1	RMS	25207	-45.06	-13	32.06	Pass	20003




6.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.11	-13	58.11	Pass	401
0.15	30	0.01	RMS	0.35	-69.39	-13	56.39	Pass	2986
30	1000	0.1	RMS	892.129	-61.4	-13	48.4	Pass	9701
1000	2486	1	RMS	2477	-50.49	-13	37.49	Pass	1487
2486	2700	1	RMS	2688.765	19.93	60	40.07	Pass	401
2700	3000	1	RMS	2866.5	-48.57	-13	35.57	Pass	401
3000	6500	1	RMS	6242	-62.61	-13	49.61	Pass	3501
6500	26500	1	RMS	25196	-45.18	-13	32.18	Pass	20003




6.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.18	-70.19	-13	57.19	Pass	2986
30	1000	0.1	RMS	725.3	-61.82	-13	48.82	Pass	9701
1000	2486	1	RMS	2486	-38.16	-13	25.16	Pass	1487
2486	2700	1	RMS	2517.565	2.27	60	57.73	Pass	401
2700	3000	1	RMS	2700	-42.02	-13	29.02	Pass	401
3000	6500	1	RMS	6239	-62.45	-13	49.45	Pass	3501
6500	26500	1	RMS	25503	-45.53	-13	32.53	Pass	20003




6.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.73	-13	58.73	Pass	401
0.15	30	0.01	RMS	0.16	-69.7	-13	56.7	Pass	2986
30	1000	0.1	RMS	898.633	-61.06	-13	48.06	Pass	9701
1000	2486	1	RMS	2484	-50.06	-13	37.06	Pass	1487
2486	2700	1	RMS	2497.235	20.31	60	39.69	Pass	401
2700	3000	1	RMS	2868	-48.54	-13	35.54	Pass	401
3000	6500	1	RMS	4994	-59.57	-13	46.57	Pass	3501
6500	26500	1	RMS	25206	-45.1	-13	32.1	Pass	20003




6.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.23	-13	58.23	Pass	401
0.15	30	0.01	RMS	0.15	-67.85	-13	54.85	Pass	2986
30	1000	0.1	RMS	753.2	-61.5	-13	48.5	Pass	9701
1000	2486	1	RMS	2481	-50.34	-13	37.34	Pass	1487
2486	2700	1	RMS	2595.14	20.34	60	39.66	Pass	401
2700	3000	1	RMS	2877.75	-48.59	-13	35.59	Pass	401
3000	6500	1	RMS	6202	-62.55	-13	49.55	Pass	3501
6500	26500	1	RMS	25193	-45.41	-13	32.41	Pass	20003




6.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.21	-70.08	-13	57.08	Pass	2986
30	1000	0.1	RMS	828	-61.41	-13	48.41	Pass	9701
1000	2486	1	RMS	2486	-41.41	-13	28.41	Pass	1487
2486	2700	1	RMS	2637.94	2.82	60	57.18	Pass	401
2700	3000	1	RMS	2701.5	-40.12	-13	27.12	Pass	401
3000	6500	1	RMS	6233	-62.49	-13	49.49	Pass	3501
6500	26500	1	RMS	25204	-45.4	-13	32.4	Pass	20003




6.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.26	-69.68	-13	56.68	Pass	2986
30	1000	0.1	RMS	910.341	-60.95	-13	47.95	Pass	9701
1000	2486	1	RMS	2486	-50.42	-13	37.42	Pass	1487
2486	2700	1	RMS	2543.78	20.16	60	39.84	Pass	401
2700	3000	1	RMS	2865.75	-48.57	-13	35.57	Pass	401
3000	6500	1	RMS	5088	-62.22	-13	49.22	Pass	3501
6500	26500	1	RMS	25209	-45.62	-13	32.62	Pass	20003




6.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	0.23	-70.72	-13	57.72	Pass	2986
30	1000	0.1	RMS	777.5	-61.51	-13	48.51	Pass	9701
1000	2486	1	RMS	2484	-50.55	-13	37.55	Pass	1487
2486	2700	1	RMS	2641.685	19.93	60	40.07	Pass	401
2700	3000	1	RMS	2866.5	-48.6	-13	35.6	Pass	401
3000	6500	1	RMS	6242	-62.6	-13	49.6	Pass	3501
6500	26500	1	RMS	25177	-45.12	-13	32.12	Pass	20003




6.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.25	-13	56.25	Pass	401
0.15	30	0.01	RMS	0.26	-68.66	-13	55.66	Pass	2986
30	1000	0.1	RMS	978.486	-61.67	-13	48.67	Pass	9701
1000	2486	1	RMS	2486	-45.03	-13	32.03	Pass	1487
2486	2700	1	RMS	2626.705	1.55	60	58.45	Pass	401
2700	3000	1	RMS	2701.5	-39.79	-13	26.79	Pass	401
3000	6500	1	RMS	6240	-62.43	-13	49.43	Pass	3501
6500	26500	1	RMS	25201	-45.16	-13	32.16	Pass	20003




6.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.99	-13	57.99	Pass	401
0.15	30	0.01	RMS	0.24	-69.83	-13	56.83	Pass	2986
30	1000	0.1	RMS	940.961	-61.32	-13	48.32	Pass	9701
1000	2486	1	RMS	2484	-50.46	-13	37.46	Pass	1487
2486	2700	1	RMS	2590.86	20.38	60	39.62	Pass	401
2700	3000	1	RMS	2867.25	-48.49	-13	35.49	Pass	401
3000	6500	1	RMS	6210	-62.54	-13	49.54	Pass	3501
6500	26500	1	RMS	25213	-45.24	-13	32.24	Pass	20003



6.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.16	-68.24	-13	55.24	Pass	2986
30	1000	0.1	RMS	672.4	-61.5	-13	48.5	Pass	9701
1000	2486	1	RMS	2484	-50.11	-13	37.11	Pass	1487
2486	2700	1	RMS	2688.765	19.88	60	40.12	Pass	401
2700	3000	1	RMS	2881.5	-48.57	-13	35.57	Pass	401
3000	6500	1	RMS	5378	-62.48	-13	49.48	Pass	3501
6500	26500	1	RMS	25510	-45.31	-13	32.31	Pass	20003



8. n48 30kHz


8.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:637000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.68	-13	48.68	Pass	401
0.15	30	0.01	RMS	0.17	-69.32	-13	56.32	Pass	2986
30	1000	0.1	RMS	899.133	-61.25	-13	48.25	Pass	9701
1000	3000	1	RMS	2877	-48.32	-13	35.32	Pass	2001
3000	3540	1	RMS	3540	-32.21	-13	19.21	Pass	541
3540	3710	1	RMS	3552.75	12.88	60	47.12	Pass	401
3710	6500	1	RMS	3863	-61.89	-13	48.89	Pass	2791
6500	26500	1	RMS	25849	-44.94	-13	31.94	Pass	20003




8.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:637000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.1	-13	48.1	Pass	401
0.15	30	0.01	RMS	0.73	-70.87	-13	57.87	Pass	2986
30	1000	0.1	RMS	869.914	-61.68	-13	48.68	Pass	9701
1000	3000	1	RMS	2860	-48.4	-13	35.4	Pass	2001
3000	3540	1	RMS	3030	-43.61	-13	30.61	Pass	541
3540	3710	1	RMS	3551.05	20.73	60	39.27	Pass	401
3710	6500	1	RMS	3858	-54.7	-13	41.7	Pass	2791
6500	26500	1	RMS	25497	-45.22	-13	32.22	Pass	20003




8.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:637000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.66	-13	48.66	Pass	401
0.15	30	0.01	RMS	0.24	-69.98	-13	56.98	Pass	2986
30	1000	0.1	RMS	967.178	-61.17	-13	48.17	Pass	9701
1000	3000	1	RMS	2866	-48.26	-13	35.26	Pass	2001
3000	3540	1	RMS	3030	-43.61	-13	30.61	Pass	541
3540	3710	1	RMS	3559.125	21.18	60	38.82	Pass	401
3710	6500	1	RMS	3866	-58.57	-13	45.57	Pass	2791
6500	26500	1	RMS	25502	-45.44	-13	32.44	Pass	20003




8.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:641666, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.44	-13	49.44	Pass	401
0.15	30	0.01	RMS	1.09	-70.53	-13	57.53	Pass	2986
30	1000	0.1	RMS	868.613	-60.94	-13	47.94	Pass	9701
1000	3000	1	RMS	2871	-48.39	-13	35.39	Pass	2001
3000	3540	1	RMS	3032	-43.58	-13	30.58	Pass	541
3540	3710	1	RMS	3622.45	12.95	60	47.05	Pass	401
3710	6500	1	RMS	3932	-61	-13	48	Pass	2791
6500	26500	1	RMS	25194	-45.21	-13	32.21	Pass	20003




8.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:641666, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.32	-13	48.32	Pass	401
0.15	30	0.01	RMS	0.15	-70.68	-13	57.68	Pass	2986
30	1000	0.1	RMS	912.242	-61.21	-13	48.21	Pass	9701
1000	3000	1	RMS	2873	-48.37	-13	35.37	Pass	2001
3000	3540	1	RMS	3009	-43.6	-13	30.6	Pass	541
3540	3710	1	RMS	3620.75	21.43	60	38.57	Pass	401
3710	6500	1	RMS	3928	-59.68	-13	46.68	Pass	2791
6500	26500	1	RMS	25194	-45.18	-13	32.18	Pass	20003




8.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:641666, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.03	-13	48.03	Pass	401
0.15	30	0.01	RMS	0.21	-68.7	-13	55.7	Pass	2986
30	1000	0.1	RMS	728.6	-61.41	-13	48.41	Pass	9701
1000	3000	1	RMS	2873	-48.46	-13	35.46	Pass	2001
3000	3540	1	RMS	3030	-43.66	-13	30.66	Pass	541
3540	3710	1	RMS	3629.25	21.35	60	38.65	Pass	401
3710	6500	1	RMS	3936	-58.78	-13	45.78	Pass	2791
6500	26500	1	RMS	25201	-45.23	-13	32.23	Pass	20003




8.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:646332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.87	-13	53.87	Pass	401
0.15	30	0.01	RMS	0.23	-70.68	-13	57.68	Pass	2986
30	1000	0.1	RMS	710.6	-61.41	-13	48.41	Pass	9701
1000	3000	1	RMS	2875	-48.22	-13	35.22	Pass	2001
3000	3540	1	RMS	3029	-43.64	-13	30.64	Pass	541
3540	3710	1	RMS	3692.575	13.43	60	46.57	Pass	401
3710	6500	1	RMS	3710	-32.86	-13	19.86	Pass	2791
6500	26500	1	RMS	25209	-45.49	-13	32.49	Pass	20003




8.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:646332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.16	-13	56.16	Pass	401
0.15	30	0.01	RMS	0.39	-69.25	-13	56.25	Pass	2986
30	1000	0.1	RMS	764.5	-61.11	-13	48.11	Pass	9701
1000	3000	1	RMS	2876	-48.4	-13	35.4	Pass	2001
3000	3540	1	RMS	3034	-43.6	-13	30.6	Pass	541
3540	3710	1	RMS	3690.875	21.71	60	38.29	Pass	401
3710	6500	1	RMS	3710	-54.35	-13	41.35	Pass	2791
6500	26500	1	RMS	25497	-45.07	-13	32.07	Pass	20003




8.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:646332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.64	-13	53.64	Pass	401
0.15	30	0.01	RMS	0.17	-69.9	-13	56.9	Pass	2986
30	1000	0.1	RMS	939.66	-61.43	-13	48.43	Pass	9701
1000	3000	1	RMS	2874	-48.28	-13	35.28	Pass	2001
3000	3540	1	RMS	3032	-43.63	-13	30.63	Pass	541
3540	3710	1	RMS	3698.95	21.56	60	38.44	Pass	401
3710	6500	1	RMS	3710	-51.83	-13	38.83	Pass	2791
6500	26500	1	RMS	25205	-45.18	-13	32.18	Pass	20003




8.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.85	-13	53.85	Pass	401
0.15	30	0.01	RMS	0.32	-70.04	-13	57.04	Pass	2986
30	1000	0.1	RMS	929.453	-61.71	-13	48.71	Pass	9701
1000	3000	1	RMS	2874	-48.38	-13	35.38	Pass	2001
3000	3540	1	RMS	3535	-32.59	-13	19.59	Pass	541
3540	3710	1	RMS	3553.175	9.63	60	50.37	Pass	401
3710	6500	1	RMS	3865	-61.49	-13	48.49	Pass	2791
6500	26500	1	RMS	25194	-44.91	-13	31.91	Pass	20003




8.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.27	-13	51.27	Pass	401
0.15	30	0.01	RMS	0.16	-70.44	-13	57.44	Pass	2986
30	1000	0.1	RMS	914.844	-61.13	-13	48.13	Pass	9701
1000	3000	1	RMS	2870	-48.36	-13	35.36	Pass	2001
3000	3540	1	RMS	3030	-43.59	-13	30.59	Pass	541
3540	3710	1	RMS	3551.05	21.35	60	38.65	Pass	401
3710	6500	1	RMS	3858	-57.55	-13	44.55	Pass	2791
6500	26500	1	RMS	25207	-45.3	-13	32.3	Pass	20003




8.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.25	-13	55.25	Pass	401
0.15	30	0.01	RMS	0.15	-69.62	-13	56.62	Pass	2986
30	1000	0.1	RMS	902.535	-61.47	-13	48.47	Pass	9701
1000	3000	1	RMS	2869	-48.31	-13	35.31	Pass	2001
3000	3540	1	RMS	3029	-43.66	-13	30.66	Pass	541
3540	3710	1	RMS	3568.9	21.29	60	38.71	Pass	401
3710	6500	1	RMS	3876	-58.6	-13	45.6	Pass	2791
6500	26500	1	RMS	25497	-45.38	-13	32.38	Pass	20003




8.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.74	-13	48.74	Pass	401
0.15	30	0.01	RMS	0.23	-70.33	-13	57.33	Pass	2986
30	1000	0.1	RMS	948.266	-61.41	-13	48.41	Pass	9701
1000	3000	1	RMS	2885	-48.37	-13	35.37	Pass	2001
3000	3540	1	RMS	3028	-43.63	-13	30.63	Pass	541
3540	3710	1	RMS	3619.9	9.98	60	50.02	Pass	401
3710	6500	1	RMS	3710	-60.38	-13	47.38	Pass	2791
6500	26500	1	RMS	25479	-45.21	-13	32.21	Pass	20003




8.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.26	-13	49.26	Pass	401
0.15	30	0.01	RMS	0.55	-70.76	-13	57.76	Pass	2986
30	1000	0.1	RMS	699.5	-61.64	-13	48.64	Pass	9701
1000	3000	1	RMS	2864	-48.42	-13	35.42	Pass	2001
3000	3540	1	RMS	3029	-43.52	-13	30.52	Pass	541
3540	3710	1	RMS	3616.075	21.5	60	38.5	Pass	401
3710	6500	1	RMS	3923	-58.75	-13	45.75	Pass	2791
6500	26500	1	RMS	25188	-45.38	-13	32.38	Pass	20003




8.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-60.82	-13	47.82	Pass	401
0.15	30	0.01	RMS	0.15	-68.18	-13	55.18	Pass	2986
30	1000	0.1	RMS	754.3	-61.36	-13	48.36	Pass	9701
1000	3000	1	RMS	2860	-48.4	-13	35.4	Pass	2001
3000	3540	1	RMS	3033	-43.68	-13	30.68	Pass	541
3540	3710	1	RMS	3633.925	21.83	60	38.17	Pass	401
3710	6500	1	RMS	3941	-57.24	-13	44.24	Pass	2791
6500	26500	1	RMS	25826	-45.36	-13	32.36	Pass	20003




8.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.75	-13	49.75	Pass	401
0.15	30	0.01	RMS	0.21	-68.59	-13	55.59	Pass	2986
30	1000	0.1	RMS	733.4	-61.35	-13	48.35	Pass	9701
1000	3000	1	RMS	2870	-48.38	-13	35.38	Pass	2001
3000	3540	1	RMS	3031	-43.69	-13	30.69	Pass	541
3540	3710	1	RMS	3693.425	10.31	60	49.69	Pass	401
3710	6500	1	RMS	3710	-33.32	-13	20.32	Pass	2791
6500	26500	1	RMS	25203	-45.31	-13	32.31	Pass	20003




8.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.03	-13	49.03	Pass	401
0.15	30	0.01	RMS	0.27	-69.73	-13	56.73	Pass	2986
30	1000	0.1	RMS	908.539	-61.23	-13	48.23	Pass	9701
1000	3000	1	RMS	2870	-48.21	-13	35.21	Pass	2001
3000	3540	1	RMS	3028	-43.6	-13	30.6	Pass	541
3540	3710	1	RMS	3681.1	21.8	60	38.2	Pass	401
3710	6500	1	RMS	3717	-55.79	-13	42.79	Pass	2791
6500	26500	1	RMS	25205	-45.36	-13	32.36	Pass	20003




8.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.45	-13	50.45	Pass	401
0.15	30	0.01	RMS	0.18	-70.63	-13	57.63	Pass	2986
30	1000	0.1	RMS	976.885	-61.14	-13	48.14	Pass	9701
1000	3000	1	RMS	2864	-48.38	-13	35.38	Pass	2001
3000	3540	1	RMS	3030	-43.66	-13	30.66	Pass	541
3540	3710	1	RMS	3698.95	22.04	60	37.96	Pass	401
3710	6500	1	RMS	3710	-51.48	-13	38.48	Pass	2791
6500	26500	1	RMS	25508	-45.12	-13	32.12	Pass	20003




8.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.24	-13	53.24	Pass	401
0.15	30	0.01	RMS	0.15	-69.48	-13	56.48	Pass	2986
30	1000	0.1	RMS	747.4	-61.16	-13	48.16	Pass	9701
1000	3000	1	RMS	2889	-48.43	-13	35.43	Pass	2001
3000	3540	1	RMS	3533	-32.06	-13	19.06	Pass	541
3540	3710	1	RMS	3559.975	7.27	60	52.73	Pass	401
3710	6500	1	RMS	3710	-57.34	-13	44.34	Pass	2791
6500	26500	1	RMS	25209	-45.07	-13	32.07	Pass	20003




8.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.87	-13	54.87	Pass	401
0.15	30	0.01	RMS	0.33	-69.39	-13	56.39	Pass	2986
30	1000	0.1	RMS	783	-61.5	-13	48.5	Pass	9701
1000	3000	1	RMS	2874	-48.41	-13	35.41	Pass	2001
3000	3540	1	RMS	3034	-43.63	-13	30.63	Pass	541
3540	3710	1	RMS	3551.05	21.37	60	38.63	Pass	401
3710	6500	1	RMS	3858	-58.31	-13	45.31	Pass	2791
6500	26500	1	RMS	25209	-45.46	-13	32.46	Pass	20003




8.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.38	-13	52.38	Pass	401
0.15	30	0.01	RMS	0.34	-68.8	-13	55.8	Pass	2986
30	1000	0.1	RMS	903.536	-61.43	-13	48.43	Pass	9701
1000	3000	1	RMS	2862	-48.41	-13	35.41	Pass	2001
3000	3540	1	RMS	3029	-43.6	-13	30.6	Pass	541
3540	3710	1	RMS	3588.875	21.46	60	38.54	Pass	401
3710	6500	1	RMS	3896	-57.83	-13	44.83	Pass	2791
6500	26500	1	RMS	25193	-45.07	-13	32.07	Pass	20003




8.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.94	-13	53.94	Pass	401
0.15	30	0.01	RMS	0.21	-70.29	-13	57.29	Pass	2986
30	1000	0.1	RMS	752.5	-61.38	-13	48.38	Pass	9701
1000	3000	1	RMS	2872	-48.38	-13	35.38	Pass	2001
3000	3540	1	RMS	3539	-40.72	-13	27.72	Pass	541
3540	3710	1	RMS	3615.225	7.05	60	52.95	Pass	401
3710	6500	1	RMS	3710	-43.36	-13	30.36	Pass	2791
6500	26500	1	RMS	25146	-45.13	-13	32.13	Pass	20003




8.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.12	-13	53.12	Pass	401
0.15	30	0.01	RMS	0.15	-69.69	-13	56.69	Pass	2986
30	1000	0.1	RMS	906.138	-61.57	-13	48.57	Pass	9701
1000	3000	1	RMS	2878	-48.58	-13	35.58	Pass	2001
3000	3540	1	RMS	3032	-43.6	-13	30.6	Pass	541
3540	3710	1	RMS	3605.875	20.86	60	39.14	Pass	401
3710	6500	1	RMS	3913	-59.07	-13	46.07	Pass	2791
6500	26500	1	RMS	25198	-45.26	-13	32.26	Pass	20003




8.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.36	-13	52.36	Pass	401
0.15	30	0.01	RMS	0.37	-69.86	-13	56.86	Pass	2986
30	1000	0.1	RMS	906.838	-60.98	-13	47.98	Pass	9701
1000	3000	1	RMS	2873	-48.45	-13	35.45	Pass	2001
3000	3540	1	RMS	3030	-43.65	-13	30.65	Pass	541
3540	3710	1	RMS	3643.7	21.55	60	38.45	Pass	401
3710	6500	1	RMS	3951	-56.81	-13	43.81	Pass	2791
6500	26500	1	RMS	25206	-45.04	-13	32.04	Pass	20003




8.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.22	-13	52.22	Pass	401
0.15	30	0.01	RMS	0.17	-69.69	-13	56.69	Pass	2986
30	1000	0.1	RMS	904.737	-61.31	-13	48.31	Pass	9701
1000	3000	1	RMS	2882	-48.45	-13	35.45	Pass	2001
3000	3540	1	RMS	3028	-43.66	-13	30.66	Pass	541
3540	3710	1	RMS	3670.05	7.52	60	52.48	Pass	401
3710	6500	1	RMS	3714	-35.55	-13	22.55	Pass	2791
6500	26500	1	RMS	25206	-44.9	-13	31.9	Pass	20003




8.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.08	-13	53.08	Pass	401
0.15	30	0.01	RMS	0.29	-70.47	-13	57.47	Pass	2986
30	1000	0.1	RMS	740.6	-61.75	-13	48.75	Pass	9701
1000	3000	1	RMS	2867	-48.48	-13	35.48	Pass	2001
3000	3540	1	RMS	3028	-43.61	-13	30.61	Pass	541
3540	3710	1	RMS	3661.125	21.81	60	38.19	Pass	401
3710	6500	1	RMS	3713	-57.78	-13	44.78	Pass	2791
6500	26500	1	RMS	25178	-45.25	-13	32.25	Pass	20003



8.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.02	-13	53.02	Pass	401
0.15	30	0.01	RMS	1.51	-69.95	-13	56.95	Pass	2986
30	1000	0.1	RMS	904.437	-60.65	-13	47.65	Pass	9701
1000	3000	1	RMS	2869	-48.36	-13	35.36	Pass	2001
3000	3540	1	RMS	3032	-43.59	-13	30.59	Pass	541
3540	3710	1	RMS	3698.95	22.13	60	37.87	Pass	401
3710	6500	1	RMS	3710	-51.37	-13	38.37	Pass	2791
6500	26500	1	RMS	25192	-45.19	-13	32.19	Pass	20003



3. n66 15kHz


3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.16	-71.12	-13	58.12	Pass	2986
30	1000	0.1	RMS	894.63	-63.71	-13	50.71	Pass	9701
1000	1700	1	RMS	1700	-41.06	-13	28.06	Pass	701
1700	1790	1	RMS	1713.725	15.15	60	44.85	Pass	401
1790	3000	1	RMS	2871	-48.31	-13	35.31	Pass	1211
3000	6500	1	RMS	5138	-61.27	-13	48.27	Pass	3501
6500	20000	1	RMS	18280	-49.97	-13	36.97	Pass	13502




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.07	-13	58.07	Pass	2986
30	1000	0.1	RMS	885.824	-63.78	-13	50.78	Pass	9701
1000	1700	1	RMS	1700	-52.08	-13	39.08	Pass	701
1700	1790	1	RMS	1710.125	21.31	60	38.69	Pass	401
1790	3000	1	RMS	2878	-48.29	-13	35.29	Pass	1211
3000	6500	1	RMS	5131	-55.82	-13	42.82	Pass	3501
6500	20000	1	RMS	19898	-50.01	-13	37.01	Pass	13502




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.03	-13	60.03	Pass	401
0.15	30	0.01	RMS	0.15	-70.81	-13	57.81	Pass	2986
30	1000	0.1	RMS	994.096	-63.66	-13	50.66	Pass	9701
1000	1700	1	RMS	1700	-52.22	-13	39.22	Pass	701
1700	1790	1	RMS	1714.625	21.28	60	38.72	Pass	401
1790	3000	1	RMS	2867	-48.37	-13	35.37	Pass	1211
3000	6500	1	RMS	5144	-58.28	-13	45.28	Pass	3501
6500	20000	1	RMS	18260	-49.99	-13	36.99	Pass	13502




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.18	-71.15	-13	58.15	Pass	2986
30	1000	0.1	RMS	883.022	-63.84	-13	50.84	Pass	9701
1000	1700	1	RMS	1700	-52.41	-13	39.41	Pass	701
1700	1790	1	RMS	1745.9	15.03	60	44.97	Pass	401
1790	3000	1	RMS	2868	-48.29	-13	35.29	Pass	1211
3000	6500	1	RMS	5235	-61.26	-13	48.26	Pass	3501
6500	20000	1	RMS	18293	-49.9	-13	36.9	Pass	13502




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.18	-71.34	-13	58.34	Pass	2986
30	1000	0.1	RMS	885.824	-63.72	-13	50.72	Pass	9701
1000	1700	1	RMS	1700	-52.51	-13	39.51	Pass	701
1700	1790	1	RMS	1742.75	21.2	60	38.8	Pass	401
1790	3000	1	RMS	2875	-48.36	-13	35.36	Pass	1211
3000	6500	1	RMS	5229	-57.92	-13	44.92	Pass	3501
6500	20000	1	RMS	18270	-50.02	-13	37.02	Pass	13502




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.31	-13	60.31	Pass	401
0.15	30	0.01	RMS	0.16	-71.18	-13	58.18	Pass	2986
30	1000	0.1	RMS	872.716	-63.65	-13	50.65	Pass	9701
1000	1700	1	RMS	1698	-52.52	-13	39.52	Pass	701
1700	1790	1	RMS	1747.025	21.31	60	38.69	Pass	401
1790	3000	1	RMS	2873	-48.34	-13	35.34	Pass	1211
3000	6500	1	RMS	5241	-56.1	-13	43.1	Pass	3501
6500	20000	1	RMS	19896	-50.03	-13	37.03	Pass	13502




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.71	-13	60.71	Pass	401
0.15	30	0.01	RMS	0.21	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	879.72	-63.65	-13	50.65	Pass	9701
1000	1700	1	RMS	1700	-52.46	-13	39.46	Pass	701
1700	1790	1	RMS	1776.275	15.17	60	44.83	Pass	401
1790	3000	1	RMS	1790	-44.51	-13	31.51	Pass	1211
3000	6500	1	RMS	5333	-61.97	-13	48.97	Pass	3501
6500	20000	1	RMS	18284	-49.97	-13	36.97	Pass	13502




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.16	-70.65	-13	57.65	Pass	2986
30	1000	0.1	RMS	892.929	-63.62	-13	50.62	Pass	9701
1000	1700	1	RMS	1699	-52.48	-13	39.48	Pass	701
1700	1790	1	RMS	1775.15	21.23	60	38.77	Pass	401
1790	3000	1	RMS	2873	-48.33	-13	35.33	Pass	1211
3000	6500	1	RMS	5326	-58.66	-13	45.66	Pass	3501
6500	20000	1	RMS	18271	-50.03	-13	37.03	Pass	13502




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.41	-13	60.41	Pass	401
0.15	30	0.01	RMS	0.17	-71.85	-13	58.85	Pass	2986
30	1000	0.1	RMS	900.434	-63.63	-13	50.63	Pass	9701
1000	1700	1	RMS	1699	-52.49	-13	39.49	Pass	701
1700	1790	1	RMS	1779.425	21.14	60	38.86	Pass	401
1790	3000	1	RMS	2868	-48.27	-13	35.27	Pass	1211
3000	6500	1	RMS	5339	-56.47	-13	43.47	Pass	3501
6500	20000	1	RMS	18303	-49.88	-13	36.88	Pass	13502




3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.2	-13	60.2	Pass	401
0.15	30	0.01	RMS	0.32	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	916.845	-63.76	-13	50.76	Pass	9701
1000	1700	1	RMS	1700	-33.32	-13	20.32	Pass	701
1700	1790	1	RMS	1713.95	9.12	60	50.88	Pass	401
1790	3000	1	RMS	2868	-48.29	-13	35.29	Pass	1211
3000	6500	1	RMS	6240	-62.65	-13	49.65	Pass	3501
6500	20000	1	RMS	18269	-49.99	-13	36.99	Pass	13502




3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	57.99	Pass	2986
30	1000	0.1	RMS	898.533	-63.66	-13	50.66	Pass	9701
1000	1700	1	RMS	1700	-51.54	-13	38.54	Pass	701
1700	1790	1	RMS	1710.35	21.42	60	38.58	Pass	401
1790	3000	1	RMS	2869	-48.34	-13	35.34	Pass	1211
3000	6500	1	RMS	5132	-56.66	-13	43.66	Pass	3501
6500	20000	1	RMS	18306	-50.1	-13	37.1	Pass	13502




3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.91	-13	59.91	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	58.38	Pass	2986
30	1000	0.1	RMS	889.627	-63.61	-13	50.61	Pass	9701
1000	1700	1	RMS	1700	-52.28	-13	39.28	Pass	701
1700	1790	1	RMS	1729.25	21.55	60	38.45	Pass	401
1790	3000	1	RMS	2867	-48.35	-13	35.35	Pass	1211
3000	6500	1	RMS	5188	-62.24	-13	49.24	Pass	3501
6500	20000	1	RMS	19910	-50.07	-13	37.07	Pass	13502




3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.21	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	896.531	-63.58	-13	50.58	Pass	9701
1000	1700	1	RMS	1700	-43.24	-13	30.24	Pass	701
1700	1790	1	RMS	1753.1	9.48	60	50.52	Pass	401
1790	3000	1	RMS	1790	-45.78	-13	32.78	Pass	1211
3000	6500	1	RMS	5234	-62.47	-13	49.47	Pass	3501
6500	20000	1	RMS	18229	-50.01	-13	37.01	Pass	13502




3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.17	-13	60.17	Pass	401
0.15	30	0.01	RMS	0.19	-71.36	-13	58.36	Pass	2986
30	1000	0.1	RMS	910.241	-63.73	-13	50.73	Pass	9701
1000	1700	1	RMS	1700	-52.43	-13	39.43	Pass	701
1700	1790	1	RMS	1735.325	21.35	60	38.65	Pass	401
1790	3000	1	RMS	2869	-48.35	-13	35.35	Pass	1211
3000	6500	1	RMS	5207	-61.23	-13	48.23	Pass	3501
6500	20000	1	RMS	18299	-50.02	-13	37.02	Pass	13502




3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.17	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	884.023	-63.62	-13	50.62	Pass	9701
1000	1700	1	RMS	1700	-52.48	-13	39.48	Pass	701
1700	1790	1	RMS	1754.225	21.38	60	38.62	Pass	401
1790	3000	1	RMS	2867	-48.32	-13	35.32	Pass	1211
3000	6500	1	RMS	5263	-57.83	-13	44.83	Pass	3501
6500	20000	1	RMS	18262	-50.05	-13	37.05	Pass	13502




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.2	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	889.127	-63.66	-13	50.66	Pass	9701
1000	1700	1	RMS	1700	-51.19	-13	38.19	Pass	701
1700	1790	1	RMS	1761.425	9.38	60	50.62	Pass	401
1790	3000	1	RMS	1790	-36.57	-13	23.57	Pass	1211
3000	6500	1	RMS	6200	-62.69	-13	49.69	Pass	3501
6500	20000	1	RMS	18300	-50.07	-13	37.07	Pass	13502




3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.17	-71.15	-13	58.15	Pass	2986
30	1000	0.1	RMS	896.531	-63.65	-13	50.65	Pass	9701
1000	1700	1	RMS	1699	-52.5	-13	39.5	Pass	701
1700	1790	1	RMS	1760.525	21.41	60	38.59	Pass	401
1790	3000	1	RMS	2869	-48.35	-13	35.35	Pass	1211
3000	6500	1	RMS	6201	-62.73	-13	49.73	Pass	3501
6500	20000	1	RMS	18252	-50.06	-13	37.06	Pass	13502




3.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.16	-70.77	-13	57.77	Pass	2986
30	1000	0.1	RMS	899.934	-63.79	-13	50.79	Pass	9701
1000	1700	1	RMS	1700	-52.5	-13	39.5	Pass	701
1700	1790	1	RMS	1779.425	21.52	60	38.48	Pass	401
1790	3000	1	RMS	2869	-48.31	-13	35.31	Pass	1211
3000	6500	1	RMS	3559	-62.04	-13	49.04	Pass	3501
6500	20000	1	RMS	18279	-50.03	-13	37.03	Pass	13502




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.17	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	887.525	-63.68	-13	50.68	Pass	9701
1000	1700	1	RMS	1700	-36.08	-13	23.08	Pass	701
1700	1790	1	RMS	1721.6	6.57	60	53.43	Pass	401
1790	3000	1	RMS	1790	-40.96	-13	27.96	Pass	1211
3000	6500	1	RMS	5211	-62.64	-13	49.64	Pass	3501
6500	20000	1	RMS	18275	-50.05	-13	37.05	Pass	13502




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.19	-70.84	-13	57.84	Pass	2986
30	1000	0.1	RMS	916.445	-63.67	-13	50.67	Pass	9701
1000	1700	1	RMS	1700	-50.85	-13	37.85	Pass	701
1700	1790	1	RMS	1710.575	21.3	60	38.7	Pass	401
1790	3000	1	RMS	2873	-48.38	-13	35.38	Pass	1211
3000	6500	1	RMS	5132	-55.96	-13	42.96	Pass	3501
6500	20000	1	RMS	18294	-50.02	-13	37.02	Pass	13502




3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.2	-13	60.2	Pass	401
0.15	30	0.01	RMS	0.16	-71.45	-13	58.45	Pass	2986
30	1000	0.1	RMS	892.729	-63.6	-13	50.6	Pass	9701
1000	1700	1	RMS	1700	-52.17	-13	39.17	Pass	701
1700	1790	1	RMS	1749.275	21.46	60	38.54	Pass	401
1790	3000	1	RMS	2868	-48.32	-13	35.32	Pass	1211
3000	6500	1	RMS	5248	-54.67	-13	41.67	Pass	3501
6500	20000	1	RMS	18299	-50.05	-13	37.05	Pass	13502




3.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.17	-71.07	-13	58.07	Pass	2986
30	1000	0.1	RMS	901.635	-63.67	-13	50.67	Pass	9701
1000	1700	1	RMS	1700	-37.05	-13	24.05	Pass	701
1700	1790	1	RMS	1726.775	6.35	60	53.65	Pass	401
1790	3000	1	RMS	1790	-37.52	-13	24.52	Pass	1211
3000	6500	1	RMS	5233	-62.58	-13	49.58	Pass	3501
6500	20000	1	RMS	18291	-50.1	-13	37.1	Pass	13502




3.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	891.428	-63.7	-13	50.7	Pass	9701
1000	1700	1	RMS	1700	-51.85	-13	38.85	Pass	701
1700	1790	1	RMS	1725.425	21.48	60	38.52	Pass	401
1790	3000	1	RMS	2868	-48.34	-13	35.34	Pass	1211
3000	6500	1	RMS	5177	-62.08	-13	49.08	Pass	3501
6500	20000	1	RMS	18273	-50.05	-13	37.05	Pass	13502




3.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.44	-13	60.44	Pass	401
0.15	30	0.01	RMS	0.18	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	888.626	-63.72	-13	50.72	Pass	9701
1000	1700	1	RMS	1700	-52.47	-13	39.47	Pass	701
1700	1790	1	RMS	1764.35	21.31	60	38.69	Pass	401
1790	3000	1	RMS	2868	-48.35	-13	35.35	Pass	1211
3000	6500	1	RMS	5293	-57.05	-13	44.05	Pass	3501
6500	20000	1	RMS	18296	-50.05	-13	37.05	Pass	13502




3.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.18	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	882.422	-63.67	-13	50.67	Pass	9701
1000	1700	1	RMS	1700	-39.64	-13	26.64	Pass	701
1700	1790	1	RMS	1755.575	6.13	60	53.87	Pass	401
1790	3000	1	RMS	1790	-36.41	-13	23.41	Pass	1211
3000	6500	1	RMS	6207	-62.71	-13	49.71	Pass	3501
6500	20000	1	RMS	18273	-50.04	-13	37.04	Pass	13502




3.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.22	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	895.531	-63.7	-13	50.7	Pass	9701
1000	1700	1	RMS	1700	-52.4	-13	39.4	Pass	701
1700	1790	1	RMS	1740.5	21.33	60	38.67	Pass	401
1790	3000	1	RMS	2869	-48.32	-13	35.32	Pass	1211
3000	6500	1	RMS	5222	-56.41	-13	43.41	Pass	3501
6500	20000	1	RMS	18274	-50.07	-13	37.07	Pass	13502



3.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.17	-71.61	-13	58.61	Pass	2986
30	1000	0.1	RMS	892.629	-63.66	-13	50.66	Pass	9701
1000	1700	1	RMS	1700	-52.53	-13	39.53	Pass	701
1700	1790	1	RMS	1779.2	21.44	60	38.56	Pass	401
1790	3000	1	RMS	2870	-48.35	-13	35.35	Pass	1211
3000	6500	1	RMS	5338	-53.92	-13	40.92	Pass	3501
6500	20000	1	RMS	19921	-50	-13	37	Pass	13502



4. n77 30kHz(3700-3980)


4.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.36	-13	41.36	Pass	401
0.15	30	0.01	RMS	0.18	-69.56	-13	56.56	Pass	2986
30	1000	0.1	RMS	866.512	-61.18	-13	48.18	Pass	9701
1000	3000	1	RMS	2871	-47.99	-13	34.99	Pass	2001
3000	3690	1	RMS	3690	-34.73	-13	21.73	Pass	691
3690	3990	1	RMS	3702.75	18.25	60	41.75	Pass	401
3990	6500	1	RMS	4011	-59.28	-13	46.28	Pass	2511
6500	26500	1	RMS	25872	-45.17	-13	32.17	Pass	20003




4.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.29	-13	42.29	Pass	401
0.15	30	0.01	RMS	0.15	-70.41	-13	57.41	Pass	2986
30	1000	0.1	RMS	829	-61.07	-13	48.07	Pass	9701
1000	3000	1	RMS	2872	-48.17	-13	35.17	Pass	2001
3000	3690	1	RMS	3690	-42.96	-13	29.96	Pass	691
3690	3990	1	RMS	3700.5	22.17	60	37.83	Pass	401
3990	6500	1	RMS	4008	-56.36	-13	43.36	Pass	2511
6500	26500	1	RMS	25570	-44.89	-13	31.89	Pass	20003




4.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.82	-13	41.82	Pass	401
0.15	30	0.01	RMS	0.3	-70.09	-13	57.09	Pass	2986
30	1000	0.1	RMS	897.132	-61.5	-13	48.5	Pass	9701
1000	3000	1	RMS	2868	-48.07	-13	35.07	Pass	2001
3000	3690	1	RMS	3688	-43.32	-13	30.32	Pass	691
3690	3990	1	RMS	3708.75	22.17	60	37.83	Pass	401
3990	6500	1	RMS	4016	-56.43	-13	43.43	Pass	2511
6500	26500	1	RMS	25174	-45.12	-13	32.12	Pass	20003




4.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.3	-13	41.3	Pass	401
0.15	30	0.01	RMS	0.26	-68.71	-13	55.71	Pass	2986
30	1000	0.1	RMS	883.723	-60.85	-13	47.85	Pass	9701
1000	3000	1	RMS	2860	-48.14	-13	35.14	Pass	2001
3000	3690	1	RMS	3029	-43.33	-13	30.33	Pass	691
3690	3990	1	RMS	3747.75	17.69	60	42.31	Pass	401
3990	6500	1	RMS	4057	-57.47	-13	44.47	Pass	2511
6500	26500	1	RMS	25496	-45.18	-13	32.18	Pass	20003




4.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.85	-13	43.85	Pass	401
0.15	30	0.01	RMS	0.29	-68.18	-13	55.18	Pass	2986
30	1000	0.1	RMS	890.127	-60.95	-13	47.95	Pass	9701
1000	3000	1	RMS	2879	-48.13	-13	35.13	Pass	2001
3000	3690	1	RMS	3037	-43.39	-13	30.39	Pass	691
3690	3990	1	RMS	3835.5	21.06	60	38.94	Pass	401
3990	6500	1	RMS	4143	-56	-13	43	Pass	2511
6500	26500	1	RMS	25199	-44.62	-13	31.62	Pass	20003




4.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.07	-13	51.07	Pass	401
0.15	30	0.01	RMS	0.15	-68.5	-13	55.5	Pass	2986
30	1000	0.1	RMS	918.846	-60.91	-13	47.91	Pass	9701
1000	3000	1	RMS	2866	-48.16	-13	35.16	Pass	2001
3000	3690	1	RMS	3017	-43.43	-13	30.43	Pass	691
3690	3990	1	RMS	3844.5	21.12	60	38.88	Pass	401
3990	6500	1	RMS	4151	-56.7	-13	43.7	Pass	2511
6500	26500	1	RMS	25804	-45.3	-13	32.3	Pass	20003




4.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:665000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.69	-13	41.69	Pass	401
0.15	30	0.01	RMS	0.3	-68.98	-13	55.98	Pass	2986
30	1000	0.1	RMS	751.7	-60.88	-13	47.88	Pass	9701
1000	3000	1	RMS	2878	-48.09	-13	35.09	Pass	2001
3000	3690	1	RMS	3030	-43.32	-13	30.32	Pass	691
3690	3990	1	RMS	3735	-43.97	60	103.97	Pass	401
3990	6500	1	RMS	4192	15.94	-13	-28.94	Fail	2511
6500	26500	1	RMS	25194	-45.37	-13	32.37	Pass	20003




4.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:665000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.94	-13	41.94	Pass	401
0.15	30	0.01	RMS	0.2	-71.01	-13	58.01	Pass	2986
30	1000	0.1	RMS	896.331	-60.97	-13	47.97	Pass	9701
1000	3000	1	RMS	2866	-48.15	-13	35.15	Pass	2001
3000	3690	1	RMS	3026	-43.39	-13	30.39	Pass	691
3690	3990	1	RMS	3970.5	21.18	60	38.82	Pass	401
3990	6500	1	RMS	3990	-53.06	-13	40.06	Pass	2511
6500	26500	1	RMS	25191	-45.19	-13	32.19	Pass	20003




4.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.65	-13	49.65	Pass	401
0.15	30	0.01	RMS	0.15	-69.68	-13	56.68	Pass	2986
30	1000	0.1	RMS	999.5	-61.35	-13	48.35	Pass	9701
1000	3000	1	RMS	2877	-48.16	-13	35.16	Pass	2001
3000	3690	1	RMS	3032	-43.34	-13	30.34	Pass	691
3690	3990	1	RMS	3979.5	20.87	60	39.13	Pass	401
3990	6500	1	RMS	3990	-50.01	-13	37.01	Pass	2511
6500	26500	1	RMS	25191	-45.23	-13	32.23	Pass	20003




4.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.82	-13	46.82	Pass	401
0.15	30	0.01	RMS	0.15	-70.14	-13	57.14	Pass	2986
30	1000	0.1	RMS	899.133	-61.19	-13	48.19	Pass	9701
1000	3000	1	RMS	2880	-48.21	-13	35.21	Pass	2001
3000	3690	1	RMS	3677	-34.09	-13	21.09	Pass	691
3690	3990	1	RMS	3724.5	11.32	60	48.68	Pass	401
3990	6500	1	RMS	4010	-61.69	-13	48.69	Pass	2511
6500	26500	1	RMS	25211	-45.1	-13	32.1	Pass	20003




4.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.02	-13	48.02	Pass	401
0.15	30	0.01	RMS	0.21	-69.43	-13	56.43	Pass	2986
30	1000	0.1	RMS	882.022	-60.89	-13	47.89	Pass	9701
1000	3000	1	RMS	2876	-48.17	-13	35.17	Pass	2001
3000	3690	1	RMS	3690	-42.58	-13	29.58	Pass	691
3690	3990	1	RMS	3701.25	23.51	60	36.49	Pass	401
3990	6500	1	RMS	4008	-57.58	-13	44.58	Pass	2511
6500	26500	1	RMS	25193	-45.18	-13	32.18	Pass	20003




4.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.56	-13	43.56	Pass	401
0.15	30	0.01	RMS	0.16	-66.82	-13	53.82	Pass	2986
30	1000	0.1	RMS	911.641	-61.04	-13	48.04	Pass	9701
1000	3000	1	RMS	2888	-48.17	-13	35.17	Pass	2001
3000	3690	1	RMS	3025	-43.39	-13	30.39	Pass	691
3690	3990	1	RMS	3748.5	23.09	60	36.91	Pass	401
3990	6500	1	RMS	4056	-56.31	-13	43.31	Pass	2511
6500	26500	1	RMS	25480	-45.27	-13	32.27	Pass	20003




4.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.24	-13	47.24	Pass	401
0.15	30	0.01	RMS	0.26	-69.45	-13	56.45	Pass	2986
30	1000	0.1	RMS	620.8	-60.91	-13	47.91	Pass	9701
1000	3000	1	RMS	2871	-48.18	-13	35.18	Pass	2001
3000	3690	1	RMS	3025	-43.29	-13	30.29	Pass	691
3690	3990	1	RMS	3821.25	10.04	60	49.96	Pass	401
3990	6500	1	RMS	3990	-57.85	-13	44.85	Pass	2511
6500	26500	1	RMS	25194	-45.37	-13	32.37	Pass	20003




4.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.59	-13	49.59	Pass	401
0.15	30	0.01	RMS	0.16	-68.99	-13	55.99	Pass	2986
30	1000	0.1	RMS	865.111	-61.24	-13	48.24	Pass	9701
1000	3000	1	RMS	2878	-48.15	-13	35.15	Pass	2001
3000	3690	1	RMS	3031	-43.37	-13	30.37	Pass	691
3690	3990	1	RMS	3816	21.99	60	38.01	Pass	401
3990	6500	1	RMS	4123	-57.1	-13	44.1	Pass	2511
6500	26500	1	RMS	25201	-44.35	-13	31.35	Pass	20003




4.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-60.69	-13	47.69	Pass	401
0.15	30	0.01	RMS	0.21	-69.12	-13	56.12	Pass	2986
30	1000	0.1	RMS	951.668	-60.97	-13	47.97	Pass	9701
1000	3000	1	RMS	2884	-48.21	-13	35.21	Pass	2001
3000	3690	1	RMS	3031	-43.37	-13	30.37	Pass	691
3690	3990	1	RMS	3864	21.93	60	38.07	Pass	401
3990	6500	1	RMS	4171	-55.54	-13	42.54	Pass	2511
6500	26500	1	RMS	25189	-45.19	-13	32.19	Pass	20003




4.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.04	-13	48.04	Pass	401
0.15	30	0.01	RMS	0.15	-70.79	-13	57.79	Pass	2986
30	1000	0.1	RMS	853.003	-61.48	-13	48.48	Pass	9701
1000	3000	1	RMS	2859	-48.11	-13	35.11	Pass	2001
3000	3690	1	RMS	3035	-43.41	-13	30.41	Pass	691
3690	3990	1	RMS	3936	9.78	60	50.22	Pass	401
3990	6500	1	RMS	4001	-34.29	-13	21.29	Pass	2511
6500	26500	1	RMS	25205	-45.22	-13	32.22	Pass	20003




4.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.64	-13	45.64	Pass	401
0.15	30	0.01	RMS	0.28	-69.34	-13	56.34	Pass	2986
30	1000	0.1	RMS	751.6	-61.19	-13	48.19	Pass	9701
1000	3000	1	RMS	2865	-48.02	-13	35.02	Pass	2001
3000	3690	1	RMS	3032	-43.38	-13	30.38	Pass	691
3690	3990	1	RMS	3931.5	21.64	60	38.36	Pass	401
3990	6500	1	RMS	3993	-55.56	-13	42.56	Pass	2511
6500	26500	1	RMS	25929	-44.86	-13	31.86	Pass	20003




4.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.06	-13	48.06	Pass	401
0.15	30	0.01	RMS	0.18	-70.62	-13	57.62	Pass	2986
30	1000	0.1	RMS	876.818	-60.88	-13	47.88	Pass	9701
1000	3000	1	RMS	2868	-48.21	-13	35.21	Pass	2001
3000	3690	1	RMS	3030	-43.29	-13	30.29	Pass	691
3690	3990	1	RMS	3978.75	21.64	60	38.36	Pass	401
3990	6500	1	RMS	3990	-49.62	-13	36.62	Pass	2511
6500	26500	1	RMS	25187	-45.12	-13	32.12	Pass	20003




4.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.71	-13	41.71	Pass	401
0.15	30	0.01	RMS	0.15	-67.05	-13	54.05	Pass	2986
30	1000	0.1	RMS	903.336	-60.69	-13	47.69	Pass	9701
1000	3000	1	RMS	2884	-48.2	-13	35.2	Pass	2001
3000	3690	1	RMS	3655	-35.93	-13	22.93	Pass	691
3690	3990	1	RMS	3723	8.04	60	51.96	Pass	401
3990	6500	1	RMS	4000	-56.39	-13	43.39	Pass	2511
6500	26500	1	RMS	25507	-45.12	-13	32.12	Pass	20003




4.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.79	-13	42.79	Pass	401
0.15	30	0.01	RMS	0.22	-69.78	-13	56.78	Pass	2986
30	1000	0.1	RMS	915.644	-61.33	-13	48.33	Pass	9701
1000	3000	1	RMS	2879	-48.21	-13	35.21	Pass	2001
3000	3690	1	RMS	3686	-42.56	-13	29.56	Pass	691
3690	3990	1	RMS	3701.25	22.7	60	37.3	Pass	401
3990	6500	1	RMS	4008	-57.25	-13	44.25	Pass	2511
6500	26500	1	RMS	25773	-45.2	-13	32.2	Pass	20003




4.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.56	-13	41.56	Pass	401
0.15	30	0.01	RMS	0.15	-70.3	-13	57.3	Pass	2986
30	1000	0.1	RMS	749	-61.4	-13	48.4	Pass	9701
1000	3000	1	RMS	2870	-48.05	-13	35.05	Pass	2001
3000	3690	1	RMS	3686	-42.88	-13	29.88	Pass	691
3690	3990	1	RMS	3798.75	22.27	60	37.73	Pass	401
3990	6500	1	RMS	4106	-56.57	-13	43.57	Pass	2511
6500	26500	1	RMS	25781	-45.14	-13	32.14	Pass	20003




4.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.86	-13	38.86	Pass	401
0.15	30	0.01	RMS	0.19	-70.36	-13	57.36	Pass	2986
30	1000	0.1	RMS	988.592	-60.66	-13	47.66	Pass	9701
1000	3000	1	RMS	2872	-48.12	-13	35.12	Pass	2001
3000	3690	1	RMS	3667	-40.65	-13	27.65	Pass	691
3690	3990	1	RMS	3792.75	7.27	60	52.73	Pass	401
3990	6500	1	RMS	3992	-42.72	-13	29.72	Pass	2511
6500	26500	1	RMS	25200	-44.32	-13	31.32	Pass	20003




4.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.95	-13	37.95	Pass	401
0.15	30	0.01	RMS	0.15	-69.07	-13	56.07	Pass	2986
30	1000	0.1	RMS	821.2	-61.06	-13	48.06	Pass	9701
1000	3000	1	RMS	2876	-48.25	-13	35.25	Pass	2001
3000	3690	1	RMS	3027	-43.35	-13	30.35	Pass	691
3690	3990	1	RMS	3791.25	22.2	60	37.8	Pass	401
3990	6500	1	RMS	4098	-56.83	-13	43.83	Pass	2511
6500	26500	1	RMS	25186	-45.16	-13	32.16	Pass	20003




4.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.06	-13	41.06	Pass	401
0.15	30	0.01	RMS	0.18	-68.95	-13	55.95	Pass	2986
30	1000	0.1	RMS	520.8	-61.2	-13	48.2	Pass	9701
1000	3000	1	RMS	2872	-48.23	-13	35.23	Pass	2001
3000	3690	1	RMS	3030	-43.31	-13	30.31	Pass	691
3690	3990	1	RMS	3888.75	21.77	60	38.23	Pass	401
3990	6500	1	RMS	4196	-56.2	-13	43.2	Pass	2511
6500	26500	1	RMS	25476	-45.05	-13	32.05	Pass	20003




4.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.19	-13	37.19	Pass	401
0.15	30	0.01	RMS	0.32	-68.87	-13	55.87	Pass	2986
30	1000	0.1	RMS	865.511	-61.33	-13	48.33	Pass	9701
1000	3000	1	RMS	2869	-47.82	-13	34.82	Pass	2001
3000	3690	1	RMS	3689	-43.37	-13	30.37	Pass	691
3690	3990	1	RMS	3900	6.62	60	53.38	Pass	401
3990	6500	1	RMS	4014	-32.7	-13	19.7	Pass	2511
6500	26500	1	RMS	25197	-44.81	-13	31.81	Pass	20003




4.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.13	-13	39.13	Pass	401
0.15	30	0.01	RMS	0.18	-69.98	-13	56.98	Pass	2986
30	1000	0.1	RMS	984.79	-61.14	-13	48.14	Pass	9701
1000	3000	1	RMS	2870	-48.16	-13	35.16	Pass	2001
3000	3690	1	RMS	3029	-43.3	-13	30.3	Pass	691
3690	3990	1	RMS	3881.25	21.71	60	38.29	Pass	401
3990	6500	1	RMS	4188	-55.85	-13	42.85	Pass	2511
6500	26500	1	RMS	25510	-44.88	-13	31.88	Pass	20003



4.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.98	-13	37.98	Pass	401
0.15	30	0.01	RMS	0.2	-68.93	-13	55.93	Pass	2986
30	1000	0.1	RMS	890.928	-61.34	-13	48.34	Pass	9701
1000	3000	1	RMS	2885	-48.15	-13	35.15	Pass	2001
3000	3690	1	RMS	3028	-43.37	-13	30.37	Pass	691
3690	3990	1	RMS	3978.75	20.8	60	39.2	Pass	401
3990	6500	1	RMS	3990	-49.85	-13	36.85	Pass	2511
6500	26500	1	RMS	25167	-44.95	-13	31.95	Pass	20003



5. n78 30kHz(3700-3800)


5.1. Spurious Emission at Antenna Terminals for
 SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30,
 OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-63.85	-13	50.85	Pass	401
0.15	30	0.01	RMS	0.19	-70.02	-13	57.02	Pass	2986
30	1000	0.1	RMS	981.788	-61.15	-13	48.15	Pass	9701
1000	3000	1	RMS	2867	-48.06	-13	35.06	Pass	2001
3000	3690	1	RMS	3690	-29.74	-13	16.74	Pass	691
3690	3810	1	RMS	3702.9	18.06	60	41.94	Pass	401
3810	6500	1	RMS	4009	-57.27	-13	44.27	Pass	2691
6500	26500	1	RMS	25199	-45.16	-13	32.16	Pass	20003




5.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-58.57	-13	45.57	Pass	401
0.15	30	0.01	RMS	0.24	-69.11	-13	56.11	Pass	2986
30	1000	0.1	RMS	892.129	-60.81	-13	47.81	Pass	9701
1000	3000	1	RMS	2881	-48.23	-13	35.23	Pass	2001
3000	3690	1	RMS	3690	-42.62	-13	29.62	Pass	691
3690	3810	1	RMS	3700.8	23.57	60	36.43	Pass	401
3810	6500	1	RMS	4008	-56.85	-13	43.85	Pass	2691
6500	26500	1	RMS	25198	-44.97	-13	31.97	Pass	20003




5.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-64.27	-13	51.27	Pass	401
0.15	30	0.01	RMS	0.18	-69.87	-13	56.87	Pass	2986
30	1000	0.1	RMS	757.9	-61.25	-13	48.25	Pass	9701
1000	3000	1	RMS	2869	-48.19	-13	35.19	Pass	2001
3000	3690	1	RMS	3689	-43.3	-13	30.3	Pass	691
3690	3810	1	RMS	3709.2	23.53	60	36.47	Pass	401
3810	6500	1	RMS	4016	-57.25	-13	44.25	Pass	2691
6500	26500	1	RMS	25190	-45.16	-13	32.16	Pass	20003




5.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.31	-13	50.31	Pass	401
0.15	30	0.01	RMS	0.42	-69.91	-13	56.91	Pass	2986
30	1000	0.1	RMS	878.92	-60.87	-13	47.87	Pass	9701
1000	3000	1	RMS	2865	-48.17	-13	35.17	Pass	2001
3000	3690	1	RMS	3031	-43.37	-13	30.37	Pass	691
3690	3810	1	RMS	3747	18.21	60	41.79	Pass	401
3810	6500	1	RMS	4054	-59.39	-13	46.39	Pass	2691
6500	26500	1	RMS	25843	-44.73	-13	31.73	Pass	20003




5.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-64.45	-13	51.45	Pass	401
0.15	30	0.01	RMS	0.39	-69.57	-13	56.57	Pass	2986
30	1000	0.1	RMS	952.969	-61.29	-13	48.29	Pass	9701
1000	3000	1	RMS	2866	-48.2	-13	35.2	Pass	2001
3000	3690	1	RMS	3011	-43.23	-13	30.23	Pass	691
3690	3810	1	RMS	3745.8	23.82	60	36.18	Pass	401
3810	6500	1	RMS	4053	-57.43	-13	44.43	Pass	2691
6500	26500	1	RMS	25220	-45.18	-13	32.18	Pass	20003




5.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-64.65	-13	51.65	Pass	401
0.15	30	0.01	RMS	0.3	-69.83	-13	56.83	Pass	2986
30	1000	0.1	RMS	836.8	-61.34	-13	48.34	Pass	9701
1000	3000	1	RMS	2863	-48.21	-13	35.21	Pass	2001
3000	3690	1	RMS	3028	-43.34	-13	30.34	Pass	691
3690	3810	1	RMS	3754.2	23.49	60	36.51	Pass	401
3810	6500	1	RMS	4061	-59.02	-13	46.02	Pass	2691
6500	26500	1	RMS	25203	-44.55	-13	31.55	Pass	20003




5.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:653000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-64.47	-13	51.47	Pass	401
0.15	30	0.01	RMS	0.17	-69.29	-13	56.29	Pass	2986
30	1000	0.1	RMS	866.211	-60.98	-13	47.98	Pass	9701
1000	3000	1	RMS	2874	-48.17	-13	35.17	Pass	2001
3000	3690	1	RMS	3031	-43.27	-13	30.27	Pass	691
3690	3810	1	RMS	3792.6	17.63	60	42.37	Pass	401
3810	6500	1	RMS	3810	-30.58	-13	17.58	Pass	2691
6500	26500	1	RMS	25193	-44.67	-13	31.67	Pass	20003




5.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:653000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-64.19	-13	51.19	Pass	401
0.15	30	0.01	RMS	0.18	-69.76	-13	56.76	Pass	2986
30	1000	0.1	RMS	994.196	-60.81	-13	47.81	Pass	9701
1000	3000	1	RMS	2860	-48.13	-13	35.13	Pass	2001
3000	3690	1	RMS	3032	-43.41	-13	30.41	Pass	691
3690	3810	1	RMS	3790.8	23.18	60	36.82	Pass	401
3810	6500	1	RMS	3810	-53.48	-13	40.48	Pass	2691
6500	26500	1	RMS	25872	-45.44	-13	32.44	Pass	20003




5.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:653000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-64.52	-13	51.52	Pass	401
0.15	30	0.01	RMS	0.47	-69.45	-13	56.45	Pass	2986
30	1000	0.1	RMS	891.728	-60.57	-13	47.57	Pass	9701
1000	3000	1	RMS	2862	-48.1	-13	35.1	Pass	2001
3000	3690	1	RMS	3031	-43.32	-13	30.32	Pass	691
3690	3810	1	RMS	3799.2	22.96	60	37.04	Pass	401
3810	6500	1	RMS	3810	-50.17	-13	37.17	Pass	2691
6500	26500	1	RMS	25200	-45.21	-13	32.21	Pass	20003




5.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-63.26	-13	50.26	Pass	401
0.15	30	0.01	RMS	0.34	-70.46	-13	57.46	Pass	2986
30	1000	0.1	RMS	992.895	-61.33	-13	48.33	Pass	9701
1000	3000	1	RMS	2870	-48.08	-13	35.08	Pass	2001
3000	3690	1	RMS	3677	-29.89	-13	16.89	Pass	691
3690	3810	1	RMS	3724.8	11.16	60	48.84	Pass	401
3810	6500	1	RMS	3817	-37.71	-13	24.71	Pass	2691
6500	26500	1	RMS	25526	-45.18	-13	32.18	Pass	20003




5.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-59.73	-13	46.73	Pass	401
0.15	30	0.01	RMS	0.17	-69.59	-13	56.59	Pass	2986
30	1000	0.1	RMS	998.099	-61.12	-13	48.12	Pass	9701
1000	3000	1	RMS	2871	-48.07	-13	35.07	Pass	2001
3000	3690	1	RMS	3690	-42.59	-13	29.59	Pass	691
3690	3810	1	RMS	3701.1	23.41	60	36.59	Pass	401
3810	6500	1	RMS	4008	-57.68	-13	44.68	Pass	2691
6500	26500	1	RMS	25461	-45.25	-13	32.25	Pass	20003




5.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.07	-13	47.07	Pass	401
0.15	30	0.01	RMS	0.21	-69.74	-13	56.74	Pass	2986
30	1000	0.1	RMS	986.991	-60.82	-13	47.82	Pass	9701
1000	3000	1	RMS	2884	-48.04	-13	35.04	Pass	2001
3000	3690	1	RMS	3687	-43.33	-13	30.33	Pass	691
3690	3810	1	RMS	3748.8	23.7	60	36.3	Pass	401
3810	6500	1	RMS	4056	-56.86	-13	43.86	Pass	2691
6500	26500	1	RMS	25838	-45.5	-13	32.5	Pass	20003




5.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.19	-13	50.19	Pass	401
0.15	30	0.01	RMS	0.21	-68.38	-13	55.38	Pass	2986
30	1000	0.1	RMS	936.758	-61.49	-13	48.49	Pass	9701
1000	3000	1	RMS	2868	-48.06	-13	35.06	Pass	2001
3000	3690	1	RMS	3685	-31.47	-13	18.47	Pass	691
3690	3810	1	RMS	3728.1	10.97	60	49.03	Pass	401
3810	6500	1	RMS	3812	-31.54	-13	18.54	Pass	2691
6500	26500	1	RMS	25830	-45.38	-13	32.38	Pass	20003




5.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.57	-13	48.57	Pass	401
0.15	30	0.01	RMS	0.32	-69.97	-13	56.97	Pass	2986
30	1000	0.1	RMS	920.147	-60.73	-13	47.73	Pass	9701
1000	3000	1	RMS	2880	-48.08	-13	35.08	Pass	2001
3000	3690	1	RMS	3027	-43.37	-13	30.37	Pass	691
3690	3810	1	RMS	3726.3	23.91	60	36.09	Pass	401
3810	6500	1	RMS	4033	-57.58	-13	44.58	Pass	2691
6500	26500	1	RMS	25499	-45.15	-13	32.15	Pass	20003




5.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.35	-13	50.35	Pass	401
0.15	30	0.01	RMS	0.17	-70.13	-13	57.13	Pass	2986
30	1000	0.1	RMS	878.92	-61.05	-13	48.05	Pass	9701
1000	3000	1	RMS	2873	-47.94	-13	34.94	Pass	2001
3000	3690	1	RMS	3034	-43.33	-13	30.33	Pass	691
3690	3810	1	RMS	3773.7	23.26	60	36.74	Pass	401
3810	6500	1	RMS	3821	-55.95	-13	42.95	Pass	2691
6500	26500	1	RMS	25498	-45.35	-13	32.35	Pass	20003




5.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.08	-13	49.08	Pass	401
0.15	30	0.01	RMS	0.31	-69.8	-13	56.8	Pass	2986
30	1000	0.1	RMS	929.553	-60.78	-13	47.78	Pass	9701
1000	3000	1	RMS	2868	-48.08	-13	35.08	Pass	2001
3000	3690	1	RMS	3690	-38.14	-13	25.14	Pass	691
3690	3810	1	RMS	3753.3	10.63	60	49.37	Pass	401
3810	6500	1	RMS	3816	-29.73	-13	16.73	Pass	2691
6500	26500	1	RMS	25196	-44.78	-13	31.78	Pass	20003




5.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.63	-13	47.63	Pass	401
0.15	30	0.01	RMS	0.29	-70.37	-13	57.37	Pass	2986
30	1000	0.1	RMS	713	-61.22	-13	48.22	Pass	9701
1000	3000	1	RMS	2878	-48.11	-13	35.11	Pass	2001
3000	3690	1	RMS	3032	-43.34	-13	30.34	Pass	691
3690	3810	1	RMS	3751.2	23.68	60	36.32	Pass	401
3810	6500	1	RMS	3813	-54.45	-13	41.45	Pass	2691
6500	26500	1	RMS	25212	-44.92	-13	31.92	Pass	20003




5.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.61	-13	50.61	Pass	401
0.15	30	0.01	RMS	0.21	-70.01	-13	57.01	Pass	2986
30	1000	0.1	RMS	989.293	-61.26	-13	48.26	Pass	9701
1000	3000	1	RMS	2870	-48.05	-13	35.05	Pass	2001
3000	3690	1	RMS	3027	-43.36	-13	30.36	Pass	691
3690	3810	1	RMS	3798.6	22.51	60	37.49	Pass	401
3810	6500	1	RMS	3810	-50.18	-13	37.18	Pass	2691
6500	26500	1	RMS	25831	-45.28	-13	32.28	Pass	20003




5.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.12	-13	39.12	Pass	401
0.15	30	0.01	RMS	0.23	-69.06	-13	56.06	Pass	2986
30	1000	0.1	RMS	774.2	-61.33	-13	48.33	Pass	9701
1000	3000	1	RMS	2874	-48.21	-13	35.21	Pass	2001
3000	3690	1	RMS	3655	-31.92	-13	18.92	Pass	691
3690	3810	1	RMS	3722.4	7.9	60	52.1	Pass	401
3810	6500	1	RMS	3844	-31.2	-13	18.2	Pass	2691
6500	26500	1	RMS	25178	-45.21	-13	32.21	Pass	20003




5.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.78	-13	37.78	Pass	401
0.15	30	0.01	RMS	0.18	-69.24	-13	56.24	Pass	2986
30	1000	0.1	RMS	878.319	-60.96	-13	47.96	Pass	9701
1000	3000	1	RMS	2869	-48.16	-13	35.16	Pass	2001
3000	3690	1	RMS	3690	-42.59	-13	29.59	Pass	691
3690	3810	1	RMS	3701.1	23.3	60	36.7	Pass	401
3810	6500	1	RMS	4008	-56.91	-13	43.91	Pass	2691
6500	26500	1	RMS	25223	-44.84	-13	31.84	Pass	20003



5.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.41	-13	41.41	Pass	401
0.15	30	0.01	RMS	0.21	-69.44	-13	56.44	Pass	2986
30	1000	0.1	RMS	789.1	-61.41	-13	48.41	Pass	9701
1000	3000	1	RMS	2882	-48.24	-13	35.24	Pass	2001
3000	3690	1	RMS	3686	-42.66	-13	29.66	Pass	691
3690	3810	1	RMS	3798.9	22.77	60	37.23	Pass	401
3810	6500	1	RMS	3810	-49.54	-13	36.54	Pass	2691
6500	26500	1	RMS	25215	-44.94	-13	31.94	Pass	20003



--BLANK BELOW--