

EUT EXTERNAL PHOTOS


FRONT VIEW OF EUT




REAR VIEW OF EUT




LEFT VIEW OF EUT



RIGHT VIEW OF EUT



TOP VIEW OF EUT



BOTTOM VIEW OF EUT




FRONT VIEW OF EUT




REAR VIEW OF EUT




LEFT VIEW OF EUT



RIGHT VIEW OF EUT




TOP VIEW OF EUT



BOTTOM VIEW OF EUT




Accessory-Power Supply Unit 1 (MDY-14-EF (US Plug))



CLOSE-UP




Accessory-Power Supply Unit 2 (MDY-14-EF (US Plug))



CLOSE-UP



Accessory- USB Cable 1




Accessory- USB Cable 2



Accessory- USB Cable 3



Accessory- USB Cable 4



Ancillary Equipment

Ancillary Equipment 1	Battery 1	
	Brand Name	N/A
	Model No.	BP56
	Serial No.	N/A
	Capacitance	Rated: 4990mAh/19.52Wh Typical: 5110mAh/19.99Wh
	Rated Voltage	3.91 V
	Limited Voltage	4.50 V
	Supplier	Sunwoda Electronic Co., Ltd.
Ancillary Equipment 2	Battery 2	
	Brand Name	N/A
	Model No.	BP56
	Serial No.	N/A
	Capacitance	Rated: 4990mAh/19.52Wh Typical: 5110mAh/19.99Wh
	Rated Voltage	3.91 V
	Limited Voltage	4.50 V
	Supplier	Dongguan Amperex Technology Limited
Ancillary Equipment 3	Adapter 1	
	Brand Name	N/A
	Model No.	MDY-14-EF (US Plug)
	Serial No.	N/A
	Rated Input	100-240V~50/60Hz, 3.0A
	Rated Output	5.0V= 3.0A or 5-20V= 3-6A, 120W
	Supplier	Jiangxi Jian Aohai Technology Co.,Ltd.
Ancillary Equipment 4	Adapter 2	
	Brand Name	N/A
	Model No.	MDY-14-EF (US Plug)
	Serial No.	N/A
	Rated Input	100-240V~50/60Hz, 3.0A
	Rated Output	5.0V= 3.0A or 5-20V= 3-6A, 120W
	Supplier	Salcomp (Guigang) Co., Ltd.
Ancillary Equipment 5	USB Cable 1	
	Model No.	B26260
	Length (Approx.)	1.0 m
Ancillary Equipment 6	USB Cable 2	
	Model No.	H26260
	Length (Approx.)	1.0 m
Ancillary Equipment 7	USB Cable 3	
	Model No.	K26260
	Length (Approx.)	1.0 m

Ancillary Equipment 8	USB Cable 4	
	Model No.	L26260
	Length (Approx.)	1.0 m
Note 1: Letter in () means plug type. Note 2: All adapters are tested, only the worst data of MDY-14-EF (US Plug)(Jiangxi Jian Aohai Technology Co., Ltd.) shown in this report. Note 3: All batteries are tested, only the worst data of BP56 (Sunwoda Electronic Co., Ltd.) shown in this report. Note 4: All USB Cables are tested, only the worst data of H26260 shown in this report. Note 5: All LCD panel are tested, only the worst data of WM6676Z81-2 (Wuhan China Star Optoelectronics Semiconductor Display Technology Co., Ltd.) shown in this report.		

--BLANK BELOW--