












Mode	53																																																																																																																									
	Band Edge																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																									
ANT	6																																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																																								
Peak	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5648.40</td> <td>49.46</td> <td>68.20</td> <td>-18.74</td> <td>40.66</td> <td>34.80</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>108</td> <td>120 PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>47.27</td> <td>68.20</td> <td>-20.93</td> <td>38.47</td> <td>34.80</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>108</td> <td>120 PEAK</td> </tr> <tr> <td>3</td> <td>5708.80</td> <td>52.09</td> <td>107.77</td> <td>-55.68</td> <td>43.30</td> <td>34.74</td> <td>11.30</td> <td>37.25</td> <td>0.00</td> <td>108</td> <td>120 PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>49.82</td> <td>110.90</td> <td>-61.08</td> <td>40.97</td> <td>34.78</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>108</td> <td>120 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Loss	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5648.40	49.46	68.20	-18.74	40.66	34.80	11.22	37.22	0.00	108	120 PEAK	2	5650.00	47.27	68.20	-20.93	38.47	34.80	11.22	37.22	0.00	108	120 PEAK	3	5708.80	52.09	107.77	-55.68	43.30	34.74	11.30	37.25	0.00	108	120 PEAK	4	5720.00	49.82	110.90	-61.08	40.97	34.78	11.32	37.25	0.00	108	120 PEAK	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>108.75</td> <td>-----</td> <td>-----</td> <td>99.83</td> <td>34.84</td> <td>11.34</td> <td>37.26</td> <td>0.00</td> <td>108</td> <td>120 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Loss	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5745.00	108.75	-----	-----	99.83	34.84	11.34	37.26	0.00	108	120 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Level	Loss	Factor	Factor	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																	
1	5648.40	49.46	68.20	-18.74	40.66	34.80	11.22	37.22	0.00	108	120 PEAK																																																																																																															
2	5650.00	47.27	68.20	-20.93	38.47	34.80	11.22	37.22	0.00	108	120 PEAK																																																																																																															
3	5708.80	52.09	107.77	-55.68	43.30	34.74	11.30	37.25	0.00	108	120 PEAK																																																																																																															
4	5720.00	49.82	110.90	-61.08	40.97	34.78	11.32	37.25	0.00	108	120 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Level	Loss	Factor	Factor	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																	
1	5745.00	108.75	-----	-----	99.83	34.84	11.34	37.26	0.00	108	120 PEAK																																																																																																															
Avg	Blank	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>99.64</td> <td>-----</td> <td>-----</td> <td>90.69</td> <td>34.86</td> <td>11.35</td> <td>37.26</td> <td>0.00</td> <td>108</td> <td>120 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Loss	Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5745.00	99.64	-----	-----	90.69	34.86	11.35	37.26	0.00	108	120 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Level	Loss	Factor	Factor	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																	
1	5745.00	99.64	-----	-----	90.69	34.86	11.35	37.26	0.00	108	120 AVERAGE																																																																																																															






Mode	53																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																												
ANT	6																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5632.00</td> <td>48.78</td> <td>68.20</td> <td>-19.42</td> <td>40.01</td> <td>34.80</td> <td>11.19</td> <td>37.22</td> <td>0.00</td> <td>297</td> <td>75</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.80</td> <td>48.12</td> <td>68.00</td> <td>-20.68</td> <td>39.32</td> <td>34.80</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>297</td> <td>75</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5705.60</td> <td>53.12</td> <td>106.87</td> <td>-53.75</td> <td>44.34</td> <td>34.72</td> <td>11.30</td> <td>37.24</td> <td>0.00</td> <td>297</td> <td>75</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.20</td> <td>57.60</td> <td>113.64</td> <td>-56.04</td> <td>48.75</td> <td>34.78</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>297</td> <td>75</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5632.00	48.78	68.20	-19.42	40.01	34.80	11.19	37.22	0.00	297	75	PEAK	2	5650.80	48.12	68.00	-20.68	39.32	34.80	11.22	37.22	0.00	297	75	PEAK	3	5705.60	53.12	106.87	-53.75	44.34	34.72	11.30	37.24	0.00	297	75	PEAK	4	5721.20	57.60	113.64	-56.04	48.75	34.78	11.32	37.25	0.00	297	75	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>108.22</td> <td>-----</td> <td>-----</td> <td>99.27</td> <td>34.86</td> <td>11.35</td> <td>37.26</td> <td>0.00</td> <td>297</td> <td>75</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5745.00	108.22	-----	-----	99.27	34.86	11.35	37.26	0.00	297	75	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5632.00	48.78	68.20	-19.42	40.01	34.80	11.19	37.22	0.00	297	75	PEAK																																																																																	
2	5650.80	48.12	68.00	-20.68	39.32	34.80	11.22	37.22	0.00	297	75	PEAK																																																																																	
3	5705.60	53.12	106.87	-53.75	44.34	34.72	11.30	37.24	0.00	297	75	PEAK																																																																																	
4	5721.20	57.60	113.64	-56.04	48.75	34.78	11.32	37.25	0.00	297	75	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5745.00	108.22	-----	-----	99.27	34.86	11.35	37.26	0.00	297	75	PEAK																																																																																	
Avg	Blank	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>99.73</td> <td>-----</td> <td>-----</td> <td>90.78</td> <td>34.86</td> <td>11.35</td> <td>37.26</td> <td>0.00</td> <td>297</td> <td>75</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5745.00	99.73	-----	-----	90.78	34.86	11.35	37.26	0.00	297	75	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5745.00	99.73	-----	-----	90.78	34.86	11.35	37.26	0.00	297	75	AVERAGE																																																																																	






Mode	54																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																						
ANT	6																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>48.83</td> <td>113.18</td> <td>-64.35</td> <td>39.74</td> <td>34.90</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>101</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5864.00</td> <td>54.00</td> <td>108.15</td> <td>-54.15</td> <td>44.90</td> <td>34.90</td> <td>11.50</td> <td>37.30</td> <td>0.00</td> <td>101</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>48.72</td> <td>68.35</td> <td>-19.63</td> <td>39.40</td> <td>35.05</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>101</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5941.60</td> <td>49.44</td> <td>68.20</td> <td>-18.76</td> <td>40.00</td> <td>35.15</td> <td>11.56</td> <td>37.27</td> <td>0.00</td> <td>101</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.00	48.83	113.18	-64.35	39.74	34.90	11.49	37.30	0.00	101	118	PEAK	2	5864.00	54.00	108.15	-54.15	44.90	34.90	11.50	37.30	0.00	101	118	PEAK	3	5924.00	48.72	68.35	-19.63	39.40	35.05	11.55	37.28	0.00	101	118	PEAK	4	5941.60	49.44	68.20	-18.76	40.00	35.15	11.56	37.27	0.00	101	118	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>110.31</td> <td>-----</td> <td>-----</td> <td>101.23</td> <td>34.90</td> <td>11.47</td> <td>37.29</td> <td>0.00</td> <td>101</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	110.31	-----	-----	101.23	34.90	11.47	37.29	0.00	101	118	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5854.00	48.83	113.18	-64.35	39.74	34.90	11.49	37.30	0.00	101	118	PEAK																																																																																																											
2	5864.00	54.00	108.15	-54.15	44.90	34.90	11.50	37.30	0.00	101	118	PEAK																																																																																																											
3	5924.00	48.72	68.35	-19.63	39.40	35.05	11.55	37.28	0.00	101	118	PEAK																																																																																																											
4	5941.60	49.44	68.20	-18.76	40.00	35.15	11.56	37.27	0.00	101	118	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	110.31	-----	-----	101.23	34.90	11.47	37.29	0.00	101	118	PEAK																																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.31</td> <td>-----</td> <td>-----</td> <td>91.22</td> <td>34.90</td> <td>11.48</td> <td>37.29</td> <td>0.00</td> <td>101</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	100.31	-----	-----	91.22	34.90	11.48	37.29	0.00	101	118	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	100.31	-----	-----	91.22	34.90	11.48	37.29	0.00	101	118	AVERAGE																																																																																																											






Mode	54																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																						
ANT	6																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>48.54</td> <td>111.36</td> <td>-62.82</td> <td>39.45</td> <td>34.90</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>287</td> <td>74</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.60</td> <td>48.55</td> <td>105.69</td> <td>-57.14</td> <td>39.43</td> <td>34.90</td> <td>11.51</td> <td>37.29</td> <td>0.00</td> <td>287</td> <td>74</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>47.59</td> <td>68.35</td> <td>-20.76</td> <td>38.27</td> <td>35.05</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>287</td> <td>74</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5968.00</td> <td>50.32</td> <td>68.20</td> <td>-17.88</td> <td>40.70</td> <td>35.31</td> <td>11.58</td> <td>37.27</td> <td>0.00</td> <td>287</td> <td>74</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.80	48.54	111.36	-62.82	39.45	34.90	11.49	37.30	0.00	287	74	PEAK	2	5873.60	48.55	105.69	-57.14	39.43	34.90	11.51	37.29	0.00	287	74	PEAK	3	5924.80	47.59	68.35	-20.76	38.27	35.05	11.55	37.28	0.00	287	74	PEAK	4	5968.00	50.32	68.20	-17.88	40.70	35.31	11.58	37.27	0.00	287	74	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>108.59</td> <td>-----</td> <td>-----</td> <td>99.50</td> <td>34.90</td> <td>11.48</td> <td>37.29</td> <td>0.00</td> <td>287</td> <td>74</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	108.59	-----	-----	99.50	34.90	11.48	37.29	0.00	287	74	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5854.80	48.54	111.36	-62.82	39.45	34.90	11.49	37.30	0.00	287	74	PEAK																																																																																																											
2	5873.60	48.55	105.69	-57.14	39.43	34.90	11.51	37.29	0.00	287	74	PEAK																																																																																																											
3	5924.80	47.59	68.35	-20.76	38.27	35.05	11.55	37.28	0.00	287	74	PEAK																																																																																																											
4	5968.00	50.32	68.20	-17.88	40.70	35.31	11.58	37.27	0.00	287	74	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	108.59	-----	-----	99.50	34.90	11.48	37.29	0.00	287	74	PEAK																																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>99.53</td> <td>-----</td> <td>-----</td> <td>90.45</td> <td>34.90</td> <td>11.47</td> <td>37.29</td> <td>0.00</td> <td>287</td> <td>74</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	99.53	-----	-----	90.45	34.90	11.47	37.29	0.00	287	74	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5825.00	99.53	-----	-----	90.45	34.90	11.47	37.29	0.00	287	74	AVERAGE																																																																																																											






Mode	55																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																						
ANT	6																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5634.80</td> <td>50.45</td> <td>68.20</td> <td>-17.75</td> <td>41.67</td> <td>34.80</td> <td>11.20</td> <td>37.22</td> <td>0.00</td> <td>106</td> <td>117</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>49.09</td> <td>68.50</td> <td>-19.41</td> <td>40.29</td> <td>34.80</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>106</td> <td>117</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5717.60</td> <td>59.24</td> <td>110.23</td> <td>-50.99</td> <td>50.40</td> <td>34.77</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>106</td> <td>117</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>52.16</td> <td>110.90</td> <td>-58.74</td> <td>43.31</td> <td>34.78</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>106</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5634.80	50.45	68.20	-17.75	41.67	34.80	11.20	37.22	0.00	106	117	PEAK	2	5650.40	49.09	68.50	-19.41	40.29	34.80	11.22	37.22	0.00	106	117	PEAK	3	5717.60	59.24	110.23	-50.99	50.40	34.77	11.32	37.25	0.00	106	117	PEAK	4	5720.00	52.16	110.90	-58.74	43.31	34.78	11.32	37.25	0.00	106	117	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>106.92</td> <td>-----</td> <td>-----</td> <td>98.00</td> <td>34.84</td> <td>11.34</td> <td>37.26</td> <td>0.00</td> <td>106</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	106.92	-----	-----	98.00	34.84	11.34	37.26	0.00	106	117	PEAK
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5634.80	50.45	68.20	-17.75	41.67	34.80	11.20	37.22	0.00	106	117	PEAK																																																																																																											
2	5650.40	49.09	68.50	-19.41	40.29	34.80	11.22	37.22	0.00	106	117	PEAK																																																																																																											
3	5717.60	59.24	110.23	-50.99	50.40	34.77	11.32	37.25	0.00	106	117	PEAK																																																																																																											
4	5720.00	52.16	110.90	-58.74	43.31	34.78	11.32	37.25	0.00	106	117	PEAK																																																																																																											
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	106.92	-----	-----	98.00	34.84	11.34	37.26	0.00	106	117	PEAK																																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>98.14</td> <td>-----</td> <td>-----</td> <td>89.19</td> <td>34.86</td> <td>11.35</td> <td>37.26</td> <td>0.00</td> <td>106</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	98.14	-----	-----	89.19	34.86	11.35	37.26	0.00	106	117	AVERAGE																																																																														
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	98.14	-----	-----	89.19	34.86	11.35	37.26	0.00	106	117	AVERAGE																																																																																																											



Mode	55																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																												
ANT	6																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Gain (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5618.00</td> <td>49.74</td> <td>68.20</td> <td>-18.46</td> <td>40.99</td> <td>34.00</td> <td>11.18</td> <td>37.23</td> <td>0.00</td> <td>296</td> <td>76</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.60</td> <td>48.71</td> <td>69.39</td> <td>-20.68</td> <td>39.91</td> <td>34.00</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>296</td> <td>76</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5712.40</td> <td>54.67</td> <td>108.77</td> <td>-54.10</td> <td>45.86</td> <td>34.75</td> <td>11.31</td> <td>37.25</td> <td>0.00</td> <td>296</td> <td>76</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>53.55</td> <td>110.90</td> <td>-57.35</td> <td>44.70</td> <td>34.78</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>296</td> <td>76</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark	1	5618.00	49.74	68.20	-18.46	40.99	34.00	11.18	37.23	0.00	296	76	PEAK	2	5651.60	48.71	69.39	-20.68	39.91	34.00	11.22	37.22	0.00	296	76	PEAK	3	5712.40	54.67	108.77	-54.10	45.86	34.75	11.31	37.25	0.00	296	76	PEAK	4	5720.00	53.55	110.90	-57.35	44.70	34.78	11.32	37.25	0.00	296	76	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Gain (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>107.83</td> <td>-----</td> <td>-----</td> <td>98.88</td> <td>34.86</td> <td>11.35</td> <td>37.26</td> <td>0.00</td> <td>296</td> <td>76</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	107.83	-----	-----	98.88	34.86	11.35	37.26	0.00	296	76	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5618.00	49.74	68.20	-18.46	40.99	34.00	11.18	37.23	0.00	296	76	PEAK																																																																																	
2	5651.60	48.71	69.39	-20.68	39.91	34.00	11.22	37.22	0.00	296	76	PEAK																																																																																	
3	5712.40	54.67	108.77	-54.10	45.86	34.75	11.31	37.25	0.00	296	76	PEAK																																																																																	
4	5720.00	53.55	110.90	-57.35	44.70	34.78	11.32	37.25	0.00	296	76	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5745.00	107.83	-----	-----	98.88	34.86	11.35	37.26	0.00	296	76	PEAK																																																																																	
Avg	Blank	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Gain (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>98.47</td> <td>-----</td> <td>-----</td> <td>89.52</td> <td>34.86</td> <td>11.35</td> <td>37.26</td> <td>0.00</td> <td>296</td> <td>76</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark	1	5745.00	98.47	-----	-----	89.52	34.86	11.35	37.26	0.00	296	76	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Gain (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5745.00	98.47	-----	-----	89.52	34.86	11.35	37.26	0.00	296	76	AVERAGE																																																																																	



Mode	56																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																			
ANT	6																																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																																		
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>56.12</td> <td>111.36</td> <td>-55.24</td> <td>47.03</td> <td>34.90</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>117 PEAK</td> </tr> <tr> <td>2</td> <td>5873.20</td> <td>52.03</td> <td>105.80</td> <td>-53.77</td> <td>42.91</td> <td>34.90</td> <td>11.51</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>117 PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>49.17</td> <td>68.35</td> <td>-19.18</td> <td>39.85</td> <td>35.05</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>100</td> <td>117 PEAK</td> </tr> <tr> <td>4</td> <td>5954.00</td> <td>50.08</td> <td>68.20</td> <td>-18.12</td> <td>40.56</td> <td>35.22</td> <td>11.57</td> <td>37.27</td> <td>0.00</td> <td>100</td> <td>117 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5854.80	56.12	111.36	-55.24	47.03	34.90	11.49	37.30	0.00	100	117 PEAK	2	5873.20	52.03	105.80	-53.77	42.91	34.90	11.51	37.29	0.00	100	117 PEAK	3	5924.80	49.17	68.35	-19.18	39.85	35.05	11.55	37.28	0.00	100	117 PEAK	4	5954.00	50.08	68.20	-18.12	40.56	35.22	11.57	37.27	0.00	100	117 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>112.16</td> <td>-----</td> <td>-----</td> <td>103.08</td> <td>34.90</td> <td>11.47</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>117 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5825.00	112.16	-----	-----	103.08	34.90	11.47	37.29	0.00	100	117 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																												
1	5854.80	56.12	111.36	-55.24	47.03	34.90	11.49	37.30	0.00	100	117 PEAK																																																																																																									
2	5873.20	52.03	105.80	-53.77	42.91	34.90	11.51	37.29	0.00	100	117 PEAK																																																																																																									
3	5924.80	49.17	68.35	-19.18	39.85	35.05	11.55	37.28	0.00	100	117 PEAK																																																																																																									
4	5954.00	50.08	68.20	-18.12	40.56	35.22	11.57	37.27	0.00	100	117 PEAK																																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																												
1	5825.00	112.16	-----	-----	103.08	34.90	11.47	37.29	0.00	100	117 PEAK																																																																																																									
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>99.45</td> <td>-----</td> <td>-----</td> <td>90.36</td> <td>34.90</td> <td>11.48</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>117 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5825.00	99.45	-----	-----	90.36	34.90	11.48	37.29	0.00	100	117 AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																												
1	5825.00	99.45	-----	-----	90.36	34.90	11.48	37.29	0.00	100	117 AVERAGE																																																																																																									



Mode	56																																																																																												
	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																												
ANT	6																																																																																												
Pol.	Vertical	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>MHz</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>51.02</td> <td>111.36</td> <td>-60.34</td> <td>41.93</td> <td>34.90</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>304</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5857.60</td> <td>54.14</td> <td>110.17</td> <td>-56.03</td> <td>45.04</td> <td>34.90</td> <td>11.50</td> <td>37.30</td> <td>0.00</td> <td>304</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>47.65</td> <td>68.35</td> <td>-20.70</td> <td>38.33</td> <td>35.05</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>304</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5946.00</td> <td>51.33</td> <td>68.20</td> <td>-16.87</td> <td>41.85</td> <td>35.18</td> <td>11.57</td> <td>37.27</td> <td>0.00</td> <td>304</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	MHz	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark	1	5854.80	51.02	111.36	-60.34	41.93	34.90	11.49	37.30	0.00	304	73	PEAK	2	5857.60	54.14	110.17	-56.03	45.04	34.90	11.50	37.30	0.00	304	73	PEAK	3	5924.80	47.65	68.35	-20.70	38.33	35.05	11.55	37.28	0.00	304	73	PEAK	4	5946.00	51.33	68.20	-16.87	41.85	35.18	11.57	37.27	0.00	304	73	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>MHz</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>108.86</td> <td>108.86</td> <td>0.00</td> <td>99.78</td> <td>34.90</td> <td>11.47</td> <td>37.29</td> <td>0.00</td> <td>304</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	MHz	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	108.86	108.86	0.00	99.78	34.90	11.47	37.29	0.00	304	73	PEAK
Peak	MHz	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5854.80	51.02	111.36	-60.34	41.93	34.90	11.49	37.30	0.00	304	73	PEAK																																																																																	
2	5857.60	54.14	110.17	-56.03	45.04	34.90	11.50	37.30	0.00	304	73	PEAK																																																																																	
3	5924.80	47.65	68.35	-20.70	38.33	35.05	11.55	37.28	0.00	304	73	PEAK																																																																																	
4	5946.00	51.33	68.20	-16.87	41.85	35.18	11.57	37.27	0.00	304	73	PEAK																																																																																	
Peak	MHz	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5825.00	108.86	108.86	0.00	99.78	34.90	11.47	37.29	0.00	304	73	PEAK																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Peak</th> <th>MHz</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Loss (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Gain (dB)</th> <th>Aux Loss (dB)</th> <th>APos (dB)</th> <th>TPos (cm)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>98.84</td> <td>98.84</td> <td>0.00</td> <td>89.76</td> <td>34.90</td> <td>11.47</td> <td>37.29</td> <td>0.00</td> <td>304</td> <td>73</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	MHz	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark	1	5825.00	98.84	98.84	0.00	89.76	34.90	11.47	37.29	0.00	304	73	AVERAGE																																																																	
Peak	MHz	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Loss (dB/m)	Cable Loss (dB)	Preamp Gain (dB)	Aux Loss (dB)	APos (dB)	TPos (cm)	Remark																																																																																	
1	5825.00	98.84	98.84	0.00	89.76	34.90	11.47	37.29	0.00	304	73	AVERAGE																																																																																	



Mode	57																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																															
ANT	6																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>44.48</td> <td>74.00</td> <td>-29.52</td> <td>51.83</td> <td>38.25</td> <td>16.08</td> <td>61.68</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	44.48	74.00	-29.52	51.83	38.25	16.08	61.68	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>44.93</td> <td>74.00</td> <td>-29.07</td> <td>52.28</td> <td>38.25</td> <td>16.08</td> <td>61.68</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	44.93	74.00	-29.07	52.28	38.25	16.08	61.68	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11440.00	44.48	74.00	-29.52	51.83	38.25	16.08	61.68	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11440.00	44.93	74.00	-29.07	52.28	38.25	16.08	61.68	0.00	--	PEAK																																																																						



Mode	58																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_5720MHz																																																																															
ANT	6																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak																																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>44.90</td> <td>74.00</td> <td>-29.10</td> <td>52.25</td> <td>38.25</td> <td>16.08</td> <td>61.68</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	44.90	74.00	-29.10	52.25	38.25	16.08	61.68	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>44.69</td> <td>74.00</td> <td>-29.31</td> <td>52.04</td> <td>38.25</td> <td>16.08</td> <td>61.68</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	44.69	74.00	-29.31	52.04	38.25	16.08	61.68	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11440.00	44.90	74.00	-29.10	52.25	38.25	16.08	61.68	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11440.00	44.69	74.00	-29.31	52.04	38.25	16.08	61.68	0.00	--	PEAK																																																																						



Mode	59																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_5710MHz																																																																											
ANT	6																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak																																																																												
Avg																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>44.80</td> <td>74.00</td> <td>-29.20</td> <td>52.18</td> <td>38.24</td> <td>16.07</td> <td>61.69</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 11420.00	44.80	74.00	-29.20	52.18	38.24	16.07	61.69	0.00	-- -- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>43.89</td> <td>74.00</td> <td>-30.11</td> <td>51.27</td> <td>38.24</td> <td>16.07</td> <td>61.69</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 11420.00	43.89	74.00	-30.11	51.27	38.24	16.07	61.69	0.00	-- -- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																				
1 11420.00	44.80	74.00	-29.20	52.18	38.24	16.07	61.69	0.00	-- -- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																				
1 11420.00	43.89	74.00	-30.11	51.27	38.24	16.07	61.69	0.00	-- -- PEAK																																																																			



Mode	60																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_5690MHz																																																																											
ANT	6																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>44.43</td> <td>74.00</td> <td>-29.57</td> <td>51.89</td> <td>38.20</td> <td>16.04</td> <td>61.70</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11380.00	44.43	74.00	-29.57	51.89	38.20	16.04	61.70	0.00	-- -- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11380.00</td> <td>43.43</td> <td>74.00</td> <td>-30.57</td> <td>50.89</td> <td>38.20</td> <td>16.04</td> <td>61.70</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11380.00	43.43	74.00	-30.57	50.89	38.20	16.04	61.70	0.00	-- -- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11380.00	44.43	74.00	-29.57	51.89	38.20	16.04	61.70	0.00	-- -- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 11380.00	43.43	74.00	-30.57	50.89	38.20	16.04	61.70	0.00	-- -- PEAK																																																																			



Mode	61																																																																															
	Band Edge - L																																																																															
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_Full_5190MHz																																																																															
ANT	6																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5146.40</td> <td>66.00</td> <td>74.00</td> <td>-8.00</td> <td>58.64</td> <td>34.05</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>100</td> <td>241 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5146.40	66.00	74.00	-8.00	58.64	34.05	10.65	37.34	0.00	100	241 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5190.00</td> <td>102.48</td> <td>-----</td> <td>-----</td> <td>95.02</td> <td>34.09</td> <td>10.70</td> <td>37.33</td> <td>0.00</td> <td>100</td> <td>241 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5190.00	102.48	-----	-----	95.02	34.09	10.70	37.33	0.00	100	241 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5146.40	66.00	74.00	-8.00	58.64	34.05	10.65	37.34	0.00	100	241 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5190.00	102.48	-----	-----	95.02	34.09	10.70	37.33	0.00	100	241 PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5148.00</td> <td>49.69</td> <td>54.00</td> <td>-4.31</td> <td>42.33</td> <td>34.05</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>100</td> <td>241 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5148.00	49.69	54.00	-4.31	42.33	34.05	10.65	37.34	0.00	100	241 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5190.00</td> <td>93.48</td> <td>-----</td> <td>-----</td> <td>86.02</td> <td>34.09</td> <td>10.70</td> <td>37.33</td> <td>0.00</td> <td>100</td> <td>241 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5190.00	93.48	-----	-----	86.02	34.09	10.70	37.33	0.00	100	241 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5148.00	49.69	54.00	-4.31	42.33	34.05	10.65	37.34	0.00	100	241 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5190.00	93.48	-----	-----	86.02	34.09	10.70	37.33	0.00	100	241 AVERAGE																																																																						



Mode	61																																								
	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_Full_5190MHz																																								
ANT	6																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5359.56</td> <td>49.19</td> <td>74.00</td> <td>-24.81</td> <td>41.11</td> <td>34.52</td> <td>10.85</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>241 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5359.56	49.19	74.00	-24.81	41.11	34.52	10.85	37.29	0.00	100	241 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5359.56	49.19	74.00	-24.81	41.11	34.52	10.85	37.29	0.00	100	241 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5448.39</td> <td>38.93</td> <td>54.00</td> <td>-15.07</td> <td>30.70</td> <td>34.55</td> <td>10.95</td> <td>37.27</td> <td>0.00</td> <td>100</td> <td>241 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5448.39	38.93	54.00	-15.07	30.70	34.55	10.95	37.27	0.00	100	241 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5448.39	38.93	54.00	-15.07	30.70	34.55	10.95	37.27	0.00	100	241 AVERAGE																															



Mode	61																																																																																									
	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_Full_5190MHz																																																																																									
ANT	6																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5145.60</td> <td>57.76</td> <td>74.00</td> <td>-16.24</td> <td>50.40</td> <td>34.05</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>319</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5145.60	57.76	74.00	-16.24	50.40	34.05	10.65	37.34	0.00	319	117	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>95.82</td> <td>-----</td> <td>-----</td> <td>88.38</td> <td>34.08</td> <td>10.69</td> <td>37.33</td> <td>0.00</td> <td>319</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	95.82	-----	-----	88.38	34.08	10.69	37.33	0.00	319	117	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5145.60	57.76	74.00	-16.24	50.40	34.05	10.65	37.34	0.00	319	117	PEAK																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5190.00	95.82	-----	-----	88.38	34.08	10.69	37.33	0.00	319	117	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.60</td> <td>42.97</td> <td>54.00</td> <td>-11.03</td> <td>35.61</td> <td>34.05</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>319</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.60	42.97	54.00	-11.03	35.61	34.05	10.65	37.34	0.00	319	117	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>86.59</td> <td>-----</td> <td>-----</td> <td>79.13</td> <td>34.09</td> <td>10.70</td> <td>37.33</td> <td>0.00</td> <td>319</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	86.59	-----	-----	79.13	34.09	10.70	37.33	0.00	319	117	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5149.60	42.97	54.00	-11.03	35.61	34.05	10.65	37.34	0.00	319	117	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5190.00	86.59	-----	-----	79.13	34.09	10.70	37.33	0.00	319	117	AVERAGE																																																																														



Mode	61																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_Full_5190MHz																																												
ANT	6																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5455.68</td> <td>47.83</td> <td>74.00</td> <td>-26.17</td> <td>39.59</td> <td>34.54</td> <td>10.96</td> <td>37.26</td> <td>0.00</td> <td>319</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5455.68	47.83	74.00	-26.17	39.59	34.54	10.96	37.26	0.00	319	117	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5455.68	47.83	74.00	-26.17	39.59	34.54	10.96	37.26	0.00	319	117	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5450.55</td> <td>38.68</td> <td>54.00</td> <td>-15.32</td> <td>30.44</td> <td>34.55</td> <td>10.96</td> <td>37.27</td> <td>0.00</td> <td>319</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5450.55	38.68	54.00	-15.32	30.44	34.55	10.96	37.27	0.00	319	117	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5450.55	38.68	54.00	-15.32	30.44	34.55	10.96	37.27	0.00	319	117	AVERAGE																																		



Mode	61																																																																															
	Harmonic																																																																															
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_Full_5190MHz																																																																															
ANT	6																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>42.99</td> <td>68.20</td> <td>-25.21</td> <td>52.45</td> <td>37.39</td> <td>15.30</td> <td>62.15</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10380.00	42.99	68.20	-25.21	52.45	37.39	15.30	62.15	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>43.42</td> <td>68.20</td> <td>-24.78</td> <td>52.83</td> <td>37.41</td> <td>15.32</td> <td>62.14</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10380.00	43.42	68.20	-24.78	52.83	37.41	15.32	62.14	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10380.00	42.99	68.20	-25.21	52.45	37.39	15.30	62.15	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10380.00	43.42	68.20	-24.78	52.83	37.41	15.32	62.14	0.00	--	PEAK																																																																						



Mode	62																																																																															
	Harmonic																																																																															
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_Full_5230MHz																																																																															
ANT	6																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>44.07</td> <td>68.20</td> <td>-24.13</td> <td>53.36</td> <td>37.46</td> <td>15.36</td> <td>62.11</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10460.00	44.07	68.20	-24.13	53.36	37.46	15.36	62.11	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>44.38</td> <td>68.20</td> <td>-23.82</td> <td>53.65</td> <td>37.47</td> <td>15.37</td> <td>62.11</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10460.00	44.38	68.20	-23.82	53.65	37.47	15.37	62.11	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10460.00	44.07	68.20	-24.13	53.36	37.46	15.36	62.11	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10460.00	44.38	68.20	-23.82	53.65	37.47	15.37	62.11	0.00	--	PEAK																																																																						



Mode	63																																																																											
	Harmonic																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_Full_5270MHz																																																																											
ANT	6																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>44.49</td> <td>68.20</td> <td>-23.71</td> <td>53.60</td> <td>37.53</td> <td>15.43</td> <td>62.07</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10540.00	44.49	68.20	-23.71	53.60	37.53	15.43	62.07	0.00	-- -- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>44.11</td> <td>68.20</td> <td>-24.09</td> <td>53.22</td> <td>37.53</td> <td>15.43</td> <td>62.07</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10540.00	44.11	68.20	-24.09	53.22	37.53	15.43	62.07	0.00	-- -- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10540.00	44.49	68.20	-23.71	53.60	37.53	15.43	62.07	0.00	-- -- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10540.00	44.11	68.20	-24.09	53.22	37.53	15.43	62.07	0.00	-- -- PEAK																																																																			



Mode	64																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_Full_5310MHz																																																																																																																	
ANT	6																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5133.28</td> <td>49.51</td> <td>74.00</td> <td>-24.49</td> <td>42.18</td> <td>34.03</td> <td>10.64</td> <td>37.34</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>233</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5133.28	49.51	74.00	-24.49	42.18	34.03	10.64	37.34							0.00	100								233								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5310.00</td> <td>100.66</td> <td>-----</td> <td>-----</td> <td>92.73</td> <td>34.43</td> <td>10.80</td> <td>37.30</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>233</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5310.00	100.66	-----	-----	92.73	34.43	10.80	37.30							0.00	100								233								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5133.28	49.51	74.00	-24.49	42.18	34.03	10.64	37.34																																																																																																											
						0.00	100																																																																																																											
							233																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5310.00	100.66	-----	-----	92.73	34.43	10.80	37.30																																																																																																											
						0.00	100																																																																																																											
							233																																																																																																											
							PEAK																																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5100.00</td> <td>39.38</td> <td>54.00</td> <td>-14.62</td> <td>32.13</td> <td>34.00</td> <td>10.60</td> <td>37.35</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>233</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5100.00	39.38	54.00	-14.62	32.13	34.00	10.60	37.35							0.00	100								233								AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5310.00</td> <td>91.95</td> <td>-----</td> <td>-----</td> <td>84.02</td> <td>34.43</td> <td>10.80</td> <td>37.30</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>233</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5310.00	91.95	-----	-----	84.02	34.43	10.80	37.30							0.00	100								233								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5100.00	39.38	54.00	-14.62	32.13	34.00	10.60	37.35																																																																																																											
						0.00	100																																																																																																											
							233																																																																																																											
							AVERAGE																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5310.00	91.95	-----	-----	84.02	34.43	10.80	37.30																																																																																																											
						0.00	100																																																																																																											
							233																																																																																																											
							AVERAGE																																																																																																											



Mode	64																																												
	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_Full_5310MHz																																												
ANT	6																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5355.50</td> <td>68.13</td> <td>74.00</td> <td>-5.87</td> <td>60.06</td> <td>34.51</td> <td>10.85</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>233</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5355.50	68.13	74.00	-5.87	60.06	34.51	10.85	37.29	0.00	100	233	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5355.50	68.13	74.00	-5.87	60.06	34.51	10.85	37.29	0.00	100	233	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5352.10</td> <td>50.69</td> <td>54.00</td> <td>-3.31</td> <td>42.64</td> <td>34.50</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>233</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5352.10	50.69	54.00	-3.31	42.64	34.50	10.84	37.29	0.00	100	233	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5352.10	50.69	54.00	-3.31	42.64	34.50	10.84	37.29	0.00	100	233	AVERAGE																																		



Mode	64																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_Full_5310MHz																																																																																																																	
ANT	6																																																																																																																	
Pol.	Vertical	Fundamental																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5117.92</td> <td>49.22</td> <td>74.00</td> <td>-24.78</td> <td>41.93</td> <td>34.02</td> <td>10.62</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>37.35</td> <td>0.00</td> <td>307</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>81</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5117.92	49.22	74.00	-24.78	41.93	34.02	10.62						37.35	0.00	307								81								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>97.80</td> <td>-----</td> <td>-----</td> <td>89.88</td> <td>34.42</td> <td>10.80</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>37.30</td> <td>0.00</td> <td>307</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>81</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5310.00	97.80	-----	-----	89.88	34.42	10.80						37.30	0.00	307								81								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5117.92	49.22	74.00	-24.78	41.93	34.02	10.62																																																																																																											
					37.35	0.00	307																																																																																																											
							81																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5310.00	97.80	-----	-----	89.88	34.42	10.80																																																																																																											
					37.30	0.00	307																																																																																																											
							81																																																																																																											
							PEAK																																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5107.04</td> <td>39.03</td> <td>54.00</td> <td>-14.97</td> <td>31.76</td> <td>34.01</td> <td>10.61</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>37.35</td> <td>0.00</td> <td>307</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>81</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5107.04	39.03	54.00	-14.97	31.76	34.01	10.61						37.35	0.00	307								81								AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>89.02</td> <td>-----</td> <td>-----</td> <td>81.09</td> <td>34.43</td> <td>10.80</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>37.30</td> <td>0.00</td> <td>307</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>81</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5310.00	89.02	-----	-----	81.09	34.43	10.80						37.30	0.00	307								81								AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5107.04	39.03	54.00	-14.97	31.76	34.01	10.61																																																																																																											
					37.35	0.00	307																																																																																																											
							81																																																																																																											
							AVERAGE																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5310.00	89.02	-----	-----	81.09	34.43	10.80																																																																																																											
					37.30	0.00	307																																																																																																											
							81																																																																																																											
							AVERAGE																																																																																																											







Mode	64																																												
	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_Full_5310MHz																																												
ANT	6																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5355.00</td> <td>64.86</td> <td>74.00</td> <td>-9.14</td> <td>56.79</td> <td>34.51</td> <td>10.85</td> <td>37.29</td> <td>0.00</td> <td>307</td> <td>81</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5355.00	64.86	74.00	-9.14	56.79	34.51	10.85	37.29	0.00	307	81	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5355.00	64.86	74.00	-9.14	56.79	34.51	10.85	37.29	0.00	307	81	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5352.20</td> <td>47.56</td> <td>54.00</td> <td>-6.44</td> <td>39.51</td> <td>34.50</td> <td>10.84</td> <td>37.29</td> <td>0.00</td> <td>307</td> <td>81</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5352.20	47.56	54.00	-6.44	39.51	34.50	10.84	37.29	0.00	307	81	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5352.20	47.56	54.00	-6.44	39.51	34.50	10.84	37.29	0.00	307	81	AVERAGE																																		



Mode	64																																																																											
	Harmonic																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_Full_5310MHz																																																																											
ANT	6																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak																																																																												
Avg																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>44.58</td> <td>74.00</td> <td>-29.42</td> <td>53.53</td> <td>37.60</td> <td>15.49</td> <td>62.04</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10620.00	44.58	74.00	-29.42	53.53	37.60	15.49	62.04	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10620.00</td> <td>44.30</td> <td>74.00</td> <td>-29.70</td> <td>53.25</td> <td>37.60</td> <td>15.49</td> <td>62.04</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10620.00	44.30	74.00	-29.70	53.25	37.60	15.49	62.04	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 10620.00	44.58	74.00	-29.42	53.53	37.60	15.49	62.04	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 10620.00	44.30	74.00	-29.70	53.25	37.60	15.49	62.04	0.00	--	PEAK																																																																		







Mode	65																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_Full_5510MHz																																																																																																
ANT	6																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.64</td> <td>61.76</td> <td>74.00</td> <td>-12.24</td> <td>53.51</td> <td>34.55</td> <td>10.96</td> <td>37.26</td> <td>0.00</td> <td>110</td> <td>231</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.48</td> <td>64.24</td> <td>68.20</td> <td>-3.96</td> <td>55.99</td> <td>34.53</td> <td>10.98</td> <td>37.26</td> <td>0.00</td> <td>110</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.64	61.76	74.00	-12.24	53.51	34.55	10.96	37.26	0.00	110	231	PEAK	2	5466.48	64.24	68.20	-3.96	55.99	34.53	10.98	37.26	0.00	110	231	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>99.77</td> <td>-----</td> <td>-----</td> <td>91.50</td> <td>34.50</td> <td>11.02</td> <td>37.25</td> <td>0.00</td> <td>110</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	99.77	-----	-----	91.50	34.50	11.02	37.25	0.00	110	231	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5454.64	61.76	74.00	-12.24	53.51	34.55	10.96	37.26	0.00	110	231	PEAK																																																																																					
2	5466.48	64.24	68.20	-3.96	55.99	34.53	10.98	37.26	0.00	110	231	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	99.77	-----	-----	91.50	34.50	11.02	37.25	0.00	110	231	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.44</td> <td>45.25</td> <td>54.00</td> <td>-8.75</td> <td>37.00</td> <td>34.54</td> <td>10.97</td> <td>37.26</td> <td>0.00</td> <td>110</td> <td>231</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	45.25	54.00	-8.75	37.00	34.54	10.97	37.26	0.00	110	231	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>91.44</td> <td>-----</td> <td>-----</td> <td>83.17</td> <td>34.49</td> <td>11.03</td> <td>37.25</td> <td>0.00</td> <td>110</td> <td>231</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	91.44	-----	-----	83.17	34.49	11.03	37.25	0.00	110	231	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.44	45.25	54.00	-8.75	37.00	34.54	10.97	37.26	0.00	110	231	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	91.44	-----	-----	83.17	34.49	11.03	37.25	0.00	110	231	AVERAGE																																																																																					



Mode	65																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_Full_5510MHz																																							
ANT	6																																							
Pol.	Horizontal	Fundamental																																						
Peak	<p>5G U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5749.80</td> <td>49.07</td> <td>68.20</td> <td>-19.13</td> <td>40.36</td> <td>34.60</td> <td>11.37</td> <td>37.26</td> <td>0.00</td> <td>110 231 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5749.80	49.07	68.20	-19.13	40.36	34.60	11.37	37.26	0.00	110 231 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5749.80	49.07	68.20	-19.13	40.36	34.60	11.37	37.26	0.00	110 231 PEAK																															



Mode	65																																																																																										
	Band Edge - L																																																																																										
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_Full_5510MHz																																																																																										
ANT	6																																																																																										
Pol.	Vertical	Fundamental																																																																																									
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5456.40</td> <td>58.14</td> <td>74.00</td> <td>-15.86</td> <td>49.90</td> <td>34.54</td> <td>10.96</td> <td>37.26</td> <td>0.00</td> <td>300</td> <td>84 PEAK</td> </tr> <tr> <td>2 5468.72</td> <td>59.42</td> <td>68.20</td> <td>-8.78</td> <td>51.17</td> <td>34.53</td> <td>10.98</td> <td>37.26</td> <td>0.00</td> <td>300</td> <td>84 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5456.40	58.14	74.00	-15.86	49.90	34.54	10.96	37.26	0.00	300	84 PEAK	2 5468.72	59.42	68.20	-8.78	51.17	34.53	10.98	37.26	0.00	300	84 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5510.00</td> <td>99.27</td> <td>-----</td> <td>-----</td> <td>91.00</td> <td>34.49</td> <td>11.03</td> <td>37.25</td> <td>0.00</td> <td>300</td> <td>84 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5510.00	99.27	-----	-----	91.00	34.49	11.03	37.25	0.00	300	84 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5456.40	58.14	74.00	-15.86	49.90	34.54	10.96	37.26	0.00	300	84 PEAK																																																																																	
2 5468.72	59.42	68.20	-8.78	51.17	34.53	10.98	37.26	0.00	300	84 PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5510.00	99.27	-----	-----	91.00	34.49	11.03	37.25	0.00	300	84 PEAK																																																																																	
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5455.12</td> <td>43.01</td> <td>54.00</td> <td>-10.99</td> <td>34.77</td> <td>34.54</td> <td>10.96</td> <td>37.26</td> <td>0.00</td> <td>300</td> <td>84 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5455.12	43.01	54.00	-10.99	34.77	34.54	10.96	37.26	0.00	300	84 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5510.00</td> <td>90.50</td> <td>-----</td> <td>-----</td> <td>82.22</td> <td>34.49</td> <td>11.04</td> <td>37.25</td> <td>0.00</td> <td>300</td> <td>84 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5510.00	90.50	-----	-----	82.22	34.49	11.04	37.25	0.00	300	84 AVERAGE											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5455.12	43.01	54.00	-10.99	34.77	34.54	10.96	37.26	0.00	300	84 AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5510.00	90.50	-----	-----	82.22	34.49	11.04	37.25	0.00	300	84 AVERAGE																																																																																	



Mode	65																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_Full_5510MHz																																								
ANT	6																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5751.48</td> <td>50.38</td> <td>68.20</td> <td>-17.82</td> <td>41.67</td> <td>34.60</td> <td>11.37</td> <td>37.26</td> <td>0.00</td> <td>300</td> <td>84 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5751.48	50.38	68.20	-17.82	41.67	34.60	11.37	37.26	0.00	300	84 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5751.48	50.38	68.20	-17.82	41.67	34.60	11.37	37.26	0.00	300	84 PEAK																															



Mode	65																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_Full_5510MHz																																																																															
ANT	6																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak																																																																																
Avg																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>43.29</td> <td>74.00</td> <td>-30.71</td> <td>51.46</td> <td>37.92</td> <td>15.77</td> <td>61.86</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11020.00	43.29	74.00	-30.71	51.46	37.92	15.77	61.86	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11020.00</td> <td>43.59</td> <td>74.00</td> <td>-30.41</td> <td>51.76</td> <td>37.92</td> <td>15.77</td> <td>61.86</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11020.00	43.59	74.00	-30.41	51.76	37.92	15.77	61.86	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11020.00	43.29	74.00	-30.71	51.46	37.92	15.77	61.86	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11020.00	43.59	74.00	-30.41	51.76	37.92	15.77	61.86	0.00	--	PEAK																																																																						



Mode	66																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_Full_5550MHz																																																																															
ANT	6																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak																																																																																
Avg																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>44.40</td> <td>74.00</td> <td>-29.60</td> <td>52.42</td> <td>37.98</td> <td>15.83</td> <td>61.83</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11100.00	44.40	74.00	-29.60	52.42	37.98	15.83	61.83	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11100.00</td> <td>43.15</td> <td>74.00</td> <td>-30.85</td> <td>51.17</td> <td>37.98</td> <td>15.83</td> <td>61.83</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11100.00	43.15	74.00	-30.85	51.17	37.98	15.83	61.83	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11100.00	44.40	74.00	-29.60	52.42	37.98	15.83	61.83	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11100.00	43.15	74.00	-30.85	51.17	37.98	15.83	61.83	0.00	--	PEAK																																																																						







Mode	67																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_Full_5670MHz																																																																																																
ANT	6																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5449.04</td> <td>48.78</td> <td>74.00</td> <td>-25.22</td> <td>40.55</td> <td>34.55</td> <td>10.95</td> <td>37.27</td> <td>0.00</td> <td>105</td> <td>117</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5461.20</td> <td>48.09</td> <td>68.20</td> <td>-20.11</td> <td>39.84</td> <td>34.54</td> <td>10.97</td> <td>37.26</td> <td>0.00</td> <td>105</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.04	48.78	74.00	-25.22	40.55	34.55	10.95	37.27	0.00	105	117	PEAK	2	5461.20	48.09	68.20	-20.11	39.84	34.54	10.97	37.26	0.00	105	117	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>102.79</td> <td>-----</td> <td>-----</td> <td>94.30</td> <td>34.47</td> <td>11.25</td> <td>37.23</td> <td>0.00</td> <td>105</td> <td>117</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	102.79	-----	-----	94.30	34.47	11.25	37.23	0.00	105	117	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5449.04	48.78	74.00	-25.22	40.55	34.55	10.95	37.27	0.00	105	117	PEAK																																																																																					
2	5461.20	48.09	68.20	-20.11	39.84	34.54	10.97	37.26	0.00	105	117	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	102.79	-----	-----	94.30	34.47	11.25	37.23	0.00	105	117	PEAK																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.64</td> <td>38.98</td> <td>54.00</td> <td>-15.02</td> <td>30.73</td> <td>34.54</td> <td>10.97</td> <td>37.26</td> <td>0.00</td> <td>105</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	38.98	54.00	-15.02	30.73	34.54	10.97	37.26	0.00	105	117	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>95.12</td> <td>-----</td> <td>-----</td> <td>86.63</td> <td>34.47</td> <td>11.25</td> <td>37.23</td> <td>0.00</td> <td>105</td> <td>117</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	95.12	-----	-----	86.63	34.47	11.25	37.23	0.00	105	117	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5458.64	38.98	54.00	-15.02	30.73	34.54	10.97	37.26	0.00	105	117	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	95.12	-----	-----	86.63	34.47	11.25	37.23	0.00	105	117	AVERAGE																																																																																					



Mode	67																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_Full_5670MHz																																							
ANT	6																																							
Pol.	Horizontal	Fundamental																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5726.76</td> <td>63.60</td> <td>68.20</td> <td>-4.60</td> <td>54.97</td> <td>34.55</td> <td>11.33</td> <td>37.25</td> <td>0.00</td> <td>105 117 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5726.76	63.60	68.20	-4.60	54.97	34.55	11.33	37.25	0.00	105 117 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5726.76	63.60	68.20	-4.60	54.97	34.55	11.33	37.25	0.00	105 117 PEAK																															



Mode	67																																																																																							
	Band Edge - L																																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_Full_5670MHz																																																																																							
ANT	6																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5451.28</td> <td>48.41</td> <td>74.00 -25.59</td> <td>40.17</td> <td>34.55</td> <td>10.96</td> <td>37.27</td> <td>0.00</td> <td>300</td> <td>76 PEAK</td> </tr> <tr> <td>2 5467.28</td> <td>47.68</td> <td>68.20 -20.52</td> <td>39.43</td> <td>34.53</td> <td>10.98</td> <td>37.26</td> <td>0.00</td> <td>300</td> <td>76 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5451.28	48.41	74.00 -25.59	40.17	34.55	10.96	37.27	0.00	300	76 PEAK	2 5467.28	47.68	68.20 -20.52	39.43	34.53	10.98	37.26	0.00	300	76 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5670.00</td> <td>103.02</td> <td>-----</td> <td>94.53</td> <td>34.47</td> <td>11.25</td> <td>37.23</td> <td>0.00</td> <td>300</td> <td>76 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5670.00	103.02	-----	94.53	34.47	11.25	37.23	0.00	300	76 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5451.28	48.41	74.00 -25.59	40.17	34.55	10.96	37.27	0.00	300	76 PEAK																																																																															
2 5467.28	47.68	68.20 -20.52	39.43	34.53	10.98	37.26	0.00	300	76 PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5670.00	103.02	-----	94.53	34.47	11.25	37.23	0.00	300	76 PEAK																																																																															
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5453.36</td> <td>39.07</td> <td>54.00 -14.93</td> <td>30.83</td> <td>34.55</td> <td>10.96</td> <td>37.27</td> <td>0.00</td> <td>300</td> <td>76 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5453.36	39.07	54.00 -14.93	30.83	34.55	10.96	37.27	0.00	300	76 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5670.00</td> <td>94.39</td> <td>-----</td> <td>85.90</td> <td>34.47</td> <td>11.25</td> <td>37.23</td> <td>0.00</td> <td>300</td> <td>76 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5670.00	94.39	-----	85.90	34.47	11.25	37.23	0.00	300	76 AVERAGE										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5453.36	39.07	54.00 -14.93	30.83	34.55	10.96	37.27	0.00	300	76 AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5670.00	94.39	-----	85.90	34.47	11.25	37.23	0.00	300	76 AVERAGE																																																																															



Mode	67																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_Full_5670MHz																																								
ANT	6																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5733.00</td> <td>63.68</td> <td>68.20</td> <td>-4.52</td> <td>55.02</td> <td>34.57</td> <td>11.34</td> <td>37.25</td> <td>0.00</td> <td>300</td> <td>76 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5733.00	63.68	68.20	-4.52	55.02	34.57	11.34	37.25	0.00	300	76 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5733.00	63.68	68.20	-4.52	55.02	34.57	11.34	37.25	0.00	300	76 PEAK																															



Mode	67																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_Full_5670MHz																																																																															
ANT	6																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak																																																																																
Avg																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>44.75</td> <td>74.00</td> <td>-29.25</td> <td>52.29</td> <td>38.17</td> <td>16.01</td> <td>61.72</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	44.75	74.00	-29.25	52.29	38.17	16.01	61.72	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>44.71</td> <td>74.00</td> <td>-29.29</td> <td>52.25</td> <td>38.17</td> <td>16.01</td> <td>61.72</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11340.00	44.71	74.00	-29.29	52.25	38.17	16.01	61.72	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11340.00	44.75	74.00	-29.25	52.29	38.17	16.01	61.72	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11340.00	44.71	74.00	-29.29	52.25	38.17	16.01	61.72	0.00	--	PEAK																																																																						






Mode	38	
	18-40G	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	38																																																																																																																																																											
	LF																																																																																																																																																											
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																																																																											
ANT	1																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																										
QP	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dB)</th> <th>ReadAntenna (dBuV)</th> <th>Cable Loss (dB/m)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1</td><td>30.00</td><td>20.43</td><td>-19.57</td><td>40.00</td><td>27.80</td><td>24.68</td><td>0.76</td><td>32.81</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>91.11</td><td>19.03</td><td>-24.47</td><td>43.50</td><td>35.62</td><td>14.75</td><td>1.35</td><td>32.69</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>148.34</td><td>19.52</td><td>-23.98</td><td>43.50</td><td>33.28</td><td>17.16</td><td>1.79</td><td>32.71</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>188.11</td><td>21.10</td><td>-22.40</td><td>43.50</td><td>37.21</td><td>14.63</td><td>2.01</td><td>32.75</td><td>---</td><td>Peak</td></tr> <tr><td>5 p</td><td>847.71</td><td>29.43</td><td>-16.57</td><td>46.00</td><td>28.46</td><td>29.31</td><td>4.26</td><td>32.60</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>969.93</td><td>31.38</td><td>-22.62</td><td>54.00</td><td>27.18</td><td>31.02</td><td>4.63</td><td>31.45</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dB)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	30.00	20.43	-19.57	40.00	27.80	24.68	0.76	32.81	---	Peak	2	91.11	19.03	-24.47	43.50	35.62	14.75	1.35	32.69	---	Peak	3	148.34	19.52	-23.98	43.50	33.28	17.16	1.79	32.71	---	Peak	4	188.11	21.10	-22.40	43.50	37.21	14.63	2.01	32.75	---	Peak	5 p	847.71	29.43	-16.57	46.00	28.46	29.31	4.26	32.60	---	Peak	6	969.93	31.38	-22.62	54.00	27.18	31.02	4.63	31.45	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dB)</th> <th>ReadAntenna (dBuV)</th> <th>Cable Loss (dB/m)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr><td>1 p</td><td>40.67</td><td>31.18</td><td>-8.82</td><td>40.00</td><td>44.09</td><td>19.05</td><td>0.88</td><td>32.84</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>54.25</td><td>29.05</td><td>-10.95</td><td>40.00</td><td>47.95</td><td>12.81</td><td>1.02</td><td>32.73</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>91.11</td><td>23.93</td><td>-19.57</td><td>43.50</td><td>40.52</td><td>14.75</td><td>1.35</td><td>32.69</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>154.16</td><td>24.35</td><td>-19.15</td><td>43.50</td><td>38.45</td><td>16.79</td><td>1.82</td><td>32.71</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>855.47</td><td>29.86</td><td>-16.14</td><td>46.00</td><td>28.61</td><td>29.51</td><td>4.29</td><td>32.55</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>968.96</td><td>31.52</td><td>-22.48</td><td>54.00</td><td>27.33</td><td>31.03</td><td>4.62</td><td>31.46</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dB)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1 p	40.67	31.18	-8.82	40.00	44.09	19.05	0.88	32.84	---	Peak	2	54.25	29.05	-10.95	40.00	47.95	12.81	1.02	32.73	---	Peak	3	91.11	23.93	-19.57	43.50	40.52	14.75	1.35	32.69	---	Peak	4	154.16	24.35	-19.15	43.50	38.45	16.79	1.82	32.71	---	Peak	5	855.47	29.86	-16.14	46.00	28.61	29.51	4.29	32.55	---	Peak	6	968.96	31.52	-22.48	54.00	27.33	31.03	4.62	31.46	---	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dB)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																	
1	30.00	20.43	-19.57	40.00	27.80	24.68	0.76	32.81	---	Peak																																																																																																																																																		
2	91.11	19.03	-24.47	43.50	35.62	14.75	1.35	32.69	---	Peak																																																																																																																																																		
3	148.34	19.52	-23.98	43.50	33.28	17.16	1.79	32.71	---	Peak																																																																																																																																																		
4	188.11	21.10	-22.40	43.50	37.21	14.63	2.01	32.75	---	Peak																																																																																																																																																		
5 p	847.71	29.43	-16.57	46.00	28.46	29.31	4.26	32.60	---	Peak																																																																																																																																																		
6	969.93	31.38	-22.62	54.00	27.18	31.02	4.63	31.45	---	Peak																																																																																																																																																		
Peak	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dB)	ReadAntenna (dBuV)	Cable Loss (dB/m)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																																																																																																																		
1 p	40.67	31.18	-8.82	40.00	44.09	19.05	0.88	32.84	---	Peak																																																																																																																																																		
2	54.25	29.05	-10.95	40.00	47.95	12.81	1.02	32.73	---	Peak																																																																																																																																																		
3	91.11	23.93	-19.57	43.50	40.52	14.75	1.35	32.69	---	Peak																																																																																																																																																		
4	154.16	24.35	-19.15	43.50	38.45	16.79	1.82	32.71	---	Peak																																																																																																																																																		
5	855.47	29.86	-16.14	46.00	28.61	29.51	4.29	32.55	---	Peak																																																																																																																																																		
6	968.96	31.52	-22.48	54.00	27.33	31.03	4.62	31.46	---	Peak																																																																																																																																																		



Mode	68																																																																																												
	Band Edge - L																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full_5755MHz																																																																																												
ANT	6																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5648.52</td> <td>52.95</td> <td>68.20</td> <td>-15.25</td> <td>44.50</td> <td>34.45</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.46</td> <td>52.45</td> <td>69.29</td> <td>-16.84</td> <td>44.00</td> <td>34.45</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5716.72</td> <td>76.21</td> <td>109.98</td> <td>-33.77</td> <td>67.61</td> <td>34.53</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.13</td> <td>73.07</td> <td>111.19</td> <td>-38.12</td> <td>64.46</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5648.52	52.95	68.20	-15.25	44.50	34.45	11.22	37.22	0.00	100	118	PEAK	2	5651.46	52.45	69.29	-16.84	44.00	34.45	11.22	37.22	0.00	100	118	PEAK	3	5716.72	76.21	109.98	-33.77	67.61	34.53	11.32	37.25	0.00	100	118	PEAK	4	5720.13	73.07	111.19	-38.12	64.46	34.54	11.32	37.25	0.00	100	118	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>105.48</td> <td>105.48</td> <td>0.00</td> <td>96.77</td> <td>34.60</td> <td>11.37</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5755.00	105.48	105.48	0.00	96.77	34.60	11.37	37.26	0.00	100	118	PEAK
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5648.52	52.95	68.20	-15.25	44.50	34.45	11.22	37.22	0.00	100	118	PEAK																																																																																	
2	5651.46	52.45	69.29	-16.84	44.00	34.45	11.22	37.22	0.00	100	118	PEAK																																																																																	
3	5716.72	76.21	109.98	-33.77	67.61	34.53	11.32	37.25	0.00	100	118	PEAK																																																																																	
4	5720.13	73.07	111.19	-38.12	64.46	34.54	11.32	37.25	0.00	100	118	PEAK																																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5755.00	105.48	105.48	0.00	96.77	34.60	11.37	37.26	0.00	100	118	PEAK																																																																																	
Avg	Blank	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>96.56</td> <td>96.56</td> <td>0.00</td> <td>87.85</td> <td>34.60</td> <td>11.37</td> <td>37.26</td> <td>0.00</td> <td>100</td> <td>118</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5755.00	96.56	96.56	0.00	87.85	34.60	11.37	37.26	0.00	100	118	AVERAGE																																																																	
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																																	
1	5755.00	96.56	96.56	0.00	87.85	34.60	11.37	37.26	0.00	100	118	AVERAGE																																																																																	



Mode	68																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full_5755MHz																																																																																	
ANT	6																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>49.11</td> <td>111.26</td> <td>-62.15</td> <td>40.00</td> <td>34.92</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.00</td> <td>51.48</td> <td>106.14</td> <td>-54.66</td> <td>42.27</td> <td>34.99</td> <td>11.51</td> <td>37.29</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.85</td> <td>47.59</td> <td>68.31</td> <td>-20.72</td> <td>38.15</td> <td>35.17</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5942.20</td> <td>50.88</td> <td>68.20</td> <td>-17.32</td> <td>41.36</td> <td>35.23</td> <td>11.56</td> <td>37.27</td> <td>0.00</td> <td>100</td> <td>118</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	49.11	111.26	-62.15	40.00	34.92	11.49	37.30	0.00	100	118	PEAK	2	5872.00	51.48	106.14	-54.66	42.27	34.99	11.51	37.29	0.00	100	118	PEAK	3	5924.85	47.59	68.31	-20.72	38.15	35.17	11.55	37.28	0.00	100	118	PEAK	4	5942.20	50.88	68.20	-17.32	41.36	35.23	11.56	37.27	0.00	100	118	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.84	49.11	111.26	-62.15	40.00	34.92	11.49	37.30	0.00	100	118	PEAK																																																																						
2	5872.00	51.48	106.14	-54.66	42.27	34.99	11.51	37.29	0.00	100	118	PEAK																																																																						
3	5924.85	47.59	68.31	-20.72	38.15	35.17	11.55	37.28	0.00	100	118	PEAK																																																																						
4	5942.20	50.88	68.20	-17.32	41.36	35.23	11.56	37.27	0.00	100	118	PEAK																																																																						



Mode	68																																																																																																																								
	Band Edge - L																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full_5755MHz																																																																																																																								
ANT	6																																																																																																																								
Pol.	Vertical	Fundamental																																																																																																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.91</td> <td>53.42</td> <td>68.20</td> <td>-14.78</td> <td>44.97</td> <td>34.45</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>314</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.69</td> <td>51.78</td> <td>68.71</td> <td>-16.93</td> <td>43.33</td> <td>34.45</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>314</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.35</td> <td>75.50</td> <td>110.72</td> <td>-35.22</td> <td>66.89</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>314</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.28</td> <td>77.13</td> <td>111.54</td> <td>-34.41</td> <td>68.52</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>314</td> <td>77</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5649.91	53.42	68.20	-14.78	44.97	34.45	11.22	37.22	0.00	314	77	PEAK	2	5650.69	51.78	68.71	-16.93	43.33	34.45	11.22	37.22	0.00	314	77	PEAK	3	5719.35	75.50	110.72	-35.22	66.89	34.54	11.32	37.25	0.00	314	77	PEAK	4	5720.28	77.13	111.54	-34.41	68.52	34.54	11.32	37.25	0.00	314	77	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>105.30</td> <td>-----</td> <td>-----</td> <td>96.56</td> <td>34.62</td> <td>11.38</td> <td>37.26</td> <td>0.00</td> <td>314</td> <td>77</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5755.00	105.30	-----	-----	96.56	34.62	11.38	37.26	0.00	314	77	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5649.91	53.42	68.20	-14.78	44.97	34.45	11.22	37.22	0.00	314	77	PEAK																																																																																																													
2	5650.69	51.78	68.71	-16.93	43.33	34.45	11.22	37.22	0.00	314	77	PEAK																																																																																																													
3	5719.35	75.50	110.72	-35.22	66.89	34.54	11.32	37.25	0.00	314	77	PEAK																																																																																																													
4	5720.28	77.13	111.54	-34.41	68.52	34.54	11.32	37.25	0.00	314	77	PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5755.00	105.30	-----	-----	96.56	34.62	11.38	37.26	0.00	314	77	PEAK																																																																																																													
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>96.14</td> <td>-----</td> <td>-----</td> <td>87.40</td> <td>34.62</td> <td>11.38</td> <td>37.26</td> <td>0.00</td> <td>314</td> <td>77</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5755.00	96.14	-----	-----	87.40	34.62	11.38	37.26	0.00	314	77	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																	
1	5755.00	96.14	-----	-----	87.40	34.62	11.38	37.26	0.00	314	77	AVERAGE																																																																																																													






Mode	68																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full_5755MHz																																																																																	
ANT	6																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.65</td> <td>50.78</td> <td>111.71</td> <td>-60.93</td> <td>41.67</td> <td>34.92</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>314</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.76</td> <td>50.41</td> <td>105.65</td> <td>-55.24</td> <td>41.19</td> <td>35.00</td> <td>11.51</td> <td>37.29</td> <td>0.00</td> <td>314</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.26</td> <td>50.02</td> <td>68.75</td> <td>-18.73</td> <td>40.58</td> <td>35.17</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>314</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5945.91</td> <td>51.32</td> <td>68.20</td> <td>-16.88</td> <td>41.78</td> <td>35.24</td> <td>11.57</td> <td>37.27</td> <td>0.00</td> <td>314</td> <td>77</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.65	50.78	111.71	-60.93	41.67	34.92	11.49	37.30	0.00	314	77	PEAK	2	5873.76	50.41	105.65	-55.24	41.19	35.00	11.51	37.29	0.00	314	77	PEAK	3	5924.26	50.02	68.75	-18.73	40.58	35.17	11.55	37.28	0.00	314	77	PEAK	4	5945.91	51.32	68.20	-16.88	41.78	35.24	11.57	37.27	0.00	314	77	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.65	50.78	111.71	-60.93	41.67	34.92	11.49	37.30	0.00	314	77	PEAK																																																																						
2	5873.76	50.41	105.65	-55.24	41.19	35.00	11.51	37.29	0.00	314	77	PEAK																																																																						
3	5924.26	50.02	68.75	-18.73	40.58	35.17	11.55	37.28	0.00	314	77	PEAK																																																																						
4	5945.91	51.32	68.20	-16.88	41.78	35.24	11.57	37.27	0.00	314	77	PEAK																																																																						



Mode	68																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full_5755MHz																																																																															
ANT	6																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>45.15</td> <td>74.00</td> <td>-28.85</td> <td>52.34</td> <td>38.31</td> <td>16.13</td> <td>61.63</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	45.15	74.00	-28.85	52.34	38.31	16.13	61.63	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11510.00</td> <td>44.85</td> <td>74.00</td> <td>-29.15</td> <td>52.04</td> <td>38.31</td> <td>16.13</td> <td>61.63</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	44.85	74.00	-29.15	52.04	38.31	16.13	61.63	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11510.00	45.15	74.00	-28.85	52.34	38.31	16.13	61.63	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11510.00	44.85	74.00	-29.15	52.04	38.31	16.13	61.63	0.00	--	PEAK																																																																						






Mode	69																																																																																												
	Band Edge - L																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full_5795MHz																																																																																												
ANT	6																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5644.80</td> <td>49.47</td> <td>68.20</td> <td>-18.73</td> <td>41.04</td> <td>34.44</td> <td>11.21</td> <td>37.22</td> <td>0.00</td> <td>100</td> <td>115 PEAK</td> </tr> <tr> <td>2 5650.40</td> <td>50.50</td> <td>68.50</td> <td>-18.00</td> <td>42.05</td> <td>34.45</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>100</td> <td>115 PEAK</td> </tr> <tr> <td>3 5718.40</td> <td>59.81</td> <td>110.45</td> <td>-50.64</td> <td>51.20</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>100</td> <td>115 PEAK</td> </tr> <tr> <td>4 5721.60</td> <td>57.74</td> <td>114.55</td> <td>-56.81</td> <td>49.13</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>100</td> <td>115 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1 5644.80	49.47	68.20	-18.73	41.04	34.44	11.21	37.22	0.00	100	115 PEAK	2 5650.40	50.50	68.50	-18.00	42.05	34.45	11.22	37.22	0.00	100	115 PEAK	3 5718.40	59.81	110.45	-50.64	51.20	34.54	11.32	37.25	0.00	100	115 PEAK	4 5721.60	57.74	114.55	-56.81	49.13	34.54	11.32	37.25	0.00	100	115 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5795.00</td> <td>105.72</td> <td>-----</td> <td>-----</td> <td>96.85</td> <td>34.70</td> <td>11.45</td> <td>37.28</td> <td>0.00</td> <td>100</td> <td>115 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1 5795.00	105.72	-----	-----	96.85	34.70	11.45	37.28	0.00	100	115 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																					
1 5644.80	49.47	68.20	-18.73	41.04	34.44	11.21	37.22	0.00	100	115 PEAK																																																																																			
2 5650.40	50.50	68.50	-18.00	42.05	34.45	11.22	37.22	0.00	100	115 PEAK																																																																																			
3 5718.40	59.81	110.45	-50.64	51.20	34.54	11.32	37.25	0.00	100	115 PEAK																																																																																			
4 5721.60	57.74	114.55	-56.81	49.13	34.54	11.32	37.25	0.00	100	115 PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																					
1 5795.00	105.72	-----	-----	96.85	34.70	11.45	37.28	0.00	100	115 PEAK																																																																																			
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5795.00</td> <td>96.50</td> <td>-----</td> <td>-----</td> <td>87.65</td> <td>34.69</td> <td>11.44</td> <td>37.28</td> <td>0.00</td> <td>100</td> <td>115 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	1 5795.00	96.50	-----	-----	87.65	34.69	11.44	37.28	0.00	100	115 AVERAGE																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																					
1 5795.00	96.50	-----	-----	87.65	34.69	11.44	37.28	0.00	100	115 AVERAGE																																																																																			



Mode	69																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full_5795MHz																																																																																	
ANT	6																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.20</td> <td>65.46</td> <td>115.00</td> <td>-49.54</td> <td>56.36</td> <td>34.91</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5862.40</td> <td>62.92</td> <td>108.83</td> <td>-45.91</td> <td>53.77</td> <td>34.95</td> <td>11.50</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5921.20</td> <td>51.34</td> <td>71.01</td> <td>-19.67</td> <td>41.91</td> <td>35.16</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5928.80</td> <td>50.72</td> <td>68.20</td> <td>-17.48</td> <td>41.26</td> <td>35.19</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>100</td> <td>115</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.20	65.46	115.00	-49.54	56.36	34.91	11.49	37.30	0.00	100	115	PEAK	2	5862.40	62.92	108.83	-45.91	53.77	34.95	11.50	37.30	0.00	100	115	PEAK	3	5921.20	51.34	71.01	-19.67	41.91	35.16	11.55	37.28	0.00	100	115	PEAK	4	5928.80	50.72	68.20	-17.48	41.26	35.19	11.55	37.28	0.00	100	115	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5853.20	65.46	115.00	-49.54	56.36	34.91	11.49	37.30	0.00	100	115	PEAK																																																																						
2	5862.40	62.92	108.83	-45.91	53.77	34.95	11.50	37.30	0.00	100	115	PEAK																																																																						
3	5921.20	51.34	71.01	-19.67	41.91	35.16	11.55	37.28	0.00	100	115	PEAK																																																																						
4	5928.80	50.72	68.20	-17.48	41.26	35.19	11.55	37.28	0.00	100	115	PEAK																																																																						



Mode	69																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full_5795MHz																																																																																																																											
ANT	6																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	 <table border="1" data-bbox="272 1077 778 1256"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5647.20</td> <td>51.00</td> <td>68.20</td> <td>-17.20</td> <td>42.55</td> <td>34.45</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>285</td> <td>69 PEAK</td> </tr> <tr> <td>2</td> <td>5652.00</td> <td>50.06</td> <td>69.69</td> <td>-19.63</td> <td>41.61</td> <td>34.45</td> <td>11.22</td> <td>37.22</td> <td>0.00</td> <td>285</td> <td>69 PEAK</td> </tr> <tr> <td>3</td> <td>5718.40</td> <td>60.00</td> <td>110.45</td> <td>-50.45</td> <td>51.39</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>285</td> <td>69 PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>55.66</td> <td>110.90</td> <td>-55.24</td> <td>47.05</td> <td>34.54</td> <td>11.32</td> <td>37.25</td> <td>0.00</td> <td>285</td> <td>69 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5647.20	51.00	68.20	-17.20	42.55	34.45	11.22	37.22	0.00	285	69 PEAK	2	5652.00	50.06	69.69	-19.63	41.61	34.45	11.22	37.22	0.00	285	69 PEAK	3	5718.40	60.00	110.45	-50.45	51.39	34.54	11.32	37.25	0.00	285	69 PEAK	4	5720.00	55.66	110.90	-55.24	47.05	34.54	11.32	37.25	0.00	285	69 PEAK	 <table border="1" data-bbox="916 1122 1422 1256"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>104.77</td> <td>-----</td> <td>-----</td> <td>95.90</td> <td>34.70</td> <td>11.45</td> <td>37.28</td> <td>0.00</td> <td>285</td> <td>69 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	104.77	-----	-----	95.90	34.70	11.45	37.28	0.00	285	69 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Level	Loss	Loss	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5647.20	51.00	68.20	-17.20	42.55	34.45	11.22	37.22	0.00	285	69 PEAK																																																																																																																	
2	5652.00	50.06	69.69	-19.63	41.61	34.45	11.22	37.22	0.00	285	69 PEAK																																																																																																																	
3	5718.40	60.00	110.45	-50.45	51.39	34.54	11.32	37.25	0.00	285	69 PEAK																																																																																																																	
4	5720.00	55.66	110.90	-55.24	47.05	34.54	11.32	37.25	0.00	285	69 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Level	Loss	Loss	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5795.00	104.77	-----	-----	95.90	34.70	11.45	37.28	0.00	285	69 PEAK																																																																																																																	
Avg	Blank																																																																																																																											
		 <table border="1" data-bbox="916 1794 1422 1928"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Loss</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>95.30</td> <td>-----</td> <td>-----</td> <td>86.45</td> <td>34.69</td> <td>11.44</td> <td>37.28</td> <td>0.00</td> <td>285</td> <td>69 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Loss	Loss	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	95.30	-----	-----	86.45	34.69	11.44	37.28	0.00	285	69 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Level	Loss	Loss	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5795.00	95.30	-----	-----	86.45	34.69	11.44	37.28	0.00	285	69 AVERAGE																																																																																																																	





Mode	69																																																																												
	Band Edge - R																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full_5795MHz																																																																												
ANT	6																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>56.83</td> <td>111.36</td> <td>-54.53</td> <td>47.72</td> <td>34.92</td> <td>11.49</td> <td>37.30</td> <td>0.00</td> <td>285</td> <td>69 PEAK</td> </tr> <tr> <td>2</td> <td>5858.00</td> <td>59.16</td> <td>110.06</td> <td>-50.90</td> <td>50.03</td> <td>34.93</td> <td>11.50</td> <td>37.30</td> <td>0.00</td> <td>285</td> <td>69 PEAK</td> </tr> <tr> <td>3</td> <td>5924.40</td> <td>49.83</td> <td>68.64</td> <td>-18.81</td> <td>40.39</td> <td>35.17</td> <td>11.55</td> <td>37.28</td> <td>0.00</td> <td>285</td> <td>69 PEAK</td> </tr> <tr> <td>4</td> <td>5941.60</td> <td>50.64</td> <td>68.20</td> <td>-17.56</td> <td>41.13</td> <td>35.22</td> <td>11.56</td> <td>37.27</td> <td>0.00</td> <td>285</td> <td>69 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	56.83	111.36	-54.53	47.72	34.92	11.49	37.30	0.00	285	69 PEAK	2	5858.00	59.16	110.06	-50.90	50.03	34.93	11.50	37.30	0.00	285	69 PEAK	3	5924.40	49.83	68.64	-18.81	40.39	35.17	11.55	37.28	0.00	285	69 PEAK	4	5941.60	50.64	68.20	-17.56	41.13	35.22	11.56	37.27	0.00	285	69 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	cm	deg																																																																					
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.80	56.83	111.36	-54.53	47.72	34.92	11.49	37.30	0.00	285	69 PEAK																																																																		
2	5858.00	59.16	110.06	-50.90	50.03	34.93	11.50	37.30	0.00	285	69 PEAK																																																																		
3	5924.40	49.83	68.64	-18.81	40.39	35.17	11.55	37.28	0.00	285	69 PEAK																																																																		
4	5941.60	50.64	68.20	-17.56	41.13	35.22	11.56	37.27	0.00	285	69 PEAK																																																																		



Mode	69																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full_5795MHz																																																																															
ANT	6																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>44.57</td> <td>74.00</td> <td>-29.43</td> <td>51.51</td> <td>38.37</td> <td>16.19</td> <td>61.50</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	44.57	74.00	-29.43	51.51	38.37	16.19	61.50	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11590.00</td> <td>45.00</td> <td>74.00</td> <td>-29.00</td> <td>51.94</td> <td>38.37</td> <td>16.19</td> <td>61.50</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	45.00	74.00	-29.00	51.94	38.37	16.19	61.50	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11590.00	44.57	74.00	-29.43	51.51	38.37	16.19	61.50	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11590.00	45.00	74.00	-29.00	51.94	38.37	16.19	61.50	0.00	--	PEAK																																																																						



Mode	50	
	18-40G	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		






Mode	50																																																																																																																																																																																																
	LF																																																																																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																																																																																
ANT	1																																																																																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																																																																																															
QP																																																																																																																																																																																																	
	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level</th> <th>Antenna Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>91.11</td> <td>22.22</td> <td>-21.28</td> <td>43.50</td> <td>38.81</td> <td>14.75</td> <td>1.35</td> <td>32.69</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>146.40</td> <td>21.01</td> <td>-22.49</td> <td>43.50</td> <td>34.69</td> <td>17.25</td> <td>1.78</td> <td>32.71</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>187.14</td> <td>21.22</td> <td>-22.28</td> <td>43.50</td> <td>37.31</td> <td>14.65</td> <td>2.01</td> <td>32.75</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>756.53</td> <td>27.66</td> <td>-18.34</td> <td>46.00</td> <td>28.67</td> <td>28.09</td> <td>4.09</td> <td>33.19</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>881.66</td> <td>29.58</td> <td>-16.42</td> <td>46.00</td> <td>28.60</td> <td>29.01</td> <td>4.40</td> <td>32.43</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6 p</td> <td>954.41</td> <td>31.01</td> <td>-14.99</td> <td>46.00</td> <td>27.18</td> <td>30.86</td> <td>4.59</td> <td>31.62</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Loss	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	91.11	22.22	-21.28	43.50	38.81	14.75	1.35	32.69	---	---	Peak	2	146.40	21.01	-22.49	43.50	34.69	17.25	1.78	32.71	---	---	Peak	3	187.14	21.22	-22.28	43.50	37.31	14.65	2.01	32.75	---	---	Peak	4	756.53	27.66	-18.34	46.00	28.67	28.09	4.09	33.19	---	---	Peak	5	881.66	29.58	-16.42	46.00	28.60	29.01	4.40	32.43	---	---	Peak	6 p	954.41	31.01	-14.99	46.00	27.18	30.86	4.59	31.62	---	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>Limit Line</th> <th>ReadAntenna Level</th> <th>Antenna Factor</th> <th>Cable Loss</th> <th>Preamp Loss</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 p</td> <td>43.58</td> <td>30.47</td> <td>-9.53</td> <td>40.00</td> <td>44.97</td> <td>17.37</td> <td>0.93</td> <td>32.80</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>151.25</td> <td>23.09</td> <td>-20.41</td> <td>43.50</td> <td>37.01</td> <td>16.99</td> <td>1.80</td> <td>32.71</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>571.26</td> <td>24.97</td> <td>-21.03</td> <td>46.00</td> <td>29.00</td> <td>25.85</td> <td>3.38</td> <td>33.26</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>734.22</td> <td>28.16</td> <td>-17.84</td> <td>46.00</td> <td>29.42</td> <td>27.93</td> <td>4.03</td> <td>33.22</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>847.71</td> <td>29.74</td> <td>-16.26</td> <td>46.00</td> <td>28.77</td> <td>29.31</td> <td>4.26</td> <td>32.60</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>998.06</td> <td>31.91</td> <td>-22.09</td> <td>54.00</td> <td>27.92</td> <td>30.46</td> <td>4.68</td> <td>31.15</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Loss	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 p	43.58	30.47	-9.53	40.00	44.97	17.37	0.93	32.80	---	---	Peak	2	151.25	23.09	-20.41	43.50	37.01	16.99	1.80	32.71	---	---	Peak	3	571.26	24.97	-21.03	46.00	29.00	25.85	3.38	33.26	---	---	Peak	4	734.22	28.16	-17.84	46.00	29.42	27.93	4.03	33.22	---	---	Peak	5	847.71	29.74	-16.26	46.00	28.77	29.31	4.26	32.60	---	---	Peak	6	998.06	31.91	-22.09	54.00	27.92	30.46	4.68	31.15	---	---
Peak	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Loss	A/Pos	T/Pos	Remark																																																																																																																																																																																						
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																							
1	91.11	22.22	-21.28	43.50	38.81	14.75	1.35	32.69	---	---	Peak																																																																																																																																																																																						
2	146.40	21.01	-22.49	43.50	34.69	17.25	1.78	32.71	---	---	Peak																																																																																																																																																																																						
3	187.14	21.22	-22.28	43.50	37.31	14.65	2.01	32.75	---	---	Peak																																																																																																																																																																																						
4	756.53	27.66	-18.34	46.00	28.67	28.09	4.09	33.19	---	---	Peak																																																																																																																																																																																						
5	881.66	29.58	-16.42	46.00	28.60	29.01	4.40	32.43	---	---	Peak																																																																																																																																																																																						
6 p	954.41	31.01	-14.99	46.00	27.18	30.86	4.59	31.62	---	---	Peak																																																																																																																																																																																						
Peak	Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Loss	A/Pos	T/Pos	Remark																																																																																																																																																																																						
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																							
1 p	43.58	30.47	-9.53	40.00	44.97	17.37	0.93	32.80	---	---	Peak																																																																																																																																																																																						
2	151.25	23.09	-20.41	43.50	37.01	16.99	1.80	32.71	---	---	Peak																																																																																																																																																																																						
3	571.26	24.97	-21.03	46.00	29.00	25.85	3.38	33.26	---	---	Peak																																																																																																																																																																																						
4	734.22	28.16	-17.84	46.00	29.42	27.93	4.03	33.22	---	---	Peak																																																																																																																																																																																						
5	847.71	29.74	-16.26	46.00	28.77	29.31	4.26	32.60	---	---	Peak																																																																																																																																																																																						
6	998.06	31.91	-22.09	54.00	27.92	30.46	4.68	31.15	---	---	Peak																																																																																																																																																																																						






Mode	70																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.85_802.11ac VHT40_CH142_5710MHz																																																																															
ANT	6																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>45.34</td> <td>74.00</td> <td>-28.66</td> <td>52.72</td> <td>38.24</td> <td>16.07</td> <td>61.69</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	45.34	74.00	-28.66	52.72	38.24	16.07	61.69	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>44.08</td> <td>74.00</td> <td>-29.92</td> <td>51.46</td> <td>38.24</td> <td>16.07</td> <td>61.69</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	44.08	74.00	-29.92	51.46	38.24	16.07	61.69	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11420.00	45.34	74.00	-28.66	52.72	38.24	16.07	61.69	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11420.00	44.08	74.00	-29.92	51.46	38.24	16.07	61.69	0.00	--	PEAK																																																																						



Mode	71																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH132_5660MHz																																																																																																	
ANT	6																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5733.49</td> <td>51.71</td> <td>68.20</td> <td>-16.49</td> <td>43.05</td> <td>34.57</td> <td>11.34</td> <td>37.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>101</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>116 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5733.49	51.71	68.20	-16.49	43.05	34.57	11.34	37.25							0.00	101								116 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5660.00</td> <td>108.05</td> <td>-----</td> <td>-----</td> <td>99.58</td> <td>34.46</td> <td>11.24</td> <td>37.23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>101</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>116 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5660.00	108.05	-----	-----	99.58	34.46	11.24	37.23							0.00	101								116 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5733.49	51.71	68.20	-16.49	43.05	34.57	11.34	37.25																																																																																											
						0.00	101																																																																																											
							116 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5660.00	108.05	-----	-----	99.58	34.46	11.24	37.23																																																																																											
						0.00	101																																																																																											
							116 PEAK																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5660.00</td> <td>98.90</td> <td>-----</td> <td>-----</td> <td>90.44</td> <td>34.46</td> <td>11.23</td> <td>37.23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>101</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>116 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5660.00	98.90	-----	-----	90.44	34.46	11.23	37.23							0.00	101								116 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5660.00	98.90	-----	-----	90.44	34.46	11.23	37.23																																																																																											
						0.00	101																																																																																											
							116 AVERAGE																																																																																											






Mode	71																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH132_5660MHz																																																																																																	
ANT	6																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5730.96</td> <td>51.75</td> <td>68.20</td> <td>-16.45</td> <td>43.10</td> <td>34.56</td> <td>11.34</td> <td>37.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>321</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>79 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5730.96	51.75	68.20	-16.45	43.10	34.56	11.34	37.25							0.00	321								79 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5660.00</td> <td>108.26</td> <td>-----</td> <td>-----</td> <td>99.79</td> <td>34.46</td> <td>11.24</td> <td>37.23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>321</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>79 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5660.00	108.26	-----	-----	99.79	34.46	11.24	37.23							0.00	321								79 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5730.96	51.75	68.20	-16.45	43.10	34.56	11.34	37.25																																																																																											
						0.00	321																																																																																											
							79 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5660.00	108.26	-----	-----	99.79	34.46	11.24	37.23																																																																																											
						0.00	321																																																																																											
							79 PEAK																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5660.00</td> <td>99.33</td> <td>-----</td> <td>-----</td> <td>90.86</td> <td>34.46</td> <td>11.24</td> <td>37.23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>321</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>79 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5660.00	99.33	-----	-----	90.86	34.46	11.24	37.23							0.00	321								79 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5660.00	99.33	-----	-----	90.86	34.46	11.24	37.23																																																																																											
						0.00	321																																																																																											
							79 AVERAGE																																																																																											



Mode	71																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH132_5660MHz																																																																											
ANT	6																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11320.00</td> <td>43.46</td> <td>74.00</td> <td>-30.54</td> <td>51.04</td> <td>38.16</td> <td>15.99</td> <td>61.73</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11320.00	43.46	74.00	-30.54	51.04	38.16	15.99	61.73	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11320.00</td> <td>43.16</td> <td>74.00</td> <td>-30.84</td> <td>50.74</td> <td>38.16</td> <td>15.99</td> <td>61.73</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11320.00	43.16	74.00	-30.84	50.74	38.16	15.99	61.73	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11320.00	43.46	74.00	-30.54	51.04	38.16	15.99	61.73	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11320.00	43.16	74.00	-30.84	50.74	38.16	15.99	61.73	0.00	--	PEAK																																																																		



Mode	72																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH132_5660MHz																																																																																											
ANT	6																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5756.15</td> <td>52.65</td> <td>68.20</td> <td>-15.55</td> <td>43.92</td> <td>34.61</td> <td>11.38</td> <td>37.26</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>101 115 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5756.15	52.65	68.20	-15.55	43.92	34.61	11.38	37.26	0.00									101 115 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5660.00</td> <td>106.89</td> <td>-----</td> <td>-----</td> <td>98.42</td> <td>34.46</td> <td>11.24</td> <td>37.23</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>101 115 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5660.00	106.89	-----	-----	98.42	34.46	11.24	37.23	0.00									101 115 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5756.15	52.65	68.20	-15.55	43.92	34.61	11.38	37.26	0.00																																																																																				
								101 115 PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5660.00	106.89	-----	-----	98.42	34.46	11.24	37.23	0.00																																																																																				
								101 115 PEAK																																																																																				
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5660.00</td> <td>97.39</td> <td>-----</td> <td>-----</td> <td>88.92</td> <td>34.46</td> <td>11.24</td> <td>37.23</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>101 115 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5660.00	97.39	-----	-----	88.92	34.46	11.24	37.23	0.00									101 115 AVERAGE																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 5660.00	97.39	-----	-----	88.92	34.46	11.24	37.23	0.00																																																																																				
								101 115 AVERAGE																																																																																				






Mode	72																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH132_5660MHz																																																																																																	
ANT	6																																																																																																	
Pol.	Vertical	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5726.02</td> <td>51.95</td> <td>68.20</td> <td>-16.25</td> <td>43.32</td> <td>34.55</td> <td>11.33</td> <td>37.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>320</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>80 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5726.02	51.95	68.20	-16.25	43.32	34.55	11.33	37.25							0.00	320								80 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5660.00</td> <td>107.60</td> <td>-----</td> <td>-----</td> <td>99.14</td> <td>34.46</td> <td>11.23</td> <td>37.23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>320</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>80 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5660.00	107.60	-----	-----	99.14	34.46	11.23	37.23							0.00	320								80 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5726.02	51.95	68.20	-16.25	43.32	34.55	11.33	37.25																																																																																											
						0.00	320																																																																																											
							80 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5660.00	107.60	-----	-----	99.14	34.46	11.23	37.23																																																																																											
						0.00	320																																																																																											
							80 PEAK																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5660.00</td> <td>98.32</td> <td>-----</td> <td>-----</td> <td>89.85</td> <td>34.46</td> <td>11.24</td> <td>37.23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>320</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>80 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5660.00	98.32	-----	-----	89.85	34.46	11.24	37.23							0.00	320								80 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5660.00	98.32	-----	-----	89.85	34.46	11.24	37.23																																																																																											
						0.00	320																																																																																											
							80 AVERAGE																																																																																											






Mode	72																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH132_5660MHz																																																																															
ANT	6																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak																																																																																
Avg																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11320.00</td> <td>43.09</td> <td>74.00</td> <td>-30.91</td> <td>50.67</td> <td>38.16</td> <td>15.99</td> <td>61.73</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11320.00	43.09	74.00	-30.91	50.67	38.16	15.99	61.73	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11320.00</td> <td>43.90</td> <td>74.00</td> <td>-30.10</td> <td>51.48</td> <td>38.16</td> <td>15.99</td> <td>61.73</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11320.00	43.90	74.00	-30.10	51.48	38.16	15.99	61.73	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11320.00	43.09	74.00	-30.91	50.67	38.16	15.99	61.73	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11320.00	43.90	74.00	-30.10	51.48	38.16	15.99	61.73	0.00	--	PEAK																																																																						



Mode	73																																																																									
	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH136_5680MHz																																																																									
ANT	6																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5725.67</td> <td>55.64</td> <td>68.20</td> <td>-12.56</td> <td>46.76</td> <td>34.80</td> <td>11.33</td> <td>37.25</td> <td>0.00</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5725.67	55.64	68.20	-12.56	46.76	34.80	11.33	37.25	0.00	100	114	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5680.00</td> <td>106.45</td> <td>-----</td> <td>-----</td> <td>97.68</td> <td>34.74</td> <td>11.26</td> <td>37.23</td> <td>0.00</td> <td>100</td> <td>114</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5680.00	106.45	-----	-----	97.68	34.74	11.26	37.23	0.00	100	114	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 5725.67	55.64	68.20	-12.56	46.76	34.80	11.33	37.25	0.00	100	114	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 5680.00	106.45	-----	-----	97.68	34.74	11.26	37.23	0.00	100	114	PEAK																																																															
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5680.00</td> <td>99.09</td> <td>-----</td> <td>-----</td> <td>90.32</td> <td>34.74</td> <td>11.26</td> <td>37.23</td> <td>0.00</td> <td>100</td> <td>114</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5680.00	99.09	-----	-----	90.32	34.74	11.26	37.23	0.00	100	114	AVERAGE																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 5680.00	99.09	-----	-----	90.32	34.74	11.26	37.23	0.00	100	114	AVERAGE																																																															






Mode	73																																																																																															
	Band Edge																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH136_5680MHz																																																																																															
ANT	6																																																																																															
Pol.	Vertical	Fundamental																																																																																														
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.33</td> <td>58.62</td> <td>68.20</td> <td>-9.58</td> <td>49.74</td> <td>34.80</td> <td>11.33</td> <td>37.25</td> <td>0.00</td> <td>317</td> <td>75</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	5725.33	58.62	68.20	-9.58	49.74	34.80	11.33	37.25	0.00	317	75	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5680.00</td> <td>106.06</td> <td>-----</td> <td>-----</td> <td>97.29</td> <td>34.74</td> <td>11.26</td> <td>37.23</td> <td>0.00</td> <td>317</td> <td>75</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	5680.00	106.06	-----	-----	97.29	34.74	11.26	37.23	0.00	317	75	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	5725.33	58.62	68.20	-9.58	49.74	34.80	11.33	37.25	0.00	317	75	PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	5680.00	106.06	-----	-----	97.29	34.74	11.26	37.23	0.00	317	75	PEAK																																																																																				
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5680.00</td> <td>99.52</td> <td>-----</td> <td>-----</td> <td>90.75</td> <td>34.74</td> <td>11.26</td> <td>37.23</td> <td>0.00</td> <td>317</td> <td>75</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	5680.00	99.52	-----	-----	90.75	34.74	11.26	37.23	0.00	317	75	AVERAGE																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	5680.00	99.52	-----	-----	90.75	34.74	11.26	37.23	0.00	317	75	AVERAGE																																																																																				






Mode	73																																																																													
	Harmonic																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH136_5680MHz																																																																													
ANT	6																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11360.00</td> <td>45.64</td> <td>74.00</td> <td>-28.36</td> <td>56.26</td> <td>37.96</td> <td>16.02</td> <td>64.60</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11360.00	45.64	74.00	-28.36	56.26	37.96	16.02	64.60	0.00	--	-- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11360.00</td> <td>45.41</td> <td>74.00</td> <td>-28.59</td> <td>56.03</td> <td>37.96</td> <td>16.02</td> <td>64.60</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11360.00	45.41	74.00	-28.59	56.03	37.96	16.02	64.60	0.00	--	-- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11360.00	45.64	74.00	-28.36	56.26	37.96	16.02	64.60	0.00	--	-- PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11360.00	45.41	74.00	-28.59	56.03	37.96	16.02	64.60	0.00	--	-- PEAK																																																																				



Mode	74																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH136_5680MHz																																																																																																	
ANT	6																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5727.40</td> <td>57.29</td> <td>68.20</td> <td>-10.91</td> <td>48.40</td> <td>34.81</td> <td>11.33</td> <td>37.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>120 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5727.40	57.29	68.20	-10.91	48.40	34.81	11.33	37.25							0.00	100								120 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5680.00</td> <td>106.66</td> <td>-----</td> <td>-----</td> <td>97.89</td> <td>34.75</td> <td>11.25</td> <td>37.23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>120 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5680.00	106.66	-----	-----	97.89	34.75	11.25	37.23							0.00	100								120 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5727.40	57.29	68.20	-10.91	48.40	34.81	11.33	37.25																																																																																											
						0.00	100																																																																																											
							120 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5680.00	106.66	-----	-----	97.89	34.75	11.25	37.23																																																																																											
						0.00	100																																																																																											
							120 PEAK																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5680.00</td> <td>97.52</td> <td>-----</td> <td>-----</td> <td>88.75</td> <td>34.74</td> <td>11.26</td> <td>37.23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>120 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5680.00	97.52	-----	-----	88.75	34.74	11.26	37.23							0.00	100								120 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5680.00	97.52	-----	-----	88.75	34.74	11.26	37.23																																																																																											
						0.00	100																																																																																											
							120 AVERAGE																																																																																											



Mode	74																																																																																																																																																	
	Band Edge																																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH136_5680MHz																																																																																																																																																	
ANT	6																																																																																																																																																	
Pol.	Vertical	Fundamental																																																																																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.82</td> <td>57.09</td> <td>68.20</td> <td>-11.11</td> <td>48.20</td> <td>34.81</td> <td>11.33</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>37.25</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>319</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>77</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5726.82	57.09	68.20	-11.11	48.20	34.81	11.33								37.25								0.00								319								77								PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5680.00</td> <td>106.89</td> <td>-----</td> <td>-----</td> <td>98.13</td> <td>34.73</td> <td>11.27</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>37.24</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>319</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>77</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5680.00	106.89	-----	-----	98.13	34.73	11.27								37.24								0.00								319								77								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	5726.82	57.09	68.20	-11.11	48.20	34.81	11.33																																																																																																																																											
							37.25																																																																																																																																											
							0.00																																																																																																																																											
							319																																																																																																																																											
							77																																																																																																																																											
							PEAK																																																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	5680.00	106.89	-----	-----	98.13	34.73	11.27																																																																																																																																											
							37.24																																																																																																																																											
							0.00																																																																																																																																											
							319																																																																																																																																											
							77																																																																																																																																											
							PEAK																																																																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5680.00</td> <td>98.07</td> <td>-----</td> <td>-----</td> <td>89.30</td> <td>34.74</td> <td>11.26</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>37.23</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>319</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>77</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5680.00	98.07	-----	-----	89.30	34.74	11.26								37.23								0.00								319								77								AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																											
1	5680.00	98.07	-----	-----	89.30	34.74	11.26																																																																																																																																											
							37.23																																																																																																																																											
							0.00																																																																																																																																											
							319																																																																																																																																											
							77																																																																																																																																											
							AVERAGE																																																																																																																																											



Mode	74																																																																																											
	Harmonic																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH136_5680MHz																																																																																											
ANT	6																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11360.00</td> <td>45.34</td> <td>74.00</td> <td>-28.66</td> <td>55.96</td> <td>37.96</td> <td>16.02</td> <td>64.60</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11360.00	45.34	74.00	-28.66	55.96	37.96	16.02	64.60	0.00									-- -- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11360.00</td> <td>45.45</td> <td>74.00</td> <td>-28.55</td> <td>56.07</td> <td>37.96</td> <td>16.02</td> <td>64.60</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11360.00	45.45	74.00	-28.55	56.07	37.96	16.02	64.60	0.00									-- -- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11360.00	45.34	74.00	-28.66	55.96	37.96	16.02	64.60	0.00																																																																																				
								-- -- PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 11360.00	45.45	74.00	-28.55	56.07	37.96	16.02	64.60	0.00																																																																																				
								-- -- PEAK																																																																																				



Mode	75																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																					
ANT	6																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5130.08</td> <td>58.67</td> <td>74.00</td> <td>-15.33</td> <td>50.70</td> <td>34.68</td> <td>10.63</td> <td>37.34</td> <td>0.00</td> <td>119</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5130.08	58.67	74.00	-15.33	50.70	34.68	10.63	37.34	0.00	119	237	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>88.16</td> <td>-----</td> <td>-----</td> <td>85.09</td> <td>32.60</td> <td>7.32</td> <td>36.85</td> <td>0.00</td> <td>119</td> <td>237</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>3616.00</td> <td>116.15</td> <td>-----</td> <td>-----</td> <td>110.98</td> <td>32.86</td> <td>8.89</td> <td>36.58</td> <td>0.00</td> <td>119</td> <td>237</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5210.00</td> <td>98.45</td> <td>68.20</td> <td>30.25</td> <td>90.37</td> <td>34.69</td> <td>10.71</td> <td>37.32</td> <td>0.00</td> <td>119</td> <td>237</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2478.00	88.16	-----	-----	85.09	32.60	7.32	36.85	0.00	119	237	Peak	2	3616.00	116.15	-----	-----	110.98	32.86	8.89	36.58	0.00	119	237	Peak	3	5210.00	98.45	68.20	30.25	90.37	34.69	10.71	37.32	0.00	119	237	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																															
1	5130.08	58.67	74.00	-15.33	50.70	34.68	10.63	37.34	0.00	119	237	PEAK																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																															
1	2478.00	88.16	-----	-----	85.09	32.60	7.32	36.85	0.00	119	237	Peak																																																																																										
2	3616.00	116.15	-----	-----	110.98	32.86	8.89	36.58	0.00	119	237	Peak																																																																																										
3	5210.00	98.45	68.20	30.25	90.37	34.69	10.71	37.32	0.00	119	237	Peak																																																																																										
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.92</td> <td>47.71</td> <td>54.00</td> <td>-6.29</td> <td>39.80</td> <td>34.60</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>119</td> <td>237</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5149.92	47.71	54.00	-6.29	39.80	34.60	10.65	37.34	0.00	119	237	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>84.25</td> <td>-----</td> <td>-----</td> <td>81.18</td> <td>32.60</td> <td>7.32</td> <td>36.85</td> <td>0.00</td> <td>119</td> <td>237</td> <td>Average</td> </tr> <tr> <td>2</td> <td>3616.00</td> <td>94.26</td> <td>-----</td> <td>-----</td> <td>89.09</td> <td>32.86</td> <td>8.89</td> <td>36.58</td> <td>0.00</td> <td>119</td> <td>237</td> <td>Average</td> </tr> <tr> <td>3</td> <td>5210.00</td> <td>87.73</td> <td>68.20</td> <td>19.53</td> <td>79.65</td> <td>34.69</td> <td>10.71</td> <td>37.32</td> <td>0.00</td> <td>119</td> <td>237</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2478.00	84.25	-----	-----	81.18	32.60	7.32	36.85	0.00	119	237	Average	2	3616.00	94.26	-----	-----	89.09	32.86	8.89	36.58	0.00	119	237	Average	3	5210.00	87.73	68.20	19.53	79.65	34.69	10.71	37.32	0.00	119	237	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																															
1	5149.92	47.71	54.00	-6.29	39.80	34.60	10.65	37.34	0.00	119	237	AVERAGE																																																																																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																															
1	2478.00	84.25	-----	-----	81.18	32.60	7.32	36.85	0.00	119	237	Average																																																																																										
2	3616.00	94.26	-----	-----	89.09	32.86	8.89	36.58	0.00	119	237	Average																																																																																										
3	5210.00	87.73	68.20	19.53	79.65	34.69	10.71	37.32	0.00	119	237	Average																																																																																										



Mode	75																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																												
ANT	6																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5379.12</td> <td>49.26</td> <td>74.00</td> <td>-24.74</td> <td>40.99</td> <td>34.68</td> <td>10.87</td> <td>37.28</td> <td>0.00</td> <td>119</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5379.12	49.26	74.00	-24.74	40.99	34.68	10.87	37.28	0.00	119	237	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5379.12	49.26	74.00	-24.74	40.99	34.68	10.87	37.28	0.00	119	237	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5366.70</td> <td>37.74</td> <td>54.00</td> <td>-16.26</td> <td>29.44</td> <td>34.73</td> <td>10.86</td> <td>37.29</td> <td>0.00</td> <td>119</td> <td>237</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5366.70	37.74	54.00	-16.26	29.44	34.73	10.86	37.29	0.00	119	237	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5366.70	37.74	54.00	-16.26	29.44	34.73	10.86	37.29	0.00	119	237	AVERAGE																																		



		75																																																																																																								
Mode		Band Edge - L																																																																																																								
		U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																								
ANT		6																																																																																																								
Pol.	Vertical	Fundamental																																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.80</td> <td>52.33</td> <td>74.00</td> <td>-21.67</td> <td>44.42</td> <td>34.60</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>300</td> <td>124</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.80	52.33	74.00	-21.67	44.42	34.60	10.65	37.34	0.00	300	124	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>88.52</td> <td>-----</td> <td>-----</td> <td>85.45</td> <td>32.60</td> <td>7.32</td> <td>36.85</td> <td>0.00</td> <td>300</td> <td>124</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>3616.00</td> <td>113.94</td> <td>-----</td> <td>-----</td> <td>108.77</td> <td>32.86</td> <td>8.89</td> <td>36.58</td> <td>0.00</td> <td>300</td> <td>124</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5210.00</td> <td>91.00</td> <td>68.20</td> <td>22.80</td> <td>82.92</td> <td>34.68</td> <td>10.72</td> <td>37.32</td> <td>0.00</td> <td>300</td> <td>124</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	88.52	-----	-----	85.45	32.60	7.32	36.85	0.00	300	124	Peak	2	3616.00	113.94	-----	-----	108.77	32.86	8.89	36.58	0.00	300	124	Peak	3	5210.00	91.00	68.20	22.80	82.92	34.68	10.72	37.32	0.00	300	124	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5148.80	52.33	74.00	-21.67	44.42	34.60	10.65	37.34	0.00	300	124	PEAK																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2478.00	88.52	-----	-----	85.45	32.60	7.32	36.85	0.00	300	124	Peak																																																																																														
2	3616.00	113.94	-----	-----	108.77	32.86	8.89	36.58	0.00	300	124	Peak																																																																																														
3	5210.00	91.00	68.20	22.80	82.92	34.68	10.72	37.32	0.00	300	124	Peak																																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.92</td> <td>41.83</td> <td>54.00</td> <td>-12.17</td> <td>33.92</td> <td>34.60</td> <td>10.65</td> <td>37.34</td> <td>0.00</td> <td>300</td> <td>124</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	41.83	54.00	-12.17	33.92	34.60	10.65	37.34	0.00	300	124	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>84.01</td> <td>-----</td> <td>-----</td> <td>80.94</td> <td>32.60</td> <td>7.32</td> <td>36.85</td> <td>0.00</td> <td>300</td> <td>124</td> <td>Average</td> </tr> <tr> <td>2</td> <td>3616.00</td> <td>111.93</td> <td>-----</td> <td>-----</td> <td>106.76</td> <td>32.86</td> <td>8.89</td> <td>36.58</td> <td>0.00</td> <td>300</td> <td>124</td> <td>Average</td> </tr> <tr> <td>3</td> <td>5210.00</td> <td>81.05</td> <td>68.20</td> <td>12.85</td> <td>72.97</td> <td>34.68</td> <td>10.72</td> <td>37.32</td> <td>0.00</td> <td>300</td> <td>124</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	84.01	-----	-----	80.94	32.60	7.32	36.85	0.00	300	124	Average	2	3616.00	111.93	-----	-----	106.76	32.86	8.89	36.58	0.00	300	124	Average	3	5210.00	81.05	68.20	12.85	72.97	34.68	10.72	37.32	0.00	300	124	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5149.92	41.83	54.00	-12.17	33.92	34.60	10.65	37.34	0.00	300	124	AVERAGE																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2478.00	84.01	-----	-----	80.94	32.60	7.32	36.85	0.00	300	124	Average																																																																																														
2	3616.00	111.93	-----	-----	106.76	32.86	8.89	36.58	0.00	300	124	Average																																																																																														
3	5210.00	81.05	68.20	12.85	72.97	34.68	10.72	37.32	0.00	300	124	Average																																																																																														



Mode	75																																																																	
	Band Edge - R																																																																	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																	
ANT	6																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5354.46</td> <td>47.40</td> <td>74.00</td> <td>-26.60</td> <td>39.07</td> <td>34.78</td> <td>10.84</td> <td>37.29</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>124</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5354.46	47.40	74.00	-26.60	39.07	34.78	10.84	37.29								0.00								300								124								PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1 5354.46	47.40	74.00	-26.60	39.07	34.78	10.84	37.29																																																											
							0.00																																																											
							300																																																											
							124																																																											
							PEAK																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5399.64</td> <td>37.12</td> <td>54.00</td> <td>-16.88</td> <td>28.91</td> <td>34.60</td> <td>10.89</td> <td>37.28</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>124</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5399.64	37.12	54.00	-16.88	28.91	34.60	10.89	37.28								0.00								300								124								AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1 5399.64	37.12	54.00	-16.88	28.91	34.60	10.89	37.28																																																											
							0.00																																																											
							300																																																											
							124																																																											
							AVERAGE																																																											



Mode	75																																																																																																													
	Harmonic																																																																																																													
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																													
ANT	6																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7434.00</td> <td>41.53</td> <td>74.00</td> <td>-32.47</td> <td>59.79</td> <td>35.69</td> <td>12.93</td> <td>66.88</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10420.00</td> <td>44.56</td> <td>68.20</td> <td>-23.64</td> <td>58.13</td> <td>37.63</td> <td>15.35</td> <td>66.55</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7434.00	41.53	74.00	-32.47	59.79	35.69	12.93	66.88	0.00	--	--	PEAK	2	10420.00	44.56	68.20	-23.64	58.13	37.63	15.35	66.55	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7434.00</td> <td>41.05</td> <td>74.00</td> <td>-32.95</td> <td>59.31</td> <td>35.69</td> <td>12.93</td> <td>66.88</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10420.00</td> <td>45.28</td> <td>68.20</td> <td>-22.92</td> <td>58.84</td> <td>37.64</td> <td>15.35</td> <td>66.55</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7434.00	41.05	74.00	-32.95	59.31	35.69	12.93	66.88	0.00	--	--	PEAK	2	10420.00	45.28	68.20	-22.92	58.84	37.64	15.35	66.55	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7434.00	41.53	74.00	-32.47	59.79	35.69	12.93	66.88	0.00	--	--	PEAK																																																																																																		
2	10420.00	44.56	68.20	-23.64	58.13	37.63	15.35	66.55	0.00	--	--	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7434.00	41.05	74.00	-32.95	59.31	35.69	12.93	66.88	0.00	--	--	PEAK																																																																																																		
2	10420.00	45.28	68.20	-22.92	58.84	37.64	15.35	66.55	0.00	--	--	PEAK																																																																																																		



Mode	75																																																																																	
	Band Edge																																																																																	
	2400-2483.5 2400-2483.5 Bluetooth-LE_CH38_Full_2478MHz																																																																																	
ANT	6																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.74</td> <td>50.33</td> <td>74.00</td> <td>-23.67</td> <td>41.25</td> <td>32.60</td> <td>7.33</td> <td>36.85</td> <td>6.00</td> <td>162</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2483.74	50.33	74.00	-23.67	41.25	32.60	7.33	36.85	6.00	162	307	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>101.07</td> <td>-----</td> <td>-----</td> <td>92.00</td> <td>32.60</td> <td>7.32</td> <td>36.85</td> <td>6.00</td> <td>162</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2478.00	101.07	-----	-----	92.00	32.60	7.32	36.85	6.00	162	307	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2483.74	50.33	74.00	-23.67	41.25	32.60	7.33	36.85	6.00	162	307	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2478.00	101.07	-----	-----	92.00	32.60	7.32	36.85	6.00	162	307	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2498.20</td> <td>40.28</td> <td>54.00</td> <td>-13.72</td> <td>31.17</td> <td>32.60</td> <td>7.36</td> <td>36.85</td> <td>6.00</td> <td>162</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2498.20	40.28	54.00	-13.72	31.17	32.60	7.36	36.85	6.00	162	307	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2478.00</td> <td>98.71</td> <td>-----</td> <td>-----</td> <td>89.64</td> <td>32.60</td> <td>7.32</td> <td>36.85</td> <td>6.00</td> <td>162</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2478.00	98.71	-----	-----	89.64	32.60	7.32	36.85	6.00	162	307	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2498.20	40.28	54.00	-13.72	31.17	32.60	7.36	36.85	6.00	162	307	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	2478.00	98.71	-----	-----	89.64	32.60	7.32	36.85	6.00	162	307	AVERAGE																																																																						



Mode	75																																																																	
	Band Edge																																																																	
	2400-2483.5 2400-2483.5 Bluetooth-LE_CH38_Full_2478MHz																																																																	
ANT	6																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.68 50.23 74.00 -23.77</td> <td>41.15 32.60</td> <td>7.33 36.85</td> <td>6.00</td> <td>379</td> <td>58</td> <td>PEAK</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg	1 2483.68 50.23 74.00 -23.77	41.15 32.60	7.33 36.85	6.00	379	58	PEAK		<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2478.00 97.66 -</td> <td>88.59 32.60</td> <td>7.32 36.85</td> <td>6.00</td> <td>379</td> <td>58</td> <td>PEAK</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg	1 2478.00 97.66 -	88.59 32.60	7.32 36.85	6.00	379	58	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																											
1 2483.68 50.23 74.00 -23.77	41.15 32.60	7.33 36.85	6.00	379	58	PEAK																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																											
1 2478.00 97.66 -	88.59 32.60	7.32 36.85	6.00	379	58	PEAK																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2499.82 40.66 54.00 -13.34</td> <td>31.55 32.60</td> <td>7.36 36.85</td> <td>6.00</td> <td>379</td> <td>58</td> <td>AVERAGE</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg	1 2499.82 40.66 54.00 -13.34	31.55 32.60	7.36 36.85	6.00	379	58	AVERAGE		<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2478.00 95.26 -</td> <td>86.19 32.60</td> <td>7.32 36.85</td> <td>6.00</td> <td>379</td> <td>58</td> <td>AVERAGE</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg	1 2478.00 95.26 -	86.19 32.60	7.32 36.85	6.00	379	58	AVERAGE	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																											
1 2499.82 40.66 54.00 -13.34	31.55 32.60	7.36 36.85	6.00	379	58	AVERAGE																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	dB	cm	deg																																																											
1 2478.00 95.26 -	86.19 32.60	7.32 36.85	6.00	379	58	AVERAGE																																																												




Mode	75																																																																																			
	Harmonic																																																																																			
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH38_Full_2478MHz																																																																																			
ANT	6																																																																																			
Pol.	Horizontal	Vertical																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4956.00</td> <td>41.96</td> <td>74.00</td> <td>-32.04</td> <td>62.59</td> <td>34.56</td> <td>10.44</td> <td>65.63</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	41.96	74.00	-32.04	62.59	34.56	10.44	65.63	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4956.00</td> <td>40.99</td> <td>74.00</td> <td>-33.01</td> <td>61.62</td> <td>34.56</td> <td>10.44</td> <td>65.63</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	40.99	74.00	-33.01	61.62	34.56	10.44	65.63	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	4956.00	41.96	74.00	-32.04	62.59	34.56	10.44	65.63	0.00	--	--	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	4956.00	40.99	74.00	-33.01	61.62	34.56	10.44	65.63	0.00	--	--	PEAK																																																																								



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	96.97	1.391	0.719	0.75KHz
802.11ax HE20	95.89	1.014	0.986	1KHz
802.11ax HE40	92.46	0.533	1.875	2KHz
802.11ax HE80	86.84	0.287	3.485	3.6KHz
802.11ac VHT40	93.75	0.652	1.533	1.6KHz
5G-5180- RU26	99.16	-	-	10Hz
5G-5180- RU52	99.15	-	-	10Hz
5G-5180- RU106	98.48	-	-	10Hz


802.11a



Date: 18.JUL.2024 02:31:54




802.11ax HE20



Date: 18.JUL.2024 02:34:07


802.11ax HE40



Date: 18.JUL.2024 02:35:14




802.11ax HE80



Date: 18.JUL.2024 02:38:33


802.11ac VHT40



Date: 18.JUL.2024 02:35:50




11ax HE20-RU 26



Date: 23.JUL.2024 22:48:26


11ax HE20-RU 52



Date: 23.JUL.2024 22:51:14



11ax HE20-RU 106



Date: 23.JUL.2024 22:52:31