

# TEST REPORT


**Application No.:** SZCR2409003493WM  
**Applicant:** Xiaomi Communications Co., Ltd.  
**Address of Applicant:** #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085  
**Manufacturer:** Xiaomi Communications Co., Ltd.  
**Address of Manufacturer:** #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085

### Equipment Under Test (EUT):

**EUT Name:** Mobile Phone  
**Model No.:** 24117RK2CG  
**Trade Mark:** POCO  
**Standard(s) :** 47 CFR Part 15, Subpart B  
**Date of Receipt:** 2024-09-10  
**Date of Test:** 2024-09-28 to 2024-10-03  
**Date of Issue:** 2024-10-22

<b>Test Result:</b>	<b>Pass*</b>
---------------------	--------------

\* In the configuration tested, the EUT complied with the standards specified above.



Keny Xu  
EMC Laboratory Manager



Revision Record				
Version	Chapter	Date	Modifier	Remark
01		2024-10-22		Original

<b>Authorized for issue by:</b>			
		<i>Kevin Lan</i>	
		Kevin Lan/Project Engineer	
		<i>Eric Fu</i>	
		Eric Fu/Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

## 2 Test Summary

Emission Part				
Item	Standard	Method	Requirement	Result
Conducted Emissions at Mains Terminals (150kHz-30MHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	15.107(a);Class B	Pass
Radiated Emissions (30MHz-1GHz)		ANSI C63.4:2014	15.109(a);Class B	Pass
Radiated Emissions (Above 1GHz)		ANSI C63.4:2014	15.109(g);Class B	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

### 3 Contents

	Page
<b>1 Cover Page</b> .....	<b>1</b>
<b>2 Test Summary</b> .....	<b>3</b>
<b>3 Contents</b> .....	<b>4</b>
<b>4 General Information</b> .....	<b>5</b>
4.1 Details of E.U.T. ....	5
4.2 Description of Support Units .....	5
4.3 Test modes.....	5
4.4 Measurement Uncertainty .....	5
4.5 Test Location.....	6
4.6 Test Facility .....	6
4.7 Deviation from Standards.....	6
4.8 Abnormalities from Standard Conditions .....	6
<b>5 Equipment List</b> .....	<b>7</b>
<b>6 Emission Test Results</b> .....	<b>9</b>
6.1 Conducted Emissions at Mains Terminals (150kHz-30MHz) .....	9
6.1.1 E.U.T. Operation .....	9
6.1.2 Test Mode Description .....	9
6.1.3 Test Setup Diagram .....	10
6.1.4 Measurement Procedure and Data.....	10
6.2 Radiated Emissions (30MHz-1GHz) .....	21
6.2.1 E.U.T. Operation .....	21
6.2.2 Test Mode Description .....	21
6.2.3 Test Setup Diagram .....	22
6.2.4 Measurement Procedure and Data.....	22
6.3 Radiated Emissions (Above 1GHz).....	33
6.3.1 E.U.T. Operation .....	33
6.3.2 Test Mode Description .....	33
6.3.3 Test Setup Diagram .....	34
6.3.4 Measurement Procedure and Data.....	34
<b>7 Test Setup Photo</b> .....	<b>45</b>
<b>8 EUT Constructional Details (EUT Photos)</b> .....	<b>45</b>



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

### 4 General Information

#### 4.1 Details of E.U.T.

Power Supply:	3.91V from internal rechargeable battery which can be charged by adapter.
---------------	---------------------------------------------------------------------------

EUT no.	Memory	Remark
1	12+512G	EUT1
2	12+256G	EUT2

Remark: The information in this section is provided by the applicant or manufacturer, SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

#### 4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
Laptop	Lenovo	L480	REF. No.SEA18C00E
Mouse	Lenovo	M-U0025-O	REF. No.:SEA24A01
Router	NETGEAR	DGN2200	REF. No.SEA22A00

#### 4.3 Test modes

Pretest these modes to find the worst case and show the worse data in the test items:	08	EUT1: Transfer data between the EUT and the PC+USB cable
	09	EUT2: Transfer data between the EUT and the PC+USB cable
	10	EUT1: adapter+usb Cable+BT(Idle)+5GWLAN(Idle)+NFC+GNSS+Camera(Rear)+GSM850(RX)+Earphone
	11	EUT2: adapter+usb Cable+BT(Idle)+2.4GWLAN(Idle)+NFC+GNSS+Camera(Front)+WCDMA Band 5(RX)+Earphone
	12	EUT1: adapter+usb Cable+BT(Idle)+5GWLAN(Idle)+NFC+GNSS+MP4+LTE Band 5(RX)+Earphone
	13	EUT1: adapter+usb Cable+BT(Idle)+5GWLAN(Idle)+NFC+GNSS+MP4+LTE Band 26(RX)+Earphone
	14	EUT1: adapter+usb Cable+BT(Idle)+5GWLAN(Idle)+NFC+GNSS+MP4+NR n5(RX)+Earphone
	15	EUT1: adapter+usb Cable+BT(Idle)+5GWLAN(Idle)+NFC+GNSS+MP4+NR n26(RX)+Earphone

#### 4.4 Measurement Uncertainty

Test Item	Measurement Uncertainty
Conducted Emissions at Mains Terminals (150kHz-30MHz)	± 3.1dB
Radiated Emissions (30MHz-1GHz)	± 6.0dB for 3m; ± 5.0dB for 10m
Radiated Emissions (Above 1GHz)	± 4.6dB



**Remark:**

The  $U_{lab}$  (lab Uncertainty) is less than  $U_{CISPR/ETSI}$  (CISPR/ETSI Uncertainty), so the test results  
 – compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;  
 – non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.

**4.5 Test Location**

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

**4.6 Test Facility**

The test facility is recognized, certified, or accredited by the following organizations:

**• A2LA (Certificate No. 3816.01)**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

**• VCCI (Member No. 1937)**

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen EMC laboratory have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

**• FCC –Designation Number: CN1336**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1336. Test Firm Registration Number: 787754.

**• Innovation, Science and Economic Development Canada**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

**4.7 Deviation from Standards**

None

**4.8 Abnormalities from Standard Conditions**

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

## 5 Equipment List

Conducted Emissions at Mains Terminals (150kHz-30MHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Shielding Room	ZhongYu Electron	GB-88	SEM001-06	2022-05-14	2025-05-13
EMI Test Receiver	Rohde&Schwarz	ESR	SZ-WRG-M-047	2024-01-30	2025-01-29
Measurement Software	AUDIX	e3 V8.2014-6-27a	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM024-01	2024-07-06	2025-07-05
LISN	Rohde&Schwarz	ENV216	SEM007-01	2024-08-15	2025-08-14
LISN	ETS-LINDGREN	3816/2	SEM007-02	2024-03-14	2025-03-13

Radiated Emissions (30MHz-1GHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEM001-01	2023-06-19	2026-06-18
MXE EMI Receiver	Agilent Technologies	N9038A	SEM004-15	2024-08-14	2025-08-13
BiConiLog Antenna	ETS-LINDGREN	3142C	SEM003-01	2023-09-16	2025-09-15
Pre-Amplifier	Agilent Technologies	8447D	SEM005-01	2024-03-14	2025-03-13
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM025-01	2024-07-06	2025-07-05

Radiated Emissions (Above 1GHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
3m Fully-Anechoic Chamber	AUDIX	N/A	SEM001-02	2024-05-11	2027-05-10
Signal Analyzer	Rohde & Schwarz	FSV40	SEM008-04	2024-03-15	2025-03-14
Horn Antenna	Rohde&Schwarz	HF907	SEM003-07	2023-07-23	2025-07-22
Microwave system amplifier	Agilent	83017A	SEM005-25	2024-09-14	2025-09-13
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM026-01	2024-07-06	2025-07-05



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

General used equipment					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Humidity/ Temperature Indicator	deli	8838	SEM002-32	2024-07-24	2025-07-23
Humidity/ Temperature Indicator	deli	8838	SEM002-33	2024-07-24	2025-07-23
Barometer	Changchun Meteorological Industry Factory	DYM3	SEM002-01	2024-03-18	2025-03-17
Universal Radio Communication Tester	Rohde & Schwarz	CMW 500	SEM010-03	2024-03-14	2025-03-13
Universal Radio Communication Tester	Rohde & Schwarz	CMW 500	SEM010-11	2024-03-14	2025-03-13
Radio Communication Analyzer	Anritsu	MT8821C	SEM010-09	2024-03-14	2025-03-13
Radio Communication Analyzer	Anritsu	MT8000A	SEM010-10	2024-03-14	2025-03-13



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

## 6 Emission Test Results

### 6.1 Conducted Emissions at Mains Terminals (150kHz-30MHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014

Limit:

0.15M-0.5MHz 66dB(μV)-56dB(μV) quasi-peak, 56dB(μV)-46dB(μV) average

0.5M-5MHz 56dB(μV) quasi-peak, 46dB(μV) average

5M-30MHz 60dB(μV) quasi-peak, 50dB(μV) average

Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz

#### 6.1.1 E.U.T. Operation

Operating Environment:

Temperature: 23.9 °C Humidity: 49.6 % RH Atmospheric Pressure: 1020 mbar

#### 6.1.2 Test Mode Description


Pre-scan / Final test	Mode Code	Description
Final test	08	EUT1:Transfer data between the EUT and the PC+USB cable
Final test	09	EUT2:Transfer data between the EUT and the PC+USB cable
Final test	10	EUT1:adapter+usb Cable+BT(Idler)+5GWLAN(Idler)+NFC+GNSS+Camera(Rear)+GSM850(RX)+Earphone
Final test	11	EUT2:adapter+usb Cable+BT(Idler)+2.4GWLAN(Idler)+NFC+GNSS+Camera(Front)+WCDMA Band 5(RX)+Earphone
Final test	12	EUT1:adapter+usb Cable+BT(Idler)+5GWLAN(Idler)+NFC+GNSS+MP4+LTE Band 5(RX)+Earphone



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

### 6.1.3 Test Setup Diagram



### 6.1.4 Measurement Procedure and Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.


Remark: Level= Read Level+ Cable Loss+ LISN Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Mode: 08; Line: Live line



Site : Shielding Room  
 Condition: Line  
 Job No. : 03493WM  
 Test mode: 08


	Freq	Cable Loss	LISN Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1607	0.06	9.81	35.30	45.17	65.43	-20.26	QP
2	0.1607	0.06	9.81	22.31	32.18	55.43	-23.25	Average
3	0.1731	0.06	9.80	33.72	43.58	64.81	-21.23	QP
4	0.1731	0.06	9.80	20.71	30.57	54.81	-24.24	Average
5	0.2603	0.07	9.77	26.68	36.52	61.42	-24.90	QP
6	0.2603	0.07	9.77	17.89	27.73	51.42	-23.69	Average
7 *	0.4941	0.08	9.71	27.82	37.61	56.10	-18.49	QP
8 *	0.4941	0.08	9.71	23.89	33.68	46.10	-12.42	Average
9	4.8738	0.12	9.64	19.75	29.51	56.00	-26.49	QP
10	4.8738	0.12	9.64	8.71	18.47	46.00	-27.53	Average
11	5.1118	0.12	9.65	19.12	28.89	60.00	-31.11	QP
12	5.1118	0.12	9.65	7.19	16.96	50.00	-33.04	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Test Mode: 08; Line: Neutral Line



Site : Shielding Room  
 Condition: Neutral  
 Job No. : 03493WM  
 Test mode: 08


	Freq	Cable Loss	LISN Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dB	
1	0.1565	0.06	9.82	34.64	44.52	65.65 -21.13	QP
2	0.1565	0.06	9.82	18.77	28.65	55.65 -27.00	Average
3 *	0.1749	0.06	9.82	34.02	43.90	64.72 -20.82	QP
4	0.1749	0.06	9.82	20.09	29.97	54.72 -24.75	Average
5	0.2589	0.07	9.80	24.23	34.10	61.47 -27.37	QP
6	0.2589	0.07	9.80	15.05	24.92	51.47 -26.55	Average
7	0.4786	0.08	9.73	25.46	35.27	56.36 -21.09	QP
8	0.4786	0.08	9.73	9.65	19.46	46.36 -26.90	Average
9	4.2466	0.12	9.66	18.50	28.28	56.00 -27.72	QP
10	4.2466	0.12	9.66	9.84	19.62	46.00 -26.38	Average
11	13.5509	0.24	10.13	25.84	36.21	60.00 -23.79	QP
12 *	13.5509	0.24	10.13	17.52	27.89	50.00 -22.11	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Mode: 09; Line: Live line



Site : Shielding Room  
 Condition: Line  
 Job No. : 03493WM  
 Test mode: 09


	Freq	Cable Loss	LISN Factor	Read Level	Limit Level	Over Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1668	0.06	9.81	34.78	44.65	65.12	-20.47	QP
2	0.1668	0.06	9.81	22.09	31.96	55.12	-23.16	Average
3	0.1777	0.06	9.80	33.25	43.11	64.59	-21.48	QP
4	0.1777	0.06	9.80	19.20	29.06	54.59	-25.53	Average
5	0.2562	0.07	9.77	25.07	34.91	61.56	-26.65	QP
6	0.2562	0.07	9.77	15.37	25.21	51.56	-26.35	Average
7 *	0.4812	0.08	9.71	27.19	36.98	56.32	-19.34	QP
8 *	0.4812	0.08	9.71	13.64	23.43	46.32	-22.89	Average
9	4.6469	0.12	9.64	20.87	30.63	56.00	-25.37	QP
10	4.6469	0.12	9.64	10.18	19.94	46.00	-26.06	Average
11	5.1937	0.12	9.66	19.18	28.96	60.00	-31.04	QP
12	5.1937	0.12	9.66	6.52	16.30	50.00	-33.70	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Test Mode: 09; Line: Neutral Line



Site : Shielding Room  
 Condition: Neutral  
 Job No. : 03493WM  
 Test mode: 09


	Freq	Cable Loss	LISN Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1 *	0.1557	0.06	9.82	34.44	44.32	65.69	-21.37	QP
2	0.1557	0.06	9.82	18.85	28.73	55.69	-26.96	Average
3	0.1758	0.06	9.82	33.05	42.93	64.68	-21.75	QP
4	0.1758	0.06	9.82	18.54	28.42	54.68	-26.26	Average
5	0.2644	0.07	9.80	25.82	35.69	61.29	-25.60	QP
6 *	0.2644	0.07	9.80	16.18	26.05	51.29	-25.24	Average
7	0.4786	0.08	9.73	25.00	34.81	56.36	-21.55	QP
8	0.4786	0.08	9.73	10.44	20.25	46.36	-26.11	Average
9	5.0046	0.12	9.66	15.09	24.87	60.00	-35.13	QP
10	5.0046	0.12	9.66	5.84	15.62	50.00	-34.38	Average
11	13.4793	0.24	10.13	19.37	29.74	60.00	-30.26	QP
12	13.4793	0.24	10.13	11.83	22.20	50.00	-27.80	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Test Mode: 10; Line: Live line



Site : Shielding Room  
 Condition: Line  
 Job No. : 03493WM  
 Test mode: 10


	Freq	Cable Loss	LISN Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1524	0.06	9.81	25.26	35.13	65.87	-30.74	QP
2	0.1524	0.06	9.81	13.38	23.25	55.87	-32.62	Average
3 *	0.5074	0.08	9.71	23.71	33.50	56.00	-22.50	QP
4 *	0.5074	0.08	9.71	14.29	24.08	46.00	-21.92	Average
5	0.9136	0.09	9.71	12.43	22.23	56.00	-33.77	QP
6	0.9136	0.09	9.71	3.58	13.38	46.00	-32.62	Average
7	1.6020	0.10	9.68	5.28	15.06	56.00	-40.94	QP
8	1.6020	0.10	9.68	-4.68	5.10	46.00	-40.90	Average
9	4.7464	0.12	9.64	12.10	21.86	56.00	-34.14	QP
10	4.7464	0.12	9.64	4.02	13.78	46.00	-32.22	Average
11	8.9163	0.19	9.89	15.03	25.11	60.00	-34.89	QP
12	8.9163	0.19	9.89	8.90	18.98	50.00	-31.02	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Mode: 10; Line: Neutral Line




Site : Shielding Room  
 Condition: Neutral  
 Job No. : 03493WM  
 Test mode: 10

	Freq	Cable Loss	LISN Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1677	0.06	9.82	24.45	34.33	65.08	-30.75	QP
2	0.1677	0.06	9.82	15.04	24.92	55.08	-30.16	Average
3 *	0.5293	0.08	9.72	24.07	33.87	56.00	-22.13	QP
4 *	0.5293	0.08	9.72	15.80	25.60	46.00	-20.40	Average
5	0.9233	0.09	9.73	15.48	25.30	56.00	-30.70	QP
6	0.9233	0.09	9.73	7.21	17.03	46.00	-28.97	Average
7	1.9489	0.10	9.69	14.64	24.43	56.00	-31.57	QP
8	1.9489	0.10	9.69	7.59	17.38	46.00	-28.62	Average
9	2.2249	0.10	9.68	12.98	22.76	56.00	-33.24	QP
10	2.2249	0.10	9.68	6.13	15.91	46.00	-30.09	Average
11	10.7330	0.21	10.02	17.47	27.70	60.00	-32.30	QP
12	10.7330	0.21	10.02	10.94	21.17	50.00	-28.83	Average



Test Mode: 11; Line: Live line



Site : Shielding Room  
 Condition: Line  
 Job No. : 03493WM  
 Test mode: 11


	Freq	Cable Loss	LISN Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1540	0.06	9.81	18.72	28.59	65.78	-37.19	QP
2	0.1540	0.06	9.81	0.83	10.70	55.78	-45.08	Average
3 *	0.5101	0.08	9.71	24.60	34.39	56.00	-21.61	QP
4 *	0.5101	0.08	9.71	15.64	25.43	46.00	-20.57	Average
5	0.9331	0.09	9.71	11.92	21.72	56.00	-34.28	QP
6	0.9331	0.09	9.71	3.60	13.40	46.00	-32.60	Average
7	1.7810	0.10	9.67	8.55	18.32	56.00	-37.68	QP
8	1.7810	0.10	9.67	1.04	10.81	46.00	-35.19	Average
9	4.8224	0.12	9.64	13.45	23.21	56.00	-32.79	QP
10	4.8224	0.12	9.64	6.43	16.19	46.00	-29.81	Average
11	13.5509	0.24	10.07	20.43	30.74	60.00	-29.26	QP
12	13.5509	0.24	10.07	6.03	16.34	50.00	-33.66	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Mode: 11; Line: Neutral Line




Site : Shielding Room  
 Condition: Neutral  
 Job No. : 03493WM  
 Test mode: 11

	Freq	Cable Loss	LISN Factor	Read Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dB	
1	0.1615	0.06	9.82	13.72	23.60	65.38	-41.78 QP
2	0.1615	0.06	9.82	-3.14	6.74	55.38	-48.64 Average
3 *	0.5293	0.08	9.72	24.06	33.86	56.00	-22.14 QP
4 *	0.5293	0.08	9.72	13.46	23.26	46.00	-22.74 Average
5	1.1844	0.09	9.72	15.02	24.83	56.00	-31.17 QP
6	1.1844	0.09	9.72	6.81	16.62	46.00	-29.38 Average
7	1.5518	0.10	9.70	15.61	25.41	56.00	-30.59 QP
8	1.5518	0.10	9.70	7.84	17.64	46.00	-28.36 Average
9	2.2249	0.10	9.68	14.19	23.97	56.00	-32.03 QP
10	2.2249	0.10	9.68	7.67	17.45	46.00	-28.55 Average
11	11.3771	0.22	10.05	17.53	27.80	60.00	-32.20 QP
12	11.3771	0.22	10.05	11.10	21.37	50.00	-28.63 Average



Test Mode: 12; Line: Live line




Site : Shielding Room  
 Condition: Line  
 Job No. : 03493WM  
 Test mode: 12

	Freq	Cable Loss	LISN Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1 *	0.1787	0.06	9.80	42.79	52.65	64.55	-11.90	QP
2 *	0.1787	0.06	9.80	29.44	39.30	54.55	-15.25	Average
3	0.3446	0.07	9.74	23.35	33.16	59.09	-25.93	QP
4	0.3446	0.07	9.74	5.97	15.78	49.09	-33.31	Average
5	0.9735	0.09	9.71	19.80	29.60	56.00	-26.40	QP
6	0.9735	0.09	9.71	6.12	15.92	46.00	-30.08	Average
7	1.5033	0.10	9.68	17.06	26.84	56.00	-29.16	QP
8	1.5033	0.10	9.68	6.34	16.12	46.00	-29.88	Average
9	4.6223	0.12	9.64	14.10	23.86	56.00	-32.14	QP
10	4.6223	0.12	9.64	4.24	14.00	46.00	-32.00	Average
11	8.0198	0.17	9.87	15.58	25.62	60.00	-34.38	QP
12	8.0198	0.17	9.87	6.80	16.84	50.00	-33.16	Average



Test Mode: 12; Line: Neutral Line



Site : Shielding Room  
 Condition: Neutral  
 Job No. : 03493WM  
 Test mode: 12

	Freq	Cable Loss	LISN Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1 *	0.1685	0.06	9.82	40.05	49.93	65.03	-15.10	QP
2 *	0.1685	0.06	9.82	21.60	31.48	55.03	-23.55	Average
3	0.3166	0.07	9.78	28.73	38.58	59.80	-21.22	QP
4	0.3166	0.07	9.78	12.45	22.30	49.80	-27.50	Average
5	0.8944	0.09	9.73	21.92	31.74	56.00	-24.26	QP
6	0.8944	0.09	9.73	10.25	20.07	46.00	-25.93	Average
7	1.6020	0.10	9.70	20.26	30.06	56.00	-25.94	QP
8	1.6020	0.10	9.70	10.20	20.00	46.00	-26.00	Average
9	2.1553	0.10	9.69	19.31	29.10	56.00	-26.90	QP
10	2.1553	0.10	9.69	9.85	19.64	46.00	-26.36	Average
11	11.5594	0.22	10.06	19.25	29.53	60.00	-30.47	QP
12	11.5594	0.22	10.06	12.32	22.60	50.00	-27.40	Average



**6.2 Radiated Emissions (30MHz-1GHz)**

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014

Measurement Distance: 3m

Limit:

FREQUENCY (MHz)	dBµV/m (At 10m)	dBµV/m (At 3m)
	Class B	Class B
30MHz -88MHz	29.5	40.0
88MHz-216MHz	33.1	43.5
216MHz-960MHz	35.6	46.0
960MHz-1000MHz	43.5	54.0

Detector: Peak for pre-scan (120kHz resolution bandwidth) 30M to 1000MHz

**6.2.1 E.U.T. Operation**

Operating Environment:

Temperature: 20.2 °C

Humidity: 45.2 % RH

Atmospheric Pressure: 1020 mbar

**6.2.2 Test Mode Description**


Pre-scan / Final test	Mode Code	Description
Final test	08	EUT1:Transfer data between the EUT and the PC+USB cable
Final test	09	EUT2:Transfer data between the EUT and the PC+USB cable
Final test	10	EUT1:adapter+usb Cable+BT(Idle)+5GWLAN(Idle)+NFC+GNSS+Camera(Rear)+GSM850(RX)+Earphone
Final test	11	EUT2:adapter+usb Cable+BT(Idle)+2.4GWLAN(Idle)+NFC+GNSS+Camera(Front)+WCDMA Band 5(RX)+Earphone
Final test	12	EUT1:adapter+usb Cable+BT(Idle)+5GWLAN(Idle)+NFC+GNSS+MP4+LTE Band 5(RX)+Earphone



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

### 6.2.3 Test Setup Diagram




### 6.2.4 Measurement Procedure and Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasi-peak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.

Remark: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor



Test Mode: 08; Polarity: Horizontal



Site : chamber  
 Condition: 3m HORIZONTAL  
 Job No. : 03493WM  
 Test Mode: 08


	Ant Freq	Cable Factor	Preamp Loss	Read Level	Limit Level	Over Line	Limit	Over Limit	Remark
	MHz	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB	
1	57.80	11.70	0.90	27.71	31.95	16.84	40.00	-23.16	QP
2	104.17	12.22	1.21	27.57	32.43	18.29	43.50	-25.21	QP
3	166.65	13.15	1.55	27.31	36.31	23.70	43.50	-19.80	QP
4	298.27	17.82	2.16	26.76	35.36	28.58	46.00	-17.42	QP
5	480.53	22.75	2.82	27.48	35.41	33.50	46.00	-12.50	QP
6	897.00	27.93	4.08	26.79	26.18	31.40	46.00	-14.60	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Mode: 08; Polarity: Vertical



Site : chamber  
 Condition: 3m VERTICAL  
 Job No. : 03493WM  
 Test Mode: 08


	Ant Freq	Cable Factor	Preamp Loss	Read Level	Limit Level	Over Line	Limit	Over Limit	Remark
	MHz	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB	
1	57.80	11.70	0.90	27.71	40.13	25.02	40.00	-14.98	QP
2	71.83	10.50	1.00	27.67	42.15	25.98	40.00	-14.02	QP
3	143.83	12.25	1.43	27.41	43.47	29.74	43.50	-13.76	QP
4	298.27	17.82	2.16	26.76	31.74	24.96	46.00	-21.04	QP
5	480.53	22.75	2.82	27.48	33.36	31.45	46.00	-14.55	QP
6 q	906.48	27.87	4.11	26.72	30.62	35.88	46.00	-10.12	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Test Mode: 09; Polarity: Horizontal



Site : chamber  
 Condition: 3m HORIZONTAL  
 Job No. : 03493WM  
 Test Mode: 09


	Ant Freq	Cable Factor	Preamp Loss	Read Level	Limit Level	Over Line	Limit	Remark
	MHz	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB
1	56.59	11.79	0.89	27.72	31.69	16.65	40.00	-23.35 QP
2	104.17	12.22	1.21	27.57	31.28	17.14	43.50	-26.36 QP
3	144.33	12.32	1.43	27.40	35.74	22.09	43.50	-21.41 QP
4	299.32	17.94	2.17	26.75	34.16	27.52	46.00	-18.48 QP
5	480.53	22.75	2.82	27.48	36.52	34.61	46.00	-11.39 QP
6	916.07	28.06	4.13	26.65	25.36	30.90	46.00	-15.10 QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Test Mode: 09; Polarity: Vertical



Site : chamber  
 Condition: 3m VERTICAL  
 Job No. : 03493WM  
 Test Mode: 09


	Ant Freq	Cable Factor	Preamp Loss	Read Level	Limit Level	Over Line	Remark
	MHz	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	56.79	11.77	0.89	27.71	39.33	24.28	40.00 -15.72 QP
2	72.59	10.45	1.01	27.67	36.68	20.47	40.00 -19.53 QP
3	144.33	12.32	1.43	27.40	40.85	27.20	43.50 -16.30 QP
4	365.54	20.31	2.42	27.02	27.10	22.81	46.00 -23.19 QP
5	480.53	22.75	2.82	27.48	35.90	33.99	46.00 -12.01 QP
6	900.15	27.82	4.09	26.76	28.12	33.27	46.00 -12.73 QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Test Mode: 10; Polarity: Horizontal



Site : chamber  
 Condition: 3m HORIZONTAL  
 Job No. : 03493WM  
 Test Mode: 10


	Ant Freq	Cable Factor	Preamp Loss	Read Level	Limit Level	Over Line	Limit	Over Limit	Remark
	MHz	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB	
1	33.44	19.68	0.68	27.78	24.79	17.37	40.00	-22.63	QP
2	104.17	12.22	1.21	27.57	33.04	18.90	43.50	-24.60	QP
3 q	195.82	14.11	1.71	27.19	38.77	27.40	43.50	-16.10	QP
4	323.32	18.58	2.26	26.84	30.96	24.96	46.00	-21.04	QP
5	460.73	21.43	2.76	27.40	28.34	25.13	46.00	-20.87	QP
6	958.79	28.10	4.24	26.34	23.39	29.39	46.00	-16.61	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Mode: 10; Polarity: Vertical



Site : chamber  
 Condition: 3m VERTICAL  
 Job No. : 03493WM  
 Test Mode: 10


	Ant Freq	Cable Factor	Preamp Loss	Read Level	Limit Level	Over Limit	Remark	
	MHz	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	47.66	13.42	0.81	27.74	43.33	29.82	40.00 -10.18	QP
2 q	82.36	10.66	1.08	27.64	47.67	31.77	40.00 -8.23	QP
3	197.20	14.10	1.71	27.18	37.28	25.91	43.50 -17.59	QP
4	283.98	16.90	2.10	26.82	29.83	22.01	46.00 -23.99	QP
5	508.26	23.13	2.92	27.60	26.61	25.06	46.00 -20.94	QP
6	935.55	28.18	4.18	26.51	22.93	28.78	46.00 -17.22	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Mode: 11; Polarity: Horizontal



Site : chamber  
 Condition: 3m HORIZONTAL  
 Job No. : 03493WM  
 Test Mode: 11


	Ant Freq	Cable Factor	Preamp Loss	Read Level	Limit Level	Over Line	Remark
	MHz	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	31.73	20.39	0.66	27.79	24.26	40.00	-22.48 QP
2	104.17	12.22	1.21	27.57	32.02	43.50	-25.62 QP
3	252.95	17.28	1.96	26.95	29.27	46.00	-24.44 QP
4	381.25	20.91	2.48	27.08	24.51	46.00	-25.18 QP
5	597.22	24.44	3.20	27.96	22.94	46.00	-23.38 QP
6 q	768.75	26.68	3.73	27.56	27.98	46.00	-15.17 QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Mode: 11; Polarity: Vertical



Site : chamber  
 Condition: 3m VERTICAL  
 Job No. : 03493WM  
 Test Mode: 11


	Ant Freq	Ant Factor	Cable Loss	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB	
1	48.50	13.14	0.82	27.74	37.26	23.48	40.00	-16.52	QP
2 q	84.70	10.98	1.09	27.63	41.68	26.12	40.00	-13.88	QP
3	186.44	14.30	1.66	27.23	31.19	19.92	43.50	-23.58	QP
4	281.01	16.91	2.09	26.83	29.02	21.19	46.00	-24.81	QP
5	483.91	22.85	2.84	27.50	27.26	25.45	46.00	-20.55	QP
6	890.73	28.06	4.07	26.83	23.70	29.00	46.00	-17.00	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Mode: 12; Polarity: Horizontal




Site : chamber  
 Condition: 3m HORIZONTAL  
 Job No. : 03493WM  
 Test Mode: 12

	Ant Freq	Cable Factor	Preamp Loss	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB	
1	30.75	20.86	0.65	27.79	23.68	17.40	40.00	-22.60	QP
2	104.17	12.22	1.21	27.57	32.19	18.05	43.50	-25.45	QP
3	197.89	14.08	1.72	27.18	38.22	26.84	43.50	-16.66	QP
4	323.32	18.58	2.26	26.84	31.36	25.36	46.00	-20.64	QP
5	572.61	23.73	3.12	27.86	25.98	24.97	46.00	-21.03	QP
6 q	938.83	28.15	4.19	26.49	23.82	29.67	46.00	-16.33	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 12; Polarity: Vertical



Site : chamber  
 Condition: 3m VERTICAL  
 Job No. : 03493WM  
 Test Mode: 12

	Ant Freq	Ant Factor	Cable Loss	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB	
1	47.33	13.53	0.81	27.74	42.72	29.32	40.00	-10.68	QP
2 q	82.36	10.66	1.08	27.64	47.13	31.23	40.00	-8.77	QP
3	196.51	14.10	1.71	27.18	36.22	24.85	43.50	-18.65	QP
4	289.00	17.01	2.12	26.80	29.76	22.09	46.00	-23.91	QP
5	473.83	22.43	2.80	27.46	27.23	25.00	46.00	-21.00	QP
6	945.44	28.26	4.21	26.44	23.80	29.83	46.00	-16.17	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

### 6.3 Radiated Emissions (Above 1GHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014

Measurement Distance: 3m

Limit:

Above 1GHz 74(dBµV/m) peak, 54(dBµV/m) average at 3m distance  
83.54(dBµV/m) peak, 63.54(dBµV/m) average at 1m distance

Detector: Peak for pre-scan (1MHz resolution bandwidth) 1GHz to 40GHz

#### 6.3.1 E.U.T. Operation

Operating Environment:

Temperature: 22.2 °C Humidity: 51.3 % RH Atmospheric Pressure: 1020 mbar

#### 6.3.2 Test Mode Description


Pre-scan / Final test	Mode Code	Description
Final test	08	EUT1:Transfer data between the EUT and the PC+USB cable
Final test	09	EUT2:Transfer data between the EUT and the PC+USB cable
Final test	10	EUT1:adapter+usb Cable+BT(Idle)+5GWLAN(Idle)+NFC+GNSS+Camera(Rear)+GSM850(RX)+Earphone
Final test	11	EUT2:adapter+usb Cable+BT(Idle)+2.4GWLAN(Idle)+NFC+GNSS+Camera(Front)+WCDMA Band 5(RX)+Earphone
Final test	12	EUT1:adapter+usb Cable+BT(Idle)+5GWLAN(Idle)+NFC+GNSS+MP4+LTE Band 5(RX)+Earphone



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

### 6.3.3 Test Setup Diagram



### 6.3.4 Measurement Procedure and Data


An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.

The red line show in graphic is the limit in standard used in this section.

Remark: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor



Test Mode: 08; Polarity: Horizontal



Site : chamber  
 Condition: 3m HORIZONTAL  
 Job No : 03493WM  
 Mode : 08


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1008.999	5.93	26.01	61.47	66.05	36.52	74.00	-37.48	Peak
2	2055.023	5.11	28.98	61.77	65.08	37.40	74.00	-36.60	Peak
3	2622.077	5.58	30.26	61.54	65.00	39.30	74.00	-34.70	Peak
4	3369.664	6.20	32.22	61.32	64.91	42.01	74.00	-31.99	Peak
5	4432.448	7.09	34.41	61.57	63.76	43.69	74.00	-30.31	Peak
6	5535.214	8.33	34.64	62.44	62.20	42.73	74.00	-31.27	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Mode: 08; Polarity: Vertical



Site : chamber  
 Condition: 3m VERTICAL  
 Job No : 03493WM  
 Mode : 08


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1008.999	5.93	26.01	61.47	67.35	37.82	74.00	-36.18	Peak
2	1727.174	4.97	26.53	61.72	67.78	37.56	74.00	-36.44	Peak
3	2538.859	5.49	29.21	61.57	66.16	39.29	74.00	-34.71	Peak
4	3204.781	6.09	32.82	61.36	64.56	42.11	74.00	-31.89	Peak
5	4432.448	7.09	34.41	61.57	63.31	43.24	74.00	-30.76	Peak
6	5989.259	8.76	34.86	62.74	62.12	43.00	74.00	-31.00	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Test Mode: 09; Polarity: Horizontal



Site : chamber  
 Condition: 3m HORIZONTAL  
 Job No : 03493WM  
 Mode : 09


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1016.257	5.91	25.78	61.48	65.92	36.13	74.00	-37.87	Peak
2	1767.877	4.99	26.87	61.73	69.33	39.46	74.00	-34.54	Peak
3	2467.108	5.43	28.90	61.60	66.63	39.36	74.00	-34.64	Peak
4	3187.600	6.08	32.80	61.37	64.51	42.02	74.00	-31.98	Peak
5	4155.566	6.89	33.80	61.32	64.15	43.52	74.00	-30.48	Peak
6	5236.146	7.96	34.07	62.22	63.07	42.88	74.00	-31.12	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Test Mode: 09; Polarity: Vertical



Site : chamber  
 Condition: 3m VERTICAL  
 Job No : 03493WM  
 Mode : 09


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1007.193	5.93	26.07	61.47	66.06	36.59	74.00	-37.41	Peak
2	1711.770	4.97	26.34	61.72	67.56	37.15	74.00	-36.85	Peak
3	2354.812	5.35	29.10	61.64	66.62	39.43	74.00	-34.57	Peak
4	3210.528	6.10	32.73	61.36	65.28	42.75	74.00	-31.25	Peak
5	4416.593	7.08	34.60	61.56	63.63	43.75	74.00	-30.25	Peak
6	5466.224	8.26	34.64	62.39	62.21	42.72	74.00	-31.28	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Test Mode: 10; Polarity: Horizontal



Site : chamber  
 Condition: 3m HORIZONTAL  
 Job No : 03493WM  
 Mode : 10


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1001.793	5.95	26.24	61.47	65.20	35.92	74.00	-38.08	Peak
2	1855.505	5.02	27.04	61.76	66.72	37.02	74.00	-36.98	Peak
3	2300.596	5.30	28.41	61.66	66.28	38.33	74.00	-35.67	Peak
4	3274.433	6.14	31.66	61.34	64.88	41.34	74.00	-32.66	Peak
5	3959.316	6.73	33.41	61.18	64.74	43.70	74.00	-30.30	Peak
6	5340.371	8.10	34.36	62.30	62.58	42.74	74.00	-31.26	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Mode: 10; Polarity: Vertical



Site : chamber  
 Condition: 3m VERTICAL  
 Job No : 03493WM  
 Mode : 10


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1001.793	5.95	26.24	61.47	66.28	37.00	74.00	-37.00	Peak
2	1730.272	4.97	26.56	61.72	67.58	37.39	74.00	-36.61	Peak
3	2384.533	5.37	29.10	61.63	66.77	39.61	74.00	-34.39	Peak
4	3339.610	6.18	31.91	61.33	65.28	42.04	74.00	-31.96	Peak
5	4330.397	7.02	34.24	61.48	64.13	43.91	74.00	-30.09	Peak
6	5466.224	8.26	34.64	62.39	61.91	42.42	74.00	-31.58	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Mode: 11; Polarity: Horizontal



Site : chamber  
 Condition: 3m HORIZONTAL  
 Job No : 03493WM  
 Mode : 11


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1007.193	5.93	26.07	61.47	66.57	37.10	74.00	-36.90	Peak
2	1512.700	4.89	26.85	61.66	67.33	37.41	74.00	-36.59	Peak
3	2367.504	5.35	29.10	61.64	66.09	38.90	74.00	-35.10	Peak
4	3363.631	6.19	32.18	61.32	64.42	41.47	74.00	-32.53	Peak
5	4369.367	7.05	34.55	61.51	63.37	43.46	74.00	-30.54	Peak
6	5525.306	8.32	34.60	62.43	61.92	42.41	74.00	-31.59	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Mode: 11; Polarity: Vertical



Site : chamber  
 Condition: 3m VERTICAL  
 Job No : 03493WM  
 Mode : 11


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1021.734	5.89	25.60	61.48	66.62	36.63	74.00	-37.37	Peak
2	1711.770	4.97	26.34	61.72	70.85	40.44	74.00	-33.56	Peak
3	2354.812	5.35	29.10	61.64	66.41	39.22	74.00	-34.78	Peak
4	3216.286	6.10	32.64	61.36	64.14	41.52	74.00	-32.48	Peak
5	4400.794	7.07	34.79	61.54	62.71	43.03	74.00	-30.97	Peak
6	5485.847	8.28	34.56	62.40	61.99	42.43	74.00	-31.57	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Test Mode: 12; Polarity: Horizontal



Site : chamber  
 Condition: 3m HORIZONTAL  
 Job No : 03493WM  
 Mode : 12


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	1032.777	5.87	25.25	61.48	66.81	36.45	74.00	-37.55 Peak
2	1717.915	4.97	26.41	61.72	68.82	38.48	74.00	-35.52 Peak
3	2631.490	5.59	30.24	61.54	64.73	39.02	74.00	-34.98 Peak
4	3393.901	6.21	32.36	61.31	65.36	42.62	74.00	-31.38 Peak
5	4770.324	7.42	34.06	61.86	64.25	43.87	74.00	-30.13 Peak
6	5957.151	8.73	34.73	62.72	61.70	42.44	74.00	-31.56 Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Mode: 12; Polarity: Vertical



Site : chamber  
 Condition: 3m VERTICAL  
 Job No : 03493WM  
 Mode : 12

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1012.621	5.92	25.90	61.48	66.64	36.98	74.00	-37.02	Peak
2	1714.840	4.97	26.38	61.72	70.50	40.13	74.00	-33.87	Peak
3	2589.395	5.55	30.09	61.55	65.21	39.30	74.00	-34.70	Peak
4	3339.610	6.18	31.91	61.33	64.97	41.73	74.00	-32.27	Peak
5	4338.163	7.02	34.31	61.49	64.41	44.25	74.00	-29.75	Peak
6	5476.026	8.27	34.60	62.39	61.94	42.42	74.00	-31.58	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

### 7 Test Setup Photo

Please refer to SZCR2409003493 Appendix\_Setup Photo

### 8 EUT Constructional Details (EUT Photos)

Please refer to SZCR2409003493 Appendix\_EUT Photo

- End of the Report -

