


































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3 ~ 26.2°C
		Relative Humidity :	38 ~ 40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.164	59.72	-5.53	65.25	49.19	0.11	10.42	QP
2	0.164	40.12	-15.13	55.25	29.59	0.11	10.42	Average
3	0.223	53.97	-8.73	62.70	43.50	0.08	10.39	QP
4	0.223	36.03	-16.67	52.70	25.56	0.08	10.39	Average
5	0.273	48.64	-12.39	61.03	38.20	0.09	10.35	QP
6	0.273	30.34	-20.69	51.03	19.90	0.09	10.35	Average
7	0.336	43.96	-15.35	59.31	33.60	0.05	10.31	QP
8	0.336	26.66	-22.65	49.31	16.30	0.05	10.31	Average
9	0.385	41.78	-16.39	58.17	31.50	-0.01	10.29	QP
10	0.385	23.58	-24.59	48.17	13.30	-0.01	10.29	Average
11	13.127	37.08	-22.92	60.00	26.20	-0.20	11.08	QP
12	13.127	27.18	-22.82	50.00	16.30	-0.20	11.08	Average



Test Engineer :	Amos Zhang	Temperature :	25.3 ~ 26.2°C
		Relative Humidity :	38 ~ 40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.167	56.74	-8.38	65.12	46.20	0.12	10.42	QP
2	0.167	38.74	-16.38	55.12	28.20	0.12	10.42	Average
3	0.227	47.04	-15.53	62.57	36.60	0.05	10.39	QP
4	0.227	30.74	-21.83	52.57	20.30	0.05	10.39	Average
5	0.267	45.81	-15.39	61.20	35.50	-0.05	10.36	QP
6	0.267	25.91	-25.29	51.20	15.60	-0.05	10.36	Average
7	0.337	41.68	-17.59	59.27	31.50	-0.13	10.31	QP
8	0.337	25.78	-23.49	49.27	15.60	-0.13	10.31	Average
9	0.491	36.68	-19.46	56.14	26.61	-0.15	10.22	QP
10	0.491	22.28	-23.86	46.14	12.21	-0.15	10.22	Average
11	12.988	38.35	-21.65	60.00	27.50	-0.22	11.07	QP
12	12.988	26.45	-23.55	50.00	15.60	-0.22	11.07	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jake	Relative Humidity :	21 ~ 23 °C
		Temperature :	50 ~ 53 %

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 10	2400-2483.5	7	802.11b	01	2412	1Mbps	-	-
Mode 11	2400-2483.5	7	802.11b	06	2437	1Mbps	-	-
Mode 12	2400-2483.5	7	802.11b	11	2462	1Mbps	-	-
Mode 13	2400-2483.5	7	802.11g	01	2412	6Mbps	-	-
Mode 14	2400-2483.5	7	802.11g	06	2437	6Mbps	-	-
Mode 15	2400-2483.5	7	802.11g	11	2462	6Mbps	-	-
Mode 16	2400-2483.5	7	802.11n HT20	01	2412	MCS0	-	-
Mode 17	2400-2483.5	7	802.11n HT20	06	2437	MCS0	-	-
Mode 18	2400-2483.5	7	802.11n HT20	11	2462	MCS0	-	-

Co-location

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 19	2400-2483.5	7	802.11b	1	2412	1Mbps	-	-
	Part 27M LTE Band 41 -BW 20M							





**Summary of each worse mode**

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
10	802.11b	01	2389.95	49.33	54.00	-4.67	H	AVERAGE	Pass	Band Edge
10	802.11b	01	4824.00	43.81	54.00	-10.19	H	AVERAGE	Pass	Harmonic
11	802.11b	06	-	-	-	-	-	-	-	Band Edge
11	802.11b	06	4874.00	48.68	54.00	-5.32	H	AVERAGE	Pass	Harmonic
12	802.11b	11	2483.56	45.43	54.00	-8.57	H	AVERAGE	Pass	Band Edge
12	802.11b	11	4924.00	47.84	54.00	-6.16	H	AVERAGE	Pass	Harmonic
13	802.11g	01	2389.69	65.11	74.00	-8.89	H	PEAK	Pass	Band Edge
13	802.11g	01	4824.00	42.21	74.00	-31.79	H	PEAK	Pass	Harmonic
14	802.11g	06	-	-	-	-	-	-	-	Band Edge
14	802.11g	06	4874.00	43.60	74.00	-30.40	H	PEAK	Pass	Harmonic
15	802.11g	11	2483.68	66.09	74.00	-7.91	H	PEAK	Pass	Band Edge
15	802.11g	11	7386.00	42.84	74.00	-31.16	V	PEAK	Pass	Harmonic
16	802.11n HT20	01	2389.82	45.71	54.00	-8.29	H	AVERAGE	Pass	Band Edge
16	802.11n HT20	01	4824.00	42.07	74.00	-31.93	V	PEAK	Pass	Harmonic
17	802.11n HT20	06	-	-	-	-	-	-	-	Band Edge
17	802.11n HT20	06	4874.00	42.56	74.00	-31.44	H	PEAK	Pass	Harmonic
18	802.11n HT20	11	2483.86	69.12	74.00	-4.88	H	PEAK	Pass	Band Edge
18	802.11n HT20	11	7386.00	42.55	74.00	-31.45	V	PEAK	Pass	Harmonic





Co-location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
19	802.11b	1	2389.95	42.57	54.00	-11.43	H	AVERAGE	Pass	Band Edge
	802.11b	1	7752.00	51.52	74.00	-22.48	H	PEAK	Pass	Harmonic





Mode	10																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																			
ANT	7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>56.87</td><td>74.00</td><td>-17.13</td><td>49.07</td><td>31.87</td><td>7.16</td><td>37.23</td><td>6.00</td><td>100</td><td>101 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	56.87	74.00	-17.13	49.07	31.87	7.16	37.23	6.00	100	101 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>111.50</td><td>-----</td><td>-----</td><td>103.57</td><td>31.94</td><td>7.21</td><td>37.22</td><td>6.00</td><td>100</td><td>101 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	111.50	-----	-----	103.57	31.94	7.21	37.22	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.95	56.87	74.00	-17.13	49.07	31.87	7.16	37.23	6.00	100	101 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	111.50	-----	-----	103.57	31.94	7.21	37.22	6.00	100	101 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>49.33</td><td>54.00</td><td>-4.67</td><td>41.53</td><td>31.87</td><td>7.16</td><td>37.23</td><td>6.00</td><td>100</td><td>101 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	49.33	54.00	-4.67	41.53	31.87	7.16	37.23	6.00	100	101 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>106.89</td><td>-----</td><td>-----</td><td>98.96</td><td>31.94</td><td>7.21</td><td>37.22</td><td>6.00</td><td>100</td><td>101 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	106.89	-----	-----	98.96	31.94	7.21	37.22	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.95	49.33	54.00	-4.67	41.53	31.87	7.16	37.23	6.00	100	101 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	106.89	-----	-----	98.96	31.94	7.21	37.22	6.00	100	101 AVERAGE																																																																																									





Mode	10																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																		
ANT	7																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>54.35</td><td>74.00</td><td>-19.65</td><td>46.55</td><td>31.87</td><td>7.16</td><td>37.23</td><td>6.00</td><td>320</td><td>68 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	54.35	74.00	-19.65	46.55	31.87	7.16	37.23	6.00	320	68 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>107.54</td><td>-----</td><td>-----</td><td>99.62</td><td>31.94</td><td>7.20</td><td>37.22</td><td>6.00</td><td>320</td><td>68 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.54	-----	-----	99.62	31.94	7.20	37.22	6.00	320
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.82	54.35	74.00	-19.65	46.55	31.87	7.16	37.23	6.00	320	68 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	107.54	-----	-----	99.62	31.94	7.20	37.22	6.00	320	68 PEAK																																																																																								
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>46.36</td><td>54.00</td><td>-7.64</td><td>38.56</td><td>31.87</td><td>7.16</td><td>37.23</td><td>6.00</td><td>320</td><td>68 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	46.36	54.00	-7.64	38.56	31.87	7.16	37.23	6.00	320	68 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.09</td><td>-----</td><td>-----</td><td>95.16</td><td>31.94</td><td>7.21</td><td>37.22</td><td>6.00</td><td>320</td><td>68 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.09	-----	-----	95.16	31.94	7.21	37.22	6.00	320
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	46.36	54.00	-7.64	38.56	31.87	7.16	37.23	6.00	320	68 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	103.09	-----	-----	95.16	31.94	7.21	37.22	6.00	320	68 AVERAGE																																																																																								







Mode	10																																																																																																																		
	Harmonic																																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																		
ANT	7																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																												
Peak Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>47.75</td><td>74.00</td><td>-26.25</td><td>68.80</td><td>33.90</td><td>10.29</td><td>65.24</td><td>0.00</td><td>100</td><td>98 PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>43.81</td><td>54.00</td><td>-10.19</td><td>64.86</td><td>33.90</td><td>10.29</td><td>65.24</td><td>0.00</td><td>100</td><td>98 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	47.75	74.00	-26.25	68.80	33.90	10.29	65.24	0.00	100	98 PEAK	2	4824.00	43.81	54.00	-10.19	64.86	33.90	10.29	65.24	0.00	100	98 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>42.90</td><td>74.00</td><td>-31.10</td><td>63.95</td><td>33.90</td><td>10.29</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	42.90	74.00	-31.10	63.95	33.90	10.29	65.24	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	4824.00	47.75	74.00	-26.25	68.80	33.90	10.29	65.24	0.00	100	98 PEAK																																																																																																								
2	4824.00	43.81	54.00	-10.19	64.86	33.90	10.29	65.24	0.00	100	98 AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	4824.00	42.90	74.00	-31.10	63.95	33.90	10.29	65.24	0.00	---	---	PEAK																																																																																																							







Mode	11																																																																																																																																																								
	Harmonic																																																																																																																																																								
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																																								
ANT	7																																																																																																																																																								
Pol.	Horizontal											Vertical																																																																																																																																													
Peak Avg																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>50.71</td><td>74.00</td><td>-23.29</td><td>71.70</td><td>33.90</td><td>10.34</td><td>65.23</td><td>0.00</td><td>121</td><td>94 PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>48.68</td><td>54.00</td><td>-5.32</td><td>69.67</td><td>33.90</td><td>10.34</td><td>65.23</td><td>0.00</td><td>121</td><td>94 AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>42.51</td><td>74.00</td><td>-31.49</td><td>61.57</td><td>35.59</td><td>12.78</td><td>67.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	50.71	74.00	-23.29	71.70	33.90	10.34	65.23	0.00	121	94 PEAK	2	4874.00	48.68	54.00	-5.32	69.67	33.90	10.34	65.23	0.00	121	94 AVERAGE	3	7311.00	42.51	74.00	-31.49	61.57	35.59	12.78	67.43	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>49.26</td><td>74.00</td><td>-24.74</td><td>70.25</td><td>33.90</td><td>10.34</td><td>65.23</td><td>0.00</td><td>269</td><td>79 PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>46.84</td><td>54.00</td><td>-7.16</td><td>67.83</td><td>33.90</td><td>10.34</td><td>65.23</td><td>0.00</td><td>269</td><td>79 AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>42.43</td><td>74.00</td><td>-31.57</td><td>61.49</td><td>35.59</td><td>12.78</td><td>67.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	49.26	74.00	-24.74	70.25	33.90	10.34	65.23	0.00	269	79 PEAK	2	4874.00	46.84	54.00	-7.16	67.83	33.90	10.34	65.23	0.00	269	79 AVERAGE	3	7311.00	42.43	74.00	-31.57	61.49	35.59	12.78	67.43	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	4874.00	50.71	74.00	-23.29	71.70	33.90	10.34	65.23	0.00	121	94 PEAK																																																																																																																																														
2	4874.00	48.68	54.00	-5.32	69.67	33.90	10.34	65.23	0.00	121	94 AVERAGE																																																																																																																																														
3	7311.00	42.51	74.00	-31.49	61.57	35.59	12.78	67.43	0.00	---	---	PEAK																																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1	4874.00	49.26	74.00	-24.74	70.25	33.90	10.34	65.23	0.00	269	79 PEAK																																																																																																																																														
2	4874.00	46.84	54.00	-7.16	67.83	33.90	10.34	65.23	0.00	269	79 AVERAGE																																																																																																																																														
3	7311.00	42.43	74.00	-31.57	61.49	35.59	12.78	67.43	0.00	---	---	PEAK																																																																																																																																													



Mode	12																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																				
ANT	7																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>55.26</td><td>74.00</td><td>-18.74</td><td>46.98</td><td>32.15</td><td>7.33</td><td>37.20</td><td>6.00</td><td>108</td><td>105 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	55.26	74.00	-18.74	46.98	32.15	7.33	37.20	6.00	108	105 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>110.76</td><td>-----</td><td>-----</td><td>102.60</td><td>32.08</td><td>7.29</td><td>37.21</td><td>6.00</td><td>108</td><td>105 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	110.76	-----	-----	102.60	32.08	7.29	37.21	6.00	108
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.50	55.26	74.00	-18.74	46.98	32.15	7.33	37.20	6.00	108	105 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2462.00	110.76	-----	-----	102.60	32.08	7.29	37.21	6.00	108	105 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>45.43</td><td>54.00</td><td>-8.57</td><td>37.15</td><td>32.15</td><td>7.33</td><td>37.20</td><td>6.00</td><td>108</td><td>105 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	45.43	54.00	-8.57	37.15	32.15	7.33	37.20	6.00	108	105 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>105.94</td><td>-----</td><td>-----</td><td>97.78</td><td>32.08</td><td>7.29</td><td>37.21</td><td>6.00</td><td>108</td><td>105 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	105.94	-----	-----	97.78	32.08	7.29	37.21	6.00	108
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.56	45.43	54.00	-8.57	37.15	32.15	7.33	37.20	6.00	108	105 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2462.00	105.94	-----	-----	97.78	32.08	7.29	37.21	6.00	108	105 AVERAGE																																																																																										







Mode	12																																																																																																																		
	Band Edge																																																																																																																		
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																		
ANT	7																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>52.22</td><td>74.00</td><td>-21.78</td><td>43.94</td><td>32.15</td><td>7.33</td><td>37.20</td><td>6.00</td><td>345</td><td>65 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	52.22	74.00	-21.78	43.94	32.15	7.33	37.20	6.00	345	65 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>108.03</td><td>-----</td><td>-----</td><td>99.87</td><td>32.08</td><td>7.29</td><td>37.21</td><td>6.00</td><td>345</td><td>65 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	108.03	-----	-----	99.87	32.08	7.29	37.21	6.00	345
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2483.50	52.22	74.00	-21.78	43.94	32.15	7.33	37.20	6.00	345	65 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2462.00	108.03	-----	-----	99.87	32.08	7.29	37.21	6.00	345	65 PEAK																																																																																																								
Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>42.07</td><td>54.00</td><td>-11.93</td><td>33.79</td><td>32.15</td><td>7.33</td><td>37.20</td><td>6.00</td><td>345</td><td>65 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.56	42.07	54.00	-11.93	33.79	32.15	7.33	37.20	6.00	345	65 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.50</td><td>-----</td><td>-----</td><td>95.34</td><td>32.08</td><td>7.29</td><td>37.21</td><td>6.00</td><td>345</td><td>65 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	103.50	-----	-----	95.34	32.08	7.29	37.21	6.00	345
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2483.56	42.07	54.00	-11.93	33.79	32.15	7.33	37.20	6.00	345	65 AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2462.00	103.50	-----	-----	95.34	32.08	7.29	37.21	6.00	345	65 AVERAGE																																																																																																								







Mode	12																																																																															
	Harmonic																																																																															
	2400-2483.5_802.11b_CH11_2462MHz																																																																															
ANT	7																																																																															
Pol.	Horizontal																																																																															
Peak Avg																																																																																
	<table><tr><th colspan="2">Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>50.28</td><td>74.00</td><td>-23.72</td><td>71.43</td><td>33.90</td><td>10.40</td><td>65.45</td><td>0.00</td><td>131</td><td>91 PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>47.84</td><td>54.00</td><td>-6.16</td><td>68.99</td><td>33.90</td><td>10.40</td><td>65.45</td><td>0.00</td><td>131</td><td>91 AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>43.29</td><td>74.00</td><td>-30.71</td><td>62.15</td><td>35.51</td><td>12.88</td><td>67.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>											Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	50.28	74.00	-23.72	71.43	33.90	10.40	65.45	0.00	131	91 PEAK	2	4924.00	47.84	54.00	-6.16	68.99	33.90	10.40	65.45	0.00	131	91 AVERAGE	3	7386.00	43.29	74.00	-30.71	62.15	35.51	12.88	67.25	0.00	---	---	PEAK
	Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	4924.00	50.28	74.00	-23.72	71.43	33.90	10.40	65.45	0.00	131	91 PEAK																																																																					
2	4924.00	47.84	54.00	-6.16	68.99	33.90	10.40	65.45	0.00	131	91 AVERAGE																																																																					
3	7386.00	43.29	74.00	-30.71	62.15	35.51	12.88	67.25	0.00	---	---	PEAK																																																																				
<table><tr><th colspan="2">Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>48.86</td><td>74.00</td><td>-25.14</td><td>70.01</td><td>33.90</td><td>10.40</td><td>65.45</td><td>0.00</td><td>297</td><td>78 PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>45.60</td><td>54.00</td><td>-8.40</td><td>66.75</td><td>33.90</td><td>10.40</td><td>65.45</td><td>0.00</td><td>297</td><td>78 AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>43.34</td><td>74.00</td><td>-30.66</td><td>62.20</td><td>35.51</td><td>12.88</td><td>67.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>											Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	48.86	74.00	-25.14	70.01	33.90	10.40	65.45	0.00	297	78 PEAK	2	4924.00	45.60	54.00	-8.40	66.75	33.90	10.40	65.45	0.00	297	78 AVERAGE	3	7386.00	43.34	74.00	-30.66	62.20	35.51	12.88	67.25	0.00	---	---	PEAK	
Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	4924.00	48.86	74.00	-25.14	70.01	33.90	10.40	65.45	0.00	297	78 PEAK																																																																					
2	4924.00	45.60	54.00	-8.40	66.75	33.90	10.40	65.45	0.00	297	78 AVERAGE																																																																					
3	7386.00	43.34	74.00	-30.66	62.20	35.51	12.88	67.25	0.00	---	---	PEAK																																																																				
<table><tr><th colspan="2">Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>48.86</td><td>74.00</td><td>-25.14</td><td>70.01</td><td>33.90</td><td>10.40</td><td>65.45</td><td>0.00</td><td>297</td><td>78 PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>45.60</td><td>54.00</td><td>-8.40</td><td>66.75</td><td>33.90</td><td>10.40</td><td>65.45</td><td>0.00</td><td>297</td><td>78 AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>43.34</td><td>74.00</td><td>-30.66</td><td>62.20</td><td>35.51</td><td>12.88</td><td>67.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>											Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	48.86	74.00	-25.14	70.01	33.90	10.40	65.45	0.00	297	78 PEAK	2	4924.00	45.60	54.00	-8.40	66.75	33.90	10.40	65.45	0.00	297	78 AVERAGE	3	7386.00	43.34	74.00	-30.66	62.20	35.51	12.88	67.25	0.00	---	---	PEAK	
Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	4924.00	48.86	74.00	-25.14	70.01	33.90	10.40	65.45	0.00	297	78 PEAK																																																																					
2	4924.00	45.60	54.00	-8.40	66.75	33.90	10.40	65.45	0.00	297	78 AVERAGE																																																																					
3	7386.00	43.34	74.00	-30.66	62.20	35.51	12.88	67.25	0.00	---	---	PEAK																																																																				





Mode	13																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																				
ANT	7																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>65.11</td><td>74.00</td><td>-8.89</td><td>57.31</td><td>31.87</td><td>7.16</td><td>37.23</td><td>6.00</td><td>100</td><td>103 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	65.11	74.00	-8.89	57.31	31.87	7.16	37.23	6.00	100	103 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>106.91</td><td>-----</td><td>-----</td><td>98.97</td><td>31.95</td><td>7.21</td><td>37.22</td><td>6.00</td><td>100</td><td>103 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	106.91	-----	-----	98.97	31.95	7.21	37.22	6.00	100	103 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2389.69	65.11	74.00	-8.89	57.31	31.87	7.16	37.23	6.00	100	103 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2412.00	106.91	-----	-----	98.97	31.95	7.21	37.22	6.00	100	103 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>45.10</td><td>54.00</td><td>-8.90</td><td>37.30</td><td>31.87</td><td>7.16</td><td>37.23</td><td>6.00</td><td>100</td><td>103 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	45.10	54.00	-8.90	37.30	31.87	7.16	37.23	6.00	100	103 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>97.47</td><td>-----</td><td>-----</td><td>89.53</td><td>31.95</td><td>7.21</td><td>37.22</td><td>6.00</td><td>100</td><td>103 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	97.47	-----	-----	89.53	31.95	7.21	37.22	6.00	100	103 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2389.95	45.10	54.00	-8.90	37.30	31.87	7.16	37.23	6.00	100	103 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2412.00	97.47	-----	-----	89.53	31.95	7.21	37.22	6.00	100	103 AVERAGE																																																																																										



Mode	13																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																			
ANT	7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>59.88</td><td>74.00</td><td>-14.12</td><td>52.08</td><td>31.87</td><td>7.16</td><td>37.23</td><td>6.00</td><td>398</td><td>68 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	59.88	74.00	-14.12	52.08	31.87	7.16	37.23	6.00	398	68 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>105.20</td><td>-----</td><td>-----</td><td>97.26</td><td>31.95</td><td>7.21</td><td>37.22</td><td>6.00</td><td>398</td><td>68 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.20	-----	-----	97.26	31.95	7.21	37.22	6.00	398
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.95	59.88	74.00	-14.12	52.08	31.87	7.16	37.23	6.00	398	68 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	105.20	-----	-----	97.26	31.95	7.21	37.22	6.00	398	68 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>41.72</td><td>54.00</td><td>-12.28</td><td>33.92</td><td>31.87</td><td>7.16</td><td>37.23</td><td>6.00</td><td>398</td><td>68 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	41.72	54.00	-12.28	33.92	31.87	7.16	37.23	6.00	398	68 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>95.14</td><td>-----</td><td>-----</td><td>87.20</td><td>31.95</td><td>7.21</td><td>37.22</td><td>6.00</td><td>398</td><td>68 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	95.14	-----	-----	87.20	31.95	7.21	37.22	6.00	398
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.95	41.72	54.00	-12.28	33.92	31.87	7.16	37.23	6.00	398	68 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	95.14	-----	-----	87.20	31.95	7.21	37.22	6.00	398	68 AVERAGE																																																																																									







Mode	13																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																									
ANT	7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>42.21</td><td>74.00</td><td>-31.79</td><td>63.26</td><td>33.90</td><td>10.29</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	42.21	74.00	-31.79	63.26	33.90	10.29	65.24	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>41.94</td><td>74.00</td><td>-32.06</td><td>62.99</td><td>33.90</td><td>10.29</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	41.94	74.00	-32.06	62.99	33.90	10.29	65.24	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4824.00	42.21	74.00	-31.79	63.26	33.90	10.29	65.24	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4824.00	41.94	74.00	-32.06	62.99	33.90	10.29	65.24	0.00	---	---	PEAK																																																																																														







Mode	14																																																																																																																												
	Harmonic																																																																																																																												
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4874.00</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>64.59</td><td>33.90</td><td>10.34</td><td>65.23</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>42.06</td><td>74.00</td><td>-31.94</td><td>61.12</td><td>35.59</td><td>12.78</td><td>67.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	43.60	74.00	-30.40	64.59	33.90	10.34	65.23	0.00	---	PEAK	2	7311.00	42.06	74.00	-31.94	61.12	35.59	12.78	67.43	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4874.00</td><td>42.58</td><td>74.00</td><td>-31.42</td><td>63.57</td><td>33.90</td><td>10.34</td><td>65.23</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>42.69</td><td>74.00</td><td>-31.31</td><td>61.75</td><td>35.59</td><td>12.78</td><td>67.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	42.58	74.00	-31.42	63.57	33.90	10.34	65.23	0.00	---	PEAK	2	7311.00	42.69	74.00	-31.31	61.75	35.59	12.78	67.43	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4874.00	43.60	74.00	-30.40	64.59	33.90	10.34	65.23	0.00	---	PEAK																																																																																																																		
2	7311.00	42.06	74.00	-31.94	61.12	35.59	12.78	67.43	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4874.00	42.58	74.00	-31.42	63.57	33.90	10.34	65.23	0.00	---	PEAK																																																																																																																		
2	7311.00	42.69	74.00	-31.31	61.75	35.59	12.78	67.43	0.00	---	PEAK																																																																																																																		





Mode	15																																																						
	Band Edge																																																						
	2400-2483.5_802.11g_CH11_2462MHz																																																						
ANT	7																																																						
Pol.	Horizontal																																																						
Peak	Fundamental																																																						
																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>66.09</td><td>74.00</td><td>-7.91</td><td>57.81</td><td>32.15</td><td>7.33</td><td>37.20</td><td>6.00</td><td>147 100 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	66.09	74.00	-7.91	57.81	32.15	7.33	37.20	6.00	147 100 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.68	66.09	74.00	-7.91	57.81	32.15	7.33	37.20	6.00	147 100 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>45.99</td><td>54.00</td><td>-8.01</td><td>37.71</td><td>32.15</td><td>7.33</td><td>37.20</td><td>6.00</td><td>147 100 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	45.99	54.00	-8.01	37.71	32.15	7.33	37.20	6.00	147 100 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.68	45.99	54.00	-8.01	37.71	32.15	7.33	37.20	6.00	147 100 AVERAGE																																													
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>105.03</td><td>-----</td><td>-----</td><td>96.87</td><td>32.08</td><td>7.29</td><td>37.21</td><td>6.00</td><td>147 100 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	105.03	-----	-----	96.87	32.08	7.29	37.21	6.00	147 100 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	105.03	-----	-----	96.87	32.08	7.29	37.21	6.00	147 100 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>95.65</td><td>-----</td><td>-----</td><td>87.51</td><td>32.07</td><td>7.28</td><td>37.21</td><td>6.00</td><td>147 100 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.65	-----	-----	87.51	32.07	7.28	37.21	6.00	147 100 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	95.65	-----	-----	87.51	32.07	7.28	37.21	6.00	147 100 AVERAGE																																													







		15																																																																																																																					
Mode	Band Edge																																																																																																																						
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																						
ANT	7																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>63.82</td><td>74.00</td><td>-10.18</td><td>55.54</td><td>32.15</td><td>7.33</td><td>37.20</td><td>6.00</td><td>391</td><td>65 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.56	63.82	74.00	-10.18	55.54	32.15	7.33	37.20	6.00	391	65 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.67</td><td>-----</td><td>-----</td><td>95.51</td><td>32.08</td><td>7.29</td><td>37.21</td><td>6.00</td><td>391</td><td>65 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	103.67	-----	-----	95.51	32.08	7.29	37.21	6.00	391
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	2483.56	63.82	74.00	-10.18	55.54	32.15	7.33	37.20	6.00	391	65 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	2462.00	103.67	-----	-----	95.51	32.08	7.29	37.21	6.00	391	65 PEAK																																																																																																												
Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>43.90</td><td>54.00</td><td>-10.10</td><td>35.62</td><td>32.15</td><td>7.33</td><td>37.20</td><td>6.00</td><td>391</td><td>65 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.68	43.90	54.00	-10.10	35.62	32.15	7.33	37.20	6.00	391	65 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>94.06</td><td>-----</td><td>-----</td><td>85.90</td><td>32.08</td><td>7.29</td><td>37.21</td><td>6.00</td><td>391</td><td>65 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	94.06	-----	-----	85.90	32.08	7.29	37.21	6.00	391
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	2483.68	43.90	54.00	-10.10	35.62	32.15	7.33	37.20	6.00	391	65 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	2462.00	94.06	-----	-----	85.90	32.08	7.29	37.21	6.00	391	65 AVERAGE																																																																																																												



Mode	15																																																																																																																															
	Harmonic																																																																																																																															
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																															
ANT	7																																																																																																																															
Pol.	Horizontal							Vertical																																																																																																																								
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>42.24</td><td>74.00</td><td>-31.76</td><td>63.39</td><td>33.90</td><td>10.40</td><td>65.45</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>42.47</td><td>74.00</td><td>-31.53</td><td>61.33</td><td>35.51</td><td>12.88</td><td>67.25</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	42.24	74.00	-31.76	63.39	33.90	10.40	65.45	0.00	---	PEAK	2	7386.00	42.47	74.00	-31.53	61.33	35.51	12.88	67.25	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.89</td><td>74.00</td><td>-32.11</td><td>63.04</td><td>33.90</td><td>10.40</td><td>65.45</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>42.84</td><td>74.00</td><td>-31.16</td><td>61.70</td><td>35.51</td><td>12.88</td><td>67.25</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	41.89	74.00	-32.11	63.04	33.90	10.40	65.45	0.00	---	PEAK	2	7386.00	42.84	74.00	-31.16	61.70	35.51	12.88	67.25	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	4924.00	42.24	74.00	-31.76	63.39	33.90	10.40	65.45	0.00	---	PEAK																																																																																																																					
2	7386.00	42.47	74.00	-31.53	61.33	35.51	12.88	67.25	0.00	---	PEAK																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	4924.00	41.89	74.00	-32.11	63.04	33.90	10.40	65.45	0.00	---	PEAK																																																																																																																					
2	7386.00	42.84	74.00	-31.16	61.70	35.51	12.88	67.25	0.00	---	PEAK																																																																																																																					





Mode	16																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_802.11n_HT20_CH01_2412MHz																																																																																																				
ANT	7																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.04</td><td>62.88</td><td>74.00</td><td>-11.12</td><td>55.08</td><td>31.87</td><td>7.16</td><td>37.23</td><td>6.00</td><td>100</td><td>103 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.04	62.88	74.00	-11.12	55.08	31.87	7.16	37.23	6.00	100	103 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>106.67</td><td>-----</td><td>-----</td><td>98.73</td><td>31.95</td><td>7.21</td><td>37.22</td><td>6.00</td><td>100</td><td>103 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	106.67	-----	-----	98.73	31.95	7.21	37.22	6.00	100	103 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2389.04	62.88	74.00	-11.12	55.08	31.87	7.16	37.23	6.00	100	103 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2412.00	106.67	-----	-----	98.73	31.95	7.21	37.22	6.00	100	103 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.02</td><td>45.71</td><td>54.00</td><td>-8.29</td><td>37.91</td><td>31.87</td><td>7.16</td><td>37.23</td><td>6.00</td><td>100</td><td>103 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.02	45.71	54.00	-8.29	37.91	31.87	7.16	37.23	6.00	100	103 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>97.21</td><td>-----</td><td>-----</td><td>89.27</td><td>31.95</td><td>7.21</td><td>37.22</td><td>6.00</td><td>100</td><td>103 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	97.21	-----	-----	89.27	31.95	7.21	37.22	6.00	100	103 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2389.02	45.71	54.00	-8.29	37.91	31.87	7.16	37.23	6.00	100	103 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2412.00	97.21	-----	-----	89.27	31.95	7.21	37.22	6.00	100	103 AVERAGE																																																																																										





		16																																																																																																	
Mode		Band Edge																																																																																																	
		2400-2483.5_802.11n_HT20_CH01_2412MHz																																																																																																	
ANT		7																																																																																																	
Pol.		Vertical					Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.43</td><td>59.91</td><td>74.00</td><td>-14.09</td><td>52.11</td><td>31.87</td><td>7.16</td><td>37.23</td><td>6.00</td><td>398</td><td>67 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	59.91	74.00	-14.09	52.11	31.87	7.16	37.23	6.00	398	67 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.61</td><td>-----</td><td>-----</td><td>96.67</td><td>31.95</td><td>7.21</td><td>37.22</td><td>6.00</td><td>398</td><td>67 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.61	-----	-----	96.67	31.95	7.21	37.22	6.00	398
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.43	59.91	74.00	-14.09	52.11	31.87	7.16	37.23	6.00	398	67 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	104.61	-----	-----	96.67	31.95	7.21	37.22	6.00	398	67 PEAK																																																																																								
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>42.39</td><td>54.00</td><td>-11.61</td><td>34.59</td><td>31.87</td><td>7.16</td><td>37.23</td><td>6.00</td><td>398</td><td>67 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	42.39	54.00	-11.61	34.59	31.87	7.16	37.23	6.00	398	67 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>94.51</td><td>-----</td><td>-----</td><td>86.57</td><td>31.95</td><td>7.21</td><td>37.22</td><td>6.00</td><td>398</td><td>67 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	94.51	-----	-----	86.57	31.95	7.21	37.22	6.00	398
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	42.39	54.00	-11.61	34.59	31.87	7.16	37.23	6.00	398	67 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	94.51	-----	-----	86.57	31.95	7.21	37.22	6.00	398	67 AVERAGE																																																																																								







Mode	16																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_802.11n_HT20_CH01_2412MHz																																																																																																									
ANT	7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>41.82</td><td>74.00</td><td>-32.18</td><td>62.87</td><td>33.90</td><td>10.29</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	41.82	74.00	-32.18	62.87	33.90	10.29	65.24	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>42.07</td><td>74.00</td><td>-31.93</td><td>63.12</td><td>33.90</td><td>10.29</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	42.07	74.00	-31.93	63.12	33.90	10.29	65.24	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4824.00	41.82	74.00	-32.18	62.87	33.90	10.29	65.24	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4824.00	42.07	74.00	-31.93	63.12	33.90	10.29	65.24	0.00	---	---	PEAK																																																																																														







Mode	17																																																																																																																												
	Harmonic																																																																																																																												
	2400-2483.5_802.11n_HT20_CH06_2437MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>42.56</td><td>74.00</td><td>-31.44</td><td>63.55</td><td>33.90</td><td>10.34</td><td>65.23</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>42.00</td><td>74.00</td><td>-32.00</td><td>61.06</td><td>35.59</td><td>12.78</td><td>67.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	42.56	74.00	-31.44	63.55	33.90	10.34	65.23	0.00	---	PEAK	2	7311.00	42.00	74.00	-32.00	61.06	35.59	12.78	67.43	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>41.68</td><td>74.00</td><td>-32.32</td><td>62.67</td><td>33.90</td><td>10.34</td><td>65.23</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>42.53</td><td>74.00</td><td>-31.47</td><td>61.59</td><td>35.59</td><td>12.78</td><td>67.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	41.68	74.00	-32.32	62.67	33.90	10.34	65.23	0.00	---	PEAK	2	7311.00	42.53	74.00	-31.47	61.59	35.59	12.78	67.43	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4874.00	42.56	74.00	-31.44	63.55	33.90	10.34	65.23	0.00	---	PEAK																																																																																																																		
2	7311.00	42.00	74.00	-32.00	61.06	35.59	12.78	67.43	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4874.00	41.68	74.00	-32.32	62.67	33.90	10.34	65.23	0.00	---	PEAK																																																																																																																		
2	7311.00	42.53	74.00	-31.47	61.59	35.59	12.78	67.43	0.00	---	PEAK																																																																																																																		





Mode	18																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																	
ANT	7																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.86</td><td>69.12</td><td>74.00</td><td>-4.88</td><td>60.84</td><td>32.15</td><td>7.33</td><td>37.20</td><td>6.00</td><td>108 104 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.86	69.12	74.00	-4.88	60.84	32.15	7.33	37.20	6.00	108 104 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>105.27</td><td>-----</td><td>97.13</td><td>32.07</td><td>7.28</td><td>37.21</td><td>6.00</td><td>108</td><td>104 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	105.27	-----	97.13	32.07	7.28	37.21	6.00	108
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.86	69.12	74.00	-4.88	60.84	32.15	7.33	37.20	6.00	108 104 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	105.27	-----	97.13	32.07	7.28	37.21	6.00	108	104 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.68</td><td>47.10</td><td>54.00</td><td>-6.90</td><td>38.82</td><td>32.15</td><td>7.33</td><td>37.20</td><td>6.00</td><td>108 104 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	47.10	54.00	-6.90	38.82	32.15	7.33	37.20	6.00	108 104 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>95.71</td><td>-----</td><td>87.57</td><td>32.07</td><td>7.28</td><td>37.21</td><td>6.00</td><td>108</td><td>104 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.71	-----	87.57	32.07	7.28	37.21	6.00	108
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.68	47.10	54.00	-6.90	38.82	32.15	7.33	37.20	6.00	108 104 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	95.71	-----	87.57	32.07	7.28	37.21	6.00	108	104 AVERAGE																																																																																								



		18																																																																																																											
Mode		Band Edge																																																																																																											
		2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																											
ANT		7																																																																																																											
Pol.		Vertical										Fundamental																																																																																																	
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.56</td><td>64.86</td><td>74.00</td><td>-9.14</td><td>56.58</td><td>32.15</td><td>7.33</td><td>37.20</td><td>6.00</td><td>347 63 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	64.86	74.00	-9.14	56.58	32.15	7.33	37.20	6.00	347 63 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>104.18</td><td>-----</td><td>-----</td><td>96.02</td><td>32.08</td><td>7.29</td><td>37.21</td><td>6.00</td><td>347 63 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.18	-----	-----	96.02	32.08	7.29	37.21	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2483.56	64.86	74.00	-9.14	56.58	32.15	7.33	37.20	6.00	347 63 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2462.00	104.18	-----	-----	96.02	32.08	7.29	37.21	6.00	347 63 PEAK																																																																																																			
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.56</td><td>44.22</td><td>54.00</td><td>-9.78</td><td>35.94</td><td>32.15</td><td>7.33</td><td>37.20</td><td>6.00</td><td>347 63 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	44.22	54.00	-9.78	35.94	32.15	7.33	37.20	6.00	347 63 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>93.91</td><td>-----</td><td>-----</td><td>85.77</td><td>32.07</td><td>7.28</td><td>37.21</td><td>6.00</td><td>347 63 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	93.91	-----	-----	85.77	32.07	7.28	37.21	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2483.56	44.22	54.00	-9.78	35.94	32.15	7.33	37.20	6.00	347 63 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2462.00	93.91	-----	-----	85.77	32.07	7.28	37.21	6.00	347 63 AVERAGE																																																																																																			





Mode	18																																																																																																																																		
	Harmonic																																																																																																																																		
	2400-2483.5_802.11n_HT20_CH11_2462MHz																																																																																																																																		
ANT	7																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																												
Peak Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.70</td><td>74.00</td><td>-32.30</td><td>62.85</td><td>33.90</td><td>10.40</td><td>65.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>42.49</td><td>74.00</td><td>-31.51</td><td>61.35</td><td>35.51</td><td>12.88</td><td>67.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	41.70	74.00	-32.30	62.85	33.90	10.40	65.45	0.00	---	---	PEAK	2	7386.00	42.49	74.00	-31.51	61.35	35.51	12.88	67.25	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.58</td><td>74.00</td><td>-32.42</td><td>62.73</td><td>33.90</td><td>10.40</td><td>65.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>42.55</td><td>74.00</td><td>-31.45</td><td>61.41</td><td>35.51</td><td>12.88</td><td>67.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	41.58	74.00	-32.42	62.73	33.90	10.40	65.45	0.00	---	---	PEAK	2	7386.00	42.55	74.00	-31.45	61.41	35.51	12.88	67.25	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	4924.00	41.70	74.00	-32.30	62.85	33.90	10.40	65.45	0.00	---	---	PEAK																																																																																																																							
2	7386.00	42.49	74.00	-31.51	61.35	35.51	12.88	67.25	0.00	---	---	PEAK																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	4924.00	41.58	74.00	-32.42	62.73	33.90	10.40	65.45	0.00	---	---	PEAK																																																																																																																							
2	7386.00	42.55	74.00	-31.45	61.41	35.51	12.88	67.25	0.00	---	---	PEAK																																																																																																																							







Mode	10	
	18-25G	
	2400-2483.5_802.11b_CH01_2412MHz	
ANT	7	
Pol.	Horizontal	Vertical
Peak Avg		







Mode	10																																																																																																																																																																																																																					
	LF																																																																																																																																																																																																																					
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																																																																																																																					
ANT	7																																																																																																																																																																																																																					
Pol.	Horizontal								Vertical																																																																																																																																																																																																													
QP																																																																																																																																																																																																																						
	<table><tr><th colspan="2"></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>31.94</td><td>20.43</td><td>-19.57</td><td>40.00</td><td>27.68</td><td>24.40</td><td>0.52</td><td>32.17</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>174.53</td><td>21.25</td><td>-22.25</td><td>43.50</td><td>36.21</td><td>15.24</td><td>1.92</td><td>32.12</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>210.42</td><td>26.71</td><td>-16.79</td><td>43.50</td><td>41.61</td><td>15.14</td><td>2.12</td><td>32.16</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>563.50</td><td>25.62</td><td>-20.38</td><td>46.00</td><td>27.80</td><td>26.68</td><td>3.45</td><td>32.31</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>806.97</td><td>29.09</td><td>-16.91</td><td>46.00</td><td>28.04</td><td>28.77</td><td>4.13</td><td>31.85</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>927.25</td><td>31.43</td><td>-14.57</td><td>46.00</td><td>28.17</td><td>29.94</td><td>4.43</td><td>31.11</td><td>---</td><td>Peak</td></tr></table>										Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos			Freq	Level	Limit	Line	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	31.94	20.43	-19.57	40.00	27.68	24.40	0.52	32.17	---	Peak	2	174.53	21.25	-22.25	43.50	36.21	15.24	1.92	32.12	---	Peak	3	210.42	26.71	-16.79	43.50	41.61	15.14	2.12	32.16	---	Peak	4	563.50	25.62	-20.38	46.00	27.80	26.68	3.45	32.31	---	Peak	5	806.97	29.09	-16.91	46.00	28.04	28.77	4.13	31.85	---	Peak	6	927.25	31.43	-14.57	46.00	28.17	29.94	4.43	31.11	---	Peak	<table><tr><th colspan="2"></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>36.79</td><td>28.94</td><td>-11.06</td><td>40.00</td><td>39.09</td><td>21.46</td><td>0.58</td><td>32.19</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>46.49</td><td>31.22</td><td>-8.78</td><td>40.00</td><td>46.41</td><td>16.20</td><td>0.72</td><td>32.11</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>96.93</td><td>21.86</td><td>-21.64</td><td>43.50</td><td>36.87</td><td>15.64</td><td>1.42</td><td>32.07</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>173.56</td><td>27.21</td><td>-16.29</td><td>43.50</td><td>42.13</td><td>15.29</td><td>1.91</td><td>32.12</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>198.78</td><td>26.49</td><td>-17.01</td><td>43.50</td><td>41.63</td><td>14.99</td><td>2.06</td><td>32.19</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>894.27</td><td>31.03</td><td>-14.97</td><td>46.00</td><td>28.95</td><td>29.04</td><td>4.36</td><td>31.32</td><td>---</td><td>Peak</td></tr></table>										Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos			Freq	Level	Limit	Line	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	36.79	28.94	-11.06	40.00	39.09	21.46	0.58	32.19	---	Peak	2	46.49	31.22	-8.78	40.00	46.41	16.20	0.72	32.11	---	Peak	3	96.93	21.86	-21.64	43.50	36.87	15.64	1.42	32.07	---	Peak	4	173.56	27.21	-16.29	43.50	42.13	15.29	1.91	32.12	---	Peak	5	198.78	26.49	-17.01	43.50	41.63	14.99	2.06	32.19	---	Peak	6	894.27	31.03	-14.97	46.00	28.95	29.04	4.36	31.32	---	Peak
			Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos																																																																																																																																																																																																													
Freq	Level	Limit	Line	Level Factor	Loss Factor				Remark																																																																																																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																													
1	31.94	20.43	-19.57	40.00	27.68	24.40	0.52	32.17	---	Peak																																																																																																																																																																																																												
2	174.53	21.25	-22.25	43.50	36.21	15.24	1.92	32.12	---	Peak																																																																																																																																																																																																												
3	210.42	26.71	-16.79	43.50	41.61	15.14	2.12	32.16	---	Peak																																																																																																																																																																																																												
4	563.50	25.62	-20.38	46.00	27.80	26.68	3.45	32.31	---	Peak																																																																																																																																																																																																												
5	806.97	29.09	-16.91	46.00	28.04	28.77	4.13	31.85	---	Peak																																																																																																																																																																																																												
6	927.25	31.43	-14.57	46.00	28.17	29.94	4.43	31.11	---	Peak																																																																																																																																																																																																												
		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos																																																																																																																																																																																																														
Freq	Level	Limit	Line	Level Factor	Loss Factor				Remark																																																																																																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																													
1	36.79	28.94	-11.06	40.00	39.09	21.46	0.58	32.19	---	Peak																																																																																																																																																																																																												
2	46.49	31.22	-8.78	40.00	46.41	16.20	0.72	32.11	---	Peak																																																																																																																																																																																																												
3	96.93	21.86	-21.64	43.50	36.87	15.64	1.42	32.07	---	Peak																																																																																																																																																																																																												
4	173.56	27.21	-16.29	43.50	42.13	15.29	1.91	32.12	---	Peak																																																																																																																																																																																																												
5	198.78	26.49	-17.01	43.50	41.63	14.99	2.06	32.19	---	Peak																																																																																																																																																																																																												
6	894.27	31.03	-14.97	46.00	28.95	29.04	4.36	31.32	---	Peak																																																																																																																																																																																																												





		19																																																																																																	
Mode		Band Edge																																																																																																	
		2400-2483.5_802.11b_CH1_2412MHz																																																																																																	
ANT		7																																																																																																	
Pol.	Horizontal										Fundamental																																																																																								
Peak																																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2351.47	54.61	-19.39	39.41	31.91	7.99	30.70	6.00	100	94 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2410.00</td><td>95.08</td><td>-----</td><td>79.45</td><td>32.22</td><td>8.09</td><td>30.68</td><td>6.00</td><td>100</td><td>94 PEAK</td></tr><tr><td>2</td><td>2584.00</td><td>102.89</td><td>-----</td><td>86.81</td><td>32.27</td><td>8.43</td><td>30.62</td><td>6.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2410.00	95.08	-----	79.45	32.22	8.09	30.68	6.00	100	94 PEAK	2	2584.00	102.89	-----	86.81	32.27	8.43	30.62	6.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2351.47	54.61	-19.39	39.41	31.91	7.99	30.70	6.00	100	94 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2410.00	95.08	-----	79.45	32.22	8.09	30.68	6.00	100	94 PEAK																																																																																									
2	2584.00	102.89	-----	86.81	32.27	8.43	30.62	6.00	--	-- PEAK																																																																																									
Avg																																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.95	42.57	-11.43	27.07	32.14	8.05	30.69	6.00	100	94 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2410.00</td><td>90.48</td><td>-----</td><td>74.85</td><td>32.22</td><td>8.09</td><td>30.68</td><td>6.00</td><td>100</td><td>94 AVERAGE</td></tr><tr><td>2</td><td>2584.00</td><td>100.06</td><td>-----</td><td>83.98</td><td>32.27</td><td>8.43</td><td>30.62</td><td>6.00</td><td>--</td><td>-- AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2410.00	90.48	-----	74.85	32.22	8.09	30.68	6.00	100	94 AVERAGE	2	2584.00	100.06	-----	83.98	32.27	8.43	30.62	6.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2389.95	42.57	-11.43	27.07	32.14	8.05	30.69	6.00	100	94 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2410.00	90.48	-----	74.85	32.22	8.09	30.68	6.00	100	94 AVERAGE																																																																																									
2	2584.00	100.06	-----	83.98	32.27	8.43	30.62	6.00	--	-- AVERAGE																																																																																									



		19																																																																
Mode	Band Edge																																																																	
	2400-2483.5_802.11b_CH1_2412MHz																																																																	
ANT	7																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>54.87</td><td>74.00</td><td>-19.13</td><td>39.37</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>396</td><td>59 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.69	54.87	74.00	-19.13	39.37	32.14	8.05	30.69	6.00	396	59 PEAK											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	2389.69	54.87	74.00	-19.13	39.37	32.14	8.05	30.69	6.00	396	59 PEAK																																																							
Fundamental																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2414.00</td><td>92.12</td><td>-----</td><td>-----</td><td>76.47</td><td>32.23</td><td>8.10</td><td>30.68</td><td>6.00</td><td>396</td><td>59 PEAK</td></tr><tr><td>2</td><td>2584.00</td><td>101.90</td><td>-----</td><td>-----</td><td>85.82</td><td>32.27</td><td>8.43</td><td>30.62</td><td>6.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2414.00	92.12	-----	-----	76.47	32.23	8.10	30.68	6.00	396	59 PEAK	2	2584.00	101.90	-----	-----	85.82	32.27	8.43	30.62	6.00	--
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	2414.00	92.12	-----	-----	76.47	32.23	8.10	30.68	6.00	396	59 PEAK																																																							
2	2584.00	101.90	-----	-----	85.82	32.27	8.43	30.62	6.00	--	-- PEAK																																																							
Avg																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>26.83</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>396</td><td>59 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.69	42.33	54.00	-11.67	26.83	32.14	8.05	30.69	6.00	396	59 AVERAGE											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	2389.69	42.33	54.00	-11.67	26.83	32.14	8.05	30.69	6.00	396	59 AVERAGE																																																							
AVERAGE																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2414.00</td><td>87.60</td><td>-----</td><td>-----</td><td>71.95</td><td>32.23</td><td>8.10</td><td>30.68</td><td>6.00</td><td>396</td><td>59 AVERAGE</td></tr><tr><td>2</td><td>2584.00</td><td>99.01</td><td>-----</td><td>-----</td><td>82.93</td><td>32.27</td><td>8.43</td><td>30.62</td><td>6.00</td><td>--</td><td>-- AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2414.00	87.60	-----	-----	71.95	32.23	8.10	30.68	6.00	396	59 AVERAGE	2	2584.00	99.01	-----	-----	82.93	32.27	8.43	30.62	6.00	--
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	2414.00	87.60	-----	-----	71.95	32.23	8.10	30.68	6.00	396	59 AVERAGE																																																							
2	2584.00	99.01	-----	-----	82.93	32.27	8.43	30.62	6.00	--	-- AVERAGE																																																							




Mode	19																																																																												
	Harmonic																																																																												
	2400-2483.5_802.11b_CH1_2412MHz																																																																												
ANT	7																																																																												
Pol.	Horizontal											Vertical																																																																	
Peak Avg																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4824.00</td><td>38.75</td><td>74.00</td><td>-35.25</td><td>58.26</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7752.00</td><td>51.52</td><td>74.00</td><td>-22.48</td><td>67.96</td><td>35.80</td><td>14.91</td><td>67.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4824.00	38.75	74.00	-35.25	58.26	34.15	11.58	65.24	0.00	--	--	PEAK	2	7752.00	51.52	74.00	-22.48	67.96	35.80	14.91	67.15	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	4824.00	38.75	74.00	-35.25	58.26	34.15	11.58	65.24	0.00	--	--	PEAK																																																																	
2	7752.00	51.52	74.00	-22.48	67.96	35.80	14.91	67.15	0.00	--	--	PEAK																																																																	
																																																																													
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4824.00</td><td>38.99</td><td>74.00</td><td>-35.01</td><td>58.50</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7752.00</td><td>48.97</td><td>74.00</td><td>-25.03</td><td>65.41</td><td>35.80</td><td>14.91</td><td>67.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4824.00	38.99	74.00	-35.01	58.50	34.15	11.58	65.24	0.00	--	--	PEAK	2	7752.00	48.97	74.00	-25.03	65.41	35.80	14.91	67.15	0.00	--	--	PEAK	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	4824.00	38.99	74.00	-35.01	58.50	34.15	11.58	65.24	0.00	--	--	PEAK																																																																	
2	7752.00	48.97	74.00	-25.03	65.41	35.80	14.91	67.15	0.00	--	--	PEAK																																																																	

Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
7	802.11b	98.34	-	-	10Hz
7	802.11g	88.48	1.391	0.719	0.75kHz
7	802.11n HT20	86.63	1.174	0.852	0.91kHz

802.11b





802.11g



802.11n HT20

