



11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.21	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.28	-25	Pass	2986
30	1000	0.1	RMS	850.101	-59.86	-25	Pass	9701
1000	2486	1	RMS	2478	-46.62	-25	Pass	1487
2486	2700	1	RMS	2590.86	22.03	60	Pass	401
2700	3000	1	RMS	2951.25	-44.85	-25	Pass	401
3000	12000	1	RMS	5181	-54.44	-25	Pass	9002
12000	27000	1	RMS	26001	-41.49	-25	Pass	15002




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.46	-25	Pass	401
0.15	30	0.01	RMS	0.29	-68.43	-25	Pass	2986
30	1000	0.1	RMS	724.6	-58.98	-25	Pass	9701
1000	2486	1	RMS	2479	-46.62	-25	Pass	1487
2486	2700	1	RMS	2685.02	23.2	60	Pass	401
2700	3000	1	RMS	2701.5	-44.27	-25	Pass	401
3000	12000	1	RMS	5371	-56.34	-25	Pass	9002
12000	27000	1	RMS	26001	-41.54	-25	Pass	15002




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.78	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.02	-25	Pass	2986
30	1000	0.1	RMS	834	-59.65	-25	Pass	9701
1000	2486	1	RMS	2483	-46.54	-25	Pass	1487
2486	2700	1	RMS	2685.02	22.69	60	Pass	401
2700	3000	1	RMS	2700	-43.91	-25	Pass	401
3000	12000	1	RMS	5371	-56.25	-25	Pass	9002
12000	27000	1	RMS	26014	-41.53	-25	Pass	15002




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.22	-25	Pass	2986
30	1000	0.1	RMS	848.2	-59.82	-25	Pass	9701
1000	2486	1	RMS	2485	-42.24	-25	Pass	1487
2486	2700	1	RMS	2496.165	24.09	60	Pass	401
2700	3000	1	RMS	2956.5	-44.88	-25	Pass	401
3000	12000	1	RMS	4993	-53.5	-25	Pass	9002
12000	27000	1	RMS	25999	-41.52	-25	Pass	15002




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.67	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.43	-25	Pass	2986
30	1000	0.1	RMS	848.9	-59.93	-25	Pass	9701
1000	2486	1	RMS	2484	-41.33	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.67	60	Pass	401
2700	3000	1	RMS	2953.5	-44.84	-25	Pass	401
3000	12000	1	RMS	4993	-54.17	-25	Pass	9002
12000	27000	1	RMS	26005	-41.46	-25	Pass	15002



11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.2	-25	Pass	2986
30	1000	0.1	RMS	842.5	-59.77	-25	Pass	9701
1000	2486	1	RMS	2485	-46.51	-25	Pass	1487
2486	2700	1	RMS	2588.185	22.4	60	Pass	401
2700	3000	1	RMS	2954.25	-44.82	-25	Pass	401
3000	12000	1	RMS	5177	-52.76	-25	Pass	9002
12000	27000	1	RMS	26000	-41.49	-25	Pass	15002



11.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.03	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.36	-25	Pass	2986
30	1000	0.1	RMS	969.98	-59.88	-25	Pass	9701
1000	2486	1	RMS	2485	-46.54	-25	Pass	1487
2486	2700	1	RMS	2588.185	22.85	60	Pass	401
2700	3000	1	RMS	2953.5	-44.86	-25	Pass	401
3000	12000	1	RMS	11850	-57.07	-25	Pass	9002
12000	27000	1	RMS	26000	-41.56	-25	Pass	15002



11.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.98	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.27	-25	Pass	2986
30	1000	0.1	RMS	719.9	-59.68	-25	Pass	9701
1000	2486	1	RMS	2482	-46.56	-25	Pass	1487
2486	2700	1	RMS	2680.205	24.12	60	Pass	401
2700	3000	1	RMS	2700	-44.04	-25	Pass	401
3000	12000	1	RMS	11851	-57.02	-25	Pass	9002
12000	27000	1	RMS	25998	-41.51	-25	Pass	15002



11.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.31	-25	Pass	2986
30	1000	0.1	RMS	834.6	-59.8	-25	Pass	9701
1000	2486	1	RMS	2480	-46.6	-25	Pass	1487
2486	2700	1	RMS	2680.205	23.16	60	Pass	401
2700	3000	1	RMS	2700	-44.48	-25	Pass	401
3000	12000	1	RMS	5361	-54.96	-25	Pass	9002
12000	27000	1	RMS	26009	-41.46	-25	Pass	15002



11.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.34	-25	Pass	2986
30	1000	0.1	RMS	834.1	-59.76	-25	Pass	9701
1000	2486	1	RMS	2485	-42.26	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.97	60	Pass	401
2700	3000	1	RMS	2947.5	-44.82	-25	Pass	401
3000	12000	1	RMS	11850	-57.08	-25	Pass	9002
12000	27000	1	RMS	25995	-41.51	-25	Pass	15002



11.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.2	-25	Pass	2986
30	1000	0.1	RMS	859.507	-59.53	-25	Pass	9701
1000	2486	1	RMS	2484	-40.87	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.34	60	Pass	401
2700	3000	1	RMS	2956.5	-44.83	-25	Pass	401
3000	12000	1	RMS	4994	-56.84	-25	Pass	9002
12000	27000	1	RMS	26001	-41.54	-25	Pass	15002



11.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.93	-25	Pass	401
0.15	30	0.01	RMS	0.26	-68.17	-25	Pass	2986
30	1000	0.1	RMS	850.301	-59.73	-25	Pass	9701
1000	2486	1	RMS	2485	-46.51	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.5	60	Pass	401
2700	3000	1	RMS	2948.25	-44.84	-25	Pass	401
3000	12000	1	RMS	5173	-51.71	-25	Pass	9002
12000	27000	1	RMS	25993	-41.48	-25	Pass	15002



11.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.55	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.52	-25	Pass	2986
30	1000	0.1	RMS	840	-59.71	-25	Pass	9701
1000	2486	1	RMS	2486	-46.61	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.09	60	Pass	401
2700	3000	1	RMS	2958.75	-44.83	-25	Pass	401
3000	12000	1	RMS	11849	-56.94	-25	Pass	9002
12000	27000	1	RMS	26002	-41.52	-25	Pass	15002



11.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.71	-25	Pass	2986
30	1000	0.1	RMS	715.1	-59.55	-25	Pass	9701
1000	2486	1	RMS	2479	-46.58	-25	Pass	1487
2486	2700	1	RMS	2675.39	24.21	60	Pass	401
2700	3000	1	RMS	2955.75	-44.87	-25	Pass	401
3000	12000	1	RMS	5352	-54.31	-25	Pass	9002
12000	27000	1	RMS	26001	-41.45	-25	Pass	15002



11.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.17	-25	Pass	2986
30	1000	0.1	RMS	858.406	-59.78	-25	Pass	9701
1000	2486	1	RMS	2474	-46.62	-25	Pass	1487
2486	2700	1	RMS	2675.39	22.67	60	Pass	401
2700	3000	1	RMS	2700	-44.79	-25	Pass	401
3000	12000	1	RMS	11852	-56.95	-25	Pass	9002
12000	27000	1	RMS	26006	-41.6	-25	Pass	15002



11.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.15	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.17	-25	Pass	2986
30	1000	0.1	RMS	849	-59.66	-25	Pass	9701
1000	2486	1	RMS	2485	-40.13	-25	Pass	1487
2486	2700	1	RMS	2496.7	24.32	60	Pass	401
2700	3000	1	RMS	2951.25	-44.85	-25	Pass	401
3000	12000	1	RMS	11850	-57.04	-25	Pass	9002
12000	27000	1	RMS	26002	-41.48	-25	Pass	15002



11.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.27	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.23	-25	Pass	2986
30	1000	0.1	RMS	834.6	-59.78	-25	Pass	9701
1000	2486	1	RMS	2485	-41.13	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.58	60	Pass	401
2700	3000	1	RMS	2955.75	-44.84	-25	Pass	401
3000	12000	1	RMS	11850	-56.93	-25	Pass	9002
12000	27000	1	RMS	26001	-41.53	-25	Pass	15002



11.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.12	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.49	-25	Pass	2986
30	1000	0.1	RMS	829.7	-59.64	-25	Pass	9701
1000	2486	1	RMS	2484	-46.46	-25	Pass	1487
2486	2700	1	RMS	2583.905	23.74	60	Pass	401
2700	3000	1	RMS	2955	-44.83	-25	Pass	401
3000	12000	1	RMS	11848	-56.95	-25	Pass	9002
12000	27000	1	RMS	25998	-41.46	-25	Pass	15002



11.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.12	-25	Pass	2986
30	1000	0.1	RMS	854.704	-59.71	-25	Pass	9701
1000	2486	1	RMS	2486	-46.54	-25	Pass	1487
2486	2700	1	RMS	2583.905	21.61	60	Pass	401
2700	3000	1	RMS	2955.75	-44.82	-25	Pass	401
3000	12000	1	RMS	11853	-57.01	-25	Pass	9002
12000	27000	1	RMS	26002	-41.55	-25	Pass	15002



11.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.89	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.44	-25	Pass	2986
30	1000	0.1	RMS	854.804	-59.81	-25	Pass	9701
1000	2486	1	RMS	2486	-46.57	-25	Pass	1487
2486	2715	1	RMS	2670.918	23.98	60	Pass	401
2715	3000	1	RMS	2949.413	-44.81	-25	Pass	401
3000	12000	1	RMS	5342	-54.25	-25	Pass	9002
12000	27000	1	RMS	26008	-41.48	-25	Pass	15002



11.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.95	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.23	-25	Pass	2986
30	1000	0.1	RMS	850.601	-59.82	-25	Pass	9701
1000	2486	1	RMS	2481	-46.52	-25	Pass	1487
2486	2715	1	RMS	2670.918	22.61	60	Pass	401
2715	3000	1	RMS	2957.25	-44.83	-25	Pass	401
3000	12000	1	RMS	5342	-55.42	-25	Pass	9002
12000	27000	1	RMS	25995	-41.51	-25	Pass	15002



12. LTE_Band42 3450-3550


12.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.18	-13	Pass	2986
30	1000	0.1	RMS	836.8	-59.69	-13	Pass	9701
1000	3000	1	RMS	2953	-44.6	-13	Pass	2001
3000	3430	1	RMS	3180	-42.1	-13	Pass	431
3430	3570	1	RMS	3450.3	24.17	60	Pass	401
3570	6500	1	RMS	4223	-44.32	-13	Pass	2931
6500	26500	1	RMS	25998	-49.98	-13	Pass	20003




12.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.34	-13	Pass	401
0.15	30	0.01	RMS	0.26	-68.15	-13	Pass	2986
30	1000	0.1	RMS	879.52	-59.71	-13	Pass	9701
1000	3000	1	RMS	2958	-44.54	-13	Pass	2001
3000	3430	1	RMS	3180	-42.12	-13	Pass	431
3430	3570	1	RMS	3450.3	23.43	60	Pass	401
3570	6500	1	RMS	4224	-43.01	-13	Pass	2931
6500	26500	1	RMS	26002	-49.98	-13	Pass	20003




12.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:42590, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.88	-13	Pass	2986
30	1000	0.1	RMS	846.9	-59.69	-13	Pass	9701
1000	3000	1	RMS	2964	-44.66	-13	Pass	2001
3000	3430	1	RMS	3160	-42.12	-13	Pass	431
3430	3570	1	RMS	3497.9	23.86	60	Pass	401
3570	6500	1	RMS	4225	-43.69	-13	Pass	2931
6500	26500	1	RMS	26001	-49.93	-13	Pass	20003




12.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:42590, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.98	-13	Pass	401
0.15	30	0.01	RMS	0.26	-67.56	-13	Pass	2986
30	1000	0.1	RMS	849	-59.74	-13	Pass	9701
1000	3000	1	RMS	2945	-44.6	-13	Pass	2001
3000	3430	1	RMS	3160	-42.13	-13	Pass	431
3430	3570	1	RMS	3497.9	22.84	60	Pass	401
3570	6500	1	RMS	4224	-44.22	-13	Pass	2931
6500	26500	1	RMS	26010	-49.99	-13	Pass	20003




12.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.5	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.65	-13	Pass	2986
30	1000	0.1	RMS	837.1	-59.6	-13	Pass	9701
1000	3000	1	RMS	2954	-44.57	-13	Pass	2001
3000	3430	1	RMS	3180	-42.13	-13	Pass	431
3430	3570	1	RMS	3545.15	23.24	60	Pass	401
3570	6500	1	RMS	4225	-43.28	-13	Pass	2931
6500	26500	1	RMS	26009	-50.08	-13	Pass	20003




12.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.95	-13	Pass	2986
30	1000	0.1	RMS	838.7	-59.62	-13	Pass	9701
1000	3000	1	RMS	2950	-44.65	-13	Pass	2001
3000	3430	1	RMS	3180	-42.12	-13	Pass	431
3430	3570	1	RMS	3545.15	22.07	60	Pass	401
3570	6500	1	RMS	4224	-42.34	-13	Pass	2931
6500	26500	1	RMS	26001	-50.02	-13	Pass	20003




12.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.2	-13	Pass	2986
30	1000	0.1	RMS	847.4	-59.64	-13	Pass	9701
1000	3000	1	RMS	2957	-44.59	-13	Pass	2001
3000	3430	1	RMS	3180	-42.11	-13	Pass	431
3430	3570	1	RMS	3450.65	23.72	60	Pass	401
3570	6500	1	RMS	4224	-42.96	-13	Pass	2931
6500	26500	1	RMS	26010	-50.05	-13	Pass	20003




12.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.28	-13	Pass	2986
30	1000	0.1	RMS	849.901	-59.54	-13	Pass	9701
1000	3000	1	RMS	2954	-44.65	-13	Pass	2001
3000	3430	1	RMS	3180	-42.07	-13	Pass	431
3430	3570	1	RMS	3450.3	23.19	60	Pass	401
3570	6500	1	RMS	4224	-44.81	-13	Pass	2931
6500	26500	1	RMS	25991	-50.01	-13	Pass	20003



12.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:42590, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.69	-13	Pass	401
0.15	30	0.01	RMS	0.24	-68.38	-13	Pass	2986
30	1000	0.1	RMS	840.9	-59.54	-13	Pass	9701
1000	3000	1	RMS	2949	-44.63	-13	Pass	2001
3000	3430	1	RMS	3181	-42.11	-13	Pass	431
3430	3570	1	RMS	3495.1	23.27	60	Pass	401
3570	6500	1	RMS	4224	-44.48	-13	Pass	2931
6500	26500	1	RMS	26000	-49.97	-13	Pass	20003



12.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:42590, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.56	-13	Pass	2986
30	1000	0.1	RMS	849.2	-59.58	-13	Pass	9701
1000	3000	1	RMS	2963	-44.67	-13	Pass	2001
3000	3430	1	RMS	3161	-42.12	-13	Pass	431
3430	3570	1	RMS	3495.1	22.52	60	Pass	401
3570	6500	1	RMS	4225	-44.87	-13	Pass	2931
6500	26500	1	RMS	25999	-50.02	-13	Pass	20003



12.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.86	-13	Pass	2986
30	1000	0.1	RMS	836.2	-59.59	-13	Pass	9701
1000	3000	1	RMS	2952	-44.69	-13	Pass	2001
3000	3430	1	RMS	3181	-42.12	-13	Pass	431
3430	3570	1	RMS	3540.25	23.19	60	Pass	401
3570	6500	1	RMS	4223	-44.63	-13	Pass	2931
6500	26500	1	RMS	25996	-50.03	-13	Pass	20003



12.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.86	-13	Pass	401
0.15	30	0.01	RMS	0.18	-67.97	-13	Pass	2986
30	1000	0.1	RMS	831.6	-59.66	-13	Pass	9701
1000	3000	1	RMS	2954	-44.66	-13	Pass	2001
3000	3430	1	RMS	3179	-42.12	-13	Pass	431
3430	3570	1	RMS	3540.6	22.79	60	Pass	401
3570	6500	1	RMS	4224	-43.58	-13	Pass	2931
6500	26500	1	RMS	25991	-49.96	-13	Pass	20003



12.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.31	-13	Pass	2986
30	1000	0.1	RMS	849.2	-59.7	-13	Pass	9701
1000	3000	1	RMS	2952	-44.61	-13	Pass	2001
3000	3430	1	RMS	3180	-42.12	-13	Pass	431
3430	3570	1	RMS	3450.65	23.03	60	Pass	401
3570	6500	1	RMS	4222	-43.88	-13	Pass	2931
6500	26500	1	RMS	26001	-49.83	-13	Pass	20003



12.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:42165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.81	-13	Pass	401
0.15	30	0.01	RMS	0.26	-67.79	-13	Pass	2986
30	1000	0.1	RMS	828	-59.66	-13	Pass	9701
1000	3000	1	RMS	2946	-44.66	-13	Pass	2001
3000	3430	1	RMS	3180	-42.1	-13	Pass	431
3430	3570	1	RMS	3450.65	23.26	60	Pass	401
3570	6500	1	RMS	4223	-44.37	-13	Pass	2931
6500	26500	1	RMS	26003	-50.01	-13	Pass	20003



12.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:42590, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.52	-13	Pass	401
0.15	30	0.01	RMS	0.22	-68.61	-13	Pass	2986
30	1000	0.1	RMS	842.6	-59.66	-13	Pass	9701
1000	3000	1	RMS	2954	-44.67	-13	Pass	2001
3000	3430	1	RMS	3180	-42.12	-13	Pass	431
3430	3570	1	RMS	3493	23.88	60	Pass	401
3570	6500	1	RMS	4223	-43.3	-13	Pass	2931
6500	26500	1	RMS	26001	-50.02	-13	Pass	20003



12.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:42590, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.69	-13	Pass	401
0.15	30	0.01	RMS	0.18	-67.88	-13	Pass	2986
30	1000	0.1	RMS	848.1	-59.57	-13	Pass	9701
1000	3000	1	RMS	2959	-44.62	-13	Pass	2001
3000	3430	1	RMS	3179	-42.13	-13	Pass	431
3430	3570	1	RMS	3493	22.98	60	Pass	401
3570	6500	1	RMS	4224	-43.97	-13	Pass	2931
6500	26500	1	RMS	25995	-50.08	-13	Pass	20003



12.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.91	-13	Pass	2986
30	1000	0.1	RMS	848.3	-59.5	-13	Pass	9701
1000	3000	1	RMS	2964	-44.62	-13	Pass	2001
3000	3430	1	RMS	3180	-42.11	-13	Pass	431
3430	3570	1	RMS	3535.7	23.91	60	Pass	401
3570	6500	1	RMS	4224	-42.66	-13	Pass	2931
6500	26500	1	RMS	25991	-50.11	-13	Pass	20003



12.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.04	-13	Pass	2986
30	1000	0.1	RMS	850.601	-59.6	-13	Pass	9701
1000	3000	1	RMS	2957	-44.62	-13	Pass	2001
3000	3430	1	RMS	3181	-42.1	-13	Pass	431
3430	3570	1	RMS	3535.35	22.09	60	Pass	401
3570	6500	1	RMS	4225	-43.5	-13	Pass	2931
6500	26500	1	RMS	25994	-49.99	-13	Pass	20003



12.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.06	-13	Pass	2986
30	1000	0.1	RMS	859.407	-59.68	-13	Pass	9701
1000	3000	1	RMS	2959	-44.65	-13	Pass	2001
3000	3430	1	RMS	3180	-42.1	-13	Pass	431
3430	3570	1	RMS	3451	24.1	60	Pass	401
3570	6500	1	RMS	4222	-43.81	-13	Pass	2931
6500	26500	1	RMS	25996	-49.93	-13	Pass	20003



12.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.4	-13	Pass	2986
30	1000	0.1	RMS	861.508	-59.63	-13	Pass	9701
1000	3000	1	RMS	2952	-44.6	-13	Pass	2001
3000	3430	1	RMS	3181	-42.11	-13	Pass	431
3430	3570	1	RMS	3451	23.5	60	Pass	401
3570	6500	1	RMS	4224	-43.35	-13	Pass	2931
6500	26500	1	RMS	25991	-50.08	-13	Pass	20003



12.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:42590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-66.77	-13	Pass	2986
30	1000	0.1	RMS	854.604	-59.57	-13	Pass	9701
1000	3000	1	RMS	2944	-44.56	-13	Pass	2001
3000	3430	1	RMS	3180	-42.09	-13	Pass	431
3430	3570	1	RMS	3491.25	22.82	60	Pass	401
3570	6500	1	RMS	4224	-42.85	-13	Pass	2931
6500	26500	1	RMS	25986	-49.99	-13	Pass	20003



12.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:42590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.27	-13	Pass	2986
30	1000	0.1	RMS	848.5	-59.58	-13	Pass	9701
1000	3000	1	RMS	2957	-44.56	-13	Pass	2001
3000	3430	1	RMS	3180	-42.07	-13	Pass	431
3430	3570	1	RMS	3490.55	22.13	60	Pass	401
3570	6500	1	RMS	4224	-43.68	-13	Pass	2931
6500	26500	1	RMS	26005	-50.03	-13	Pass	20003



12.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.83	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.76	-13	Pass	2986
30	1000	0.1	RMS	858.006	-59.57	-13	Pass	9701
1000	3000	1	RMS	2951	-44.62	-13	Pass	2001
3000	3430	1	RMS	3180	-42.1	-13	Pass	431
3430	3570	1	RMS	3530.8	23.59	60	Pass	401
3570	6500	1	RMS	4225	-44.51	-13	Pass	2931
6500	26500	1	RMS	25997	-49.89	-13	Pass	20003



12.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.2	-13	Pass	2986
30	1000	0.1	RMS	854.303	-59.64	-13	Pass	9701
1000	3000	1	RMS	2949	-44.65	-13	Pass	2001
3000	3430	1	RMS	3160	-42.1	-13	Pass	431
3430	3570	1	RMS	3531.15	22.09	60	Pass	401
3570	6500	1	RMS	4224	-43.47	-13	Pass	2931
6500	26500	1	RMS	25999	-50.01	-13	Pass	20003



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-62.4	-13	Pass	401
0.15	30	0.01	Peak	0.17	-62.48	-13	Pass	2986
30	809	0.1	Peak	808.9	-51.74	-13	Pass	7791
809	829	0.1	Peak	814.2	26.39	60	Pass	401
829	1000	0.1	Peak	829.3	-52.91	-13	Pass	1711
1000	3000	1	Peak	2905	-37.63	-13	Pass	2001
3000	10000	1	Peak	6994	-30.28	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-61.91	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.12	-13	Pass	2986
30	809	0.1	Peak	808.9	-51.16	-13	Pass	7791
809	829	0.1	Peak	814.2	27.44	60	Pass	401
829	1000	0.1	Peak	841.1	-53.09	-13	Pass	1711
1000	3000	1	Peak	1629	-37.28	-13	Pass	2001
3000	10000	1	Peak	8681	-30.15	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.78	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.87	-13	Pass	2986
30	809	0.1	Peak	618.1	-52.98	-13	Pass	7791
809	829	0.1	Peak	818.6	26.33	60	Pass	401
829	1000	0.1	Peak	834.4	-52.19	-13	Pass	1711
1000	3000	1	Peak	2983	-36.94	-13	Pass	2001
3000	10000	1	Peak	7237	-31.05	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-62.12	-13	Pass	401
0.15	30	0.01	Peak	0.25	-63.51	-13	Pass	2986
30	809	0.1	Peak	808.1	-52.41	-13	Pass	7791
809	829	0.1	Peak	818.6	26.77	60	Pass	401
829	1000	0.1	Peak	832.5	-52.82	-13	Pass	1711
1000	3000	1	Peak	1637	-36.99	-13	Pass	2001
3000	10000	1	Peak	7290	-30.7	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-62.64	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.49	-13	Pass	2986
30	809	0.1	Peak	691.2	-53.01	-13	Pass	7791
809	829	0.1	Peak	822.9	26.36	60	Pass	401
829	1000	0.1	Peak	829.4	-52.41	-13	Pass	1711
1000	3000	1	Peak	2960	-37.02	-13	Pass	2001
3000	10000	1	Peak	7195	-30.35	-13	Pass	7001




**1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-62.41	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.62	-13	Pass	2986
30	809	0.1	Peak	805.5	-53.54	-13	Pass	7791
809	829	0.1	Peak	822.85	26.8	60	Pass	401
829	1000	0.1	Peak	833	-52.46	-13	Pass	1711
1000	3000	1	Peak	2914	-37.38	-13	Pass	2001
3000	10000	1	Peak	6951	-30.55	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-62.06	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.09	-13	Pass	2986
30	809	0.1	Peak	809	-50.54	-13	Pass	7791
809	829	0.1	Peak	814.3	26.27	60	Pass	401
829	1000	0.1	Peak	844.3	-52.85	-13	Pass	1711
1000	3000	1	Peak	2993	-37.55	-13	Pass	2001
3000	10000	1	Peak	7209	-30.67	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-62.77	-13	Pass	401
0.15	30	0.01	Peak	0.21	-64.22	-13	Pass	2986
30	809	0.1	Peak	809	-50.87	-13	Pass	7791
809	829	0.1	Peak	814.2	27.08	60	Pass	401
829	1000	0.1	Peak	832.7	-52.87	-13	Pass	1711
1000	3000	1	Peak	2972	-37.15	-13	Pass	2001
3000	10000	1	Peak	7180	-30.3	-13	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-62.49	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.99	-13	Pass	2986
30	809	0.1	Peak	807	-52.96	-13	Pass	7791
809	829	0.1	Peak	817.75	26.57	60	Pass	401
829	1000	0.1	Peak	836.8	-52.09	-13	Pass	1711
1000	3000	1	Peak	1636	-37.43	-13	Pass	2001
3000	10000	1	Peak	6959	-29.19	-13	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.27	-13	Pass	401
0.15	30	0.01	Peak	0.33	-63.91	-13	Pass	2986
30	809	0.1	Peak	808.2	-52.53	-13	Pass	7791
809	829	0.1	Peak	817.8	26.7	60	Pass	401
829	1000	0.1	Peak	974.8	-52.93	-13	Pass	1711
1000	3000	1	Peak	1635	-36.54	-13	Pass	2001
3000	10000	1	Peak	7217	-30.29	-13	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-61.87	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.01	-13	Pass	2986
30	809	0.1	Peak	770.8	-51.95	-13	Pass	7791
809	829	0.1	Peak	821.3	26.33	60	Pass	401
829	1000	0.1	Peak	829.2	-51.89	-13	Pass	1711
1000	3000	1	Peak	2961	-36.72	-13	Pass	2001
3000	10000	1	Peak	7213	-30.64	-13	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.9	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.23	-13	Pass	2986
30	809	0.1	Peak	391.9	-53.38	-13	Pass	7791
809	829	0.1	Peak	821.25	26.71	60	Pass	401
829	1000	0.1	Peak	830.7	-52.66	-13	Pass	1711
1000	3000	1	Peak	2943	-37.68	-13	Pass	2001
3000	10000	1	Peak	6976	-30.34	-13	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-61.05	-13	Pass	401
0.15	30	0.01	Peak	0.17	-62.83	-13	Pass	2986
30	809	0.1	Peak	808.9	-51.07	-13	Pass	7791
809	829	0.1	Peak	814.3	26.6	60	Pass	401
829	1000	0.1	Peak	845.3	-52.73	-13	Pass	1711
1000	3000	1	Peak	2931	-37.19	-13	Pass	2001
3000	10000	1	Peak	7177	-30.68	-13	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-61.72	-13	Pass	401
0.15	30	0.01	Peak	0.26	-63.01	-13	Pass	2986
30	809	0.1	Peak	808.9	-51.27	-13	Pass	7791
809	829	0.1	Peak	814.3	27.24	60	Pass	401
829	1000	0.1	Peak	926.1	-52.9	-13	Pass	1711
1000	3000	1	Peak	1629	-37.23	-13	Pass	2001
3000	10000	1	Peak	7215	-30.62	-13	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.43	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.83	-13	Pass	2986
30	809	0.1	Peak	524.6	-52.62	-13	Pass	7791
809	829	0.1	Peak	816.85	26.35	60	Pass	401
829	1000	0.1	Peak	842.8	-52.66	-13	Pass	1711
1000	3000	1	Peak	2924	-36.67	-13	Pass	2001
3000	10000	1	Peak	7198	-29.74	-13	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-60.25	-13	Pass	401
0.15	30	0.01	Peak	0.17	-62.88	-13	Pass	2986
30	809	0.1	Peak	792.7	-53.19	-13	Pass	7791
809	829	0.1	Peak	816.8	27.09	60	Pass	401
829	1000	0.1	Peak	831.9	-52.89	-13	Pass	1711
1000	3000	1	Peak	1634	-36.34	-13	Pass	2001
3000	10000	1	Peak	7052	-29.96	-13	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-61.75	-13	Pass	401
0.15	30	0.01	Peak	0.42	-64.8	-13	Pass	2986
30	809	0.1	Peak	808.7	-52.28	-13	Pass	7791
809	829	0.1	Peak	819.35	26.3	60	Pass	401
829	1000	0.1	Peak	842	-52.58	-13	Pass	1711
1000	3000	1	Peak	2968	-37.37	-13	Pass	2001
3000	10000	1	Peak	7192	-30.84	-13	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.63	-13	Pass	401
0.15	30	0.01	Peak	0.27	-65.33	-13	Pass	2986
30	809	0.1	Peak	626.7	-52.57	-13	Pass	7791
809	829	0.1	Peak	819.3	26.94	60	Pass	401
829	1000	0.1	Peak	837	-52.46	-13	Pass	1711
1000	3000	1	Peak	1639	-37.02	-13	Pass	2001
3000	10000	1	Peak	6962	-29.78	-13	Pass	7001




1.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-62.09	-13	Pass	401
0.15	30	0.01	Peak	0.2	-63.82	-13	Pass	2986
30	809	0.1	Peak	808.3	-42.81	-13	Pass	7791
809	829	0.1	Peak	814.6	26.79	60	Pass	401
829	1000	0.1	Peak	918.5	-53.12	-13	Pass	1711
1000	3000	1	Peak	2944	-36.93	-13	Pass	2001
3000	10000	1	Peak	8511	-30.55	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-60.73	-13	Pass	401
0.15	30	0.01	Peak	0.74	-64.07	-13	Pass	2986
30	809	0.1	Peak	808.2	-39.41	-13	Pass	7791
809	829	0.1	Peak	814.55	27.12	60	Pass	401
829	1000	0.1	Peak	888.3	-53.13	-13	Pass	1711
1000	3000	1	Peak	1629	-37	-13	Pass	2001
3000	10000	1	Peak	7431	-30.19	-13	Pass	7001




1. CA_7C

1.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.37	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.69	-25	Pass	2986
30	1000	0.1	RMS	827.1	-63.72	-25	Pass	9701
1000	2475	1	RMS	2473	-44.07	-25	Pass	1476
2475	2735	1	RMS	2528.3	12.66	60	Pass	401
2735	3000	1	RMS	2954.288	-48.8	-25	Pass	401
3000	12000	1	RMS	11852	-50.99	-25	Pass	9002
12000	26000	1	RMS	25994	-35.39	-25	Pass	14002



1.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.82	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.64	-25	Pass	2986
30	1000	0.1	RMS	846.1	-63.55	-25	Pass	9701
1000	2475	1	RMS	2475	-41.85	-25	Pass	1476
2475	2735	1	RMS	2525.05	10.67	60	Pass	401
2735	3000	1	RMS	2959.588	-48.79	-25	Pass	401
3000	12000	1	RMS	11850	-50.95	-25	Pass	9002
12000	26000	1	RMS	25987	-35.56	-25	Pass	14002



1.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.91	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.66	-25	Pass	2986
30	1000	0.1	RMS	840.1	-63.69	-25	Pass	9701
1000	2475	1	RMS	2473	-44.27	-25	Pass	1476
2475	2735	1	RMS	2501	12.62	60	Pass	401
2735	3000	1	RMS	2951.638	-48.8	-25	Pass	401
3000	12000	1	RMS	11856	-50.96	-25	Pass	9002
12000	26000	1	RMS	25990	-35.44	-25	Pass	14002



1.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.76	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-25	Pass	2986
30	1000	0.1	RMS	849.2	-63.71	-25	Pass	9701
1000	2475	1	RMS	2475	-45.01	-25	Pass	1476
2475	2735	1	RMS	2523.75	9.73	60	Pass	401
2735	3000	1	RMS	2953.625	-48.75	-25	Pass	401
3000	12000	1	RMS	11849	-50.93	-25	Pass	9002
12000	26000	1	RMS	25987	-35.49	-25	Pass	14002



1.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.62	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.25	-25	Pass	2986
30	1000	0.1	RMS	848.5	-63.72	-25	Pass	9701
1000	2475	1	RMS	2468	-50.62	-25	Pass	1476
2475	2735	1	RMS	2548.45	12.77	60	Pass	401
2735	3000	1	RMS	2952.963	-48.76	-25	Pass	401
3000	12000	1	RMS	11843	-50.93	-25	Pass	9002
12000	26000	1	RMS	26000	-35.36	-25	Pass	14002



1.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.42	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.52	-25	Pass	2986
30	1000	0.1	RMS	828.5	-63.59	-25	Pass	9701
1000	2475	1	RMS	2475	-49.28	-25	Pass	1476
2475	2735	1	RMS	2545.85	10.59	60	Pass	401
2735	3000	1	RMS	2956.938	-48.78	-25	Pass	401
3000	12000	1	RMS	11843	-50.98	-25	Pass	9002
12000	26000	1	RMS	25999	-35.44	-25	Pass	14002



1.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-25	Pass	2986
30	1000	0.1	RMS	846.9	-63.62	-25	Pass	9701
1000	2475	1	RMS	2474	-50.67	-25	Pass	1476
2475	2735	1	RMS	2548.45	12.72	60	Pass	401
2735	3000	1	RMS	2948.325	-48.8	-25	Pass	401
3000	12000	1	RMS	11848	-50.96	-25	Pass	9002
12000	26000	1	RMS	25988	-35.5	-25	Pass	14002



1.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-25	Pass	2986
30	1000	0.1	RMS	844.4	-63.75	-25	Pass	9701
1000	2475	1	RMS	2475	-50	-25	Pass	1476
2475	2735	1	RMS	2545.85	9.64	60	Pass	401
2735	3000	1	RMS	2952.3	-48.78	-25	Pass	401
3000	12000	1	RMS	11848	-50.9	-25	Pass	9002
12000	26000	1	RMS	25998	-35.48	-25	Pass	14002



1.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.7	-25	Pass	2986
30	1000	0.1	RMS	848.5	-63.54	-25	Pass	9701
1000	2475	1	RMS	2475	-50.7	-25	Pass	1476
2475	2735	1	RMS	2568.6	12.9	60	Pass	401
2735	3000	1	RMS	2949.65	-48.81	-25	Pass	401
3000	12000	1	RMS	11857	-50.93	-25	Pass	9002
12000	26000	1	RMS	25989	-35.35	-25	Pass	14002



1.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.05	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.3	-25	Pass	2986
30	1000	0.1	RMS	848.1	-63.77	-25	Pass	9701
1000	2475	1	RMS	2475	-50.41	-25	Pass	1476
2475	2735	1	RMS	2560.8	10.66	60	Pass	401
2735	3000	1	RMS	2958.925	-48.77	-25	Pass	401
3000	12000	1	RMS	11845	-50.96	-25	Pass	9002
12000	26000	1	RMS	25996	-35.4	-25	Pass	14002



1.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-64.63	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.04	-25	Pass	2986
30	1000	0.1	RMS	837.2	-63.65	-25	Pass	9701
1000	2475	1	RMS	2474	-50.67	-25	Pass	1476
2475	2735	1	RMS	2568.6	12.78	60	Pass	401
2735	3000	1	RMS	2952.963	-48.78	-25	Pass	401
3000	12000	1	RMS	11852	-50.91	-25	Pass	9002
12000	26000	1	RMS	25989	-35.48	-25	Pass	14002



1.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-64.32	-25	Pass	401
0.15	30	0.01	RMS	0.26	-72.63	-25	Pass	2986
30	1000	0.1	RMS	851.301	-63.64	-25	Pass	9701
1000	2475	1	RMS	2475	-50.54	-25	Pass	1476
2475	2735	1	RMS	2562.1	9.71	60	Pass	401
2735	3000	1	RMS	2952.3	-48.77	-25	Pass	401
3000	12000	1	RMS	11852	-50.93	-25	Pass	9002
12000	26000	1	RMS	25991	-35.47	-25	Pass	14002



1.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-25	Pass	2986
30	1000	0.1	RMS	854.103	-63.66	-25	Pass	9701
1000	2475	1	RMS	2463	-50.63	-25	Pass	1476
2475	2735	1	RMS	2501	12.44	60	Pass	401
2735	3000	1	RMS	2958.925	-48.79	-25	Pass	401
3000	12000	1	RMS	11849	-50.85	-25	Pass	9002
12000	26000	1	RMS	25987	-35.41	-25	Pass	14002



1.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.16	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.52	-25	Pass	2986
30	1000	0.1	RMS	859.307	-63.65	-25	Pass	9701
1000	2475	1	RMS	2475	-35.92	-25	Pass	1476
2475	2735	1	RMS	2512.7	7.92	60	Pass	401
2735	3000	1	RMS	2953.625	-48.77	-25	Pass	401
3000	12000	1	RMS	11853	-50.98	-25	Pass	9002
12000	26000	1	RMS	25997	-35.44	-25	Pass	14002



1.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.05	-25	Pass	401
0.15	30	0.01	RMS	0.28	-72.08	-25	Pass	2986
30	1000	0.1	RMS	867.212	-63.67	-25	Pass	9701
1000	2475	1	RMS	2463	-50.52	-25	Pass	1476
2475	2735	1	RMS	2501	12.49	60	Pass	401
2735	3000	1	RMS	2950.975	-48.8	-25	Pass	401
3000	12000	1	RMS	11849	-51	-25	Pass	9002
12000	26000	1	RMS	25995	-35.46	-25	Pass	14002



1.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-25	Pass	2986
30	1000	0.1	RMS	856.005	-63.58	-25	Pass	9701
1000	2475	1	RMS	2475	-39.86	-25	Pass	1476
2475	2735	1	RMS	2513.35	6.97	60	Pass	401
2735	3000	1	RMS	2954.288	-48.82	-25	Pass	401
3000	12000	1	RMS	11851	-50.86	-25	Pass	9002
12000	26000	1	RMS	25994	-35.39	-25	Pass	14002



1.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.57	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.44	-25	Pass	2986
30	1000	0.1	RMS	855.404	-63.65	-25	Pass	9701
1000	2475	1	RMS	2468	-50.7	-25	Pass	1476
2475	2735	1	RMS	2515.95	12.97	60	Pass	401
2735	3000	1	RMS	2958.263	-48.78	-25	Pass	401
3000	12000	1	RMS	11850	-50.94	-25	Pass	9002
12000	26000	1	RMS	25995	-35.42	-25	Pass	14002



1.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-66.12	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.15	-25	Pass	2986
30	1000	0.1	RMS	848.1	-63.71	-25	Pass	9701
1000	2475	1	RMS	2475	-44.66	-25	Pass	1476
2475	2735	1	RMS	2521.15	7.73	60	Pass	401
2735	3000	1	RMS	2954.95	-48.77	-25	Pass	401
3000	12000	1	RMS	11845	-50.89	-25	Pass	9002
12000	26000	1	RMS	26000	-35.4	-25	Pass	14002



1.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-64.83	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.01	-25	Pass	2986
30	1000	0.1	RMS	847.3	-63.68	-25	Pass	9701
1000	2475	1	RMS	2475	-50.64	-25	Pass	1476
2475	2735	1	RMS	2515.95	12.84	60	Pass	401
2735	3000	1	RMS	2955.613	-48.79	-25	Pass	401
3000	12000	1	RMS	11850	-50.99	-25	Pass	9002
12000	26000	1	RMS	26000	-35.42	-25	Pass	14002



1.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-64.52	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.47	-25	Pass	2986
30	1000	0.1	RMS	850.401	-63.46	-25	Pass	9701
1000	2475	1	RMS	2475	-46.63	-25	Pass	1476
2475	2735	1	RMS	2521.15	6.84	60	Pass	401
2735	3000	1	RMS	2952.3	-48.79	-25	Pass	401
3000	12000	1	RMS	11854	-50.96	-25	Pass	9002
12000	26000	1	RMS	26000	-35.47	-25	Pass	14002



1.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-64.68	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.31	-25	Pass	2986
30	1000	0.1	RMS	843.5	-63.7	-25	Pass	9701
1000	2475	1	RMS	2464	-50.62	-25	Pass	1476
2475	2735	1	RMS	2530.9	13.02	60	Pass	401
2735	3000	1	RMS	2952.963	-48.77	-25	Pass	401
3000	12000	1	RMS	11847	-51	-25	Pass	9002
12000	26000	1	RMS	25994	-35.5	-25	Pass	14002



1.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-64.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-25	Pass	2986
30	1000	0.1	RMS	851.802	-63.66	-25	Pass	9701
1000	2475	1	RMS	2475	-48.37	-25	Pass	1476
2475	2735	1	RMS	2556.9	7.73	60	Pass	401
2735	3000	1	RMS	2948.325	-48.77	-25	Pass	401
3000	12000	1	RMS	11854	-50.96	-25	Pass	9002
12000	26000	1	RMS	25997	-35.52	-25	Pass	14002



1.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-64.9	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.6	-25	Pass	2986
30	1000	0.1	RMS	878.519	-63.73	-25	Pass	9701
1000	2475	1	RMS	2472	-50.65	-25	Pass	1476
2475	2735	1	RMS	2568.6	12.9	60	Pass	401
2735	3000	1	RMS	2947.663	-48.79	-25	Pass	401
3000	12000	1	RMS	11849	-50.97	-25	Pass	9002
12000	26000	1	RMS	25995	-35.47	-25	Pass	14002



1.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-66.15	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.34	-25	Pass	2986
30	1000	0.1	RMS	853.403	-63.75	-25	Pass	9701
1000	2475	1	RMS	2475	-49.46	-25	Pass	1476
2475	2735	1	RMS	2558.85	6.78	60	Pass	401
2735	3000	1	RMS	2956.938	-48.76	-25	Pass	401
3000	12000	1	RMS	11852	-50.88	-25	Pass	9002
12000	26000	1	RMS	25995	-35.44	-25	Pass	14002




2. CA_38C

2.1. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.81	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.23	-25	Pass	2986
30	1000	0.1	RMS	852.802	-59.64	-25	Pass	9701
1000	2525	1	RMS	2514	-37.83	-25	Pass	1526
2525	2665	1	RMS	2570.85	13.47	60	Pass	401
2665	3000	1	RMS	2683.425	-42.35	-25	Pass	401
3000	12000	1	RMS	11849	-50.87	-25	Pass	9002
12000	26500	1	RMS	26001	-35.33	-25	Pass	14502



2.2. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-59.56	-25	Pass	401
0.15	30	0.01	RMS	0.23	-67.91	-25	Pass	2986
30	1000	0.1	RMS	851.201	-59.5	-25	Pass	9701
1000	2525	1	RMS	2525	-43.37	-25	Pass	1526
2525	2665	1	RMS	2577.15	9.36	60	Pass	401
2665	3000	1	RMS	2956.45	-44.78	-25	Pass	401
3000	12000	1	RMS	11849	-50.9	-25	Pass	9002
12000	26500	1	RMS	26001	-35.29	-25	Pass	14502



2.3. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.1	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.96	-25	Pass	2986
30	1000	0.1	RMS	859.607	-59.66	-25	Pass	9701
1000	2525	1	RMS	2486	-41.83	-25	Pass	1526
2525	2665	1	RMS	2570.5	13.01	60	Pass	401
2665	3000	1	RMS	2683.425	-42.48	-25	Pass	401
3000	12000	1	RMS	11849	-50.92	-25	Pass	9002
12000	26500	1	RMS	25995	-35.26	-25	Pass	14502



2.4. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.86	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.63	-25	Pass	2986
30	1000	0.1	RMS	871.415	-59.75	-25	Pass	9701
1000	2525	1	RMS	2524	-44.42	-25	Pass	1526
2525	2665	1	RMS	2578.9	8.4	60	Pass	401
2665	3000	1	RMS	2953.938	-44.77	-25	Pass	401
3000	12000	1	RMS	11854	-50.9	-25	Pass	9002
12000	26500	1	RMS	25998	-35.25	-25	Pass	14502



2.5. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.5	-25	Pass	2986
30	1000	0.1	RMS	853.303	-59.75	-25	Pass	9701
1000	2525	1	RMS	2496	-40.7	-25	Pass	1526
2525	2665	1	RMS	2580.65	13.9	60	Pass	401
2665	3000	1	RMS	2665	-41.35	-25	Pass	401
3000	12000	1	RMS	11848	-50.9	-25	Pass	9002
12000	26500	1	RMS	26006	-35.37	-25	Pass	14502



2.6. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.99	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.14	-25	Pass	2986
30	1000	0.1	RMS	822	-59.58	-25	Pass	9701
1000	2525	1	RMS	2523	-44.99	-25	Pass	1526
2525	2665	1	RMS	2586.6	9.29	60	Pass	401
2665	3000	1	RMS	2955.613	-44.77	-25	Pass	401
3000	12000	1	RMS	11845	-50.94	-25	Pass	9002
12000	26500	1	RMS	26002	-35.31	-25	Pass	14502



2.7. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.72	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.52	-25	Pass	2986
30	1000	0.1	RMS	849.8	-59.38	-25	Pass	9701
1000	2525	1	RMS	2524	-38.61	-25	Pass	1526
2525	2665	1	RMS	2580.65	12.97	60	Pass	401
2665	3000	1	RMS	2665	-41.04	-25	Pass	401
3000	12000	1	RMS	11844	-50.96	-25	Pass	9002
12000	26500	1	RMS	26002	-35.37	-25	Pass	14502



2.8. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.43	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.15	-25	Pass	2986
30	1000	0.1	RMS	852.002	-59.71	-25	Pass	9701
1000	2525	1	RMS	2523	-45.72	-25	Pass	1526
2525	2665	1	RMS	2584.85	7.85	60	Pass	401
2665	3000	1	RMS	2958.963	-44.81	-25	Pass	401
3000	12000	1	RMS	11841	-50.98	-25	Pass	9002
12000	26500	1	RMS	26005	-35.41	-25	Pass	14502



2.9. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.37	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.94	-25	Pass	2986
30	1000	0.1	RMS	834.1	-59.63	-25	Pass	9701
1000	2525	1	RMS	2506	-43.15	-25	Pass	1526
2525	2665	1	RMS	2590.8	13.39	60	Pass	401
2665	3000	1	RMS	2675.05	-40.71	-25	Pass	401
3000	12000	1	RMS	11848	-50.99	-25	Pass	9002
12000	26500	1	RMS	26007	-35.44	-25	Pass	14502



2.10. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.88	-25	Pass	401
0.15	30	0.01	RMS	0.28	-68.71	-25	Pass	2986
30	1000	0.1	RMS	855.604	-59.61	-25	Pass	9701
1000	2525	1	RMS	2521	-45.61	-25	Pass	1526
2525	2665	1	RMS	2609	8.86	60	Pass	401
2665	3000	1	RMS	2665	-42.42	-25	Pass	401
3000	12000	1	RMS	11849	-50.81	-25	Pass	9002
12000	26500	1	RMS	25998	-35.36	-25	Pass	14502



2.11. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.77	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.06	-25	Pass	2986
30	1000	0.1	RMS	856.205	-59.72	-25	Pass	9701
1000	2525	1	RMS	2506	-43.68	-25	Pass	1526
2525	2665	1	RMS	2618.8	13.2	60	Pass	401
2665	3000	1	RMS	2675.05	-40.52	-25	Pass	401
3000	12000	1	RMS	11850	-50.86	-25	Pass	9002
12000	26500	1	RMS	26003	-35.14	-25	Pass	14502



2.12. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.18	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.42	-25	Pass	2986
30	1000	0.1	RMS	845.4	-59.58	-25	Pass	9701
1000	2525	1	RMS	2525	-45.99	-25	Pass	1526
2525	2665	1	RMS	2594.3	8.17	60	Pass	401
2665	3000	1	RMS	2665	-43.58	-25	Pass	401
3000	12000	1	RMS	11850	-50.93	-25	Pass	9002
12000	26500	1	RMS	26000	-35.34	-25	Pass	14502



2.13. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.21	-25	Pass	2986
30	1000	0.1	RMS	855.204	-59.76	-25	Pass	9701
1000	2525	1	RMS	2496	-38.83	-25	Pass	1526
2525	2665	1	RMS	2570.85	12.76	60	Pass	401
2665	3000	1	RMS	2683.425	-41.33	-25	Pass	401
3000	12000	1	RMS	11850	-50.94	-25	Pass	9002
12000	26500	1	RMS	26001	-35.33	-25	Pass	14502



2.14. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.12	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.63	-25	Pass	2986
30	1000	0.1	RMS	847	-59.69	-25	Pass	9701
1000	2525	1	RMS	2524	-39.19	-25	Pass	1526
2525	2665	1	RMS	2578.55	8.24	60	Pass	401
2665	3000	1	RMS	2665	-41.11	-25	Pass	401
3000	12000	1	RMS	11850	-50.91	-25	Pass	9002
12000	26500	1	RMS	26006	-35.39	-25	Pass	14502



2.15. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.33	-25	Pass	401
0.15	30	0.01	RMS	0.25	-67.81	-25	Pass	2986
30	1000	0.1	RMS	851.101	-59.6	-25	Pass	9701
1000	2525	1	RMS	2496	-39.45	-25	Pass	1526
2525	2665	1	RMS	2570.85	14.07	60	Pass	401
2665	3000	1	RMS	2683.425	-40.29	-25	Pass	401
3000	12000	1	RMS	11850	-50.87	-25	Pass	9002
12000	26500	1	RMS	26003	-35.33	-25	Pass	14502



2.16. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.44	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.33	-25	Pass	2986
30	1000	0.1	RMS	850.901	-59.39	-25	Pass	9701
1000	2525	1	RMS	2523	-42.14	-25	Pass	1526
2525	2665	1	RMS	2576.1	7.17	60	Pass	401
2665	3000	1	RMS	2665	-43.03	-25	Pass	401
3000	12000	1	RMS	11851	-50.97	-25	Pass	9002
12000	26500	1	RMS	26005	-35.3	-25	Pass	14502



2.17. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.9	-25	Pass	2986
30	1000	0.1	RMS	853.803	-59.49	-25	Pass	9701
1000	2525	1	RMS	2501	-39.1	-25	Pass	1526
2525	2665	1	RMS	2613.55	13.14	60	Pass	401
2665	3000	1	RMS	2688.45	-41.59	-25	Pass	401
3000	12000	1	RMS	11849	-50.89	-25	Pass	9002
12000	26500	1	RMS	25998	-35.36	-25	Pass	14502



2.18. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.52	-25	Pass	401
0.15	30	0.01	RMS	0.26	-68.3	-25	Pass	2986
30	1000	0.1	RMS	848.8	-59.67	-25	Pass	9701
1000	2525	1	RMS	2524	-40.69	-25	Pass	1526
2525	2665	1	RMS	2581.7	8.4	60	Pass	401
2665	3000	1	RMS	2665	-39.64	-25	Pass	401
3000	12000	1	RMS	11851	-50.88	-25	Pass	9002
12000	26500	1	RMS	26002	-35.37	-25	Pass	14502



2.19. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.14	-25	Pass	401
0.15	30	0.01	RMS	0.27	-68.06	-25	Pass	2986
30	1000	0.1	RMS	852.903	-59.62	-25	Pass	9701
1000	2525	1	RMS	2501	-39.33	-25	Pass	1526
2525	2665	1	RMS	2576.1	13.2	60	Pass	401
2665	3000	1	RMS	2688.45	-40.74	-25	Pass	401
3000	12000	1	RMS	11850	-50.94	-25	Pass	9002
12000	26500	1	RMS	26005	-35.36	-25	Pass	14502



2.20. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.85	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.39	-25	Pass	2986
30	1000	0.1	RMS	852.002	-59.66	-25	Pass	9701
1000	2525	1	RMS	2524	-42.44	-25	Pass	1526
2525	2665	1	RMS	2583.45	7.05	60	Pass	401
2665	3000	1	RMS	2665	-41.56	-25	Pass	401
3000	12000	1	RMS	11849	-50.87	-25	Pass	9002
12000	26500	1	RMS	25996	-35.29	-25	Pass	14502



2.21. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.36	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.39	-25	Pass	2986
30	1000	0.1	RMS	960.274	-59.66	-25	Pass	9701
1000	2525	1	RMS	2506	-39.19	-25	Pass	1526
2525	2665	1	RMS	2581	13.24	60	Pass	401
2665	3000	1	RMS	2693.475	-41.08	-25	Pass	401
3000	12000	1	RMS	11841	-50.98	-25	Pass	9002
12000	26500	1	RMS	25999	-35.37	-25	Pass	14502



2.22. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.03	-25	Pass	2986
30	1000	0.1	RMS	836.2	-59.69	-25	Pass	9701
1000	2525	1	RMS	2524	-41.98	-25	Pass	1526
2525	2665	1	RMS	2616	8.83	60	Pass	401
2665	3000	1	RMS	2665.838	-38.37	-25	Pass	401
3000	12000	1	RMS	11846	-50.89	-25	Pass	9002
12000	26500	1	RMS	26004	-35.29	-25	Pass	14502



2.23. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.55	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.31	-25	Pass	2986
30	1000	0.1	RMS	858.106	-59.68	-25	Pass	9701
1000	2525	1	RMS	2506	-39.72	-25	Pass	1526
2525	2665	1	RMS	2581.35	13.25	60	Pass	401
2665	3000	1	RMS	2693.475	-40.98	-25	Pass	401
3000	12000	1	RMS	11850	-50.88	-25	Pass	9002
12000	26500	1	RMS	26006	-35.35	-25	Pass	14502



2.24. LTE-A Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.45	-25	Pass	2986
30	1000	0.1	RMS	861.208	-59.67	-25	Pass	9701
1000	2525	1	RMS	2525	-43.8	-25	Pass	1526
2525	2665	1	RMS	2606.55	6.98	60	Pass	401
2665	3000	1	RMS	2665.838	-40.52	-25	Pass	401
3000	12000	1	RMS	11854	-50.96	-25	Pass	9002
12000	26500	1	RMS	26013	-35.31	-25	Pass	14502



1. n5


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70	-13	57	Pass	401
0.15	30	0.01	RMS	0.18	-69.75	-13	56.75	Pass	2986
30	814	0.1	RMS	814	-57.56	-13	44.56	Pass	7841
814	859	0.1	RMS	824.8	5.36	60	54.64	Pass	451
859	1000	0.1	RMS	900.8	-59.11	-13	46.11	Pass	1411
1000	3000	1	RMS	2982	-45.63	-13	32.63	Pass	2001
3000	10000	1	RMS	7059	-47.49	-13	34.49	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.01	-13	57.01	Pass	401
0.15	30	0.01	RMS	25.95	-68.66	-13	55.66	Pass	2986
30	814	0.1	RMS	471.7	-59	-13	46	Pass	7841
814	859	0.1	RMS	824.3	18.46	60	41.54	Pass	451
859	1000	0.1	RMS	882.7	-59.07	-13	46.07	Pass	1411
1000	3000	1	RMS	2984	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	9946	-55.96	-13	42.96	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.63	-13	56.63	Pass	401
0.15	30	0.01	RMS	0.18	-69.37	-13	56.37	Pass	2986
30	814	0.1	RMS	731.4	-60.26	-13	47.26	Pass	7841
814	859	0.1	RMS	828.7	17.92	60	42.08	Pass	451
859	1000	0.1	RMS	895.8	-59.85	-13	46.85	Pass	1411
1000	3000	1	RMS	2967	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	9997	-55.99	-13	42.99	Pass	7001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.71	-13	57.71	Pass	401
0.15	30	0.01	RMS	0.18	-69.78	-13	56.78	Pass	2986
30	814	0.1	RMS	808.3	-60.32	-13	47.32	Pass	7841
814	859	0.1	RMS	838.6	5.25	60	54.75	Pass	451
859	1000	0.1	RMS	870.5	-59.8	-13	46.8	Pass	1411
1000	3000	1	RMS	2962	-45.97	-13	32.97	Pass	2001
3000	10000	1	RMS	9986	-55.96	-13	42.96	Pass	7001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.17	-13	58.17	Pass	401
0.15	30	0.01	RMS	0.23	-69.75	-13	56.75	Pass	2986
30	814	0.1	RMS	745.1	-60.21	-13	47.21	Pass	7841
814	859	0.1	RMS	834.3	18.28	60	41.72	Pass	451
859	1000	0.1	RMS	985.3	-59.7	-13	46.7	Pass	1411
1000	3000	1	RMS	2970	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	9960	-56	-13	43	Pass	7001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.25	-13	57.25	Pass	401
0.15	30	0.01	RMS	0.17	-69.37	-13	56.37	Pass	2986
30	814	0.1	RMS	734.6	-60.27	-13	47.27	Pass	7841
814	859	0.1	RMS	838.7	17.91	60	42.09	Pass	451
859	1000	0.1	RMS	892.7	-59.94	-13	46.94	Pass	1411
1000	3000	1	RMS	2970	-45.66	-13	32.66	Pass	2001
3000	10000	1	RMS	9958	-55.96	-13	42.96	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.32	-13	57.32	Pass	401
0.15	30	0.01	RMS	0.72	-69.63	-13	56.63	Pass	2986
30	814	0.1	RMS	490.2	-60.19	-13	47.19	Pass	7841
814	859	0.1	RMS	844.5	5.93	60	54.07	Pass	451
859	1000	0.1	RMS	905.7	-59.72	-13	46.72	Pass	1411
1000	3000	1	RMS	2973	-45.67	-13	32.67	Pass	2001
3000	10000	1	RMS	7055	-48.21	-13	35.21	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.17	-13	57.17	Pass	401
0.15	30	0.01	RMS	0.29	-70.31	-13	57.31	Pass	2986
30	814	0.1	RMS	489.5	-60.34	-13	47.34	Pass	7841
814	859	0.1	RMS	844.3	18.33	60	41.67	Pass	451
859	1000	0.1	RMS	907.5	-59.8	-13	46.8	Pass	1411
1000	3000	1	RMS	2978	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	9932	-55.97	-13	42.97	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.17	-13	56.17	Pass	401
0.15	30	0.01	RMS	0.53	-69.6	-13	56.6	Pass	2986
30	814	0.1	RMS	741	-60.24	-13	47.24	Pass	7841
814	859	0.1	RMS	848.6	17.77	60	42.23	Pass	451
859	1000	0.1	RMS	908.2	-59.73	-13	46.73	Pass	1411
1000	3000	1	RMS	2972	-45.64	-13	32.64	Pass	2001
3000	10000	1	RMS	9927	-55.99	-13	42.99	Pass	7001




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.48	-13	57.48	Pass	401
0.15	30	0.01	RMS	0.2	-69.86	-13	56.86	Pass	2986
30	814	0.1	RMS	813.7	-47.35	-13	34.35	Pass	7841
814	859	0.1	RMS	837	0.62	60	59.38	Pass	451
859	1000	0.1	RMS	995	-59.77	-13	46.77	Pass	1411
1000	3000	1	RMS	2983	-45.82	-13	32.82	Pass	2001
3000	10000	1	RMS	9967	-56.11	-13	43.11	Pass	7001




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.97	-13	55.97	Pass	401
0.15	30	0.01	RMS	0.16	-69.79	-13	56.79	Pass	2986
30	814	0.1	RMS	621.8	-60.23	-13	47.23	Pass	7841
814	859	0.1	RMS	824.5	18.45	60	41.55	Pass	451
859	1000	0.1	RMS	909.2	-59.83	-13	46.83	Pass	1411
1000	3000	1	RMS	2980	-45.8	-13	32.8	Pass	2001
3000	10000	1	RMS	9966	-56.05	-13	43.05	Pass	7001




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.02	-13	57.02	Pass	401
0.15	30	0.01	RMS	0.15	-69.76	-13	56.76	Pass	2986
30	814	0.1	RMS	469.4	-60.31	-13	47.31	Pass	7841
814	859	0.1	RMS	838.5	18.55	60	41.45	Pass	451
859	1000	0.1	RMS	915.3	-59.77	-13	46.77	Pass	1411
1000	3000	1	RMS	2988	-45.95	-13	32.95	Pass	2001
3000	10000	1	RMS	9966	-55.98	-13	42.98	Pass	7001




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-71.06	-13	58.06	Pass	401
0.15	30	0.01	RMS	0.19	-70.1	-13	57.1	Pass	2986
30	814	0.1	RMS	813.9	-50.09	-13	37.09	Pass	7841
814	859	0.1	RMS	840.9	0.54	60	59.46	Pass	451
859	1000	0.1	RMS	877.7	-59.85	-13	46.85	Pass	1411
1000	3000	1	RMS	2970	-45.66	-13	32.66	Pass	2001
3000	10000	1	RMS	7067	-46.91	-13	33.91	Pass	7001




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.43	-13	55.43	Pass	401
0.15	30	0.01	RMS	1.39	-70.32	-13	57.32	Pass	2986
30	814	0.1	RMS	813.4	-60.2	-13	47.2	Pass	7841
814	859	0.1	RMS	829.5	18.38	60	41.62	Pass	451
859	1000	0.1	RMS	901.7	-59.95	-13	46.95	Pass	1411
1000	3000	1	RMS	2974	-45.66	-13	32.66	Pass	2001
3000	10000	1	RMS	9982	-55.97	-13	42.97	Pass	7001




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.34	-13	57.34	Pass	401
0.15	30	0.01	RMS	0.15	-69.53	-13	56.53	Pass	2986
30	814	0.1	RMS	633.5	-60.36	-13	47.36	Pass	7841
814	859	0.1	RMS	843.5	18.52	60	41.48	Pass	451
859	1000	0.1	RMS	889	-59.6	-13	46.6	Pass	1411
1000	3000	1	RMS	2972	-45.56	-13	32.56	Pass	2001
3000	10000	1	RMS	9952	-55.94	-13	42.94	Pass	7001




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.35	-13	57.35	Pass	401
0.15	30	0.01	RMS	0.35	-69.69	-13	56.69	Pass	2986
30	814	0.1	RMS	813.4	-51.61	-13	38.61	Pass	7841
814	859	0.1	RMS	837.6	0.5	60	59.5	Pass	451
859	1000	0.1	RMS	905.8	-59.91	-13	46.91	Pass	1411
1000	3000	1	RMS	2974	-45.55	-13	32.55	Pass	2001
3000	10000	1	RMS	9987	-56.03	-13	43.03	Pass	7001




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.52	-13	55.52	Pass	401
0.15	30	0.01	RMS	18.12	-68.47	-13	55.47	Pass	2986
30	814	0.1	RMS	455	-59.52	-13	46.52	Pass	7841
814	859	0.1	RMS	834.5	18.34	60	41.66	Pass	451
859	1000	0.1	RMS	888.7	-59.83	-13	46.83	Pass	1411
1000	3000	1	RMS	2969	-45.61	-13	32.61	Pass	2001
3000	10000	1	RMS	9953	-56.11	-13	43.11	Pass	7001




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.61	-13	56.61	Pass	401
0.15	30	0.01	RMS	0.15	-69.5	-13	56.5	Pass	2986
30	814	0.1	RMS	788.4	-58.94	-13	45.94	Pass	7841
814	859	0.1	RMS	848.5	18.43	60	41.57	Pass	451
859	1000	0.1	RMS	878.6	-58.57	-13	45.57	Pass	1411
1000	3000	1	RMS	2979	-45.58	-13	32.58	Pass	2001
3000	10000	1	RMS	9989	-56	-13	43	Pass	7001




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.27	-13	57.27	Pass	401
0.15	30	0.01	RMS	29.82	-68.79	-13	55.79	Pass	2986
30	814	0.1	RMS	812.4	-46.49	-13	33.49	Pass	7841
814	859	0.1	RMS	839	-0.7	60	60.7	Pass	451
859	1000	0.1	RMS	900.6	-58.69	-13	45.69	Pass	1411
1000	3000	1	RMS	2983	-45.79	-13	32.79	Pass	2001
3000	10000	1	RMS	7073	-46.86	-13	33.86	Pass	7001




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.23	-13	56.23	Pass	401
0.15	30	0.01	RMS	0.47	-68.98	-13	55.98	Pass	2986
30	814	0.1	RMS	809.9	-60.15	-13	47.15	Pass	7841
814	859	0.1	RMS	824.5	18.21	60	41.79	Pass	451
859	1000	0.1	RMS	993.7	-59.77	-13	46.77	Pass	1411
1000	3000	1	RMS	2976	-45.71	-13	32.71	Pass	2001
3000	10000	1	RMS	9956	-56.04	-13	43.04	Pass	7001




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.69	-13	55.69	Pass	401
0.15	30	0.01	RMS	0.17	-69.23	-13	56.23	Pass	2986
30	814	0.1	RMS	729.5	-60.38	-13	47.38	Pass	7841
814	859	0.1	RMS	843.4	18.01	60	41.99	Pass	451
859	1000	0.1	RMS	905.4	-59.82	-13	46.82	Pass	1411
1000	3000	1	RMS	2973	-45.73	-13	32.73	Pass	2001
3000	10000	1	RMS	9993	-56.15	-13	43.15	Pass	7001




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.01	-13	58.01	Pass	401
0.15	30	0.01	RMS	0.27	-69.72	-13	56.72	Pass	2986
30	814	0.1	RMS	813.5	-45.89	-13	32.89	Pass	7841
814	859	0.1	RMS	838	-0.55	60	60.55	Pass	451
859	1000	0.1	RMS	909.3	-60.01	-13	47.01	Pass	1411
1000	3000	1	RMS	2980	-45.83	-13	32.83	Pass	2001
3000	10000	1	RMS	9940	-56.29	-13	43.29	Pass	7001




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.55	-13	55.55	Pass	401
0.15	30	0.01	RMS	0.24	-69.6	-13	56.6	Pass	2986
30	814	0.1	RMS	813.6	-60.12	-13	47.12	Pass	7841
814	859	0.1	RMS	827	18.21	60	41.79	Pass	451
859	1000	0.1	RMS	905.6	-59.92	-13	46.92	Pass	1411
1000	3000	1	RMS	2972	-45.75	-13	32.75	Pass	2001
3000	10000	1	RMS	9968	-56.15	-13	43.15	Pass	7001




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.46	-13	56.46	Pass	401
0.15	30	0.01	RMS	0.21	-69.92	-13	56.92	Pass	2986
30	814	0.1	RMS	484.5	-60.23	-13	47.23	Pass	7841
814	859	0.1	RMS	845.9	18.06	60	41.94	Pass	451
859	1000	0.1	RMS	898.6	-59.81	-13	46.81	Pass	1411
1000	3000	1	RMS	2971	-45.96	-13	32.96	Pass	2001
3000	10000	1	RMS	9984	-55.92	-13	42.92	Pass	7001




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.65	-13	57.65	Pass	401
0.15	30	0.01	RMS	0.19	-70.17	-13	57.17	Pass	2986
30	814	0.1	RMS	813.8	-45.04	-13	32.04	Pass	7841
814	859	0.1	RMS	840.6	-0.39	60	60.39	Pass	451
859	1000	0.1	RMS	900.2	-60.06	-13	47.06	Pass	1411
1000	3000	1	RMS	2970	-45.97	-13	32.97	Pass	2001
3000	10000	1	RMS	7079	-46.89	-13	33.89	Pass	7001




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.44	-13	58.44	Pass	401
0.15	30	0.01	RMS	0.16	-69.86	-13	56.86	Pass	2986
30	814	0.1	RMS	481.8	-60.22	-13	47.22	Pass	7841
814	859	0.1	RMS	829.5	18.11	60	41.89	Pass	451
859	1000	0.1	RMS	869.1	-59.85	-13	46.85	Pass	1411
1000	3000	1	RMS	2978	-45.92	-13	32.92	Pass	2001
3000	10000	1	RMS	9958	-56.13	-13	43.13	Pass	7001



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.82	-13	56.82	Pass	401
0.15	30	0.01	RMS	0.19	-69.21	-13	56.21	Pass	2986
30	814	0.1	RMS	749.7	-60.35	-13	47.35	Pass	7841
814	859	0.1	RMS	848.4	17.95	60	42.05	Pass	451
859	1000	0.1	RMS	910.7	-60.02	-13	47.02	Pass	1411
1000	3000	1	RMS	2970	-45.69	-13	32.69	Pass	2001
3000	10000	1	RMS	9921	-56.16	-13	43.16	Pass	7001



2. n12 15kHz


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.81	-13	57.81	Pass	401
0.15	30	0.01	RMS	0.17	-68.79	-13	55.79	Pass	2986
30	689	0.1	RMS	487.3	-60.44	-13	47.44	Pass	6591
689	726	0.1	RMS	701.858	4.06	60	55.94	Pass	401
726	1000	0.1	RMS	987.6	-58.78	-13	45.78	Pass	2741
1000	3000	1	RMS	2975	-45.83	-13	32.83	Pass	2001
3000	10000	1	RMS	9918	-56.23	-13	43.23	Pass	7001




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.87	-13	56.87	Pass	401
0.15	30	0.01	RMS	0.15	-70.02	-13	57.02	Pass	2986
30	689	0.1	RMS	488.5	-60.03	-13	47.03	Pass	6591
689	726	0.1	RMS	699.36	18.12	60	41.88	Pass	401
726	1000	0.1	RMS	883.8	-59.42	-13	46.42	Pass	2741
1000	3000	1	RMS	2970	-45.96	-13	32.96	Pass	2001
3000	10000	1	RMS	5760	-48.81	-13	35.81	Pass	7001




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.24	-13	56.24	Pass	401
0.15	30	0.01	RMS	0.38	-69.94	-13	56.94	Pass	2986
30	689	0.1	RMS	474.7	-60.32	-13	47.32	Pass	6591
689	726	0.1	RMS	703.615	18.09	60	41.91	Pass	401
726	1000	0.1	RMS	995.2	-59.43	-13	46.43	Pass	2741
1000	3000	1	RMS	2978	-45.88	-13	32.88	Pass	2001
3000	10000	1	RMS	9953	-56.01	-13	43.01	Pass	7001




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.93	-13	56.93	Pass	401
0.15	30	0.01	RMS	0.17	-70.32	-13	57.32	Pass	2986
30	689	0.1	RMS	474.1	-60.14	-13	47.14	Pass	6591
689	726	0.1	RMS	709.535	4.18	60	55.82	Pass	401
726	1000	0.1	RMS	992.8	-59.36	-13	46.36	Pass	2741
1000	3000	1	RMS	2971	-45.76	-13	32.76	Pass	2001
3000	10000	1	RMS	7086	-47.16	-13	34.16	Pass	7001




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.62	-13	57.62	Pass	401
0.15	30	0.01	RMS	0.17	-69.43	-13	56.43	Pass	2986
30	689	0.1	RMS	361.8	-60.42	-13	47.42	Pass	6591
689	726	0.1	RMS	705.373	17.98	60	42.02	Pass	401
726	1000	0.1	RMS	993.6	-59.25	-13	46.25	Pass	2741
1000	3000	1	RMS	2975	-45.85	-13	32.85	Pass	2001
3000	10000	1	RMS	9938	-56.34	-13	43.34	Pass	7001




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.89	-13	55.89	Pass	401
0.15	30	0.01	RMS	0.15	-68.93	-13	55.93	Pass	2986
30	689	0.1	RMS	493.7	-60.49	-13	47.49	Pass	6591
689	726	0.1	RMS	709.628	18.25	60	41.75	Pass	401
726	1000	0.1	RMS	813.4	-59.48	-13	46.48	Pass	2741
1000	3000	1	RMS	2974	-45.81	-13	32.81	Pass	2001
3000	10000	1	RMS	9909	-56.26	-13	43.26	Pass	7001




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.22	-13	57.22	Pass	401
0.15	30	0.01	RMS	0.42	-70.78	-13	57.78	Pass	2986
30	689	0.1	RMS	468	-60.37	-13	47.37	Pass	6591
689	726	0.1	RMS	711.755	4.44	60	55.56	Pass	401
726	1000	0.1	RMS	864.3	-59.41	-13	46.41	Pass	2741
1000	3000	1	RMS	2973	-46.03	-13	33.03	Pass	2001
3000	10000	1	RMS	9939	-56.05	-13	43.05	Pass	7001




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.01	-13	58.01	Pass	401
0.15	30	0.01	RMS	0.45	-69.44	-13	56.44	Pass	2986
30	689	0.1	RMS	492.5	-60.32	-13	47.32	Pass	6591
689	726	0.1	RMS	711.293	18.03	60	41.97	Pass	401
726	1000	0.1	RMS	983.8	-59.42	-13	46.42	Pass	2741
1000	3000	1	RMS	2972	-45.85	-13	32.85	Pass	2001
3000	10000	1	RMS	9998	-56.19	-13	43.19	Pass	7001




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.64	-13	56.64	Pass	401
0.15	30	0.01	RMS	0.19	-70.02	-13	57.02	Pass	2986
30	689	0.1	RMS	487.8	-60.34	-13	47.34	Pass	6591
689	726	0.1	RMS	715.64	18.35	60	41.65	Pass	401
726	1000	0.1	RMS	900.3	-59.46	-13	46.46	Pass	2741
1000	3000	1	RMS	2970	-45.75	-13	32.75	Pass	2001
3000	10000	1	RMS	9969	-56.18	-13	43.18	Pass	7001




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.55	-13	57.55	Pass	401
0.15	30	0.01	RMS	0.16	-68.93	-13	55.93	Pass	2986
30	689	0.1	RMS	479.4	-60.3	-13	47.3	Pass	6591
689	726	0.1	RMS	701.673	2.32	60	57.68	Pass	401
726	1000	0.1	RMS	920.6	-59.34	-13	46.34	Pass	2741
1000	3000	1	RMS	2965	-45.93	-13	32.93	Pass	2001
3000	10000	1	RMS	7087	-48.22	-13	35.22	Pass	7001




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.58	-13	57.58	Pass	401
0.15	30	0.01	RMS	0.18	-69.85	-13	56.85	Pass	2986
30	689	0.1	RMS	630.1	-60.4	-13	47.4	Pass	6591
689	726	0.1	RMS	699.36	17.98	60	42.02	Pass	401
726	1000	0.1	RMS	886.3	-59.35	-13	46.35	Pass	2741
1000	3000	1	RMS	2965	-45.95	-13	32.95	Pass	2001
3000	10000	1	RMS	9997	-56.03	-13	43.03	Pass	7001




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.6	-13	57.6	Pass	401
0.15	30	0.01	RMS	0.19	-70.04	-13	57.04	Pass	2986
30	689	0.1	RMS	470.8	-60.39	-13	47.39	Pass	6591
689	726	0.1	RMS	708.61	18.17	60	41.83	Pass	401
726	1000	0.1	RMS	902.9	-59.47	-13	46.47	Pass	2741
1000	3000	1	RMS	2974	-45.79	-13	32.79	Pass	2001
3000	10000	1	RMS	10000	-56.33	-13	43.33	Pass	7001




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-70.47	-13	57.47	Pass	401
0.15	30	0.01	RMS	0.29	-69.42	-13	56.42	Pass	2986
30	689	0.1	RMS	477.2	-60.4	-13	47.4	Pass	6591
689	726	0.1	RMS	710.183	2.18	60	57.82	Pass	401
726	1000	0.1	RMS	886.2	-59.44	-13	46.44	Pass	2741
1000	3000	1	RMS	2977	-45.86	-13	32.86	Pass	2001
3000	10000	1	RMS	9866	-56.37	-13	43.37	Pass	7001




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.98	-13	55.98	Pass	401
0.15	30	0.01	RMS	0.43	-69.56	-13	56.56	Pass	2986
30	689	0.1	RMS	479.6	-60.53	-13	47.53	Pass	6591
689	726	0.1	RMS	702.875	18.33	60	41.67	Pass	401
726	1000	0.1	RMS	917.2	-59.35	-13	46.35	Pass	2741
1000	3000	1	RMS	2974	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	9994	-56.12	-13	43.12	Pass	7001




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.48	-13	57.48	Pass	401
0.15	30	0.01	RMS	0.41	-70.19	-13	57.19	Pass	2986
30	689	0.1	RMS	641.1	-60.43	-13	47.43	Pass	6591
689	726	0.1	RMS	712.125	17.93	60	42.07	Pass	401
726	1000	0.1	RMS	917.7	-59.44	-13	46.44	Pass	2741
1000	3000	1	RMS	2975	-45.85	-13	32.85	Pass	2001
3000	10000	1	RMS	7092	-46.86	-13	33.86	Pass	7001




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.96	-13	55.96	Pass	401
0.15	30	0.01	RMS	0.52	-69.93	-13	56.93	Pass	2986
30	689	0.1	RMS	465.3	-60.39	-13	47.39	Pass	6591
689	726	0.1	RMS	711.478	2.22	60	57.78	Pass	401
726	1000	0.1	RMS	911.5	-59.3	-13	46.3	Pass	2741
1000	3000	1	RMS	2970	-46.05	-13	33.05	Pass	2001
3000	10000	1	RMS	9975	-56.06	-13	43.06	Pass	7001




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.54	-13	55.54	Pass	401
0.15	30	0.01	RMS	0.68	-70.13	-13	57.13	Pass	2986
30	689	0.1	RMS	477.1	-60.41	-13	47.41	Pass	6591
689	726	0.1	RMS	706.39	18.47	60	41.53	Pass	401
726	1000	0.1	RMS	908.5	-59.45	-13	46.45	Pass	2741
1000	3000	1	RMS	2967	-45.81	-13	32.81	Pass	2001
3000	10000	1	RMS	9947	-56.2	-13	43.2	Pass	7001




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.25	-13	57.25	Pass	401
0.15	30	0.01	RMS	0.15	-69.51	-13	56.51	Pass	2986
30	689	0.1	RMS	485.6	-60.18	-13	47.18	Pass	6591
689	726	0.1	RMS	715.548	18.09	60	41.91	Pass	401
726	1000	0.1	RMS	884	-59.21	-13	46.21	Pass	2741
1000	3000	1	RMS	2964	-45.94	-13	32.94	Pass	2001
3000	10000	1	RMS	9980	-56.05	-13	43.05	Pass	7001




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.44	-13	57.44	Pass	401
0.15	30	0.01	RMS	0.2	-70.26	-13	57.26	Pass	2986
30	689	0.1	RMS	481.8	-60.4	-13	47.4	Pass	6591
689	726	0.1	RMS	710.923	0.37	60	59.63	Pass	401
726	1000	0.1	RMS	870.7	-59.42	-13	46.42	Pass	2741
1000	3000	1	RMS	2973	-45.81	-13	32.81	Pass	2001
3000	10000	1	RMS	9987	-56.1	-13	43.1	Pass	7001




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.63	-13	56.63	Pass	401
0.15	30	0.01	RMS	0.35	-70.34	-13	57.34	Pass	2986
30	689	0.1	RMS	468.7	-60.32	-13	47.32	Pass	6591
689	726	0.1	RMS	699.453	18.35	60	41.65	Pass	401
726	1000	0.1	RMS	895.2	-59.35	-13	46.35	Pass	2741
1000	3000	1	RMS	2971	-46.07	-13	33.07	Pass	2001
3000	10000	1	RMS	9978	-56.15	-13	43.15	Pass	7001




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.8	-13	56.8	Pass	401
0.15	30	0.01	RMS	0.16	-70.01	-13	57.01	Pass	2986
30	689	0.1	RMS	483.1	-60.38	-13	47.38	Pass	6591
689	726	0.1	RMS	713.513	18.31	60	41.69	Pass	401
726	1000	0.1	RMS	906.7	-59.46	-13	46.46	Pass	2741
1000	3000	1	RMS	2969	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	7095	-48.27	-13	35.27	Pass	7001




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.23	-13	56.23	Pass	401
0.15	30	0.01	RMS	0.21	-69.79	-13	56.79	Pass	2986
30	689	0.1	RMS	642.1	-60.46	-13	47.46	Pass	6591
689	726	0.1	RMS	711.94	0.49	60	59.51	Pass	401
726	1000	0.1	RMS	922.5	-59.29	-13	46.29	Pass	2741
1000	3000	1	RMS	2968	-45.9	-13	32.9	Pass	2001
3000	10000	1	RMS	9979	-55.99	-13	42.99	Pass	7001




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.75	-13	57.75	Pass	401
0.15	30	0.01	RMS	0.19	-69.92	-13	56.92	Pass	2986
30	689	0.1	RMS	651	-60.39	-13	47.39	Pass	6591
689	726	0.1	RMS	700.47	18.45	60	41.55	Pass	401
726	1000	0.1	RMS	913.6	-59.46	-13	46.46	Pass	2741
1000	3000	1	RMS	2969	-46.06	-13	33.06	Pass	2001
3000	10000	1	RMS	9955	-56.14	-13	43.14	Pass	7001




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.51	-13	56.51	Pass	401
0.15	30	0.01	RMS	0.34	-70	-13	57	Pass	2986
30	689	0.1	RMS	485.6	-60.32	-13	47.32	Pass	6591
689	726	0.1	RMS	714.53	18.2	60	41.8	Pass	401
726	1000	0.1	RMS	994.8	-59.41	-13	46.41	Pass	2741
1000	3000	1	RMS	2984	-46.05	-13	33.05	Pass	2001
3000	10000	1	RMS	9955	-56.09	-13	43.09	Pass	7001




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.6	-13	56.6	Pass	401
0.15	30	0.01	RMS	9.3	-70.59	-13	57.59	Pass	2986
30	689	0.1	RMS	633.1	-60.4	-13	47.4	Pass	6591
689	726	0.1	RMS	712.403	0.54	60	59.46	Pass	401
726	1000	0.1	RMS	869.4	-59.44	-13	46.44	Pass	2741
1000	3000	1	RMS	2971	-45.8	-13	32.8	Pass	2001
3000	10000	1	RMS	9921	-56.34	-13	43.34	Pass	7001




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.95	-13	56.95	Pass	401
0.15	30	0.01	RMS	3.94	-70.29	-13	57.29	Pass	2986
30	689	0.1	RMS	635.1	-60.41	-13	47.41	Pass	6591
689	726	0.1	RMS	701.488	18.33	60	41.67	Pass	401
726	1000	0.1	RMS	906.7	-59.38	-13	46.38	Pass	2741
1000	3000	1	RMS	2976	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	9922	-56.23	-13	43.23	Pass	7001



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.71	-13	56.71	Pass	401
0.15	30	0.01	RMS	28.4	-70.3	-13	57.3	Pass	2986
30	689	0.1	RMS	633	-60.36	-13	47.36	Pass	6591
689	726	0.1	RMS	715.548	17.87	60	42.13	Pass	401
726	1000	0.1	RMS	925.9	-59.4	-13	46.4	Pass	2741
1000	3000	1	RMS	2976	-45.85	-13	32.85	Pass	2001
3000	10000	1	RMS	7109	-47.78	-13	34.78	Pass	7001



1. n7


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.48	-25	45.48	Pass	401
0.15	30	0.01	RMS	0.3	-69.3	-25	44.3	Pass	2986
30	1000	0.1	RMS	894.73	-59.74	-25	34.74	Pass	9701
1000	2495	1	RMS	2495	-36.89	-25	11.89	Pass	1496
2495	2575	1	RMS	2503.6	15.42	60	44.58	Pass	401
2575	3000	1	RMS	2971	-45.81	-25	20.81	Pass	426
3000	7000	1	RMS	6981	-58.22	-25	33.22	Pass	4001
7000	26000	1	RMS	24097	-44.08	-25	19.08	Pass	19003




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70	-25	45	Pass	401
0.15	30	0.01	RMS	1	-70.09	-25	45.09	Pass	2986
30	1000	0.1	RMS	871.015	-59.74	-25	34.74	Pass	9701
1000	2495	1	RMS	2495	-45.76	-25	20.76	Pass	1496
2495	2575	1	RMS	2500.2	21.41	60	38.59	Pass	401
2575	3000	1	RMS	2968	-45.91	-25	20.91	Pass	426
3000	7000	1	RMS	5205	-38.4	-25	13.4	Pass	4001
7000	26000	1	RMS	24102	-44.23	-25	19.23	Pass	19003




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.18	-25	45.18	Pass	401
0.15	30	0.01	RMS	0.72	-69.66	-25	44.66	Pass	2986
30	1000	0.1	RMS	867.912	-59.79	-25	34.79	Pass	9701
1000	2495	1	RMS	2409	-46.43	-25	21.43	Pass	1496
2495	2575	1	RMS	2504.6	21.4	60	38.6	Pass	401
2575	3000	1	RMS	2979	-45.85	-25	20.85	Pass	426
3000	7000	1	RMS	6979	-57.78	-25	32.78	Pass	4001
7000	26000	1	RMS	24115	-44.25	-25	19.25	Pass	19003




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.18	-25	45.18	Pass	401
0.15	30	0.01	RMS	0.19	-69.64	-25	44.64	Pass	2986
30	1000	0.1	RMS	477.2	-59.87	-25	34.87	Pass	9701
1000	2495	1	RMS	2495	-47.15	-25	22.15	Pass	1496
2495	2575	1	RMS	2536	15.11	60	44.89	Pass	401
2575	3000	1	RMS	2983	-45.93	-25	20.93	Pass	426
3000	7000	1	RMS	6978	-58.15	-25	33.15	Pass	4001
7000	26000	1	RMS	24115	-44.26	-25	19.26	Pass	19003




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.86	-25	46.86	Pass	401
0.15	30	0.01	RMS	29.55	-69.39	-25	44.39	Pass	2986
30	1000	0.1	RMS	899.834	-59.76	-25	34.76	Pass	9701
1000	2495	1	RMS	2414	-46.06	-25	21.06	Pass	1496
2495	2575	1	RMS	2532.8	21.24	60	38.76	Pass	401
2575	3000	1	RMS	2971	-45.74	-25	20.74	Pass	426
3000	7000	1	RMS	7000	-58.08	-25	33.08	Pass	4001
7000	26000	1	RMS	25105	-44.2	-25	19.2	Pass	19003




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.25	-25	45.25	Pass	401
0.15	30	0.01	RMS	29.68	-69.81	-25	44.81	Pass	2986
30	1000	0.1	RMS	890.527	-59.43	-25	34.43	Pass	9701
1000	2495	1	RMS	2480	-47.13	-25	22.13	Pass	1496
2495	2575	1	RMS	2537	21.28	60	38.72	Pass	401
2575	3000	1	RMS	2966	-45.91	-25	20.91	Pass	426
3000	7000	1	RMS	6977	-57.82	-25	32.82	Pass	4001
7000	26000	1	RMS	24113	-44.15	-25	19.15	Pass	19003




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.4	-25	45.4	Pass	401
0.15	30	0.01	RMS	12.89	-69.89	-25	44.89	Pass	2986
30	1000	0.1	RMS	994.196	-59.63	-25	34.63	Pass	9701
1000	2495	1	RMS	2410	-46.33	-25	21.33	Pass	1496
2495	2575	1	RMS	2566.2	15.09	60	44.91	Pass	401
2575	3000	1	RMS	2575	-36.98	-25	11.98	Pass	426
3000	7000	1	RMS	6980	-58.16	-25	33.16	Pass	4001
7000	26000	1	RMS	25091	-44.15	-25	19.15	Pass	19003




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.73	-25	44.73	Pass	401
0.15	30	0.01	RMS	0.15	-69.06	-25	44.06	Pass	2986
30	1000	0.1	RMS	902.936	-59.75	-25	34.75	Pass	9701
1000	2495	1	RMS	2494	-47.02	-25	22.02	Pass	1496
2495	2575	1	RMS	2565.2	21.25	60	38.75	Pass	401
2575	3000	1	RMS	2968	-45.8	-25	20.8	Pass	426
3000	7000	1	RMS	6978	-57.79	-25	32.79	Pass	4001
7000	26000	1	RMS	24097	-44.26	-25	19.26	Pass	19003




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.42	-25	45.42	Pass	401
0.15	30	0.01	RMS	0.17	-70.03	-25	45.03	Pass	2986
30	1000	0.1	RMS	967.579	-59.9	-25	34.9	Pass	9701
1000	2495	1	RMS	2494	-46.83	-25	21.83	Pass	1496
2495	2575	1	RMS	2569.6	21.3	60	38.7	Pass	401
2575	3000	1	RMS	2970	-45.94	-25	20.94	Pass	426
3000	7000	1	RMS	6979	-58.21	-25	33.21	Pass	4001
7000	26000	1	RMS	25095	-44.23	-25	19.23	Pass	19003




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.63	-25	45.63	Pass	401
0.15	30	0.01	RMS	0.57	-69.66	-25	44.66	Pass	2986
30	1000	0.1	RMS	992.595	-59.67	-25	34.67	Pass	9701
1000	2475	1	RMS	2475	-46.05	-25	21.05	Pass	1476
2475	2595	1	RMS	2520.6	8.23	60	51.77	Pass	401
2595	3000	1	RMS	2980	-45.9	-25	20.9	Pass	406
3000	7000	1	RMS	6975	-58.12	-25	33.12	Pass	4001
7000	26000	1	RMS	25077	-44.39	-25	19.39	Pass	19003




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.22	-25	45.22	Pass	401
0.15	30	0.01	RMS	0.2	-69.55	-25	44.55	Pass	2986
30	1000	0.1	RMS	896.531	-59.63	-25	34.63	Pass	9701
1000	2475	1	RMS	2185	-47.46	-25	22.46	Pass	1476
2475	2595	1	RMS	2500.5	21.46	60	38.54	Pass	401
2595	3000	1	RMS	2975	-45.84	-25	20.84	Pass	406
3000	7000	1	RMS	6970	-57.96	-25	32.96	Pass	4001
7000	26000	1	RMS	25085	-44.15	-25	19.15	Pass	19003




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.78	-25	44.78	Pass	401
0.15	30	0.01	RMS	0.16	-69.98	-25	44.98	Pass	2986
30	1000	0.1	RMS	894.63	-59.51	-25	34.51	Pass	9701
1000	2475	1	RMS	2459	-47.32	-25	22.32	Pass	1476
2475	2595	1	RMS	2524.2	21.41	60	38.59	Pass	401
2595	3000	1	RMS	2974	-45.75	-25	20.75	Pass	406
3000	7000	1	RMS	6981	-57.83	-25	32.83	Pass	4001
7000	26000	1	RMS	25114	-44.3	-25	19.3	Pass	19003




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.12	-25	45.12	Pass	401
0.15	30	0.01	RMS	0.17	-69.37	-25	44.37	Pass	2986
30	1000	0.1	RMS	479.7	-59.75	-25	34.75	Pass	9701
1000	2475	1	RMS	2451	-47.31	-25	22.31	Pass	1476
2475	2595	1	RMS	2524.2	8.22	60	51.78	Pass	401
2595	3000	1	RMS	2971	-45.8	-25	20.8	Pass	406
3000	7000	1	RMS	6971	-57.98	-25	32.98	Pass	4001
7000	26000	1	RMS	24105	-44.21	-25	19.21	Pass	19003




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.93	-25	45.93	Pass	401
0.15	30	0.01	RMS	3.22	-70.11	-25	45.11	Pass	2986
30	1000	0.1	RMS	885.224	-59.68	-25	34.68	Pass	9701
1000	2475	1	RMS	2207	-47.52	-25	22.52	Pass	1476
2475	2595	1	RMS	2523	21.44	60	38.56	Pass	401
2595	3000	1	RMS	2984	-45.96	-25	20.96	Pass	406
3000	7000	1	RMS	6976	-57.9	-25	32.9	Pass	4001
7000	26000	1	RMS	24101	-44.11	-25	19.11	Pass	19003




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.42	-25	44.42	Pass	401
0.15	30	0.01	RMS	0.4	-69.25	-25	44.25	Pass	2986
30	1000	0.1	RMS	897.132	-59.69	-25	34.69	Pass	9701
1000	2475	1	RMS	2475	-47.26	-25	22.26	Pass	1476
2475	2595	1	RMS	2546.7	21.19	60	38.81	Pass	401
2595	3000	1	RMS	2970	-45.7	-25	20.7	Pass	406
3000	7000	1	RMS	6986	-58.02	-25	33.02	Pass	4001
7000	26000	1	RMS	25073	-44.19	-25	19.19	Pass	19003




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.01	-25	46.01	Pass	401
0.15	30	0.01	RMS	3.69	-69.81	-25	44.81	Pass	2986
30	1000	0.1	RMS	877.619	-59.72	-25	34.72	Pass	9701
1000	2475	1	RMS	2408	-47.41	-25	22.41	Pass	1476
2475	2595	1	RMS	2561.7	7.92	60	52.08	Pass	401
2595	3000	1	RMS	2595	-44.45	-25	19.45	Pass	406
3000	7000	1	RMS	6981	-57.84	-25	32.84	Pass	4001
7000	26000	1	RMS	25089	-44.17	-25	19.17	Pass	19003




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.13	-25	43.13	Pass	401
0.15	30	0.01	RMS	1.05	-69.55	-25	44.55	Pass	2986
30	1000	0.1	RMS	900.534	-59.27	-25	34.27	Pass	9701
1000	2475	1	RMS	2471	-47.56	-25	22.56	Pass	1476
2475	2595	1	RMS	2545.5	21.23	60	38.77	Pass	401
2595	3000	1	RMS	2982	-45.87	-25	20.87	Pass	406
3000	7000	1	RMS	6978	-57.78	-25	32.78	Pass	4001
7000	26000	1	RMS	24099	-44.06	-25	19.06	Pass	19003




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.46	-25	44.46	Pass	401
0.15	30	0.01	RMS	24.34	-70.07	-25	45.07	Pass	2986
30	1000	0.1	RMS	909.54	-59.37	-25	34.37	Pass	9701
1000	2475	1	RMS	2462	-47.31	-25	22.31	Pass	1476
2475	2595	1	RMS	2569.2	21.37	60	38.63	Pass	401
2595	3000	1	RMS	2968	-45.76	-25	20.76	Pass	406
3000	7000	1	RMS	6981	-58.2	-25	33.2	Pass	4001
7000	26000	1	RMS	25112	-44.17	-25	19.17	Pass	19003




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.23	-25	45.23	Pass	401
0.15	30	0.01	RMS	0.77	-70	-25	45	Pass	2986
30	1000	0.1	RMS	993.195	-59.67	-25	34.67	Pass	9701
1000	2460	1	RMS	2436	-47.56	-25	22.56	Pass	1461
2460	2610	1	RMS	2512.5	5.96	60	54.04	Pass	401
2610	3000	1	RMS	2966.85	-45.78	-25	20.78	Pass	401
3000	7000	1	RMS	5209	-55.22	-25	30.22	Pass	4001
7000	26000	1	RMS	24102	-44.16	-25	19.16	Pass	19003




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72	-25	47	Pass	401
0.15	30	0.01	RMS	8.06	-70.15	-25	45.15	Pass	2986
30	1000	0.1	RMS	932.255	-59.64	-25	34.64	Pass	9701
1000	2460	1	RMS	2207	-47.56	-25	22.56	Pass	1461
2460	2610	1	RMS	2500.5	21.27	60	38.73	Pass	401
2610	3000	1	RMS	2985.375	-45.97	-25	20.97	Pass	401
3000	7000	1	RMS	6975	-57.93	-25	32.93	Pass	4001
7000	26000	1	RMS	24110	-44.09	-25	19.09	Pass	19003




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.91	-25	45.91	Pass	401
0.15	30	0.01	RMS	0.16	-69.02	-25	44.02	Pass	2986
30	1000	0.1	RMS	987.592	-59.68	-25	34.68	Pass	9701
1000	2460	1	RMS	2413	-45.15	-25	20.15	Pass	1461
2460	2610	1	RMS	2539.125	21.27	60	38.73	Pass	401
2610	3000	1	RMS	2979.525	-45.89	-25	20.89	Pass	401
3000	7000	1	RMS	6989	-58.16	-25	33.16	Pass	4001
7000	26000	1	RMS	25097	-44.02	-25	19.02	Pass	19003




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.55	-25	45.55	Pass	401
0.15	30	0.01	RMS	17.92	-69.81	-25	44.81	Pass	2986
30	1000	0.1	RMS	902.335	-59.45	-25	34.45	Pass	9701
1000	2460	1	RMS	2445	-47.46	-25	22.46	Pass	1461
2460	2610	1	RMS	2517	6.13	60	53.87	Pass	401
2610	3000	1	RMS	2970.75	-45.84	-25	20.84	Pass	401
3000	7000	1	RMS	6981	-57.92	-25	32.92	Pass	4001
7000	26000	1	RMS	24085	-44.4	-25	19.4	Pass	19003




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.01	-25	45.01	Pass	401
0.15	30	0.01	RMS	0.15	-69.16	-25	44.16	Pass	2986
30	1000	0.1	RMS	887.125	-59.73	-25	34.73	Pass	9701
1000	2460	1	RMS	2411	-46.29	-25	21.29	Pass	1461
2460	2610	1	RMS	2515.5	21.33	60	38.67	Pass	401
2610	3000	1	RMS	2986.35	-45.93	-25	20.93	Pass	401
3000	7000	1	RMS	6978	-57.84	-25	32.84	Pass	4001
7000	26000	1	RMS	24132	-44.34	-25	19.34	Pass	19003




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.58	-25	43.58	Pass	401
0.15	30	0.01	RMS	0.16	-70.07	-25	45.07	Pass	2986
30	1000	0.1	RMS	898.533	-59.72	-25	34.72	Pass	9701
1000	2460	1	RMS	2413	-45.55	-25	20.55	Pass	1461
2460	2610	1	RMS	2554.125	21.14	60	38.86	Pass	401
2610	3000	1	RMS	2980.5	-45.75	-25	20.75	Pass	401
3000	7000	1	RMS	6977	-58.31	-25	33.31	Pass	4001
7000	26000	1	RMS	25116	-44.26	-25	19.26	Pass	19003




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.12	-25	45.12	Pass	401
0.15	30	0.01	RMS	1.79	-69.97	-25	44.97	Pass	2986
30	1000	0.1	RMS	889.127	-59.63	-25	34.63	Pass	9701
1000	2460	1	RMS	2416	-47.54	-25	22.54	Pass	1461
2460	2610	1	RMS	2560.875	6.18	60	53.82	Pass	401
2610	3000	1	RMS	2983.425	-45.88	-25	20.88	Pass	401
3000	7000	1	RMS	6974	-57.89	-25	32.89	Pass	4001
7000	26000	1	RMS	25083	-44.31	-25	19.31	Pass	19003




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.51	-25	44.51	Pass	401
0.15	30	0.01	RMS	18.4	-70.01	-25	45.01	Pass	2986
30	1000	0.1	RMS	914.543	-59.69	-25	34.69	Pass	9701
1000	2460	1	RMS	2412	-46	-25	21	Pass	1461
2460	2610	1	RMS	2530.5	21.4	60	38.6	Pass	401
2610	3000	1	RMS	2973.675	-45.83	-25	20.83	Pass	401
3000	7000	1	RMS	6981	-57.89	-25	32.89	Pass	4001
7000	26000	1	RMS	25107	-44.07	-25	19.07	Pass	19003



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.47	-25	44.47	Pass	401
0.15	30	0.01	RMS	0.54	-69.07	-25	44.07	Pass	2986
30	1000	0.1	RMS	902.836	-59.67	-25	34.67	Pass	9701
1000	2460	1	RMS	2439	-47.44	-25	22.44	Pass	1461
2460	2610	1	RMS	2569.125	21.27	60	38.73	Pass	401
2610	3000	1	RMS	2972.7	-45.72	-25	20.72	Pass	401
3000	7000	1	RMS	6984	-57.91	-25	32.91	Pass	4001
7000	26000	1	RMS	25102	-44.28	-25	19.28	Pass	19003



2. n66


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.99	-13	55.99	Pass	401
0.15	30	0.01	RMS	1.74	-69.5	-13	56.5	Pass	2986
30	1000	0.1	RMS	835.8	-59.79	-13	46.79	Pass	9701
1000	1700	1	RMS	1700	-44.82	-13	31.82	Pass	701
1700	1790	1	RMS	1711.025	15.3	60	44.7	Pass	401
1790	3000	1	RMS	2411	-45.41	-13	32.41	Pass	1211
3000	7000	1	RMS	6979	-57.88	-13	44.88	Pass	4001
7000	20000	1	RMS	17500	-45.86	-13	32.86	Pass	13002




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.47	-13	57.47	Pass	401
0.15	30	0.01	RMS	12.99	-70.2	-13	57.2	Pass	2986
30	1000	0.1	RMS	903.936	-59.75	-13	46.75	Pass	9701
1000	1700	1	RMS	1699	-49.18	-13	36.18	Pass	701
1700	1790	1	RMS	1710.125	21.23	60	38.77	Pass	401
1790	3000	1	RMS	2414	-45.17	-13	32.17	Pass	1211
3000	7000	1	RMS	6979	-58.09	-13	45.09	Pass	4001
7000	20000	1	RMS	17500	-45.41	-13	32.41	Pass	13002




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.16	-13	56.16	Pass	401
0.15	30	0.01	RMS	0.27	-69.73	-13	56.73	Pass	2986
30	1000	0.1	RMS	992.695	-59.72	-13	46.72	Pass	9701
1000	1700	1	RMS	1696	-49.1	-13	36.1	Pass	701
1700	1790	1	RMS	1714.625	21.42	60	38.58	Pass	401
1790	3000	1	RMS	2970	-45.91	-13	32.91	Pass	1211
3000	7000	1	RMS	6980	-57.95	-13	44.95	Pass	4001
7000	20000	1	RMS	17500	-46.1	-13	33.1	Pass	13002




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.46	-13	55.46	Pass	401
0.15	30	0.01	RMS	0.34	-69.22	-13	56.22	Pass	2986
30	1000	0.1	RMS	910.641	-59.78	-13	46.78	Pass	9701
1000	1700	1	RMS	1677	-49.26	-13	36.26	Pass	701
1700	1790	1	RMS	1743.65	15.35	60	44.65	Pass	401
1790	3000	1	RMS	2414	-45.11	-13	32.11	Pass	1211
3000	7000	1	RMS	6980	-57.91	-13	44.91	Pass	4001
7000	20000	1	RMS	17498	-45.66	-13	32.66	Pass	13002




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.26	-13	56.26	Pass	401
0.15	30	0.01	RMS	21.16	-70.12	-13	57.12	Pass	2986
30	1000	0.1	RMS	919.847	-59.74	-13	46.74	Pass	9701
1000	1700	1	RMS	1673	-49.2	-13	36.2	Pass	701
1700	1790	1	RMS	1742.75	21.48	60	38.52	Pass	401
1790	3000	1	RMS	2971	-45.65	-13	32.65	Pass	1211
3000	7000	1	RMS	6982	-57.82	-13	44.82	Pass	4001
7000	20000	1	RMS	17497	-46.06	-13	33.06	Pass	13002




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.19	-13	57.19	Pass	401
0.15	30	0.01	RMS	29.55	-69.96	-13	56.96	Pass	2986
30	1000	0.1	RMS	891.528	-59.76	-13	46.76	Pass	9701
1000	1700	1	RMS	1666	-49.11	-13	36.11	Pass	701
1700	1790	1	RMS	1747.025	21.56	60	38.44	Pass	401
1790	3000	1	RMS	2968	-45.58	-13	32.58	Pass	1211
3000	7000	1	RMS	6976	-57.91	-13	44.91	Pass	4001
7000	20000	1	RMS	17496	-46	-13	33	Pass	13002




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.02	-13	56.02	Pass	401
0.15	30	0.01	RMS	0.18	-68.95	-13	55.95	Pass	2986
30	1000	0.1	RMS	905.738	-59.67	-13	46.67	Pass	9701
1000	1700	1	RMS	1540	-49.25	-13	36.25	Pass	701
1700	1790	1	RMS	1776.05	15.39	60	44.61	Pass	401
1790	3000	1	RMS	1790	-45.33	-13	32.33	Pass	1211
3000	7000	1	RMS	6979	-57.86	-13	44.86	Pass	4001
7000	20000	1	RMS	17501	-46.16	-13	33.16	Pass	13002




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.78	-13	57.78	Pass	401
0.15	30	0.01	RMS	0.21	-68.71	-13	55.71	Pass	2986
30	1000	0.1	RMS	891.628	-59.69	-13	46.69	Pass	9701
1000	1700	1	RMS	1666	-49.1	-13	36.1	Pass	701
1700	1790	1	RMS	1775.15	21.36	60	38.64	Pass	401
1790	3000	1	RMS	2982	-45.75	-13	32.75	Pass	1211
3000	7000	1	RMS	6975	-58	-13	45	Pass	4001
7000	20000	1	RMS	17499	-46.1	-13	33.1	Pass	13002




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.28	-13	56.28	Pass	401
0.15	30	0.01	RMS	23.44	-70.14	-13	57.14	Pass	2986
30	1000	0.1	RMS	904.837	-59.65	-13	46.65	Pass	9701
1000	1700	1	RMS	1671	-49.22	-13	36.22	Pass	701
1700	1790	1	RMS	1779.425	21.45	60	38.55	Pass	401
1790	3000	1	RMS	2970	-45.8	-13	32.8	Pass	1211
3000	7000	1	RMS	6977	-57.93	-13	44.93	Pass	4001
7000	20000	1	RMS	17500	-45.54	-13	32.54	Pass	13002




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.69	-13	56.69	Pass	401
0.15	30	0.01	RMS	0.34	-69.62	-13	56.62	Pass	2986
30	1000	0.1	RMS	892.028	-59.87	-13	46.87	Pass	9701
1000	1700	1	RMS	1700	-32.44	-13	19.44	Pass	701
1700	1790	1	RMS	1711.475	9.39	60	50.61	Pass	401
1790	3000	1	RMS	2415	-45.86	-13	32.86	Pass	1211
3000	7000	1	RMS	6984	-57.95	-13	44.95	Pass	4001
7000	20000	1	RMS	17496	-46.16	-13	33.16	Pass	13002




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	17.73	-69.82	-13	56.82	Pass	2986
30	1000	0.1	RMS	901.335	-59.57	-13	46.57	Pass	9701
1000	1700	1	RMS	1700	-49	-13	36	Pass	701
1700	1790	1	RMS	1710.35	21.39	60	38.61	Pass	401
1790	3000	1	RMS	2411	-45.51	-13	32.51	Pass	1211
3000	7000	1	RMS	6978	-57.84	-13	44.84	Pass	4001
7000	20000	1	RMS	17501	-45.92	-13	32.92	Pass	13002




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.04	-13	57.04	Pass	401
0.15	30	0.01	RMS	0.24	-68.91	-13	55.91	Pass	2986
30	1000	0.1	RMS	858.906	-59.75	-13	46.75	Pass	9701
1000	1700	1	RMS	1669	-49.19	-13	36.19	Pass	701
1700	1790	1	RMS	1729.25	21.44	60	38.56	Pass	401
1790	3000	1	RMS	2977	-45.58	-13	32.58	Pass	1211
3000	7000	1	RMS	6978	-58.04	-13	45.04	Pass	4001
7000	20000	1	RMS	17500	-45.84	-13	32.84	Pass	13002




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.51	-13	56.51	Pass	401
0.15	30	0.01	RMS	0.23	-69.13	-13	56.13	Pass	2986
30	1000	0.1	RMS	922.849	-59.66	-13	46.66	Pass	9701
1000	1700	1	RMS	1700	-46.94	-13	33.94	Pass	701
1700	1790	1	RMS	1741.4	9.27	60	50.73	Pass	401
1790	3000	1	RMS	2973	-45.6	-13	32.6	Pass	1211
3000	7000	1	RMS	6980	-57.9	-13	44.9	Pass	4001
7000	20000	1	RMS	17503	-45.95	-13	32.95	Pass	13002




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.65	-13	55.65	Pass	401
0.15	30	0.01	RMS	0.69	-69.79	-13	56.79	Pass	2986
30	1000	0.1	RMS	903.436	-59.62	-13	46.62	Pass	9701
1000	1700	1	RMS	1659	-49.29	-13	36.29	Pass	701
1700	1790	1	RMS	1735.325	21.37	60	38.63	Pass	401
1790	3000	1	RMS	2983	-45.67	-13	32.67	Pass	1211
3000	7000	1	RMS	6969	-58.09	-13	45.09	Pass	4001
7000	20000	1	RMS	17501	-45.71	-13	32.71	Pass	13002




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.57	-13	57.57	Pass	401
0.15	30	0.01	RMS	6.21	-69.69	-13	56.69	Pass	2986
30	1000	0.1	RMS	986.991	-59.71	-13	46.71	Pass	9701
1000	1700	1	RMS	1699	-49.04	-13	36.04	Pass	701
1700	1790	1	RMS	1754.225	21.5	60	38.5	Pass	401
1790	3000	1	RMS	2974	-45.87	-13	32.87	Pass	1211
3000	7000	1	RMS	6978	-57.96	-13	44.96	Pass	4001
7000	20000	1	RMS	17500	-45.71	-13	32.71	Pass	13002




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.6	-13	57.6	Pass	401
0.15	30	0.01	RMS	0.57	-69.06	-13	56.06	Pass	2986
30	1000	0.1	RMS	911.742	-59.7	-13	46.7	Pass	9701
1000	1700	1	RMS	1700	-49.02	-13	36.02	Pass	701
1700	1790	1	RMS	1771.55	9.34	60	50.66	Pass	401
1790	3000	1	RMS	1790	-33.68	-13	20.68	Pass	1211
3000	7000	1	RMS	6980	-57.98	-13	44.98	Pass	4001
7000	20000	1	RMS	17503	-45.78	-13	32.78	Pass	13002




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.02	-13	57.02	Pass	401
0.15	30	0.01	RMS	23.53	-69.73	-13	56.73	Pass	2986
30	1000	0.1	RMS	908.439	-59.61	-13	46.61	Pass	9701
1000	1700	1	RMS	1687	-49.16	-13	36.16	Pass	701
1700	1790	1	RMS	1760.525	21.46	60	38.54	Pass	401
1790	3000	1	RMS	2972	-45.83	-13	32.83	Pass	1211
3000	7000	1	RMS	6980	-57.93	-13	44.93	Pass	4001
7000	20000	1	RMS	17499	-45.58	-13	32.58	Pass	13002




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.27	-13	57.27	Pass	401
0.15	30	0.01	RMS	0.18	-69.07	-13	56.07	Pass	2986
30	1000	0.1	RMS	905.938	-59.71	-13	46.71	Pass	9701
1000	1700	1	RMS	1684	-49.17	-13	36.17	Pass	701
1700	1790	1	RMS	1779.425	21.63	60	38.37	Pass	401
1790	3000	1	RMS	2977	-45.65	-13	32.65	Pass	1211
3000	7000	1	RMS	6980	-57.99	-13	44.99	Pass	4001
7000	20000	1	RMS	17500	-45.93	-13	32.93	Pass	13002




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.07	-13	57.07	Pass	401
0.15	30	0.01	RMS	0.35	-69.72	-13	56.72	Pass	2986
30	1000	0.1	RMS	992.695	-59.73	-13	46.73	Pass	9701
1000	1700	1	RMS	1700	-32.09	-13	19.09	Pass	701
1700	1790	1	RMS	1743.65	6.73	60	53.27	Pass	401
1790	3000	1	RMS	1790	-39.76	-13	26.76	Pass	1211
3000	7000	1	RMS	6975	-57.89	-13	44.89	Pass	4001
7000	20000	1	RMS	17504	-45.89	-13	32.89	Pass	13002




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.58	-13	57.58	Pass	401
0.15	30	0.01	RMS	0.59	-68.7	-13	55.7	Pass	2986
30	1000	0.1	RMS	903.736	-59.62	-13	46.62	Pass	9701
1000	1700	1	RMS	1700	-48.79	-13	35.79	Pass	701
1700	1790	1	RMS	1710.575	21.42	60	38.58	Pass	401
1790	3000	1	RMS	2971	-45.89	-13	32.89	Pass	1211
3000	7000	1	RMS	6977	-57.89	-13	44.89	Pass	4001
7000	20000	1	RMS	17499	-45.74	-13	32.74	Pass	13002




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.52	-13	56.52	Pass	401
0.15	30	0.01	RMS	27.02	-69.85	-13	56.85	Pass	2986
30	1000	0.1	RMS	908.139	-59.4	-13	46.4	Pass	9701
1000	1700	1	RMS	1696	-48.97	-13	35.97	Pass	701
1700	1790	1	RMS	1749.275	21.51	60	38.49	Pass	401
1790	3000	1	RMS	2970	-45.81	-13	32.81	Pass	1211
3000	7000	1	RMS	6985	-57.9	-13	44.9	Pass	4001
7000	20000	1	RMS	17501	-45.58	-13	32.58	Pass	13002




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.87	-13	57.87	Pass	401
0.15	30	0.01	RMS	0.2	-69.21	-13	56.21	Pass	2986
30	1000	0.1	RMS	856.105	-59.72	-13	46.72	Pass	9701
1000	1700	1	RMS	1700	-36.71	-13	23.71	Pass	701
1700	1790	1	RMS	1741.4	6.27	60	53.73	Pass	401
1790	3000	1	RMS	1790	-36.56	-13	23.56	Pass	1211
3000	7000	1	RMS	6977	-57.74	-13	44.74	Pass	4001
7000	20000	1	RMS	17499	-46.07	-13	33.07	Pass	13002




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.67	-13	57.67	Pass	401
0.15	30	0.01	RMS	0.16	-69.49	-13	56.49	Pass	2986
30	1000	0.1	RMS	902.135	-59.59	-13	46.59	Pass	9701
1000	1700	1	RMS	1672	-49.11	-13	36.11	Pass	701
1700	1790	1	RMS	1725.65	21.31	60	38.69	Pass	401
1790	3000	1	RMS	2983	-45.62	-13	32.62	Pass	1211
3000	7000	1	RMS	6979	-57.95	-13	44.95	Pass	4001
7000	20000	1	RMS	17498	-45.96	-13	32.96	Pass	13002




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.73	-13	56.73	Pass	401
0.15	30	0.01	RMS	0.23	-69.31	-13	56.31	Pass	2986
30	1000	0.1	RMS	872.616	-59.72	-13	46.72	Pass	9701
1000	1700	1	RMS	1700	-49.2	-13	36.2	Pass	701
1700	1790	1	RMS	1764.125	21.47	60	38.53	Pass	401
1790	3000	1	RMS	2970	-45.49	-13	32.49	Pass	1211
3000	7000	1	RMS	6977	-58.21	-13	45.21	Pass	4001
7000	20000	1	RMS	17501	-45.66	-13	32.66	Pass	13002




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.45	-13	55.45	Pass	401
0.15	30	0.01	RMS	0.26	-69.23	-13	56.23	Pass	2986
30	1000	0.1	RMS	900.634	-59.28	-13	46.28	Pass	9701
1000	1700	1	RMS	1700	-39.99	-13	26.99	Pass	701
1700	1790	1	RMS	1771.1	6.45	60	53.55	Pass	401
1790	3000	1	RMS	1790	-32.06	-13	19.06	Pass	1211
3000	7000	1	RMS	6978	-58.12	-13	45.12	Pass	4001
7000	20000	1	RMS	17495	-46.09	-13	33.09	Pass	13002




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.73	-13	55.73	Pass	401
0.15	30	0.01	RMS	0.36	-68.75	-13	55.75	Pass	2986
30	1000	0.1	RMS	986.891	-59.82	-13	46.82	Pass	9701
1000	1700	1	RMS	1685	-49.15	-13	36.15	Pass	701
1700	1790	1	RMS	1740.5	21.48	60	38.52	Pass	401
1790	3000	1	RMS	2990	-45.81	-13	32.81	Pass	1211
3000	7000	1	RMS	6983	-57.93	-13	44.93	Pass	4001
7000	20000	1	RMS	17500	-45.78	-13	32.78	Pass	13002



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.1	-13	55.1	Pass	401
0.15	30	0.01	RMS	0.22	-69.67	-13	56.67	Pass	2986
30	1000	0.1	RMS	907.839	-59.35	-13	46.35	Pass	9701
1000	1700	1	RMS	1693	-49.15	-13	36.15	Pass	701
1700	1790	1	RMS	1779.2	21.47	60	38.53	Pass	401
1790	3000	1	RMS	2978	-45.79	-13	32.79	Pass	1211
3000	7000	1	RMS	6983	-57.85	-13	44.85	Pass	4001
7000	20000	1	RMS	17498	-45.75	-13	32.75	Pass	13002



3. n71 15kHz


3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.87	-13	56.87	Pass	401
0.15	30	0.01	RMS	1.06	-69.52	-13	56.52	Pass	2986
30	653	0.1	RMS	480.6	-59.93	-13	46.93	Pass	6231
653	708	0.1	RMS	665.3	5.18	60	54.82	Pass	551
708	1000	0.1	RMS	903.7	-59.06	-13	46.06	Pass	2921
1000	3000	1	RMS	2964	-45.86	-13	32.86	Pass	2001
3000	10000	1	RMS	9965	-55.95	-13	42.95	Pass	7001




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.61	-13	57.61	Pass	401
0.15	30	0.01	RMS	0.35	-70.02	-13	57.02	Pass	2986
30	653	0.1	RMS	492.6	-60.1	-13	47.1	Pass	6231
653	708	0.1	RMS	663.3	18.26	60	41.74	Pass	551
708	1000	0.1	RMS	868.3	-58.82	-13	45.82	Pass	2921
1000	3000	1	RMS	2974	-45.71	-13	32.71	Pass	2001
3000	10000	1	RMS	9920	-56.12	-13	43.12	Pass	7001




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.85	-13	54.85	Pass	401
0.15	30	0.01	RMS	0.75	-69.56	-13	56.56	Pass	2986
30	653	0.1	RMS	492.2	-59.88	-13	46.88	Pass	6231
653	708	0.1	RMS	667.7	17.73	60	42.27	Pass	551
708	1000	0.1	RMS	876.6	-58.85	-13	45.85	Pass	2921
1000	3000	1	RMS	1335	-42.2	-13	29.2	Pass	2001
3000	10000	1	RMS	9955	-55.91	-13	42.91	Pass	7001




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-70.71	-13	57.71	Pass	401
0.15	30	0.01	RMS	4.96	-69.6	-13	56.6	Pass	2986
30	653	0.1	RMS	472.5	-60.28	-13	47.28	Pass	6231
653	708	0.1	RMS	678.7	5.37	60	54.63	Pass	551
708	1000	0.1	RMS	991.8	-58.89	-13	45.89	Pass	2921
1000	3000	1	RMS	2972	-45.72	-13	32.72	Pass	2001
3000	10000	1	RMS	9944	-56.1	-13	43.1	Pass	7001




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.35	-13	56.35	Pass	401
0.15	30	0.01	RMS	0.15	-69.34	-13	56.34	Pass	2986
30	653	0.1	RMS	488.9	-60.18	-13	47.18	Pass	6231
653	708	0.1	RMS	678.3	18.21	60	41.79	Pass	551
708	1000	0.1	RMS	988.2	-59.08	-13	46.08	Pass	2921
1000	3000	1	RMS	2971	-45.63	-13	32.63	Pass	2001
3000	10000	1	RMS	9998	-56.22	-13	43.22	Pass	7001




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.52	-13	56.52	Pass	401
0.15	30	0.01	RMS	1.5	-69.27	-13	56.27	Pass	2986
30	653	0.1	RMS	506.3	-60.34	-13	47.34	Pass	6231
653	708	0.1	RMS	682.7	17.87	60	42.13	Pass	551
708	1000	0.1	RMS	913.2	-58.81	-13	45.81	Pass	2921
1000	3000	1	RMS	2970	-45.61	-13	32.61	Pass	2001
3000	10000	1	RMS	9994	-56.02	-13	43.02	Pass	7001




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.24	-13	56.24	Pass	401
0.15	30	0.01	RMS	0.19	-68.75	-13	55.75	Pass	2986
30	653	0.1	RMS	498.1	-60.18	-13	47.18	Pass	6231
653	708	0.1	RMS	693.6	5.61	60	54.39	Pass	551
708	1000	0.1	RMS	708.5	-58.67	-13	45.67	Pass	2921
1000	3000	1	RMS	2974	-45.67	-13	32.67	Pass	2001
3000	10000	1	RMS	9932	-56.23	-13	43.23	Pass	7001




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.93	-13	56.93	Pass	401
0.15	30	0.01	RMS	0.24	-69.81	-13	56.81	Pass	2986
30	653	0.1	RMS	488.1	-60.24	-13	47.24	Pass	6231
653	708	0.1	RMS	693.3	18.4	60	41.6	Pass	551
708	1000	0.1	RMS	890.1	-59.03	-13	46.03	Pass	2921
1000	3000	1	RMS	2972	-45.66	-13	32.66	Pass	2001
3000	10000	1	RMS	9982	-56.01	-13	43.01	Pass	7001




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.03	-13	58.03	Pass	401
0.15	30	0.01	RMS	0.22	-69.44	-13	56.44	Pass	2986
30	653	0.1	RMS	477.6	-60.42	-13	47.42	Pass	6231
653	708	0.1	RMS	697.6	17.86	60	42.14	Pass	551
708	1000	0.1	RMS	876.6	-59.12	-13	46.12	Pass	2921
1000	3000	1	RMS	2972	-45.69	-13	32.69	Pass	2001
3000	10000	1	RMS	9999	-56.19	-13	43.19	Pass	7001




3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.35	-13	58.35	Pass	401
0.15	30	0.01	RMS	0.35	-68.72	-13	55.72	Pass	2986
30	653	0.1	RMS	652.7	-60.04	-13	47.04	Pass	6231
653	708	0.1	RMS	676	0.84	60	59.16	Pass	551
708	1000	0.1	RMS	903.7	-58.92	-13	45.92	Pass	2921
1000	3000	1	RMS	2977	-45.63	-13	32.63	Pass	2001
3000	10000	1	RMS	9930	-56.18	-13	43.18	Pass	7001




3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.64	-13	56.64	Pass	401
0.15	30	0.01	RMS	0.57	-69.68	-13	56.68	Pass	2986
30	653	0.1	RMS	475	-60.15	-13	47.15	Pass	6231
653	708	0.1	RMS	663.5	18.22	60	41.78	Pass	551
708	1000	0.1	RMS	906.1	-58.74	-13	45.74	Pass	2921
1000	3000	1	RMS	2969	-45.93	-13	32.93	Pass	2001
3000	10000	1	RMS	9976	-55.91	-13	42.91	Pass	7001




3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.19	-13	58.19	Pass	401
0.15	30	0.01	RMS	0.17	-69.4	-13	56.4	Pass	2986
30	653	0.1	RMS	502.2	-60.18	-13	47.18	Pass	6231
653	708	0.1	RMS	677.5	18.46	60	41.54	Pass	551
708	1000	0.1	RMS	900.5	-58.89	-13	45.89	Pass	2921
1000	3000	1	RMS	2992	-45.97	-13	32.97	Pass	2001
3000	10000	1	RMS	9982	-55.95	-13	42.95	Pass	7001




3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.2	-13	57.2	Pass	401
0.15	30	0.01	RMS	17.53	-70.03	-13	57.03	Pass	2986
30	653	0.1	RMS	473.9	-60.21	-13	47.21	Pass	6231
653	708	0.1	RMS	676.6	0.48	60	59.52	Pass	551
708	1000	0.1	RMS	708.1	-55.28	-13	42.28	Pass	2921
1000	3000	1	RMS	2963	-45.84	-13	32.84	Pass	2001
3000	10000	1	RMS	9968	-55.96	-13	42.96	Pass	7001




3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.51	-13	56.51	Pass	401
0.15	30	0.01	RMS	1.05	-69.52	-13	56.52	Pass	2986
30	653	0.1	RMS	472.4	-60.27	-13	47.27	Pass	6231
653	708	0.1	RMS	673.5	18.23	60	41.77	Pass	551
708	1000	0.1	RMS	992.4	-59.26	-13	46.26	Pass	2921
1000	3000	1	RMS	2977	-45.79	-13	32.79	Pass	2001
3000	10000	1	RMS	9996	-56.03	-13	43.03	Pass	7001




3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.48	-13	57.48	Pass	401
0.15	30	0.01	RMS	1.06	-70.01	-13	57.01	Pass	2986
30	653	0.1	RMS	469.7	-60.19	-13	47.19	Pass	6231
653	708	0.1	RMS	687.5	18.59	60	41.41	Pass	551
708	1000	0.1	RMS	879.4	-58.77	-13	45.77	Pass	2921
1000	3000	1	RMS	2984	-45.93	-13	32.93	Pass	2001
3000	10000	1	RMS	9984	-56.06	-13	43.06	Pass	7001




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.24	-13	56.24	Pass	401
0.15	30	0.01	RMS	0.23	-69.71	-13	56.71	Pass	2986
30	653	0.1	RMS	480.3	-60.16	-13	47.16	Pass	6231
653	708	0.1	RMS	692.5	0.61	60	59.39	Pass	551
708	1000	0.1	RMS	708	-46.67	-13	33.67	Pass	2921
1000	3000	1	RMS	2971	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	9977	-56.34	-13	43.34	Pass	7001




3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.78	-13	57.78	Pass	401
0.15	30	0.01	RMS	0.35	-69.54	-13	56.54	Pass	2986
30	653	0.1	RMS	476.2	-60.26	-13	47.26	Pass	6231
653	708	0.1	RMS	683.5	18.39	60	41.61	Pass	551
708	1000	0.1	RMS	893.8	-59.02	-13	46.02	Pass	2921
1000	3000	1	RMS	2972	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	9977	-55.97	-13	42.97	Pass	7001




3.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.49	-13	57.49	Pass	401
0.15	30	0.01	RMS	0.32	-69.65	-13	56.65	Pass	2986
30	653	0.1	RMS	486.6	-60.03	-13	47.03	Pass	6231
653	708	0.1	RMS	697.5	18.49	60	41.51	Pass	551
708	1000	0.1	RMS	862.7	-59.03	-13	46.03	Pass	2921
1000	3000	1	RMS	2970	-45.69	-13	32.69	Pass	2001
3000	10000	1	RMS	9978	-56.15	-13	43.15	Pass	7001




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.41	-13	57.41	Pass	401
0.15	30	0.01	RMS	1.06	-69.17	-13	56.17	Pass	2986
30	653	0.1	RMS	645	-60.21	-13	47.21	Pass	6231
653	708	0.1	RMS	675.9	-0.23	60	60.23	Pass	551
708	1000	0.1	RMS	708.1	-55.18	-13	42.18	Pass	2921
1000	3000	1	RMS	2984	-45.95	-13	32.95	Pass	2001
3000	10000	1	RMS	9992	-55.96	-13	42.96	Pass	7001




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.19	-13	57.19	Pass	401
0.15	30	0.01	RMS	0.2	-69.51	-13	56.51	Pass	2986
30	653	0.1	RMS	619	-60.42	-13	47.42	Pass	6231
653	708	0.1	RMS	663.5	18.01	60	41.99	Pass	551
708	1000	0.1	RMS	892.6	-58.89	-13	45.89	Pass	2921
1000	3000	1	RMS	2972	-45.67	-13	32.67	Pass	2001
3000	10000	1	RMS	9968	-55.89	-13	42.89	Pass	7001




3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.44	-13	56.44	Pass	401
0.15	30	0.01	RMS	0.15	-69.41	-13	56.41	Pass	2986
30	653	0.1	RMS	486.7	-60.19	-13	47.19	Pass	6231
653	708	0.1	RMS	682.4	18.2	60	41.8	Pass	551
708	1000	0.1	RMS	921.3	-59.18	-13	46.18	Pass	2921
1000	3000	1	RMS	2970	-45.66	-13	32.66	Pass	2001
3000	10000	1	RMS	9996	-55.96	-13	42.96	Pass	7001




3.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.59	-13	57.59	Pass	401
0.15	30	0.01	RMS	23.19	-69.8	-13	56.8	Pass	2986
30	653	0.1	RMS	480.6	-60.42	-13	47.42	Pass	6231
653	708	0.1	RMS	677	-0.52	60	60.52	Pass	551
708	1000	0.1	RMS	708.1	-51.15	-13	38.15	Pass	2921
1000	3000	1	RMS	2986	-45.9	-13	32.9	Pass	2001
3000	10000	1	RMS	9964	-55.95	-13	42.95	Pass	7001




3.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.74	-13	56.74	Pass	401
0.15	30	0.01	RMS	0.68	-69.45	-13	56.45	Pass	2986
30	653	0.1	RMS	644.6	-60.26	-13	47.26	Pass	6231
653	708	0.1	RMS	671	18.04	60	41.96	Pass	551
708	1000	0.1	RMS	899.4	-59.07	-13	46.07	Pass	2921
1000	3000	1	RMS	1342	-44.66	-13	31.66	Pass	2001
3000	10000	1	RMS	9923	-56.17	-13	43.17	Pass	7001




3.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.89	-13	57.89	Pass	401
0.15	30	0.01	RMS	0.18	-68.99	-13	55.99	Pass	2986
30	653	0.1	RMS	466.3	-60.07	-13	47.07	Pass	6231
653	708	0.1	RMS	689.9	18.11	60	41.89	Pass	551
708	1000	0.1	RMS	893.1	-59.2	-13	46.2	Pass	2921
1000	3000	1	RMS	2968	-45.69	-13	32.69	Pass	2001
3000	10000	1	RMS	9988	-55.97	-13	42.97	Pass	7001




3.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.2	-13	58.2	Pass	401
0.15	30	0.01	RMS	0.56	-69.8	-13	56.8	Pass	2986
30	653	0.1	RMS	480.4	-60.25	-13	47.25	Pass	6231
653	708	0.1	RMS	690.8	-0.4	60	60.4	Pass	551
708	1000	0.1	RMS	708	-46.02	-13	33.02	Pass	2921
1000	3000	1	RMS	2986	-45.87	-13	32.87	Pass	2001
3000	10000	1	RMS	9965	-56.1	-13	43.1	Pass	7001




3.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	0.96	-68.86	-13	55.86	Pass	2986
30	653	0.1	RMS	487.6	-60.27	-13	47.27	Pass	6231
653	708	0.1	RMS	678.5	18.07	60	41.93	Pass	551
708	1000	0.1	RMS	893.3	-59.21	-13	46.21	Pass	2921
1000	3000	1	RMS	2970	-45.92	-13	32.92	Pass	2001
3000	10000	1	RMS	9958	-55.95	-13	42.95	Pass	7001



3.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.23	-13	57.23	Pass	401
0.15	30	0.01	RMS	0.25	-69.23	-13	56.23	Pass	2986
30	653	0.1	RMS	472.5	-60.2	-13	47.2	Pass	6231
653	708	0.1	RMS	697.4	18.06	60	41.94	Pass	551
708	1000	0.1	RMS	880.1	-59.02	-13	46.02	Pass	2921
1000	3000	1	RMS	2980	-45.73	-13	32.73	Pass	2001
3000	10000	1	RMS	9923	-56.15	-13	43.15	Pass	7001



3. n26 15kHz(824-849)


3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.99	-13	56.99	Pass	401
0.15	30	0.01	RMS	0.15	-70.51	-13	57.51	Pass	2986
30	814	0.1	RMS	813.9	-57.96	-13	44.96	Pass	7841
814	859	0.1	RMS	824.8	5.44	60	54.56	Pass	451
859	1000	0.1	RMS	988.7	-59.92	-13	46.92	Pass	1411
1000	3000	1	RMS	2977	-45.83	-13	32.83	Pass	2001
3000	10000	1	RMS	9974	-56.16	-13	43.16	Pass	7001




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.25	-13	57.25	Pass	401
0.15	30	0.01	RMS	27.54	-70.45	-13	57.45	Pass	2986
30	814	0.1	RMS	494.9	-60.22	-13	47.22	Pass	7841
814	859	0.1	RMS	824.3	18.44	60	41.56	Pass	451
859	1000	0.1	RMS	869.4	-59.88	-13	46.88	Pass	1411
1000	3000	1	RMS	2985	-46.04	-13	33.04	Pass	2001
3000	10000	1	RMS	9940	-56.16	-13	43.16	Pass	7001




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.54	-13	55.54	Pass	401
0.15	30	0.01	RMS	0.15	-70.52	-13	57.52	Pass	2986
30	814	0.1	RMS	471.9	-60.34	-13	47.34	Pass	7841
814	859	0.1	RMS	828.6	18.01	60	41.99	Pass	451
859	1000	0.1	RMS	896.2	-60.02	-13	47.02	Pass	1411
1000	3000	1	RMS	2972	-45.95	-13	32.95	Pass	2001
3000	10000	1	RMS	9953	-56.01	-13	43.01	Pass	7001




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.83	-13	57.83	Pass	401
0.15	30	0.01	RMS	0.21	-70.4	-13	57.4	Pass	2986
30	814	0.1	RMS	481.4	-60.44	-13	47.44	Pass	7841
814	859	0.1	RMS	838.6	5.38	60	54.62	Pass	451
859	1000	0.1	RMS	913.5	-59.98	-13	46.98	Pass	1411
1000	3000	1	RMS	2968	-45.94	-13	32.94	Pass	2001
3000	10000	1	RMS	9957	-56.12	-13	43.12	Pass	7001




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.54	-13	57.54	Pass	401
0.15	30	0.01	RMS	0.28	-69.94	-13	56.94	Pass	2986
30	814	0.1	RMS	734.4	-60.38	-13	47.38	Pass	7841
814	859	0.1	RMS	834.3	18.3	60	41.7	Pass	451
859	1000	0.1	RMS	890.6	-60.04	-13	47.04	Pass	1411
1000	3000	1	RMS	2970	-45.8	-13	32.8	Pass	2001
3000	10000	1	RMS	9992	-56.06	-13	43.06	Pass	7001




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.52	-13	57.52	Pass	401
0.15	30	0.01	RMS	0.16	-69.32	-13	56.32	Pass	2986
30	814	0.1	RMS	492.9	-60.37	-13	47.37	Pass	7841
814	859	0.1	RMS	838.7	17.92	60	42.08	Pass	451
859	1000	0.1	RMS	893.8	-59.91	-13	46.91	Pass	1411
1000	3000	1	RMS	2973	-45.81	-13	32.81	Pass	2001
3000	10000	1	RMS	7084	-47.85	-13	34.85	Pass	7001




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.74	-13	57.74	Pass	401
0.15	30	0.01	RMS	0.44	-70.38	-13	57.38	Pass	2986
30	814	0.1	RMS	491.4	-60.27	-13	47.27	Pass	7841
814	859	0.1	RMS	844.5	6.16	60	53.84	Pass	451
859	1000	0.1	RMS	891.3	-60.11	-13	47.11	Pass	1411
1000	3000	1	RMS	2974	-45.88	-13	32.88	Pass	2001
3000	10000	1	RMS	10000	-56.37	-13	43.37	Pass	7001




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.27	-13	57.27	Pass	401
0.15	30	0.01	RMS	0.17	-70.18	-13	57.18	Pass	2986
30	814	0.1	RMS	735.7	-60.37	-13	47.37	Pass	7841
814	859	0.1	RMS	844.3	18.55	60	41.45	Pass	451
859	1000	0.1	RMS	994.1	-60.02	-13	47.02	Pass	1411
1000	3000	1	RMS	2974	-45.83	-13	32.83	Pass	2001
3000	10000	1	RMS	9982	-56.4	-13	43.4	Pass	7001




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.41	-13	57.41	Pass	401
0.15	30	0.01	RMS	0.18	-69.34	-13	56.34	Pass	2986
30	814	0.1	RMS	473.9	-60.17	-13	47.17	Pass	7841
814	859	0.1	RMS	848.6	18.08	60	41.92	Pass	451
859	1000	0.1	RMS	891.3	-59.93	-13	46.93	Pass	1411
1000	3000	1	RMS	2970	-45.83	-13	32.83	Pass	2001
3000	10000	1	RMS	9996	-56.03	-13	43.03	Pass	7001




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.16	-13	56.16	Pass	401
0.15	30	0.01	RMS	0.21	-69.6	-13	56.6	Pass	2986
30	814	0.1	RMS	813.8	-45.45	-13	32.45	Pass	7841
814	859	0.1	RMS	835.9	0.73	60	59.27	Pass	451
859	1000	0.1	RMS	938.4	-60.11	-13	47.11	Pass	1411
1000	3000	1	RMS	2972	-45.8	-13	32.8	Pass	2001
3000	10000	1	RMS	9979	-56.29	-13	43.29	Pass	7001




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.92	-13	57.92	Pass	401
0.15	30	0.01	RMS	0.35	-70.14	-13	57.14	Pass	2986
30	814	0.1	RMS	813.8	-60.17	-13	47.17	Pass	7841
814	859	0.1	RMS	824.5	18.4	60	41.6	Pass	451
859	1000	0.1	RMS	863.5	-59.98	-13	46.98	Pass	1411
1000	3000	1	RMS	2970	-45.59	-13	32.59	Pass	2001
3000	10000	1	RMS	9984	-56.19	-13	43.19	Pass	7001




3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.7	-13	57.7	Pass	401
0.15	30	0.01	RMS	0.16	-69.91	-13	56.91	Pass	2986
30	814	0.1	RMS	727.9	-60.36	-13	47.36	Pass	7841
814	859	0.1	RMS	838.5	18.6	60	41.4	Pass	451
859	1000	0.1	RMS	920.4	-60	-13	47	Pass	1411
1000	3000	1	RMS	2976	-45.77	-13	32.77	Pass	2001
3000	10000	1	RMS	9925	-56.16	-13	43.16	Pass	7001




3.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.59	-13	57.59	Pass	401
0.15	30	0.01	RMS	0.17	-69.47	-13	56.47	Pass	2986
30	814	0.1	RMS	813.9	-50.93	-13	37.93	Pass	7841
814	859	0.1	RMS	841	0.54	60	59.46	Pass	451
859	1000	0.1	RMS	876.9	-59.81	-13	46.81	Pass	1411
1000	3000	1	RMS	2970	-45.66	-13	32.66	Pass	2001
3000	10000	1	RMS	9999	-55.96	-13	42.96	Pass	7001




3.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70	-13	57	Pass	401
0.15	30	0.01	RMS	0.24	-70.01	-13	57.01	Pass	2986
30	814	0.1	RMS	808	-60.38	-13	47.38	Pass	7841
814	859	0.1	RMS	829.5	18.39	60	41.61	Pass	451
859	1000	0.1	RMS	900.2	-59.93	-13	46.93	Pass	1411
1000	3000	1	RMS	2971	-46	-13	33	Pass	2001
3000	10000	1	RMS	9978	-56	-13	43	Pass	7001




3.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.67	-13	56.67	Pass	401
0.15	30	0.01	RMS	0.26	-70.11	-13	57.11	Pass	2986
30	814	0.1	RMS	491.9	-60.25	-13	47.25	Pass	7841
814	859	0.1	RMS	843.5	18.57	60	41.43	Pass	451
859	1000	0.1	RMS	994.5	-60	-13	47	Pass	1411
1000	3000	1	RMS	2970	-45.74	-13	32.74	Pass	2001
3000	10000	1	RMS	7074	-47.85	-13	34.85	Pass	7001




3.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.41	-13	57.41	Pass	401
0.15	30	0.01	RMS	0.15	-69.95	-13	56.95	Pass	2986
30	814	0.1	RMS	813.5	-52.38	-13	39.38	Pass	7841
814	859	0.1	RMS	836.9	0.65	60	59.35	Pass	451
859	1000	0.1	RMS	901.9	-59.98	-13	46.98	Pass	1411
1000	3000	1	RMS	2974	-45.67	-13	32.67	Pass	2001
3000	10000	1	RMS	9998	-56.13	-13	43.13	Pass	7001




3.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.68	-13	55.68	Pass	401
0.15	30	0.01	RMS	0.17	-69.76	-13	56.76	Pass	2986
30	814	0.1	RMS	812	-60.48	-13	47.48	Pass	7841
814	859	0.1	RMS	834.5	18.42	60	41.58	Pass	451
859	1000	0.1	RMS	873.7	-59.96	-13	46.96	Pass	1411
1000	3000	1	RMS	2979	-45.77	-13	32.77	Pass	2001
3000	10000	1	RMS	9982	-56.21	-13	43.21	Pass	7001




3.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.4	-13	57.4	Pass	401
0.15	30	0.01	RMS	0.18	-70.26	-13	57.26	Pass	2986
30	814	0.1	RMS	485.1	-60.12	-13	47.12	Pass	7841
814	859	0.1	RMS	848.5	18.63	60	41.37	Pass	451
859	1000	0.1	RMS	904.9	-59.75	-13	46.75	Pass	1411
1000	3000	1	RMS	2970	-45.79	-13	32.79	Pass	2001
3000	10000	1	RMS	9969	-55.92	-13	42.92	Pass	7001




3.28. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.4	-13	58.4	Pass	401
0.15	30	0.01	RMS	0.19	-69.69	-13	56.69	Pass	2986
30	814	0.1	RMS	814	-45.71	-13	32.71	Pass	7841
814	859	0.1	RMS	836.9	-0.56	60	60.56	Pass	451
859	1000	0.1	RMS	889.3	-59.76	-13	46.76	Pass	1411
1000	3000	1	RMS	2970	-45.75	-13	32.75	Pass	2001
3000	10000	1	RMS	9966	-56.03	-13	43.03	Pass	7001




3.29. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.73	-13	57.73	Pass	401
0.15	30	0.01	RMS	0.15	-69.3	-13	56.3	Pass	2986
30	814	0.1	RMS	813.9	-60.14	-13	47.14	Pass	7841
814	859	0.1	RMS	824.5	18.16	60	41.84	Pass	451
859	1000	0.1	RMS	993.5	-59.97	-13	46.97	Pass	1411
1000	3000	1	RMS	2970	-45.88	-13	32.88	Pass	2001
3000	10000	1	RMS	9984	-56.12	-13	43.12	Pass	7001




3.30. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.05	-13	58.05	Pass	401
0.15	30	0.01	RMS	0.16	-70	-13	57	Pass	2986
30	814	0.1	RMS	725.1	-60.44	-13	47.44	Pass	7841
814	859	0.1	RMS	843.4	18.14	60	41.86	Pass	451
859	1000	0.1	RMS	903.7	-59.56	-13	46.56	Pass	1411
1000	3000	1	RMS	2971	-45.72	-13	32.72	Pass	2001
3000	10000	1	RMS	7073	-47.3	-13	34.3	Pass	7001




3.31. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	21.59	-70.23	-13	57.23	Pass	2986
30	814	0.1	RMS	812.4	-46.61	-13	33.61	Pass	7841
814	859	0.1	RMS	838	-0.44	60	60.44	Pass	451
859	1000	0.1	RMS	913.1	-59.99	-13	46.99	Pass	1411
1000	3000	1	RMS	2987	-45.86	-13	32.86	Pass	2001
3000	10000	1	RMS	9968	-55.98	-13	42.98	Pass	7001




3.32. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.72	-13	55.72	Pass	401
0.15	30	0.01	RMS	0.26	-69.64	-13	56.64	Pass	2986
30	814	0.1	RMS	478	-60.22	-13	47.22	Pass	7841
814	859	0.1	RMS	827	18.25	60	41.75	Pass	451
859	1000	0.1	RMS	866.9	-59.75	-13	46.75	Pass	1411
1000	3000	1	RMS	2970	-45.67	-13	32.67	Pass	2001
3000	10000	1	RMS	9998	-56.05	-13	43.05	Pass	7001




3.33. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.44	-13	57.44	Pass	401
0.15	30	0.01	RMS	0.16	-70.06	-13	57.06	Pass	2986
30	814	0.1	RMS	745.3	-60.15	-13	47.15	Pass	7841
814	859	0.1	RMS	845.9	18.12	60	41.88	Pass	451
859	1000	0.1	RMS	986.7	-59.95	-13	46.95	Pass	1411
1000	3000	1	RMS	2967	-45.86	-13	32.86	Pass	2001
3000	10000	1	RMS	9988	-55.96	-13	42.96	Pass	7001




3.34. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.17	-13	56.17	Pass	401
0.15	30	0.01	RMS	0.54	-70.04	-13	57.04	Pass	2986
30	814	0.1	RMS	814	-45.82	-13	32.82	Pass	7841
814	859	0.1	RMS	840.6	-0.31	60	60.31	Pass	451
859	1000	0.1	RMS	908.9	-59.73	-13	46.73	Pass	1411
1000	3000	1	RMS	2981	-45.92	-13	32.92	Pass	2001
3000	10000	1	RMS	9936	-56.07	-13	43.07	Pass	7001




3.35. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.53	-13	57.53	Pass	401
0.15	30	0.01	RMS	0.15	-68.75	-13	55.75	Pass	2986
30	814	0.1	RMS	702.7	-60.28	-13	47.28	Pass	7841
814	859	0.1	RMS	829.5	18.19	60	41.81	Pass	451
859	1000	0.1	RMS	909.3	-59.72	-13	46.72	Pass	1411
1000	3000	1	RMS	2980	-45.62	-13	32.62	Pass	2001
3000	10000	1	RMS	9894	-56.24	-13	43.24	Pass	7001



3.36. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.8	-13	57.8	Pass	401
0.15	30	0.01	RMS	0.16	-70.41	-13	57.41	Pass	2986
30	814	0.1	RMS	655.5	-59.36	-13	46.36	Pass	7841
814	859	0.1	RMS	848.4	18.2	60	41.8	Pass	451
859	1000	0.1	RMS	893.2	-59.9	-13	46.9	Pass	1411
1000	3000	1	RMS	2968	-45.72	-13	32.72	Pass	2001
3000	10000	1	RMS	7071	-47.33	-13	34.33	Pass	7001



4. n38_PC3


4.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.08	-25	45.08	Pass	401
0.15	30	0.01	RMS	9.2	-65.51	-25	40.51	Pass	2986
30	1000	0.1	RMS	887.826	-55.46	-25	30.46	Pass	9701
1000	2550	1	RMS	2550	-43.33	-25	18.33	Pass	1551
2550	2640	1	RMS	2573.625	8.66	60	51.34	Pass	401
2640	3000	1	RMS	2971.2	-45.44	-25	20.44	Pass	401
3000	7000	1	RMS	3770	-48.19	-25	23.19	Pass	4001
7000	26500	1	RMS	22790	-37.21	-25	12.21	Pass	19503




4.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-70.54	-25	45.54	Pass	401
0.15	30	0.01	RMS	19.73	-65.13	-25	40.13	Pass	2986
30	1000	0.1	RMS	626.1	-55.43	-25	30.43	Pass	9701
1000	2550	1	RMS	2505	-45.58	-25	20.58	Pass	1551
2550	2640	1	RMS	2570.925	20.79	60	39.21	Pass	401
2640	3000	1	RMS	2969.4	-45.25	-25	20.25	Pass	401
3000	7000	1	RMS	6952	-56.75	-25	31.75	Pass	4001
7000	26500	1	RMS	25128	-42.22	-25	17.22	Pass	19503




4.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-69.67	-25	44.67	Pass	401
0.15	30	0.01	RMS	20.62	-65.56	-25	40.56	Pass	2986
30	1000	0.1	RMS	896.732	-55.74	-25	30.74	Pass	9701
1000	2550	1	RMS	2546	-46.07	-25	21.07	Pass	1551
2550	2640	1	RMS	2588.925	20.54	60	39.46	Pass	401
2640	3000	1	RMS	2968.5	-45.31	-25	20.31	Pass	401
3000	7000	1	RMS	6975	-56.8	-25	31.8	Pass	4001
7000	26500	1	RMS	24134	-42.15	-25	17.15	Pass	19503




4.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-70.53	-25	45.53	Pass	401
0.15	30	0.01	RMS	8.15	-64.64	-25	39.64	Pass	2986
30	1000	0.1	RMS	901.235	-54.86	-25	29.86	Pass	9701
1000	2550	1	RMS	2510	-45.53	-25	20.53	Pass	1551
2550	2640	1	RMS	2588.25	8.67	60	51.33	Pass	401
2640	3000	1	RMS	2976.6	-45.11	-25	20.11	Pass	401
3000	7000	1	RMS	6920	-56.5	-25	31.5	Pass	4001
7000	26500	1	RMS	25732	-42.52	-25	17.52	Pass	19503




4.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-68.97	-25	43.97	Pass	401
0.15	30	0.01	RMS	29.41	-66.35	-25	41.35	Pass	2986
30	1000	0.1	RMS	689.5	-55.51	-25	30.51	Pass	9701
1000	2550	1	RMS	2505	-46.05	-25	21.05	Pass	1551
2550	2640	1	RMS	2586	20.45	60	39.55	Pass	401
2640	3000	1	RMS	2997.3	-45.47	-25	20.47	Pass	401
3000	7000	1	RMS	6985	-56.67	-25	31.67	Pass	4001
7000	26500	1	RMS	25408	-42.63	-25	17.63	Pass	19503




4.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-70.3	-25	45.3	Pass	401
0.15	30	0.01	RMS	23.25	-65.77	-25	40.77	Pass	2986
30	1000	0.1	RMS	947.966	-55.62	-25	30.62	Pass	9701
1000	2550	1	RMS	2513	-45.89	-25	20.89	Pass	1551
2550	2640	1	RMS	2604	20.72	60	39.28	Pass	401
2640	3000	1	RMS	2973.9	-45.22	-25	20.22	Pass	401
3000	7000	1	RMS	6991	-56.12	-25	31.12	Pass	4001
7000	26500	1	RMS	24403	-42.03	-25	17.03	Pass	19503




***4.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.09	-25	44.09	Pass	401
0.15	30	0.01	RMS	7.15	-65.19	-25	40.19	Pass	2986
30	1000	0.1	RMS	494.2	-55.93	-25	30.93	Pass	9701
1000	2550	1	RMS	2549	-45.44	-25	20.44	Pass	1551
2550	2640	1	RMS	2604	8.78	60	51.22	Pass	401
2640	3000	1	RMS	2640	-42.12	-25	17.12	Pass	401
3000	7000	1	RMS	6964	-56.82	-25	31.82	Pass	4001
7000	26500	1	RMS	25147	-42.42	-25	17.42	Pass	19503




4.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.39	-25	44.39	Pass	401
0.15	30	0.01	RMS	16.52	-66.33	-25	41.33	Pass	2986
30	1000	0.1	RMS	886.225	-54.56	-25	29.56	Pass	9701
1000	2550	1	RMS	2436	-45.62	-25	20.62	Pass	1551
2550	2640	1	RMS	2601.075	20.53	60	39.47	Pass	401
2640	3000	1	RMS	2976.6	-45.31	-25	20.31	Pass	401
3000	7000	1	RMS	3846	-52.84	-25	27.84	Pass	4001
7000	26500	1	RMS	23129	-37.41	-25	12.41	Pass	19503




4.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-67.44	-25	42.44	Pass	401
0.15	30	0.01	RMS	29.2	-66.77	-25	41.77	Pass	2986
30	1000	0.1	RMS	900.534	-55.39	-25	30.39	Pass	9701
1000	2550	1	RMS	2485	-46.07	-25	21.07	Pass	1551
2550	2640	1	RMS	2619.075	20.7	60	39.3	Pass	401
2640	3000	1	RMS	2972.1	-45.18	-25	20.18	Pass	401
3000	7000	1	RMS	6972	-56.17	-25	31.17	Pass	4001
7000	26500	1	RMS	25486	-42.25	-25	17.25	Pass	19503




4.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.46	-25	44.46	Pass	401
0.15	30	0.01	RMS	0.28	-66.78	-25	41.78	Pass	2986
30	1000	0.1	RMS	503	-55.93	-25	30.93	Pass	9701
1000	2540	1	RMS	2540	-44.32	-25	19.32	Pass	1541
2540	2650	1	RMS	2571.9	7.04	60	52.96	Pass	401
2650	3000	1	RMS	2983.375	-45.39	-25	20.39	Pass	401
3000	7000	1	RMS	6990	-56.35	-25	31.35	Pass	4001
7000	26500	1	RMS	25706	-42.56	-25	17.56	Pass	19503



4.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.08	-25	44.08	Pass	401
0.15	30	0.01	RMS	8.96	-66.51	-25	41.51	Pass	2986
30	1000	0.1	RMS	989.493	-55.45	-25	30.45	Pass	9701
1000	2540	1	RMS	2441	-46	-25	21	Pass	1541
2540	2650	1	RMS	2571.075	20.81	60	39.19	Pass	401
2650	3000	1	RMS	2970.25	-45.31	-25	20.31	Pass	401
3000	7000	1	RMS	6900	-56.7	-25	31.7	Pass	4001
7000	26500	1	RMS	25432	-42.58	-25	17.58	Pass	19503



4.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.34	-25	44.34	Pass	401
0.15	30	0.01	RMS	0.45	-66.04	-25	41.04	Pass	2986
30	1000	0.1	RMS	951.668	-55.42	-25	30.42	Pass	9701
1000	2540	1	RMS	2505	-45.85	-25	20.85	Pass	1541
2540	2650	1	RMS	2598.85	20.64	60	39.36	Pass	401
2650	3000	1	RMS	2967.625	-45.2	-25	20.2	Pass	401
3000	7000	1	RMS	6930	-56.61	-25	31.61	Pass	4001
7000	26500	1	RMS	25538	-42.84	-25	17.84	Pass	19503

