



4.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.83	-25	44.83	Pass	401
0.15	30	0.01	RMS	24.1	-66.79	-25	41.79	Pass	2986
30	1000	0.1	RMS	918.346	-55.57	-25	30.57	Pass	9701
1000	2540	1	RMS	2539	-45.24	-25	20.24	Pass	1541
2540	2650	1	RMS	2582.35	6.88	60	53.12	Pass	401
2650	3000	1	RMS	2650	-45.18	-25	20.18	Pass	401
3000	7000	1	RMS	6975	-56.54	-25	31.54	Pass	4001
7000	26500	1	RMS	24122	-42.7	-25	17.7	Pass	19503




4.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.04	-25	44.04	Pass	401
0.15	30	0.01	RMS	26.08	-65.61	-25	40.61	Pass	2986
30	1000	0.1	RMS	891.128	-54.78	-25	29.78	Pass	9701
1000	2540	1	RMS	2540	-46	-25	21	Pass	1541
2540	2650	1	RMS	2581.25	20.59	60	39.41	Pass	401
2650	3000	1	RMS	2970.25	-45.39	-25	20.39	Pass	401
3000	7000	1	RMS	6927	-56.78	-25	31.78	Pass	4001
7000	26500	1	RMS	24103	-42.62	-25	17.62	Pass	19503




4.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.3	-25	44.3	Pass	401
0.15	30	0.01	RMS	19.75	-65.83	-25	40.83	Pass	2986
30	1000	0.1	RMS	839.2	-55.71	-25	30.71	Pass	9701
1000	2540	1	RMS	2526	-45.58	-25	20.58	Pass	1541
2540	2650	1	RMS	2608.75	20.72	60	39.28	Pass	401
2650	3000	1	RMS	2979.875	-45.34	-25	20.34	Pass	401
3000	7000	1	RMS	6957	-56.52	-25	31.52	Pass	4001
7000	26500	1	RMS	24124	-42.43	-25	17.43	Pass	19503




4.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-70.34	-25	45.34	Pass	401
0.15	30	0.01	RMS	0.3	-65.96	-25	40.96	Pass	2986
30	1000	0.1	RMS	964.577	-54.63	-25	29.63	Pass	9701
1000	2540	1	RMS	2531	-45.42	-25	20.42	Pass	1541
2540	2650	1	RMS	2593.35	6.98	60	53.02	Pass	401
2650	3000	1	RMS	2650	-42.85	-25	17.85	Pass	401
3000	7000	1	RMS	3850	-48.47	-25	23.47	Pass	4001
7000	26500	1	RMS	19124	-38.26	-25	13.26	Pass	19503




4.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-68.73	-25	43.73	Pass	401
0.15	30	0.01	RMS	11.51	-65.37	-25	40.37	Pass	2986
30	1000	0.1	RMS	600.9	-55.46	-25	30.46	Pass	9701
1000	2540	1	RMS	2522	-45.76	-25	20.76	Pass	1541
2540	2650	1	RMS	2591.15	20.53	60	39.47	Pass	401
2650	3000	1	RMS	2973.75	-45.43	-25	20.43	Pass	401
3000	7000	1	RMS	6964	-56.47	-25	31.47	Pass	4001
7000	26500	1	RMS	25490	-42.63	-25	17.63	Pass	19503




4.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-70.93	-25	45.93	Pass	401
0.15	30	0.01	RMS	25.02	-66.56	-25	41.56	Pass	2986
30	1000	0.1	RMS	725.6	-55	-25	30	Pass	9701
1000	2540	1	RMS	2186	-46.11	-25	21.11	Pass	1541
2540	2650	1	RMS	2618.925	20.77	60	39.23	Pass	401
2650	3000	1	RMS	2962.375	-45.46	-25	20.46	Pass	401
3000	7000	1	RMS	6985	-56.34	-25	31.34	Pass	4001
7000	26500	1	RMS	25034	-42.62	-25	17.62	Pass	19503




4.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.93	-25	45.93	Pass	401
0.15	30	0.01	RMS	16.21	-65.85	-25	40.85	Pass	2986
30	1000	0.1	RMS	636.4	-55.53	-25	30.53	Pass	9701
1000	2530	1	RMS	2530	-44.43	-25	19.43	Pass	1531
2530	2660	1	RMS	2572.25	5.63	60	54.37	Pass	401
2660	3000	1	RMS	2972.8	-45.21	-25	20.21	Pass	401
3000	7000	1	RMS	6989	-56.32	-25	31.32	Pass	4001
7000	26500	1	RMS	25455	-42.64	-25	17.64	Pass	19503




4.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.11	-25	45.11	Pass	401
0.15	30	0.01	RMS	17.17	-65.47	-25	40.47	Pass	2986
30	1000	0.1	RMS	735.1	-55.21	-25	30.21	Pass	9701
1000	2530	1	RMS	2509	-46.25	-25	21.25	Pass	1531
2530	2660	1	RMS	2570.95	20.58	60	39.42	Pass	401
2660	3000	1	RMS	2967.7	-45.41	-25	20.41	Pass	401
3000	7000	1	RMS	6993	-56.85	-25	31.85	Pass	4001
7000	26500	1	RMS	25092	-42.75	-25	17.75	Pass	19503




4.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.6	-25	45.6	Pass	401
0.15	30	0.01	RMS	22.61	-64.08	-25	39.08	Pass	2986
30	1000	0.1	RMS	879.02	-55.54	-25	30.54	Pass	9701
1000	2530	1	RMS	2529	-45.85	-25	20.85	Pass	1531
2530	2660	1	RMS	2608.975	20.65	60	39.35	Pass	401
2660	3000	1	RMS	2973.65	-45.31	-25	20.31	Pass	401
3000	7000	1	RMS	6966	-56.18	-25	31.18	Pass	4001
7000	26500	1	RMS	24140	-42.35	-25	17.35	Pass	19503




4.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-68.95	-25	43.95	Pass	401
0.15	30	0.01	RMS	1.38	-66.6	-25	41.6	Pass	2986
30	1000	0.1	RMS	883.423	-55.34	-25	30.34	Pass	9701
1000	2530	1	RMS	2529	-44.87	-25	19.87	Pass	1531
2530	2660	1	RMS	2579.075	5.68	60	54.32	Pass	401
2660	3000	1	RMS	2660	-44.35	-25	19.35	Pass	401
3000	7000	1	RMS	6971	-56.88	-25	31.88	Pass	4001
7000	26500	1	RMS	24119	-42.42	-25	17.42	Pass	19503




4.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-68.42	-25	43.42	Pass	401
0.15	30	0.01	RMS	22.66	-66.5	-25	41.5	Pass	2986
30	1000	0.1	RMS	876.018	-55.54	-25	30.54	Pass	9701
1000	2530	1	RMS	2490	-46.1	-25	21.1	Pass	1531
2530	2660	1	RMS	2576.15	20.69	60	39.31	Pass	401
2660	3000	1	RMS	2972.8	-45.2	-25	20.2	Pass	401
3000	7000	1	RMS	6985	-56.41	-25	31.41	Pass	4001
7000	26500	1	RMS	24582	-42.7	-25	17.7	Pass	19503




4.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-68.98	-25	43.98	Pass	401
0.15	30	0.01	RMS	1.97	-65.11	-25	40.11	Pass	2986
30	1000	0.1	RMS	846.8	-55.36	-25	30.36	Pass	9701
1000	2530	1	RMS	2527	-46.14	-25	21.14	Pass	1531
2530	2660	1	RMS	2613.85	20.76	60	39.24	Pass	401
2660	3000	1	RMS	2974.5	-45.32	-25	20.32	Pass	401
3000	7000	1	RMS	6977	-56.14	-25	31.14	Pass	4001
7000	26500	1	RMS	25412	-42.86	-25	17.86	Pass	19503




4.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.14	-25	44.14	Pass	401
0.15	30	0.01	RMS	25.15	-65.52	-25	40.52	Pass	2986
30	1000	0.1	RMS	916.244	-55.58	-25	30.58	Pass	9701
1000	2530	1	RMS	2522	-45.61	-25	20.61	Pass	1531
2530	2660	1	RMS	2582	5.62	60	54.38	Pass	401
2660	3000	1	RMS	2660	-43.56	-25	18.56	Pass	401
3000	7000	1	RMS	3876	-51.09	-25	26.09	Pass	4001
7000	26500	1	RMS	23275	-38.65	-25	13.65	Pass	19503




4.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.07	-25	44.07	Pass	401
0.15	30	0.01	RMS	15.41	-66.17	-25	41.17	Pass	2986
30	1000	0.1	RMS	712.6	-55.61	-25	30.61	Pass	9701
1000	2530	1	RMS	2519	-45.81	-25	20.81	Pass	1531
2530	2660	1	RMS	2581.025	20.62	60	39.38	Pass	401
2660	3000	1	RMS	2964.3	-45.54	-25	20.54	Pass	401
3000	7000	1	RMS	6997	-56.84	-25	31.84	Pass	4001
7000	26500	1	RMS	25143	-42.28	-25	17.28	Pass	19503



4.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.26	-25	45.26	Pass	401
0.15	30	0.01	RMS	5.56	-65.51	-25	40.51	Pass	2986
30	1000	0.1	RMS	909.04	-55.47	-25	30.47	Pass	9701
1000	2530	1	RMS	2516	-45.82	-25	20.82	Pass	1531
2530	2660	1	RMS	2619.05	20.51	60	39.49	Pass	401
2660	3000	1	RMS	2979.6	-45.36	-25	20.36	Pass	401
3000	7000	1	RMS	6911	-56.66	-25	31.66	Pass	4001
7000	26500	1	RMS	24173	-42.23	-25	17.23	Pass	19503



1. n77(3450-3550)


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.17	-13	58.17	Pass	401
0.15	30	0.01	RMS	0.16	-70.82	-13	57.82	Pass	2986
30	1000	0.1	RMS	772.5	-61.06	-13	48.06	Pass	9701
1000	3000	1	RMS	2874	-48.41	-13	35.41	Pass	2001
3000	3440	1	RMS	3440	-31.41	-13	18.41	Pass	441
3440	3560	1	RMS	3467.3	9.92	60	50.08	Pass	401
3560	7000	1	RMS	6887	-61.04	-13	48.04	Pass	3441
7000	26500	1	RMS	25198	-42.47	-13	29.47	Pass	19503




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.86	-13	58.86	Pass	401
0.15	30	0.01	RMS	0.15	-69.99	-13	56.99	Pass	2986
30	1000	0.1	RMS	820.4	-61.44	-13	48.44	Pass	9701
1000	3000	1	RMS	2870	-48.35	-13	35.35	Pass	2001
3000	3440	1	RMS	3032	-43.85	-13	30.85	Pass	441
3440	3560	1	RMS	3451.1	21.59	60	38.41	Pass	401
3560	7000	1	RMS	3758	-56.09	-13	43.09	Pass	3441
7000	26500	1	RMS	25498	-42.77	-13	29.77	Pass	19503




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.34	-13	58.34	Pass	401
0.15	30	0.01	RMS	0.16	-69.79	-13	56.79	Pass	2986
30	1000	0.1	RMS	884.123	-61.08	-13	48.08	Pass	9701
1000	3000	1	RMS	2881	-48.62	-13	35.62	Pass	2001
3000	3440	1	RMS	3029	-43.8	-13	30.8	Pass	441
3440	3560	1	RMS	3469.1	21.7	60	38.3	Pass	401
3560	7000	1	RMS	3776	-55.08	-13	42.08	Pass	3441
7000	26500	1	RMS	25202	-42.84	-13	29.84	Pass	19503




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.29	-68.97	-13	55.97	Pass	2986
30	1000	0.1	RMS	876.418	-60.85	-13	47.85	Pass	9701
1000	3000	1	RMS	2872	-48.54	-13	35.54	Pass	2001
3000	3440	1	RMS	3027	-43.84	-13	30.84	Pass	441
3440	3560	1	RMS	3506.6	9.83	60	50.17	Pass	401
3560	7000	1	RMS	6945	-60.8	-13	47.8	Pass	3441
7000	26500	1	RMS	25199	-43.04	-13	30.04	Pass	19503




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.41	-13	60.41	Pass	401
0.15	30	0.01	RMS	0.16	-70.4	-13	57.4	Pass	2986
30	1000	0.1	RMS	450.6	-61.2	-13	48.2	Pass	9701
1000	3000	1	RMS	2858	-48.58	-13	35.58	Pass	2001
3000	3440	1	RMS	3032	-43.69	-13	30.69	Pass	441
3440	3560	1	RMS	3491	21.85	60	38.15	Pass	401
3560	7000	1	RMS	3798	-56.23	-13	43.23	Pass	3441
7000	26500	1	RMS	25182	-42.82	-13	29.82	Pass	19503




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.48	-70.7	-13	57.7	Pass	2986
30	1000	0.1	RMS	890.628	-61.35	-13	48.35	Pass	9701
1000	3000	1	RMS	2873	-48.51	-13	35.51	Pass	2001
3000	3440	1	RMS	3029	-43.86	-13	30.86	Pass	441
3440	3560	1	RMS	3509	22.05	60	37.95	Pass	401
3560	7000	1	RMS	3816	-56.18	-13	43.18	Pass	3441
7000	26500	1	RMS	25835	-42.91	-13	29.91	Pass	19503




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.23	-69.19	-13	56.19	Pass	2986
30	1000	0.1	RMS	982.588	-61.35	-13	48.35	Pass	9701
1000	3000	1	RMS	2884	-48.66	-13	35.66	Pass	2001
3000	3440	1	RMS	3031	-43.82	-13	30.82	Pass	441
3440	3560	1	RMS	3544.7	10.11	60	49.89	Pass	401
3560	7000	1	RMS	3560	-31.62	-13	18.62	Pass	3441
7000	26500	1	RMS	25452	-42.91	-13	29.91	Pass	19503




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	0.19	-69.45	-13	56.45	Pass	2986
30	1000	0.1	RMS	993.195	-60.66	-13	47.66	Pass	9701
1000	3000	1	RMS	2872	-48.63	-13	35.63	Pass	2001
3000	3440	1	RMS	3030	-43.84	-13	30.84	Pass	441
3440	3560	1	RMS	3530.9	22.16	60	37.84	Pass	401
3560	7000	1	RMS	3567	-52.68	-13	39.68	Pass	3441
7000	26500	1	RMS	25800	-43.05	-13	30.05	Pass	19503




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.18	-69.51	-13	56.51	Pass	2986
30	1000	0.1	RMS	874.717	-61.55	-13	48.55	Pass	9701
1000	3000	1	RMS	2870	-48.51	-13	35.51	Pass	2001
3000	3440	1	RMS	3026	-43.88	-13	30.88	Pass	441
3440	3560	1	RMS	3548.9	21.99	60	38.01	Pass	401
3560	7000	1	RMS	3561	-52.4	-13	39.4	Pass	3441
7000	26500	1	RMS	25197	-42.83	-13	29.83	Pass	19503




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.18	-70.68	-13	57.68	Pass	2986
30	1000	0.1	RMS	856.205	-61.59	-13	48.59	Pass	9701
1000	3000	1	RMS	2869	-48.57	-13	35.57	Pass	2001
3000	3440	1	RMS	3440	-30.19	-13	17.19	Pass	441
3440	3560	1	RMS	3494.6	5.33	60	54.67	Pass	401
3560	7000	1	RMS	3560	-46.46	-13	33.46	Pass	3441
7000	26500	1	RMS	25199	-42.97	-13	29.97	Pass	19503




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.31	-68.34	-13	55.34	Pass	2986
30	1000	0.1	RMS	724.8	-60.99	-13	47.99	Pass	9701
1000	3000	1	RMS	2870	-48.44	-13	35.44	Pass	2001
3000	3440	1	RMS	3427	-43.77	-13	30.77	Pass	441
3440	3560	1	RMS	3451.1	21.21	60	38.79	Pass	401
3560	7000	1	RMS	3758	-57.74	-13	44.74	Pass	3441
7000	26500	1	RMS	25208	-42.89	-13	29.89	Pass	19503




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.37	-13	58.37	Pass	401
0.15	30	0.01	RMS	0.25	-69.72	-13	56.72	Pass	2986
30	1000	0.1	RMS	859.507	-61.18	-13	48.18	Pass	9701
1000	3000	1	RMS	2876	-48.51	-13	35.51	Pass	2001
3000	3440	1	RMS	3031	-43.79	-13	30.79	Pass	441
3440	3560	1	RMS	3498.8	21.6	60	38.4	Pass	401
3560	7000	1	RMS	3806	-57.72	-13	44.72	Pass	3441
7000	26500	1	RMS	25854	-42.66	-13	29.66	Pass	19503




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.69	-13	58.69	Pass	401
0.15	30	0.01	RMS	0.29	-70.32	-13	57.32	Pass	2986
30	1000	0.1	RMS	861.208	-61.46	-13	48.46	Pass	9701
1000	3000	1	RMS	2889	-48.58	-13	35.58	Pass	2001
3000	3440	1	RMS	3440	-37.18	-13	24.18	Pass	441
3440	3560	1	RMS	3512.9	5.54	60	54.46	Pass	401
3560	7000	1	RMS	3561	-37.56	-13	24.56	Pass	3441
7000	26500	1	RMS	25485	-42.68	-13	29.68	Pass	19503




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.17	-70.21	-13	57.21	Pass	2986
30	1000	0.1	RMS	873.916	-61.28	-13	48.28	Pass	9701
1000	3000	1	RMS	2862	-48.57	-13	35.57	Pass	2001
3000	3440	1	RMS	3027	-43.85	-13	30.85	Pass	441
3440	3560	1	RMS	3476.3	21.38	60	38.62	Pass	401
3560	7000	1	RMS	3571	-53.39	-13	40.39	Pass	3441
7000	26500	1	RMS	25507	-43.12	-13	30.12	Pass	19503




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	0.18	-69.77	-13	56.77	Pass	2986
30	1000	0.1	RMS	894.13	-61.11	-13	48.11	Pass	9701
1000	3000	1	RMS	2870	-48.49	-13	35.49	Pass	2001
3000	3440	1	RMS	3025	-43.81	-13	30.81	Pass	441
3440	3560	1	RMS	3523.7	21.77	60	38.23	Pass	401
3560	7000	1	RMS	3571	-52.79	-13	39.79	Pass	3441
7000	26500	1	RMS	25206	-43.16	-13	30.16	Pass	19503




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.62	-13	58.62	Pass	401
0.15	30	0.01	RMS	0.18	-68.79	-13	55.79	Pass	2986
30	1000	0.1	RMS	747.5	-61.64	-13	48.64	Pass	9701
1000	3000	1	RMS	2872	-48.49	-13	35.49	Pass	2001
3000	3440	1	RMS	3440	-43.1	-13	30.1	Pass	441
3440	3560	1	RMS	3538.1	5.78	60	54.22	Pass	401
3560	7000	1	RMS	3563	-30.28	-13	17.28	Pass	3441
7000	26500	1	RMS	25829	-42.82	-13	29.82	Pass	19503




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.27	-13	58.27	Pass	401
0.15	30	0.01	RMS	0.15	-69.09	-13	56.09	Pass	2986
30	1000	0.1	RMS	987.392	-61.57	-13	48.57	Pass	9701
1000	3000	1	RMS	2864	-48.48	-13	35.48	Pass	2001
3000	3440	1	RMS	3026	-43.82	-13	30.82	Pass	441
3440	3560	1	RMS	3501.2	21.64	60	38.36	Pass	401
3560	7000	1	RMS	3596	-54.28	-13	41.28	Pass	3441
7000	26500	1	RMS	25197	-42.55	-13	29.55	Pass	19503




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	0.49	-70.18	-13	57.18	Pass	2986
30	1000	0.1	RMS	851.201	-61.21	-13	48.21	Pass	9701
1000	3000	1	RMS	2871	-48.61	-13	35.61	Pass	2001
3000	3440	1	RMS	3031	-43.88	-13	30.88	Pass	441
3440	3560	1	RMS	3548.6	21.66	60	38.34	Pass	401
3560	7000	1	RMS	3572	-49.7	-13	36.7	Pass	3441
7000	26500	1	RMS	25173	-43.17	-13	30.17	Pass	19503




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.24	-13	58.24	Pass	401
0.15	30	0.01	RMS	0.18	-69.26	-13	56.26	Pass	2986
30	1000	0.1	RMS	661.3	-60.79	-13	47.79	Pass	9701
1000	3000	1	RMS	2862	-48.43	-13	35.43	Pass	2001
3000	3440	1	RMS	3439	-31.94	-13	18.94	Pass	441
3440	3560	1	RMS	3533.9	2.56	60	57.44	Pass	401
3560	7000	1	RMS	3564	-32.52	-13	19.52	Pass	3441
7000	26500	1	RMS	25179	-43.12	-13	30.12	Pass	19503




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.23	-13	58.23	Pass	401
0.15	30	0.01	RMS	0.19	-69.17	-13	56.17	Pass	2986
30	1000	0.1	RMS	994.396	-61.59	-13	48.59	Pass	9701
1000	3000	1	RMS	2881	-48.58	-13	35.58	Pass	2001
3000	3440	1	RMS	3432	-41.6	-13	28.6	Pass	441
3440	3560	1	RMS	3451.1	21.04	60	38.96	Pass	401
3560	7000	1	RMS	3647	-50.9	-13	37.9	Pass	3441
7000	26500	1	RMS	25206	-43.03	-13	30.03	Pass	19503



1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.31	-13	60.31	Pass	401
0.15	30	0.01	RMS	0.33	-69.7	-13	56.7	Pass	2986
30	1000	0.1	RMS	909.44	-61.46	-13	48.46	Pass	9701
1000	3000	1	RMS	2883	-48.53	-13	35.53	Pass	2001
3000	3440	1	RMS	3036	-43.83	-13	30.83	Pass	441
3440	3560	1	RMS	3548.9	21.87	60	38.13	Pass	401
3560	7000	1	RMS	3568	-44.45	-13	31.45	Pass	3441
7000	26500	1	RMS	25830	-42.82	-13	29.82	Pass	19503



2. n78(3450-3550)


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.19	-13	58.19	Pass	401
0.15	30	0.01	RMS	0.25	-69.95	-13	56.95	Pass	2986
30	1000	0.1	RMS	976.584	-61.28	-13	48.28	Pass	9701
1000	3000	1	RMS	2877	-48.47	-13	35.47	Pass	2001
3000	3440	1	RMS	3440	-30.79	-13	17.79	Pass	441
3440	3560	1	RMS	3467	9.56	60	50.44	Pass	401
3560	7000	1	RMS	6941	-61.03	-13	48.03	Pass	3441
7000	26500	1	RMS	25185	-42.86	-13	29.86	Pass	19503




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.77	-13	57.77	Pass	401
0.15	30	0.01	RMS	0.2	-68.77	-13	55.77	Pass	2986
30	1000	0.1	RMS	974.283	-60.85	-13	47.85	Pass	9701
1000	3000	1	RMS	2880	-48.49	-13	35.49	Pass	2001
3000	3440	1	RMS	3029	-43.75	-13	30.75	Pass	441
3440	3560	1	RMS	3451.1	21.36	60	38.64	Pass	401
3560	7000	1	RMS	3758	-56.66	-13	43.66	Pass	3441
7000	26500	1	RMS	25187	-42.75	-13	29.75	Pass	19503




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.2	-69	-13	56	Pass	2986
30	1000	0.1	RMS	887.726	-61.08	-13	48.08	Pass	9701
1000	3000	1	RMS	2865	-48.57	-13	35.57	Pass	2001
3000	3440	1	RMS	3032	-43.73	-13	30.73	Pass	441
3440	3560	1	RMS	3469.1	21.57	60	38.43	Pass	401
3560	7000	1	RMS	3776	-56.75	-13	43.75	Pass	3441
7000	26500	1	RMS	25540	-42.94	-13	29.94	Pass	19503




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.58	-13	60.58	Pass	401
0.15	30	0.01	RMS	0.57	-70.22	-13	57.22	Pass	2986
30	1000	0.1	RMS	988.192	-61.62	-13	48.62	Pass	9701
1000	3000	1	RMS	2873	-48.62	-13	35.62	Pass	2001
3000	3440	1	RMS	3026	-43.85	-13	30.85	Pass	441
3440	3560	1	RMS	3507.2	9.58	60	50.42	Pass	401
3560	7000	1	RMS	6914	-60.8	-13	47.8	Pass	3441
7000	26500	1	RMS	25135	-43.12	-13	30.12	Pass	19503




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.16	-69.34	-13	56.34	Pass	2986
30	1000	0.1	RMS	970.981	-61.54	-13	48.54	Pass	9701
1000	3000	1	RMS	2887	-48.53	-13	35.53	Pass	2001
3000	3440	1	RMS	3034	-43.85	-13	30.85	Pass	441
3440	3560	1	RMS	3491	21.64	60	38.36	Pass	401
3560	7000	1	RMS	3798	-56.69	-13	43.69	Pass	3441
7000	26500	1	RMS	25169	-42.98	-13	29.98	Pass	19503




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.58	-13	58.58	Pass	401
0.15	30	0.01	RMS	0.41	-68.78	-13	55.78	Pass	2986
30	1000	0.1	RMS	789.7	-60.76	-13	47.76	Pass	9701
1000	3000	1	RMS	2873	-48.71	-13	35.71	Pass	2001
3000	3440	1	RMS	3029	-43.81	-13	30.81	Pass	441
3440	3560	1	RMS	3509	21.77	60	38.23	Pass	401
3560	7000	1	RMS	3816	-56.77	-13	43.77	Pass	3441
7000	26500	1	RMS	25210	-42.46	-13	29.46	Pass	19503




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.69	-13	57.69	Pass	401
0.15	30	0.01	RMS	0.17	-70.27	-13	57.27	Pass	2986
30	1000	0.1	RMS	884.323	-61.24	-13	48.24	Pass	9701
1000	3000	1	RMS	2881	-48.55	-13	35.55	Pass	2001
3000	3440	1	RMS	3030	-43.81	-13	30.81	Pass	441
3440	3560	1	RMS	3544.7	9.9	60	50.1	Pass	401
3560	7000	1	RMS	3560	-31.12	-13	18.12	Pass	3441
7000	26500	1	RMS	25196	-42.83	-13	29.83	Pass	19503




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-68.55	-13	55.55	Pass	2986
30	1000	0.1	RMS	974.183	-60.79	-13	47.79	Pass	9701
1000	3000	1	RMS	2869	-48.53	-13	35.53	Pass	2001
3000	3440	1	RMS	3034	-43.87	-13	30.87	Pass	441
3440	3560	1	RMS	3530.9	21.94	60	38.06	Pass	401
3560	7000	1	RMS	3567	-51.55	-13	38.55	Pass	3441
7000	26500	1	RMS	25510	-43.04	-13	30.04	Pass	19503




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.07	-13	58.07	Pass	401
0.15	30	0.01	RMS	0.16	-69.9	-13	56.9	Pass	2986
30	1000	0.1	RMS	930.454	-61.39	-13	48.39	Pass	9701
1000	3000	1	RMS	2872	-48.42	-13	35.42	Pass	2001
3000	3440	1	RMS	3028	-43.76	-13	30.76	Pass	441
3440	3560	1	RMS	3548.9	21.79	60	38.21	Pass	401
3560	7000	1	RMS	3560	-51.21	-13	38.21	Pass	3441
7000	26500	1	RMS	25200	-42.63	-13	29.63	Pass	19503




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.83	-13	57.83	Pass	401
0.15	30	0.01	RMS	0.45	-69.54	-13	56.54	Pass	2986
30	1000	0.1	RMS	748.8	-61.5	-13	48.5	Pass	9701
1000	3000	1	RMS	2864	-48.45	-13	35.45	Pass	2001
3000	3440	1	RMS	3440	-30.19	-13	17.19	Pass	441
3440	3560	1	RMS	3488	5.35	60	54.65	Pass	401
3560	7000	1	RMS	3560	-46.98	-13	33.98	Pass	3441
7000	26500	1	RMS	25197	-42.91	-13	29.91	Pass	19503




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.63	-13	58.63	Pass	401
0.15	30	0.01	RMS	0.4	-69.36	-13	56.36	Pass	2986
30	1000	0.1	RMS	955.07	-61.25	-13	48.25	Pass	9701
1000	3000	1	RMS	2868	-48.54	-13	35.54	Pass	2001
3000	3440	1	RMS	3025	-43.81	-13	30.81	Pass	441
3440	3560	1	RMS	3451.1	21.16	60	38.84	Pass	401
3560	7000	1	RMS	3758	-58.08	-13	45.08	Pass	3441
7000	26500	1	RMS	25184	-42.86	-13	29.86	Pass	19503




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.37	-69.76	-13	56.76	Pass	2986
30	1000	0.1	RMS	887.826	-61.19	-13	48.19	Pass	9701
1000	3000	1	RMS	2876	-48.62	-13	35.62	Pass	2001
3000	3440	1	RMS	3033	-43.82	-13	30.82	Pass	441
3440	3560	1	RMS	3498.8	21.43	60	38.57	Pass	401
3560	7000	1	RMS	3806	-57.56	-13	44.56	Pass	3441
7000	26500	1	RMS	25201	-42.81	-13	29.81	Pass	19503




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.4	-69.87	-13	56.87	Pass	2986
30	1000	0.1	RMS	891.428	-61.46	-13	48.46	Pass	9701
1000	3000	1	RMS	2869	-48.4	-13	35.4	Pass	2001
3000	3440	1	RMS	3440	-37.54	-13	24.54	Pass	441
3440	3560	1	RMS	3519.5	5.39	60	54.61	Pass	401
3560	7000	1	RMS	3561	-38.37	-13	25.37	Pass	3441
7000	26500	1	RMS	25503	-43.21	-13	30.21	Pass	19503




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.38	-70.33	-13	57.33	Pass	2986
30	1000	0.1	RMS	896.932	-61.48	-13	48.48	Pass	9701
1000	3000	1	RMS	2863	-48.55	-13	35.55	Pass	2001
3000	3440	1	RMS	3033	-43.83	-13	30.83	Pass	441
3440	3560	1	RMS	3476.3	21.36	60	38.64	Pass	401
3560	7000	1	RMS	3571	-51.88	-13	38.88	Pass	3441
7000	26500	1	RMS	25185	-43.06	-13	30.06	Pass	19503




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.27	-13	60.27	Pass	401
0.15	30	0.01	RMS	0.4	-71.17	-13	58.17	Pass	2986
30	1000	0.1	RMS	985.09	-61.11	-13	48.11	Pass	9701
1000	3000	1	RMS	2877	-48.54	-13	35.54	Pass	2001
3000	3440	1	RMS	3030	-43.79	-13	30.79	Pass	441
3440	3560	1	RMS	3523.7	21.57	60	38.43	Pass	401
3560	7000	1	RMS	3571	-55.12	-13	42.12	Pass	3441
7000	26500	1	RMS	25199	-43.1	-13	30.1	Pass	19503




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	0.18	-69.55	-13	56.55	Pass	2986
30	1000	0.1	RMS	916.144	-61.06	-13	48.06	Pass	9701
1000	3000	1	RMS	2872	-48.61	-13	35.61	Pass	2001
3000	3440	1	RMS	3440	-43.57	-13	30.57	Pass	441
3440	3560	1	RMS	3544.4	5.57	60	54.43	Pass	401
3560	7000	1	RMS	3560	-31.1	-13	18.1	Pass	3441
7000	26500	1	RMS	25774	-42.8	-13	29.8	Pass	19503




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.19	-13	58.19	Pass	401
0.15	30	0.01	RMS	0.18	-70.33	-13	57.33	Pass	2986
30	1000	0.1	RMS	900.334	-61.51	-13	48.51	Pass	9701
1000	3000	1	RMS	2867	-48.57	-13	35.57	Pass	2001
3000	3440	1	RMS	3030	-43.84	-13	30.84	Pass	441
3440	3560	1	RMS	3501.2	21.5	60	38.5	Pass	401
3560	7000	1	RMS	3596	-55.21	-13	42.21	Pass	3441
7000	26500	1	RMS	25198	-42.86	-13	29.86	Pass	19503




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.2	-69.63	-13	56.63	Pass	2986
30	1000	0.1	RMS	970.48	-61.34	-13	48.34	Pass	9701
1000	3000	1	RMS	2865	-48.51	-13	35.51	Pass	2001
3000	3440	1	RMS	3035	-43.84	-13	30.84	Pass	441
3440	3560	1	RMS	3548.9	21.52	60	38.48	Pass	401
3560	7000	1	RMS	3572	-50.47	-13	37.47	Pass	3441
7000	26500	1	RMS	25205	-42.77	-13	29.77	Pass	19503




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.25	-70.27	-13	57.27	Pass	2986
30	1000	0.1	RMS	856.705	-61.19	-13	48.19	Pass	9701
1000	3000	1	RMS	2871	-48.43	-13	35.43	Pass	2001
3000	3440	1	RMS	3439	-32.37	-13	19.37	Pass	441
3440	3560	1	RMS	3539.9	2.47	60	57.53	Pass	401
3560	7000	1	RMS	3561	-32.6	-13	19.6	Pass	3441
7000	26500	1	RMS	25509	-42.64	-13	29.64	Pass	19503




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.16	-69.8	-13	56.8	Pass	2986
30	1000	0.1	RMS	890.027	-44.49	-13	31.49	Pass	9701
1000	3000	1	RMS	2862	-48.59	-13	35.59	Pass	2001
3000	3440	1	RMS	3031	-43.81	-13	30.81	Pass	441
3440	3560	1	RMS	3451.1	20.98	60	39.02	Pass	401
3560	7000	1	RMS	4270	-52.69	-13	39.69	Pass	3441
7000	26500	1	RMS	25900	-43.01	-13	30.01	Pass	19503



2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.26	-70.08	-13	57.08	Pass	2986
30	1000	0.1	RMS	903.136	-61.56	-13	48.56	Pass	9701
1000	3000	1	RMS	2884	-48.57	-13	35.57	Pass	2001
3000	3440	1	RMS	3030	-43.8	-13	30.8	Pass	441
3440	3560	1	RMS	3548.9	21.62	60	38.38	Pass	401
3560	7000	1	RMS	3598	-51.46	-13	38.46	Pass	3441
7000	26500	1	RMS	25194	-42.89	-13	29.89	Pass	19503



5. n77(3700-3980)


5.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-70.73	-13	57.73	Pass	401
0.15	30	0.01	RMS	27.86	-67.06	-13	54.06	Pass	2986
30	1000	0.1	RMS	775.4	-55.84	-13	42.84	Pass	9701
1000	3000	1	RMS	2938	-45.82	-13	32.82	Pass	2001
3000	3690	1	RMS	3690	-33.73	-13	20.73	Pass	691
3690	3990	1	RMS	3705.75	9.08	60	50.92	Pass	401
3990	7000	1	RMS	6968	-58	-13	45	Pass	3011
7000	26500	1	RMS	22888	-40.67	-13	27.67	Pass	19503




5.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-70.17	-13	57.17	Pass	401
0.15	30	0.01	RMS	9.79	-66.99	-13	53.99	Pass	2986
30	1000	0.1	RMS	825.4	-56.74	-13	43.74	Pass	9701
1000	3000	1	RMS	2755	-45.95	-13	32.95	Pass	2001
3000	3690	1	RMS	3428	-41.38	-13	28.38	Pass	691
3690	3990	1	RMS	3701.25	19.56	60	40.44	Pass	401
3990	7000	1	RMS	4008	-57.6	-13	44.6	Pass	3011
7000	26500	1	RMS	24145	-46.85	-13	33.85	Pass	19503




5.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-70.66	-13	57.66	Pass	401
0.15	30	0.01	RMS	15.81	-66.64	-13	53.64	Pass	2986
30	1000	0.1	RMS	442.2	-56.7	-13	43.7	Pass	9701
1000	3000	1	RMS	2880	-46.11	-13	33.11	Pass	2001
3000	3690	1	RMS	3387	-41.63	-13	28.63	Pass	691
3690	3990	1	RMS	3719.25	19.69	60	40.31	Pass	401
3990	7000	1	RMS	6995	-58.26	-13	45.26	Pass	3011
7000	26500	1	RMS	24129	-46.36	-13	33.36	Pass	19503




5.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.13	-13	55.13	Pass	401
0.15	30	0.01	RMS	26.47	-67.32	-13	54.32	Pass	2986
30	1000	0.1	RMS	875.718	-56.66	-13	43.66	Pass	9701
1000	3000	1	RMS	2979	-45.53	-13	32.53	Pass	2001
3000	3690	1	RMS	3418	-41.49	-13	28.49	Pass	691
3690	3990	1	RMS	3834	9.4	60	50.6	Pass	401
3990	7000	1	RMS	6921	-58.35	-13	45.35	Pass	3011
7000	26500	1	RMS	25157	-46.65	-13	33.65	Pass	19503




5.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.09	-13	56.09	Pass	401
0.15	30	0.01	RMS	14.11	-66.97	-13	53.97	Pass	2986
30	1000	0.1	RMS	901.735	-56.89	-13	43.89	Pass	9701
1000	3000	1	RMS	2755	-45.68	-13	32.68	Pass	2001
3000	3690	1	RMS	3427	-41.52	-13	28.52	Pass	691
3690	3990	1	RMS	3831	20.61	60	39.39	Pass	401
3990	7000	1	RMS	5196	-37.19	-13	24.19	Pass	3011
7000	26500	1	RMS	21113	-46.72	-13	33.72	Pass	19503




5.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-70.02	-13	57.02	Pass	401
0.15	30	0.01	RMS	0.85	-66.47	-13	53.47	Pass	2986
30	1000	0.1	RMS	908.94	-56.29	-13	43.29	Pass	9701
1000	3000	1	RMS	2760	-45.76	-13	32.76	Pass	2001
3000	3690	1	RMS	3385	-41.58	-13	28.58	Pass	691
3690	3990	1	RMS	3849	20.4	60	39.6	Pass	401
3990	7000	1	RMS	6905	-58.66	-13	45.66	Pass	3011
7000	26500	1	RMS	24114	-46.5	-13	33.5	Pass	19503




5.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.72	-13	56.72	Pass	401
0.15	30	0.01	RMS	3	-66.4	-13	53.4	Pass	2986
30	1000	0.1	RMS	813.6	-55.65	-13	42.65	Pass	9701
1000	3000	1	RMS	2938	-46	-13	33	Pass	2001
3000	3690	1	RMS	3377	-41.7	-13	28.7	Pass	691
3690	3990	1	RMS	3965.25	8.78	60	51.22	Pass	401
3990	7000	1	RMS	3990	-38.3	-13	25.3	Pass	3011
7000	26500	1	RMS	25884	-46.55	-13	33.55	Pass	19503




5.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.83	-13	56.83	Pass	401
0.15	30	0.01	RMS	29.18	-65.53	-13	52.53	Pass	2986
30	1000	0.1	RMS	486.1	-56.22	-13	43.22	Pass	9701
1000	3000	1	RMS	2914	-46.13	-13	33.13	Pass	2001
3000	3690	1	RMS	3429	-41.38	-13	28.38	Pass	691
3690	3990	1	RMS	3960.75	19.3	60	40.7	Pass	401
3990	7000	1	RMS	3997	-50.34	-13	37.34	Pass	3011
7000	26500	1	RMS	25755	-46.99	-13	33.99	Pass	19503




5.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.29	-13	56.29	Pass	401
0.15	30	0.01	RMS	27.34	-66.58	-13	53.58	Pass	2986
30	1000	0.1	RMS	434.1	-56.7	-13	43.7	Pass	9701
1000	3000	1	RMS	2970	-45.6	-13	32.6	Pass	2001
3000	3690	1	RMS	3388	-41.46	-13	28.46	Pass	691
3690	3990	1	RMS	3978.75	19.32	60	40.68	Pass	401
3990	7000	1	RMS	3990	-52.64	-13	39.64	Pass	3011
7000	26500	1	RMS	25907	-46.38	-13	33.38	Pass	19503




5.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.33	-13	56.33	Pass	401
0.15	30	0.01	RMS	1.41	-66.67	-13	53.67	Pass	2986
30	1000	0.1	RMS	987.492	-56.8	-13	43.8	Pass	9701
1000	3000	1	RMS	2992	-45.47	-13	32.47	Pass	2001
3000	3690	1	RMS	3690	-33.58	-13	20.58	Pass	691
3690	3990	1	RMS	3744	5.01	60	54.99	Pass	401
3990	7000	1	RMS	6983	-58.39	-13	45.39	Pass	3011
7000	26500	1	RMS	23274	-37.36	-13	24.36	Pass	19503




5.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-71.39	-13	58.39	Pass	401
0.15	30	0.01	RMS	14.76	-65.64	-13	52.64	Pass	2986
30	1000	0.1	RMS	908.139	-56.28	-13	43.28	Pass	9701
1000	3000	1	RMS	2787	-45.93	-13	32.93	Pass	2001
3000	3690	1	RMS	3434	-41.45	-13	28.45	Pass	691
3690	3990	1	RMS	3701.25	19.91	60	40.09	Pass	401
3990	7000	1	RMS	6970	-57.96	-13	44.96	Pass	3011
7000	26500	1	RMS	26092	-46.6	-13	33.6	Pass	19503




5.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.54	-13	55.54	Pass	401
0.15	30	0.01	RMS	26.7	-64.47	-13	51.47	Pass	2986
30	1000	0.1	RMS	840.5	-55.35	-13	42.35	Pass	9701
1000	3000	1	RMS	2783	-45.93	-13	32.93	Pass	2001
3000	3690	1	RMS	3402	-41.68	-13	28.68	Pass	691
3690	3990	1	RMS	3748.5	19.58	60	40.42	Pass	401
3990	7000	1	RMS	6972	-57.96	-13	44.96	Pass	3011
7000	26500	1	RMS	25360	-46.87	-13	33.87	Pass	19503




5.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.05	-13	56.05	Pass	401
0.15	30	0.01	RMS	27.86	-66.61	-13	53.61	Pass	2986
30	1000	0.1	RMS	976.885	-56.8	-13	43.8	Pass	9701
1000	3000	1	RMS	2870	-46.17	-13	33.17	Pass	2001
3000	3690	1	RMS	3420	-41.32	-13	28.32	Pass	691
3690	3990	1	RMS	3832.5	5.1	60	54.9	Pass	401
3990	7000	1	RMS	6993	-58.23	-13	45.23	Pass	3011
7000	26500	1	RMS	25886	-46.25	-13	33.25	Pass	19503




5.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-68.65	-13	55.65	Pass	401
0.15	30	0.01	RMS	0.39	-65.7	-13	52.7	Pass	2986
30	1000	0.1	RMS	878.92	-56.34	-13	43.34	Pass	9701
1000	3000	1	RMS	2976	-45.9	-13	32.9	Pass	2001
3000	3690	1	RMS	3440	-41.6	-13	28.6	Pass	691
3690	3990	1	RMS	3816	20.05	60	39.95	Pass	401
3990	7000	1	RMS	6977	-58.25	-13	45.25	Pass	3011
7000	26500	1	RMS	25450	-46.36	-13	33.36	Pass	19503




5.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.22	-13	57.22	Pass	401
0.15	30	0.01	RMS	1.09	-66.76	-13	53.76	Pass	2986
30	1000	0.1	RMS	466	-56.4	-13	43.4	Pass	9701
1000	3000	1	RMS	2981	-45.6	-13	32.6	Pass	2001
3000	3690	1	RMS	3396	-41.61	-13	28.61	Pass	691
3690	3990	1	RMS	3864	19.61	60	40.39	Pass	401
3990	7000	1	RMS	6979	-58.29	-13	45.29	Pass	3011
7000	26500	1	RMS	24429	-46.63	-13	33.63	Pass	19503




5.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.57	-13	56.57	Pass	401
0.15	30	0.01	RMS	25.07	-66.39	-13	53.39	Pass	2986
30	1000	0.1	RMS	889.727	-56.61	-13	43.61	Pass	9701
1000	3000	1	RMS	2922	-45.7	-13	32.7	Pass	2001
3000	3690	1	RMS	3409	-41.38	-13	28.38	Pass	691
3690	3990	1	RMS	3942.75	4.43	60	55.57	Pass	401
3990	7000	1	RMS	3990	-37.93	-13	24.93	Pass	3011
7000	26500	1	RMS	25164	-46.54	-13	33.54	Pass	19503




5.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.36	-13	56.36	Pass	401
0.15	30	0.01	RMS	25.22	-65.77	-13	52.77	Pass	2986
30	1000	0.1	RMS	785.7	-56.38	-13	43.38	Pass	9701
1000	3000	1	RMS	2982	-45.65	-13	32.65	Pass	2001
3000	3690	1	RMS	3417	-41.52	-13	28.52	Pass	691
3690	3990	1	RMS	3931.5	19.02	60	40.98	Pass	401
3990	7000	1	RMS	4026	-52.74	-13	39.74	Pass	3011
7000	26500	1	RMS	24129	-46.64	-13	33.64	Pass	19503




5.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-68.52	-13	55.52	Pass	401
0.15	30	0.01	RMS	6.9	-66.86	-13	53.86	Pass	2986
30	1000	0.1	RMS	787.2	-57.07	-13	44.07	Pass	9701
1000	3000	1	RMS	2961	-45.72	-13	32.72	Pass	2001
3000	3690	1	RMS	3408	-41.33	-13	28.33	Pass	691
3690	3990	1	RMS	3978.75	19.6	60	40.4	Pass	401
3990	7000	1	RMS	4002	-52.33	-13	39.33	Pass	3011
7000	26500	1	RMS	26179	-46.54	-13	33.54	Pass	19503




5.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.48	-13	57.48	Pass	401
0.15	30	0.01	RMS	22.62	-65.91	-13	52.91	Pass	2986
30	1000	0.1	RMS	337.9	-56.47	-13	43.47	Pass	9701
1000	3000	1	RMS	2984	-45.05	-13	32.05	Pass	2001
3000	3690	1	RMS	3149	-36.19	-13	23.19	Pass	691
3690	3990	1	RMS	3796.5	2.22	60	57.78	Pass	401
3990	7000	1	RMS	6928	-58.42	-13	45.42	Pass	3011
7000	26500	1	RMS	23256	-40.25	-13	27.25	Pass	19503




5.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.62	-13	56.62	Pass	401
0.15	30	0.01	RMS	28.9	-65.34	-13	52.34	Pass	2986
30	1000	0.1	RMS	895.03	-56.22	-13	43.22	Pass	9701
1000	3000	1	RMS	2898	-45.76	-13	32.76	Pass	2001
3000	3690	1	RMS	3440	-41.37	-13	28.37	Pass	691
3690	3990	1	RMS	3701.25	19.22	60	40.78	Pass	401
3990	7000	1	RMS	4008	-57.57	-13	44.57	Pass	3011
7000	26500	1	RMS	25999	-46.57	-13	33.57	Pass	19503




5.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-69.99	-13	56.99	Pass	401
0.15	30	0.01	RMS	12.27	-66.41	-13	53.41	Pass	2986
30	1000	0.1	RMS	980.387	-56.33	-13	43.33	Pass	9701
1000	3000	1	RMS	2928	-45.3	-13	32.3	Pass	2001
3000	3690	1	RMS	3402	-41.56	-13	28.56	Pass	691
3690	3990	1	RMS	3798.75	19.97	60	40.03	Pass	401
3990	7000	1	RMS	6953	-58.49	-13	45.49	Pass	3011
7000	26500	1	RMS	24118	-46.26	-13	33.26	Pass	19503




5.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-68.76	-13	55.76	Pass	401
0.15	30	0.01	RMS	26.13	-66.64	-13	53.64	Pass	2986
30	1000	0.1	RMS	880.521	-56.64	-13	43.64	Pass	9701
1000	3000	1	RMS	2885	-45.88	-13	32.88	Pass	2001
3000	3690	1	RMS	3372	-41.47	-13	28.47	Pass	691
3690	3990	1	RMS	3888	1.74	60	58.26	Pass	401
3990	7000	1	RMS	3992	-53.18	-13	40.18	Pass	3011
7000	26500	1	RMS	25668	-46.55	-13	33.55	Pass	19503




5.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.77	-13	56.77	Pass	401
0.15	30	0.01	RMS	28.96	-66.61	-13	53.61	Pass	2986
30	1000	0.1	RMS	892.429	-56.52	-13	43.52	Pass	9701
1000	3000	1	RMS	2975	-45.85	-13	32.85	Pass	2001
3000	3690	1	RMS	3413	-41.55	-13	28.55	Pass	691
3690	3990	1	RMS	3791.25	19.6	60	40.4	Pass	401
3990	7000	1	RMS	6965	-58.38	-13	45.38	Pass	3011
7000	26500	1	RMS	25653	-46.52	-13	33.52	Pass	19503




5.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.85	-13	56.85	Pass	401
0.15	30	0.01	RMS	18.49	-64.59	-13	51.59	Pass	2986
30	1000	0.1	RMS	870.814	-56.79	-13	43.79	Pass	9701
1000	3000	1	RMS	2969	-45.42	-13	32.42	Pass	2001
3000	3690	1	RMS	3414	-41.7	-13	28.7	Pass	691
3690	3990	1	RMS	3888.75	19.52	60	40.48	Pass	401
3990	7000	1	RMS	6988	-58.91	-13	45.91	Pass	3011
7000	26500	1	RMS	25093	-46.85	-13	33.85	Pass	19503




5.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-70.14	-13	57.14	Pass	401
0.15	30	0.01	RMS	6.71	-66.84	-13	53.84	Pass	2986
30	1000	0.1	RMS	786.4	-55.74	-13	42.74	Pass	9701
1000	3000	1	RMS	2999	-45.86	-13	32.86	Pass	2001
3000	3690	1	RMS	3406	-41.43	-13	28.43	Pass	691
3690	3990	1	RMS	3970.5	1.6	60	58.4	Pass	401
3990	7000	1	RMS	3992	-39.49	-13	26.49	Pass	3011
7000	26500	1	RMS	23693	-47.07	-13	34.07	Pass	19503




5.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.49	-13	56.49	Pass	401
0.15	30	0.01	RMS	23.54	-65.12	-13	52.12	Pass	2986
30	1000	0.1	RMS	462.8	-56.42	-13	43.42	Pass	9701
1000	3000	1	RMS	2965	-45.21	-13	32.21	Pass	2001
3000	3690	1	RMS	3435	-41.49	-13	28.49	Pass	691
3690	3990	1	RMS	3881.25	19.45	60	40.55	Pass	401
3990	7000	1	RMS	4077	-49.15	-13	36.15	Pass	3011
7000	26500	1	RMS	25116	-46.54	-13	33.54	Pass	19503



5.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-70.98	-13	57.98	Pass	401
0.15	30	0.01	RMS	18.83	-66.19	-13	53.19	Pass	2986
30	1000	0.1	RMS	867.612	-56.13	-13	43.13	Pass	9701
1000	3000	1	RMS	2975	-45.27	-13	32.27	Pass	2001
3000	3690	1	RMS	3430	-41.14	-13	28.14	Pass	691
3690	3990	1	RMS	3978.75	19.23	60	40.77	Pass	401
3990	7000	1	RMS	3990	-51.55	-13	38.55	Pass	3011
7000	26500	1	RMS	25455	-46.21	-13	33.21	Pass	19503



6. n78(3700-3800)


6.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.88	-13	56.88	Pass	401
0.15	30	0.01	RMS	1.44	-65.8	-13	52.8	Pass	2986
30	1000	0.1	RMS	478.5	-56.38	-13	43.38	Pass	9701
1000	3000	1	RMS	2846	-45.93	-13	32.93	Pass	2001
3000	3690	1	RMS	3147	-34.83	-13	21.83	Pass	691
3690	3810	1	RMS	3704.7	8.33	60	51.67	Pass	401
3810	7000	1	RMS	6919	-58.66	-13	45.66	Pass	3191
7000	26500	1	RMS	23211	-39.82	-13	26.82	Pass	19503




6.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.26	-13	56.26	Pass	401
0.15	30	0.01	RMS	22.56	-66.61	-13	53.61	Pass	2986
30	1000	0.1	RMS	840.5	-56.31	-13	43.31	Pass	9701
1000	3000	1	RMS	2941	-45.45	-13	32.45	Pass	2001
3000	3690	1	RMS	3419	-41.43	-13	28.43	Pass	691
3690	3810	1	RMS	3701.1	19.8	60	40.2	Pass	401
3810	7000	1	RMS	4008	-58.08	-13	45.08	Pass	3191
7000	26500	1	RMS	25038	-46.7	-13	33.7	Pass	19503




6.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.68	-13	56.68	Pass	401
0.15	30	0.01	RMS	19.87	-66.73	-13	53.73	Pass	2986
30	1000	0.1	RMS	507.4	-56.31	-13	43.31	Pass	9701
1000	3000	1	RMS	2846	-46.07	-13	33.07	Pass	2001
3000	3690	1	RMS	3399	-41.64	-13	28.64	Pass	691
3690	3810	1	RMS	3719.1	19.61	60	40.39	Pass	401
3810	7000	1	RMS	6988	-58.4	-13	45.4	Pass	3191
7000	26500	1	RMS	25520	-46.28	-13	33.28	Pass	19503




6.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.76	-13	56.76	Pass	401
0.15	30	0.01	RMS	25.58	-64.47	-13	51.47	Pass	2986
30	1000	0.1	RMS	499.1	-56.85	-13	43.85	Pass	9701
1000	3000	1	RMS	2960	-46.03	-13	33.03	Pass	2001
3000	3690	1	RMS	3408	-41.44	-13	28.44	Pass	691
3690	3810	1	RMS	3756.3	8.64	60	51.36	Pass	401
3810	7000	1	RMS	6995	-58.32	-13	45.32	Pass	3191
7000	26500	1	RMS	25490	-46.64	-13	33.64	Pass	19503




6.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.13	-13	56.13	Pass	401
0.15	30	0.01	RMS	14.16	-65.98	-13	52.98	Pass	2986
30	1000	0.1	RMS	876.918	-56.62	-13	43.62	Pass	9701
1000	3000	1	RMS	2916	-45.9	-13	32.9	Pass	2001
3000	3690	1	RMS	3427	-41.58	-13	28.58	Pass	691
3690	3810	1	RMS	3741	20.23	60	39.77	Pass	401
3810	7000	1	RMS	4048	-56.96	-13	43.96	Pass	3191
7000	26500	1	RMS	25701	-46.97	-13	33.97	Pass	19503




6.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.47	-13	56.47	Pass	401
0.15	30	0.01	RMS	8.21	-66.5	-13	53.5	Pass	2986
30	1000	0.1	RMS	898.633	-56.36	-13	43.36	Pass	9701
1000	3000	1	RMS	2962	-45.85	-13	32.85	Pass	2001
3000	3690	1	RMS	3434	-41.51	-13	28.51	Pass	691
3690	3810	1	RMS	3759	20.22	60	39.78	Pass	401
3810	7000	1	RMS	6998	-58	-13	45	Pass	3191
7000	26500	1	RMS	25792	-46.29	-13	33.29	Pass	19503




6.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.86	-13	56.86	Pass	401
0.15	30	0.01	RMS	17.48	-66.28	-13	53.28	Pass	2986
30	1000	0.1	RMS	755.6	-56.63	-13	43.63	Pass	9701
1000	3000	1	RMS	2919	-46.07	-13	33.07	Pass	2001
3000	3690	1	RMS	3445	-41.53	-13	28.53	Pass	691
3690	3810	1	RMS	3795.6	9.07	60	50.93	Pass	401
3810	7000	1	RMS	3810	-35.62	-13	22.62	Pass	3191
7000	26500	1	RMS	24133	-46.01	-13	33.01	Pass	19503




6.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-67.12	-13	54.12	Pass	401
0.15	30	0.01	RMS	9.83	-66.56	-13	53.56	Pass	2986
30	1000	0.1	RMS	935.557	-56.2	-13	43.2	Pass	9701
1000	3000	1	RMS	2978	-45.47	-13	32.47	Pass	2001
3000	3690	1	RMS	3410	-41.68	-13	28.68	Pass	691
3690	3810	1	RMS	3780.9	20.56	60	39.44	Pass	401
3810	7000	1	RMS	3817	-51.11	-13	38.11	Pass	3191
7000	26500	1	RMS	24438	-46.99	-13	33.99	Pass	19503




6.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.62	-13	57.62	Pass	401
0.15	30	0.01	RMS	0.16	-64.79	-13	51.79	Pass	2986
30	1000	0.1	RMS	995.897	-55.95	-13	42.95	Pass	9701
1000	3000	1	RMS	2970	-45.35	-13	32.35	Pass	2001
3000	3690	1	RMS	3407	-41.41	-13	28.41	Pass	691
3690	3810	1	RMS	3798.9	20.43	60	39.57	Pass	401
3810	7000	1	RMS	3810	-52.57	-13	39.57	Pass	3191
7000	26500	1	RMS	24429	-46.49	-13	33.49	Pass	19503




6.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.78	-13	56.78	Pass	401
0.15	30	0.01	RMS	6.71	-66.17	-13	53.17	Pass	2986
30	1000	0.1	RMS	714.4	-57.18	-13	44.18	Pass	9701
1000	3000	1	RMS	3000	-45.29	-13	32.29	Pass	2001
3000	3690	1	RMS	3690	-34.33	-13	21.33	Pass	691
3690	3810	1	RMS	3744	4.38	60	55.62	Pass	401
3810	7000	1	RMS	3810	-50.88	-13	37.88	Pass	3191
7000	26500	1	RMS	23309	-42.8	-13	29.8	Pass	19503




6.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.11	-13	56.11	Pass	401
0.15	30	0.01	RMS	22.33	-66.07	-13	53.07	Pass	2986
30	1000	0.1	RMS	865.911	-56.06	-13	43.06	Pass	9701
1000	3000	1	RMS	2978	-45.75	-13	32.75	Pass	2001
3000	3690	1	RMS	3416	-41.28	-13	28.28	Pass	691
3690	3810	1	RMS	3701.1	19.48	60	40.52	Pass	401
3810	7000	1	RMS	6986	-58.22	-13	45.22	Pass	3191
7000	26500	1	RMS	25473	-47.09	-13	34.09	Pass	19503




6.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-70.28	-13	57.28	Pass	401
0.15	30	0.01	RMS	3.08	-66.17	-13	53.17	Pass	2986
30	1000	0.1	RMS	942.462	-56.23	-13	43.23	Pass	9701
1000	3000	1	RMS	2955	-45.53	-13	32.53	Pass	2001
3000	3690	1	RMS	3410	-41.48	-13	28.48	Pass	691
3690	3810	1	RMS	3748.8	19.9	60	40.1	Pass	401
3810	7000	1	RMS	4056	-58.83	-13	45.83	Pass	3191
7000	26500	1	RMS	24099	-46.15	-13	33.15	Pass	19503




6.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.71	-13	55.71	Pass	401
0.15	30	0.01	RMS	7.03	-66.64	-13	53.64	Pass	2986
30	1000	0.1	RMS	887.425	-56.75	-13	43.75	Pass	9701
1000	3000	1	RMS	2970	-45.15	-13	32.15	Pass	2001
3000	3690	1	RMS	3689	-41.2	-13	28.2	Pass	691
3690	3810	1	RMS	3772.2	4.63	60	55.37	Pass	401
3810	7000	1	RMS	3810	-41.53	-13	28.53	Pass	3191
7000	26500	1	RMS	25173	-45.91	-13	32.91	Pass	19503




6.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-70.43	-13	57.43	Pass	401
0.15	30	0.01	RMS	29.94	-63.64	-13	50.64	Pass	2986
30	1000	0.1	RMS	879.82	-55.91	-13	42.91	Pass	9701
1000	3000	1	RMS	2414	-45.51	-13	32.51	Pass	2001
3000	3690	1	RMS	3411	-41.36	-13	28.36	Pass	691
3690	3810	1	RMS	3726.3	19.7	60	40.3	Pass	401
3810	7000	1	RMS	3821	-51.81	-13	38.81	Pass	3191
7000	26500	1	RMS	25034	-46.5	-13	33.5	Pass	19503




6.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.99	-13	55.99	Pass	401
0.15	30	0.01	RMS	22.58	-65.69	-13	52.69	Pass	2986
30	1000	0.1	RMS	483.6	-55.87	-13	42.87	Pass	9701
1000	3000	1	RMS	2965	-45.69	-13	32.69	Pass	2001
3000	3690	1	RMS	3413	-41.61	-13	28.61	Pass	691
3690	3810	1	RMS	3773.7	20.21	60	39.79	Pass	401
3810	7000	1	RMS	6979	-58.37	-13	45.37	Pass	3191
7000	26500	1	RMS	25442	-46.48	-13	33.48	Pass	19503




6.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.047	-70.11	-13	57.11	Pass	401
0.15	30	0.01	RMS	9.96	-65.99	-13	52.99	Pass	2986
30	1000	0.1	RMS	918.146	-56.26	-13	43.26	Pass	9701
1000	3000	1	RMS	2744	-45.76	-13	32.76	Pass	2001
3000	3690	1	RMS	3374	-41.73	-13	28.73	Pass	691
3690	3810	1	RMS	3797.7	4.81	60	55.19	Pass	401
3810	7000	1	RMS	3811	-34.16	-13	21.16	Pass	3191
7000	26500	1	RMS	25473	-46.32	-13	33.32	Pass	19503




6.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.94	-13	54.94	Pass	401
0.15	30	0.01	RMS	0.45	-66.02	-13	53.02	Pass	2986
30	1000	0.1	RMS	489.9	-56.36	-13	43.36	Pass	9701
1000	3000	1	RMS	2752	-45.7	-13	32.7	Pass	2001
3000	3690	1	RMS	3430	-41.1	-13	28.1	Pass	691
3690	3810	1	RMS	3751.2	20.15	60	39.85	Pass	401
3810	7000	1	RMS	3846	-52.4	-13	39.4	Pass	3191
7000	26500	1	RMS	25473	-46.68	-13	33.68	Pass	19503




6.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-67.27	-13	54.27	Pass	401
0.15	30	0.01	RMS	16.33	-66.12	-13	53.12	Pass	2986
30	1000	0.1	RMS	542.5	-56.56	-13	43.56	Pass	9701
1000	3000	1	RMS	2959	-45.84	-13	32.84	Pass	2001
3000	3690	1	RMS	3407	-41.39	-13	28.39	Pass	691
3690	3810	1	RMS	3798.6	20.15	60	39.85	Pass	401
3810	7000	1	RMS	3822	-52.93	-13	39.93	Pass	3191
7000	26500	1	RMS	26186	-46.77	-13	33.77	Pass	19503




6.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-68.48	-13	55.48	Pass	401
0.15	30	0.01	RMS	1.14	-66.16	-13	53.16	Pass	2986
30	1000	0.1	RMS	473.3	-56.06	-13	43.06	Pass	9701
1000	3000	1	RMS	2979	-45.38	-13	32.38	Pass	2001
3000	3690	1	RMS	3153	-36.34	-13	23.34	Pass	691
3690	3810	1	RMS	3796.5	1.76	60	58.24	Pass	401
3810	7000	1	RMS	3811	-36.16	-13	23.16	Pass	3191
7000	26500	1	RMS	23365	-41.83	-13	28.83	Pass	19503




6.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.95	-13	56.95	Pass	401
0.15	30	0.01	RMS	0.46	-66.4	-13	53.4	Pass	2986
30	1000	0.1	RMS	589	-56.71	-13	43.71	Pass	9701
1000	3000	1	RMS	2753	-45.85	-13	32.85	Pass	2001
3000	3690	1	RMS	3401	-41.31	-13	28.31	Pass	691
3690	3810	1	RMS	3701.1	19.65	60	40.35	Pass	401
3810	7000	1	RMS	3897	-51.43	-13	38.43	Pass	3191
7000	26500	1	RMS	25750	-46.76	-13	33.76	Pass	19503



6.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-70.09	-13	57.09	Pass	401
0.15	30	0.01	RMS	18.35	-65.83	-13	52.83	Pass	2986
30	1000	0.1	RMS	913.843	-55.99	-13	42.99	Pass	9701
1000	3000	1	RMS	2922	-45.7	-13	32.7	Pass	2001
3000	3690	1	RMS	3445	-41.67	-13	28.67	Pass	691
3690	3810	1	RMS	3798.9	20.34	60	39.66	Pass	401
3810	7000	1	RMS	3818	-45.97	-13	32.97	Pass	3191
7000	26500	1	RMS	24764	-46.97	-13	33.97	Pass	19503



1. n26 15kHz(814-824)


1.1. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.42	-13	57.42	Pass	401
0.15	30	0.01	RMS	18.75	-69.09	-13	56.09	Pass	2986
30	804	0.1	RMS	641.8	-60.36	-13	47.36	Pass	7741
804	834	0.1	RMS	817.95	5.37	60	54.63	Pass	401
834	1000	0.1	RMS	846.4	-59.79	-13	46.79	Pass	1661
1000	3000	1	RMS	2971	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	9963	-55.93	-13	42.93	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.65	-13	56.65	Pass	401
0.15	30	0.01	RMS	1.51	-70.07	-13	57.07	Pass	2986
30	804	0.1	RMS	486.5	-60.29	-13	47.29	Pass	7741
804	834	0.1	RMS	814.35	18.63	60	41.37	Pass	401
834	1000	0.1	RMS	912	-59.68	-13	46.68	Pass	1661
1000	3000	1	RMS	2977	-45.76	-13	32.76	Pass	2001
3000	10000	1	RMS	9939	-56.09	-13	43.09	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.07	-13	56.07	Pass	401
0.15	30	0.01	RMS	0.28	-69.82	-13	56.82	Pass	2986
30	804	0.1	RMS	780.8	-60.12	-13	47.12	Pass	7741
804	834	0.1	RMS	818.625	18.69	60	41.31	Pass	401
834	1000	0.1	RMS	844.8	-59.78	-13	46.78	Pass	1661
1000	3000	1	RMS	2970	-45.65	-13	32.65	Pass	2001
3000	10000	1	RMS	9923	-56.25	-13	43.25	Pass	7001




1.4. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.78	-13	55.78	Pass	401
0.15	30	0.01	RMS	0.28	-69.65	-13	56.65	Pass	2986
30	804	0.1	RMS	716.9	-60.3	-13	47.3	Pass	7741
804	834	0.1	RMS	817.275	5.35	60	54.65	Pass	401
834	1000	0.1	RMS	881.1	-59.88	-13	46.88	Pass	1661
1000	3000	1	RMS	2984	-45.88	-13	32.88	Pass	2001
3000	10000	1	RMS	9959	-55.95	-13	42.95	Pass	7001




1.5. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.43	-13	57.43	Pass	401
0.15	30	0.01	RMS	0.18	-69.79	-13	56.79	Pass	2986
30	804	0.1	RMS	380.5	-60.38	-13	47.38	Pass	7741
804	834	0.1	RMS	816.825	18.83	60	41.17	Pass	401
834	1000	0.1	RMS	848	-59.74	-13	46.74	Pass	1661
1000	3000	1	RMS	2974	-45.62	-13	32.62	Pass	2001
3000	10000	1	RMS	7071	-48.01	-13	35.01	Pass	7001




1.6. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.35	-13	57.35	Pass	401
0.15	30	0.01	RMS	0.15	-70.44	-13	57.44	Pass	2986
30	804	0.1	RMS	487.3	-60.34	-13	47.34	Pass	7741
804	834	0.1	RMS	821.175	18.52	60	41.48	Pass	401
834	1000	0.1	RMS	844.8	-59.82	-13	46.82	Pass	1661
1000	3000	1	RMS	2971	-45.63	-13	32.63	Pass	2001
3000	10000	1	RMS	9924	-56.04	-13	43.04	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.91	-13	57.91	Pass	401
0.15	30	0.01	RMS	3.21	-68.62	-13	55.62	Pass	2986
30	804	0.1	RMS	733.3	-58.95	-13	45.95	Pass	7741
804	834	0.1	RMS	819.675	5.46	60	54.54	Pass	401
834	1000	0.1	RMS	834.2	-58.54	-13	45.54	Pass	1661
1000	3000	1	RMS	2973	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	9924	-56.02	-13	43.02	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.01	-13	55.01	Pass	401
0.15	30	0.01	RMS	8.39	-68.89	-13	55.89	Pass	2986
30	804	0.1	RMS	601	-59.22	-13	46.22	Pass	7741
804	834	0.1	RMS	819.3	18.52	60	41.48	Pass	401
834	1000	0.1	RMS	844.8	-58.53	-13	45.53	Pass	1661
1000	3000	1	RMS	2980	-45.62	-13	32.62	Pass	2001
3000	10000	1	RMS	9908	-56.15	-13	43.15	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.17	-13	57.17	Pass	401
0.15	30	0.01	RMS	21.01	-68.4	-13	55.4	Pass	2986
30	804	0.1	RMS	375.5	-59.31	-13	46.31	Pass	7741
804	834	0.1	RMS	823.65	18.77	60	41.23	Pass	401
834	1000	0.1	RMS	903.9	-58.28	-13	45.28	Pass	1661
1000	3000	1	RMS	2971	-45.64	-13	32.64	Pass	2001
3000	10000	1	RMS	9997	-56.01	-13	43.01	Pass	7001




1.10. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.97	-13	57.97	Pass	401
0.15	30	0.01	RMS	0.25	-70.22	-13	57.22	Pass	2986
30	804	0.1	RMS	485.2	-60.37	-13	47.37	Pass	7741
804	834	0.1	RMS	816.75	2.25	60	57.75	Pass	401
834	1000	0.1	RMS	834.2	-47.61	-13	34.61	Pass	1661
1000	3000	1	RMS	2973	-45.62	-13	32.62	Pass	2001
3000	10000	1	RMS	7070	-47.74	-13	34.74	Pass	7001




1.11. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.79	-13	57.79	Pass	401
0.15	30	0.01	RMS	3.19	-69.85	-13	56.85	Pass	2986
30	804	0.1	RMS	469.2	-59.05	-13	46.05	Pass	7741
804	834	0.1	RMS	814.425	18.59	60	41.41	Pass	401
834	1000	0.1	RMS	854	-59.64	-13	46.64	Pass	1661
1000	3000	1	RMS	2972	-45.67	-13	32.67	Pass	2001
3000	10000	1	RMS	9991	-56.05	-13	43.05	Pass	7001



1.12. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.8	-13	56.8	Pass	401
0.15	30	0.01	RMS	0.15	-69.69	-13	56.69	Pass	2986
30	804	0.1	RMS	450.7	-59.81	-13	46.81	Pass	7741
804	834	0.1	RMS	823.575	18.74	60	41.26	Pass	401
834	1000	0.1	RMS	883.7	-59.84	-13	46.84	Pass	1661
1000	3000	1	RMS	2974	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	9970	-55.97	-13	42.97	Pass	7001



1. n2


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.21	-69.82	-13	56.82	Pass	2986
30	1000	0.1	RMS	995.897	-59.85	-13	46.85	Pass	9701
1000	1840	1	RMS	1840	-48.34	-13	35.34	Pass	841
1840	1920	1	RMS	1853.6	15.04	60	44.96	Pass	401
1920	3000	1	RMS	2971	-45.63	-13	32.63	Pass	1081
3000	7000	1	RMS	6978	-48.97	-13	35.97	Pass	4001
7000	20000	1	RMS	19904	-40.63	-13	27.63	Pass	13002




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-71.32	-13	58.32	Pass	401
0.15	30	0.01	RMS	0.21	-69.71	-13	56.71	Pass	2986
30	1000	0.1	RMS	877.719	-59.82	-13	46.82	Pass	9701
1000	1840	1	RMS	1808	-48.68	-13	35.68	Pass	841
1840	1920	1	RMS	1850.2	21.12	60	38.88	Pass	401
1920	3000	1	RMS	2978	-45.98	-13	32.98	Pass	1081
3000	7000	1	RMS	6981	-58.48	-13	45.48	Pass	4001
7000	20000	1	RMS	17502	-47.64	-13	34.64	Pass	13002




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.87	-13	56.87	Pass	401
0.15	30	0.01	RMS	15.19	-70.45	-13	57.45	Pass	2986
30	1000	0.1	RMS	481.3	-59.87	-13	46.87	Pass	9701
1000	1840	1	RMS	1805	-48.77	-13	35.77	Pass	841
1840	1920	1	RMS	1854.6	21.62	60	38.38	Pass	401
1920	3000	1	RMS	2986	-45.89	-13	32.89	Pass	1081
3000	7000	1	RMS	6980	-58.16	-13	45.16	Pass	4001
7000	20000	1	RMS	17496	-47.88	-13	34.88	Pass	13002




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.65	-13	57.65	Pass	401
0.15	30	0.01	RMS	0.16	-69.16	-13	56.16	Pass	2986
30	1000	0.1	RMS	872.215	-59.91	-13	46.91	Pass	9701
1000	1840	1	RMS	1800	-48.53	-13	35.53	Pass	841
1840	1920	1	RMS	1878.6	14.62	60	45.38	Pass	401
1920	3000	1	RMS	2980	-45.77	-13	32.77	Pass	1081
3000	7000	1	RMS	6979	-58.34	-13	45.34	Pass	4001
7000	20000	1	RMS	17494	-47.85	-13	34.85	Pass	13002




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.15	-69	-13	56	Pass	2986
30	1000	0.1	RMS	905.537	-59.71	-13	46.71	Pass	9701
1000	1840	1	RMS	1802	-48.6	-13	35.6	Pass	841
1840	1920	1	RMS	1877.8	21.15	60	38.85	Pass	401
1920	3000	1	RMS	2981	-45.78	-13	32.78	Pass	1081
3000	7000	1	RMS	6984	-58.24	-13	45.24	Pass	4001
7000	20000	1	RMS	17498	-47.73	-13	34.73	Pass	13002




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.75	-13	58.75	Pass	401
0.15	30	0.01	RMS	23.47	-69.55	-13	56.55	Pass	2986
30	1000	0.1	RMS	912.842	-59.62	-13	46.62	Pass	9701
1000	1840	1	RMS	1796	-48.73	-13	35.73	Pass	841
1840	1920	1	RMS	1882	20.7	60	39.3	Pass	401
1920	3000	1	RMS	2995	-46.01	-13	33.01	Pass	1081
3000	7000	1	RMS	3369	-51.15	-13	38.15	Pass	4001
7000	20000	1	RMS	15887	-42.7	-13	29.7	Pass	13002




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.37	-13	57.37	Pass	401
0.15	30	0.01	RMS	3.09	-69.7	-13	56.7	Pass	2986
30	1000	0.1	RMS	909.44	-59.88	-13	46.88	Pass	9701
1000	1840	1	RMS	1808	-48.63	-13	35.63	Pass	841
1840	1920	1	RMS	1906	15.78	60	44.22	Pass	401
1920	3000	1	RMS	2970	-45.92	-13	32.92	Pass	1081
3000	7000	1	RMS	6975	-58.33	-13	45.33	Pass	4001
7000	20000	1	RMS	19896	-39.35	-13	26.35	Pass	13002




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.81	-13	56.81	Pass	401
0.15	30	0.01	RMS	0.56	-68.65	-13	55.65	Pass	2986
30	1000	0.1	RMS	909.34	-59.76	-13	46.76	Pass	9701
1000	1840	1	RMS	1807	-48.71	-13	35.71	Pass	841
1840	1920	1	RMS	1905.2	22.45	60	37.55	Pass	401
1920	3000	1	RMS	2969	-45.97	-13	32.97	Pass	1081
3000	7000	1	RMS	6976	-58.49	-13	45.49	Pass	4001
7000	20000	1	RMS	17497	-47.63	-13	34.63	Pass	13002




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.76	-13	57.76	Pass	401
0.15	30	0.01	RMS	0.44	-69.87	-13	56.87	Pass	2986
30	1000	0.1	RMS	878.62	-59.77	-13	46.77	Pass	9701
1000	1840	1	RMS	1809	-48.63	-13	35.63	Pass	841
1840	1920	1	RMS	1909.6	21.13	60	38.87	Pass	401
1920	3000	1	RMS	2972	-45.97	-13	32.97	Pass	1081
3000	7000	1	RMS	6980	-58.52	-13	45.52	Pass	4001
7000	20000	1	RMS	17502	-47.6	-13	34.6	Pass	13002




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.63	-13	58.63	Pass	401
0.15	30	0.01	RMS	0.3	-70.16	-13	57.16	Pass	2986
30	1000	0.1	RMS	888.226	-59.74	-13	46.74	Pass	9701
1000	1840	1	RMS	1840	-38.47	-13	25.47	Pass	841
1840	1920	1	RMS	1863.4	11.58	60	48.42	Pass	401
1920	3000	1	RMS	2978	-45.67	-13	32.67	Pass	1081
3000	7000	1	RMS	6981	-58.36	-13	45.36	Pass	4001
7000	20000	1	RMS	17504	-47.8	-13	34.8	Pass	13002




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.33	-69.8	-13	56.8	Pass	2986
30	1000	0.1	RMS	913.543	-59.87	-13	46.87	Pass	9701
1000	1840	1	RMS	1807	-48.62	-13	35.62	Pass	841
1840	1920	1	RMS	1850.4	21.31	60	38.69	Pass	401
1920	3000	1	RMS	2981	-45.84	-13	32.84	Pass	1081
3000	7000	1	RMS	3370	-52.63	-13	39.63	Pass	4001
7000	20000	1	RMS	15884	-43.9	-13	30.9	Pass	13002




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	25.49	-69.23	-13	56.23	Pass	2986
30	1000	0.1	RMS	871.215	-59.78	-13	46.78	Pass	9701
1000	1840	1	RMS	1802	-48.59	-13	35.59	Pass	841
1840	1920	1	RMS	1864.4	23.3	60	36.7	Pass	401
1920	3000	1	RMS	2968	-45.9	-13	32.9	Pass	1081
3000	7000	1	RMS	7000	-58.54	-13	45.54	Pass	4001
7000	20000	1	RMS	17502	-47.67	-13	34.67	Pass	13002




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.16	-69.86	-13	56.86	Pass	2986
30	1000	0.1	RMS	910.941	-59.73	-13	46.73	Pass	9701
1000	1840	1	RMS	1840	-48.79	-13	35.79	Pass	841
1840	1920	1	RMS	1874.4	9.97	60	50.03	Pass	401
1920	3000	1	RMS	2967	-45.9	-13	32.9	Pass	1081
3000	7000	1	RMS	6977	-58.52	-13	45.52	Pass	4001
7000	20000	1	RMS	19886	-39.65	-13	26.65	Pass	13002




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.48	-13	57.48	Pass	401
0.15	30	0.01	RMS	5.43	-70.15	-13	57.15	Pass	2986
30	1000	0.1	RMS	895.431	-59.82	-13	46.82	Pass	9701
1000	1840	1	RMS	1781	-48.76	-13	35.76	Pass	841
1840	1920	1	RMS	1872.8	21.02	60	38.98	Pass	401
1920	3000	1	RMS	2973	-45.62	-13	32.62	Pass	1081
3000	7000	1	RMS	6978	-58.55	-13	45.55	Pass	4001
7000	20000	1	RMS	17499	-47.56	-13	34.56	Pass	13002




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.58	-70.21	-13	57.21	Pass	2986
30	1000	0.1	RMS	983.189	-59.66	-13	46.66	Pass	9701
1000	1840	1	RMS	1837	-48.79	-13	35.79	Pass	841
1840	1920	1	RMS	1887	20.12	60	39.88	Pass	401
1920	3000	1	RMS	2973	-45.7	-13	32.7	Pass	1081
3000	7000	1	RMS	6970	-58.38	-13	45.38	Pass	4001
7000	20000	1	RMS	17502	-47.87	-13	34.87	Pass	13002




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.62	-13	58.62	Pass	401
0.15	30	0.01	RMS	0.18	-69.52	-13	56.52	Pass	2986
30	1000	0.1	RMS	986.091	-59.93	-13	46.93	Pass	9701
1000	1840	1	RMS	1808	-48.61	-13	35.61	Pass	841
1840	1920	1	RMS	1898.6	10.29	60	49.71	Pass	401
1920	3000	1	RMS	1920	-41.23	-13	28.23	Pass	1081
3000	7000	1	RMS	6966	-49.31	-13	36.31	Pass	4001
7000	20000	1	RMS	13892	-43.45	-13	30.45	Pass	13002




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	1.01	-69.51	-13	56.51	Pass	2986
30	1000	0.1	RMS	902.235	-59.56	-13	46.56	Pass	9701
1000	1840	1	RMS	1809	-48.7	-13	35.7	Pass	841
1840	1920	1	RMS	1895.4	20.72	60	39.28	Pass	401
1920	3000	1	RMS	2976	-45.73	-13	32.73	Pass	1081
3000	7000	1	RMS	6980	-58.12	-13	45.12	Pass	4001
7000	20000	1	RMS	17498	-47.98	-13	34.98	Pass	13002




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.26	-69.29	-13	56.29	Pass	2986
30	1000	0.1	RMS	905.337	-59.57	-13	46.57	Pass	9701
1000	1840	1	RMS	1798	-48.53	-13	35.53	Pass	841
1840	1920	1	RMS	1909.4	19.92	60	40.08	Pass	401
1920	3000	1	RMS	2975	-45.69	-13	32.69	Pass	1081
3000	7000	1	RMS	6983	-58.21	-13	45.21	Pass	4001
7000	20000	1	RMS	17499	-47.92	-13	34.92	Pass	13002




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	1.28	-69.76	-13	56.76	Pass	2986
30	1000	0.1	RMS	902.635	-59.65	-13	46.65	Pass	9701
1000	1840	1	RMS	1840	-35.77	-13	22.77	Pass	841
1840	1920	1	RMS	1868.2	10.85	60	49.15	Pass	401
1920	3000	1	RMS	2981	-45.79	-13	32.79	Pass	1081
3000	7000	1	RMS	6977	-58.23	-13	45.23	Pass	4001
7000	20000	1	RMS	19895	-40.38	-13	27.38	Pass	13002




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.18	-13	57.18	Pass	401
0.15	30	0.01	RMS	15.43	-69.97	-13	56.97	Pass	2986
30	1000	0.1	RMS	889.127	-59.43	-13	46.43	Pass	9701
1000	1840	1	RMS	1799	-48.58	-13	35.58	Pass	841
1840	1920	1	RMS	1850.4	21.18	60	38.82	Pass	401
1920	3000	1	RMS	2965	-45.73	-13	32.73	Pass	1081
3000	7000	1	RMS	6976	-58.26	-13	45.26	Pass	4001
7000	20000	1	RMS	17494	-47.84	-13	34.84	Pass	13002




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-71.05	-13	58.05	Pass	401
0.15	30	0.01	RMS	0.15	-69.53	-13	56.53	Pass	2986
30	1000	0.1	RMS	902.635	-59.61	-13	46.61	Pass	9701
1000	1840	1	RMS	1806	-48.56	-13	35.56	Pass	841
1840	1920	1	RMS	1869.4	23.58	60	36.42	Pass	401
1920	3000	1	RMS	2969	-45.97	-13	32.97	Pass	1081
3000	7000	1	RMS	3373	-52.27	-13	39.27	Pass	4001
7000	20000	1	RMS	15891	-43.68	-13	30.68	Pass	13002




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.29	-13	58.29	Pass	401
0.15	30	0.01	RMS	27.02	-70.03	-13	57.03	Pass	2986
30	1000	0.1	RMS	986.691	-59.68	-13	46.68	Pass	9701
1000	1840	1	RMS	1800	-48.56	-13	35.56	Pass	841
1840	1920	1	RMS	1871.6	8.44	60	51.56	Pass	401
1920	3000	1	RMS	2972	-45.74	-13	32.74	Pass	1081
3000	7000	1	RMS	6969	-58.29	-13	45.29	Pass	4001
7000	20000	1	RMS	17501	-47.82	-13	34.82	Pass	13002




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.67	-13	58.67	Pass	401
0.15	30	0.01	RMS	0.15	-69.28	-13	56.28	Pass	2986
30	1000	0.1	RMS	867.212	-59.88	-13	46.88	Pass	9701
1000	1840	1	RMS	1834	-48.84	-13	35.84	Pass	841
1840	1920	1	RMS	1870.4	20.86	60	39.14	Pass	401
1920	3000	1	RMS	2965	-45.97	-13	32.97	Pass	1081
3000	7000	1	RMS	6980	-58.54	-13	45.54	Pass	4001
7000	20000	1	RMS	17503	-47.7	-13	34.7	Pass	13002




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.37	-13	58.37	Pass	401
0.15	30	0.01	RMS	0.45	-69.35	-13	56.35	Pass	2986
30	1000	0.1	RMS	909.84	-59.83	-13	46.83	Pass	9701
1000	1840	1	RMS	1808	-48.64	-13	35.64	Pass	841
1840	1920	1	RMS	1889.4	19.97	60	40.03	Pass	401
1920	3000	1	RMS	2966	-45.91	-13	32.91	Pass	1081
3000	7000	1	RMS	6981	-58.51	-13	45.51	Pass	4001
7000	20000	1	RMS	17503	-47.63	-13	34.63	Pass	13002




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	1.21	-69.07	-13	56.07	Pass	2986
30	1000	0.1	RMS	905.938	-59.63	-13	46.63	Pass	9701
1000	1840	1	RMS	1798	-48.57	-13	35.57	Pass	841
1840	1920	1	RMS	1902.8	9.01	60	50.99	Pass	401
1920	3000	1	RMS	1920	-40.49	-13	27.49	Pass	1081
3000	7000	1	RMS	6983	-58.18	-13	45.18	Pass	4001
7000	20000	1	RMS	19905	-39.5	-13	26.5	Pass	13002




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.63	-13	56.63	Pass	401
0.15	30	0.01	RMS	0.15	-68.78	-13	55.78	Pass	2986
30	1000	0.1	RMS	863.409	-59.74	-13	46.74	Pass	9701
1000	1840	1	RMS	1782	-48.81	-13	35.81	Pass	841
1840	1920	1	RMS	1890.4	20.23	60	39.77	Pass	401
1920	3000	1	RMS	2971	-45.73	-13	32.73	Pass	1081
3000	7000	1	RMS	6974	-49.69	-13	36.69	Pass	4001
7000	20000	1	RMS	15896	-43.27	-13	30.27	Pass	13002



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.15	-68.6	-13	55.6	Pass	2986
30	1000	0.1	RMS	900.934	-59.67	-13	46.67	Pass	9701
1000	1840	1	RMS	1801	-48.64	-13	35.64	Pass	841
1840	1920	1	RMS	1909.4	20.29	60	39.71	Pass	401
1920	3000	1	RMS	2975	-45.77	-13	32.77	Pass	1081
3000	7000	1	RMS	6974	-58.37	-13	45.37	Pass	4001
7000	20000	1	RMS	17497	-47.91	-13	34.91	Pass	13002



--BLANK BELOW--