



11.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	21.18	30	Pass	401
2690	2691	0.3	RMS	2690.305	-20.67	-10	Pass	401
2691	2695	1	RMS	2691	-28	-10	Pass	5
2695	2705	1	RMS	2695.025	-39.09	-13	Pass	401
2705	2715	1	RMS	2705.075	-44.17	-25	Pass	401




11.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2680.4	1.97	30	Pass	401
2690	2691	0.3	RMS	2690.005	-29.03	-10	Pass	401
2691	2695	1	RMS	2691	-29.89	-10	Pass	5
2695	2705	1	RMS	2695.625	-30.29	-13	Pass	401
2705	2715	1	RMS	2705.35	-39.69	-25	Pass	401




11.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-37.04	-25	Pass	401
2490	2495	1	RMS	2495	-26.46	-13	Pass	6
2495	2496	0.2	RMS	2495.988	-25.44	-13	Pass	401
2496	2516	0.1	RMS	2497.1	21.88	30	Pass	401




11.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489	-29.97	-25	Pass	16
2490	2495	1	RMS	2495	-26.74	-13	Pass	6
2495	2496	0.2	RMS	2495.98	-29.82	-13	Pass	401
2496	2516	0.1	RMS	2510.9	1.95	30	Pass	401




11.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-36.4	-25	Pass	401
2490	2495	1	RMS	2495	-26.76	-13	Pass	6
2495	2496	0.2	RMS	2496	-24.78	-13	Pass	401
2496	2516	0.1	RMS	2497.1	21.16	30	Pass	401




11.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.69	-25	Pass	16
2490	2495	1	RMS	2494.913	-28.64	-13	Pass	401
2495	2496	0.2	RMS	2495.995	-32.73	-13	Pass	401
2496	2516	0.1	RMS	2514.35	1.72	30	Pass	401




11.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	22.24	30	Pass	401
2690	2691	0.51	RMS	2690.003	-15.9	-10	Pass	401
2691	2695	1	RMS	2691	-28.93	-10	Pass	5
2695	2710	1	RMS	2695	-37.6	-13	Pass	401
2710	2715	1	RMS	2710.025	-44.35	-25	Pass	401




11.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2675.3	1.94	30	Pass	401
2690	2691	0.51	RMS	2690.028	-25.88	-10	Pass	401
2691	2695	1	RMS	2691	-28.54	-10	Pass	5
2695	2710	1	RMS	2695	-28.86	-13	Pass	401
2710	2715	1	RMS	2710.05	-40.11	-25	Pass	401




11.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	20.93	30	Pass	401
2690	2691	0.51	RMS	2690.003	-16.3	-10	Pass	401
2691	2695	1	RMS	2691	-28.1	-10	Pass	5
2695	2710	1	RMS	2695.225	-36.91	-13	Pass	401
2710	2715	1	RMS	2710.038	-44.05	-25	Pass	401



11.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2676.05	1.07	30	Pass	401
2690	2691	0.51	RMS	2690.058	-28.23	-10	Pass	401
2691	2695	1	RMS	2691	-31.02	-10	Pass	5
2695	2710	1	RMS	2695.075	-31.54	-13	Pass	401
2710	2715	1	RMS	2710.375	-41.26	-25	Pass	401



12. LTE_Band42 3450-3550


12.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.92	-36.03	-13	Pass	401
3445	3449	0.51	RMS	3448.99	-27.45	-13	Pass	401
3449	3450	0.01	RMS	3450	-25.96	-13	Pass	401
3450	3455	0.1	RMS	3450.35	21.87	30	Pass	401




12.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.96	-32.38	-13	Pass	401
3445	3449	0.51	RMS	3448.97	-23.69	-13	Pass	401
3449	3450	0.1	RMS	3449.998	-23.89	-13	Pass	401
3450	3455	0.1	RMS	3451.813	7.81	30	Pass	401




12.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.88	-36.64	-13	Pass	401
3445	3449	0.51	RMS	3448.98	-26.79	-13	Pass	401
3449	3450	0.01	RMS	3450	-26.41	-13	Pass	401
3450	3455	0.1	RMS	3450.338	20.97	30	Pass	401




12.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.8	-35.28	-13	Pass	401
3445	3449	0.51	RMS	3448.94	-24.67	-13	Pass	401
3449	3450	0.1	RMS	3449.998	-23.77	-13	Pass	401
3450	3455	0.1	RMS	3453.975	6.31	30	Pass	401




12.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.65	21.04	30	Pass	401
3550	3551	0.01	RMS	3550	-28.93	-13	Pass	401
3551	3555	0.51	RMS	3551	-29.58	-13	Pass	401
3555	3571	1	RMS	3555	-38.18	-13	Pass	401




12.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.263	7.69	30	Pass	401
3550	3551	0.1	RMS	3550.003	-24.22	-13	Pass	401
3551	3555	0.51	RMS	3551.17	-24.87	-13	Pass	401
3555	3571	1	RMS	3555.04	-32.6	-13	Pass	401




12.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.688	21.38	30	Pass	401
3550	3551	0.01	RMS	3550	-27.85	-13	Pass	401
3551	3555	0.51	RMS	3551	-30.23	-13	Pass	401
3555	3571	1	RMS	3555.12	-38.26	-13	Pass	401




12.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3545	3550	0.1	RMS	3547.2	6.5	30	Pass	401
3550	3551	0.1	RMS	3550	-25.09	-13	Pass	401
3551	3555	0.51	RMS	3551	-26.74	-13	Pass	401
3555	3571	1	RMS	3555.04	-35.78	-13	Pass	401




12.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.92	-36.09	-13	Pass	401
3445	3449	0.51	RMS	3449	-28.48	-13	Pass	401
3449	3450	0.01	RMS	3449.993	-36.55	-13	Pass	401
3450	3460	0.1	RMS	3450.575	22.13	30	Pass	401




12.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.92	-27.42	-13	Pass	401
3445	3449	0.51	RMS	3449	-25.53	-13	Pass	401
3449	3450	0.1	RMS	3449.988	-28.5	-13	Pass	401
3450	3460	0.1	RMS	3453.775	4.7	30	Pass	401




12.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.88	-38.36	-13	Pass	401
3445	3449	0.51	RMS	3448.85	-30.42	-13	Pass	401
3449	3450	0.01	RMS	3450	-39.32	-13	Pass	401
3450	3460	0.1	RMS	3450.575	21.1	30	Pass	401




12.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-29.36	-13	Pass	401
3445	3449	0.51	RMS	3448.87	-27.18	-13	Pass	401
3449	3450	0.1	RMS	3449.998	-31.5	-13	Pass	401
3450	3460	0.1	RMS	3453.275	3.85	30	Pass	401




12.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	0.1	RMS	3549.4	21.28	30	Pass	401
3550	3551	0.01	RMS	3550.005	-36.29	-13	Pass	401
3551	3555	0.51	RMS	3551	-29.19	-13	Pass	401
3555	3571	1	RMS	3555.16	-36.73	-13	Pass	401




12.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	0.1	RMS	3543.175	4.25	30	Pass	401
3550	3551	0.1	RMS	3550	-30.73	-13	Pass	401
3551	3555	0.51	RMS	3551.08	-27.29	-13	Pass	401
3555	3571	1	RMS	3555.04	-27.84	-13	Pass	401




12.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	0.1	RMS	3549.425	20.41	30	Pass	401
3550	3551	0.01	RMS	3550.003	-36.39	-13	Pass	401
3551	3555	0.51	RMS	3551	-29.24	-13	Pass	401
3555	3571	1	RMS	3555.04	-36.48	-13	Pass	401




12.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	0.1	RMS	3543.2	3.29	30	Pass	401
3550	3551	0.1	RMS	3550.008	-31.11	-13	Pass	401
3551	3555	0.51	RMS	3551.08	-27.99	-13	Pass	401
3555	3571	1	RMS	3555.08	-29.39	-13	Pass	401




12.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.88	-36	-13	Pass	401
3445	3449	0.51	RMS	3448.97	-29.31	-13	Pass	401
3449	3450	0.01	RMS	3449.993	-38.49	-13	Pass	401
3450	3465	0.1	RMS	3450.825	21.55	30	Pass	401




12.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.76	-27.04	-13	Pass	401
3445	3449	0.51	RMS	3448.15	-26.4	-13	Pass	401
3449	3450	0.2	RMS	3449.995	-27.29	-13	Pass	401
3450	3465	0.1	RMS	3453.15	3.19	30	Pass	401




12.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-38.18	-13	Pass	401
3445	3449	0.51	RMS	3449	-31.66	-13	Pass	401
3449	3450	0.01	RMS	3450	-39.51	-13	Pass	401
3450	3465	0.1	RMS	3450.863	20.89	30	Pass	401




12.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42165, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-29.66	-13	Pass	401
3445	3449	0.51	RMS	3447.9	-28.53	-13	Pass	401
3449	3450	0.2	RMS	3449.998	-29.78	-13	Pass	401
3450	3465	0.1	RMS	3455.363	2.11	30	Pass	401




12.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3535	3550	0.1	RMS	3549.138	21.03	30	Pass	401
3550	3551	0.01	RMS	3550.01	-39.51	-13	Pass	401
3551	3555	0.51	RMS	3551.07	-31.45	-13	Pass	401
3555	3571	1	RMS	3555.12	-36.96	-13	Pass	401




12.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3535	3550	0.1	RMS	3540.063	2.66	30	Pass	401
3550	3551	0.2	RMS	3550.018	-27.92	-13	Pass	401
3551	3555	0.51	RMS	3552	-27.31	-13	Pass	401
3555	3571	1	RMS	3555.24	-27.41	-13	Pass	401




12.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3535	3550	0.1	RMS	3549.175	21.06	30	Pass	401
3550	3551	0.01	RMS	3550	-38.52	-13	Pass	401
3551	3555	0.51	RMS	3551.01	-30.43	-13	Pass	401
3555	3571	1	RMS	3555.04	-36.64	-13	Pass	401




12.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3535	3550	0.1	RMS	3538.488	1.35	30	Pass	401
3550	3551	0.2	RMS	3550.008	-30.88	-13	Pass	401
3551	3555	0.51	RMS	3551.95	-28.8	-13	Pass	401
3555	3571	1	RMS	3556.32	-29.01	-13	Pass	401




12.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.96	-35.79	-13	Pass	401
3445	3449	0.51	RMS	3448.97	-29.37	-13	Pass	401
3449	3450	0.01	RMS	3450	-39.5	-13	Pass	401
3450	3470	0.1	RMS	3451.1	21.07	30	Pass	401




12.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.96	-29.26	-13	Pass	401
3445	3449	0.51	RMS	3448.99	-28.72	-13	Pass	401
3449	3450	0.2	RMS	3449.998	-29.95	-13	Pass	401
3450	3470	0.1	RMS	3455.8	2.01	30	Pass	401




12.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.92	-36.62	-13	Pass	401
3445	3449	0.51	RMS	3448.86	-30.16	-13	Pass	401
3449	3450	0.01	RMS	3449.995	-40.54	-13	Pass	401
3450	3470	0.1	RMS	3451.1	20.42	30	Pass	401




12.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.96	-30.38	-13	Pass	401
3445	3449	0.51	RMS	3448.83	-30.48	-13	Pass	401
3449	3450	0.2	RMS	3449.953	-32.32	-13	Pass	401
3450	3470	0.1	RMS	3459.25	0.61	30	Pass	401




12.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	0.1	RMS	3548.95	21.07	30	Pass	401
3550	3551	0.01	RMS	3550.003	-41.77	-13	Pass	401
3551	3555	0.51	RMS	3551	-32.59	-13	Pass	401
3555	3571	1	RMS	3555	-37.73	-13	Pass	401




12.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	0.1	RMS	3536.25	1.02	30	Pass	401
3550	3551	0.2	RMS	3550.003	-30.86	-13	Pass	401
3551	3555	0.51	RMS	3551.19	-29.63	-13	Pass	401
3555	3571	1	RMS	3555.08	-29.08	-13	Pass	401




12.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	0.1	RMS	3548.9	20.31	30	Pass	401
3550	3551	0.01	RMS	3550	-41.3	-13	Pass	401
3551	3555	0.51	RMS	3551.04	-31.04	-13	Pass	401
3555	3571	1	RMS	3555.04	-37.2	-13	Pass	401



12.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	0.1	RMS	3537.7	0.48	30	Pass	401
3550	3551	0.2	RMS	3550.003	-32.19	-13	Pass	401
3551	3555	0.51	RMS	3551.29	-31.64	-13	Pass	401
3555	3571	1	RMS	3555.12	-30.23	-13	Pass	401




--BLANK BELOW--

1. LTE_Band26(part90)


1.1. LTE Band Edge_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.65	-13	Pass	51
813.9625	814	0.002	RMS	813.988	-37.3	-20	Pass	401
814	819	0.1	RMS	814.25	22.06	30	Pass	401




1.1. LTE Band Edge_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.76	-13	12.76	Pass	401
813.9625	814	0.02	RMS	813.988	-32.95	-20	12.95	Pass	401
814	819	0.1	RMS	814.313	13.72	30	16.28	Pass	401




1.3. LTE Band Edge_Part90(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-26.17	-13	Pass	51
813.9625	814	0.002	RMS	813.99	-38.01	-20	Pass	401
814	819	0.1	RMS	814.263	21	30	Pass	401




1.4. LTE Band Edge_Part90(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-26.49	-13	Pass	401
813.9625	814	0.02	RMS	813.964	-33.66	-20	Pass	401
814	819	0.1	RMS	814.913	12.79	30	Pass	401




1.5. LTE Band Edge_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	21.98	30	Pass	401
824	824.0375	0.002	RMS	824.003	-40.72	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-28.24	-13	Pass	51




1.6. LTE Band Edge_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.9	13.73	30	Pass	401
824	824.0375	0.02	RMS	824.017	-32.23	-20	Pass	401
824.0375	829	0.1	RMS	824.1	-25.74	-13	Pass	401




1.7. LTE Band Edge_Part90(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	21.09	30	Pass	401
824	824.0375	0.002	RMS	824.007	-39.35	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-27.78	-13	Pass	51




1.8. LTE Band Edge_Part90(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.338	12.74	30	Pass	401
824	824.0375	0.02	RMS	824.031	-34.44	-20	Pass	401
824.0375	829	0.1	RMS	824.124	-27.92	-13	Pass	401




1.9. LTE Band Edge_Part90(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-17.11	-13	Pass	51
813.9625	814	0.002	RMS	813.998	-28.96	-20	Pass	20
814	819	0.1	RMS	814.25	22.19	30	Pass	401




1.10. LTE Band Edge_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.75	-13	Pass	401
813.9625	814	0.03	RMS	814	-25.5	-20	Pass	3
814	819	0.1	RMS	816.713	9.97	30	Pass	401




1.11. LTE Band Edge_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-18.51	-13	Pass	51
813.9625	814	0.002	RMS	814	-30.54	-20	Pass	20
814	819	0.1	RMS	814.25	21.51	30	Pass	401




1.12. LTE Band Edge_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-23.41	-13	Pass	401
813.9625	814	0.03	RMS	814	-27.02	-20	Pass	401
814	819	0.1	RMS	816.425	9.05	30	Pass	401




1.13. LTE Band Edge_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	22.26	30	Pass	401
824	824.0375	0.002	RMS	824.002	-28.07	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-16.64	-13	Pass	51




1.14. LTE Band Edge_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.1	9.94	30	Pass	401
824	824.0375	0.03	RMS	824	-26.64	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-23.04	-13	Pass	401




1.15. LTE Band Edge_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	21.14	30	Pass	401
824	824.0375	0.002	RMS	824.003	-30.75	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-19.73	-13	Pass	51




1.16. LTE Band Edge_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	821.625	8.95	30	Pass	401
824	824.0375	0.03	RMS	824.001	-27.18	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-23.61	-13	Pass	401




1.17. LTE Band Edge_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-23.19	-13	Pass	51
813.9625	814	0.002	RMS	813.999	-34.93	-20	Pass	401
814	819	0.1	RMS	814.338	22.05	30	Pass	401




1.18. LTE Band Edge_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-27.73	-13	Pass	401
813.9625	814	0.051	RMS	814	-28.69	-20	Pass	401
814	819	0.1	RMS	817.363	7.77	30	Pass	401




1.19. LTE Band Edge_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24.81	-13	Pass	51
813.9625	814	0.002	RMS	813.998	-36.61	-20	Pass	401
814	819	0.1	RMS	814.338	21.43	30	Pass	401




1.20. LTE Band Edge_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-29.13	-13	Pass	401
813.9625	814	0.051	RMS	814	-29.96	-20	Pass	401
814	819	0.1	RMS	817.313	6.87	30	Pass	401




1.21. LTE Band Edge_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.7	21.82	30	Pass	51
824	824.0375	0.002	RMS	824.002	-35.07	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-22.11	-13	Pass	401




1.22. LTE Band Edge_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	820.888	7.71	30	Pass	401
824	824.0375	0.051	RMS	824.001	-28.55	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-27.2	-13	Pass	401




1.23. LTE Band Edge_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.7	21.08	30	Pass	51
824	824.0375	0.002	RMS	824	-36.55	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-22.8	-13	Pass	401




1.24. LTE Band Edge_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	821.25	6.75	30	Pass	401
824	824.0375	0.051	RMS	824	-29.88	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-28.72	-13	Pass	401




1.25. LTE Band Edge_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-35.95	-13	Pass	401
813.9625	814	0.02	RMS	814	-41.26	-20	Pass	401
814	819	0.1	RMS	814.588	22.18	30	Pass	401




1.26. LTE Band Edge_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-32.85	-13	Pass	401
813.9625	814	0.1	RMS	814	-31.62	-20	Pass	401
814	819	0.1	RMS	818.275	4.79	30	Pass	401




1.27. LTE Band Edge_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-36.27	-13	Pass	401
813.9625	814	0.02	RMS	813.999	-41.17	-20	Pass	401
814	819	0.1	RMS	814.588	21.47	30	Pass	401




1.28. LTE Band Edge_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-34.85	-13	Pass	401
813.9625	814	0.1	RMS	814	-33.79	-20	Pass	401
814	819	0.1	RMS	817.988	3.67	30	Pass	401




1.29. LTE Band Edge_Part90(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	22	30	Pass	401
824	824.0375	0.02	RMS	824.002	-41.37	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-36	-13	Pass	401




1.30. LTE Band Edge_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	821.263	4.89	30	Pass	401
824	824.0375	0.1	RMS	824	-31.45	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-32.25	-13	Pass	401




1.31. LTE Band Edge_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.4	21.39	30	Pass	401
824	824.0375	0.02	RMS	824	-40.86	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-36.34	-13	Pass	401



1.32. LTE Band Edge_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	820.613	4.01	30	Pass	401
824	824.0375	0.1	RMS	824.003	-32.96	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-33.87	-13	Pass	401



1. LTE_Band71


1.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-30.85	-13	17.85	Pass	401
662.9	663	0.03	RMS	662.999	-25.27	-13	12.27	Pass	401
663	668	0.1	RMS	663.325	22.05	30	7.95	Pass	401




1.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-34.91	-13	21.91	Pass	401
662.9	663	0.03	RMS	663	-33.24	-13	20.24	Pass	401
663	668	0.1	RMS	663.675	7.69	30	22.31	Pass	401




1.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:133147, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-30.08	-13	17.08	Pass	401
662.9	663	0.03	RMS	662.999	-25.77	-13	12.77	Pass	401
663	668	0.1	RMS	663.35	21.26	30	8.74	Pass	401




1.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:133147, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-35.88	-13	22.88	Pass	401
662.9	663	0.03	RMS	663	-33.94	-13	20.94	Pass	401
663	668	0.1	RMS	663.988	6.67	30	23.33	Pass	401



1.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	697.675	21.85	30	8.15	Pass	401
698	698.1	0.03	RMS	698.001	-24.9	-13	11.9	Pass	401
698.1	710	0.1	RMS	698.1	-30.07	-13	17.07	Pass	401




1.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	693.675	7.71	30	22.29	Pass	401
698	698.1	0.03	RMS	698.003	-30.92	-13	17.92	Pass	401
698.1	710	0.1	RMS	698.1	-29.64	-13	16.64	Pass	401



1.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:133447, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	697.663	21.19	30	8.81	Pass	401
698	698.1	0.03	RMS	698.001	-25.61	-13	12.61	Pass	401
698.1	710	0.1	RMS	698.1	-30.07	-13	17.07	Pass	401




1.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:133447, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	693.375	6.66	30	23.34	Pass	401
698	698.1	0.03	RMS	698	-33.23	-13	20.23	Pass	401
698.1	710	0.1	RMS	698.1	-32.99	-13	19.99	Pass	401




1.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-40.43	-13	27.43	Pass	401
662.9	663	0.03	RMS	662.999	-39.15	-13	26.15	Pass	401
663	673	0.1	RMS	663.575	21.76	30	8.24	Pass	401




1.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-37.87	-13	24.87	Pass	401
662.9	663	0.03	RMS	662.999	-39.39	-13	26.39	Pass	401
663	673	0.1	RMS	671.4	4.6	30	25.4	Pass	401




1.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:133172, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-41	-13	28	Pass	401
662.9	663	0.03	RMS	663	-39.91	-13	26.91	Pass	401
663	673	0.1	RMS	663.575	21.25	30	8.75	Pass	401




1.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:133172, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-39.12	-13	26.12	Pass	401
662.9	663	0.03	RMS	662.999	-41.38	-13	28.38	Pass	401
663	673	0.1	RMS	665.425	3.65	30	26.35	Pass	401




1.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
688	698	0.1	RMS	697.425	21.89	30	8.11	Pass	401
698	698.1	0.03	RMS	698.002	-38.9	-13	25.9	Pass	401
698.1	710	0.1	RMS	698.1	-39.24	-13	26.24	Pass	401




1.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
688	698	0.1	RMS	690.525	5.06	30	24.94	Pass	401
698	698.1	0.03	RMS	698	-35.05	-13	22.05	Pass	401
698.1	710	0.1	RMS	698.1	-32.08	-13	19.08	Pass	401




1.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:133422, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
688	698	0.1	RMS	697.4	21.05	30	8.95	Pass	401
698	698.1	0.03	RMS	698.004	-38.45	-13	25.45	Pass	401
698.1	710	0.1	RMS	698.1	-38.79	-13	25.79	Pass	401




1.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:133422, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
688	698	0.1	RMS	691.25	4.21	30	25.79	Pass	401
698	698.1	0.03	RMS	698.001	-37.97	-13	24.97	Pass	401
698.1	710	0.1	RMS	698.1	-34.86	-13	21.86	Pass	401




1.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-39.33	-13	26.33	Pass	401
662.9	663	0.03	RMS	663	-38.39	-13	25.39	Pass	401
663	678	0.1	RMS	663.825	21.6	30	8.4	Pass	401




1.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-40.09	-13	27.09	Pass	401
662.9	663	0.03	RMS	662.994	-43.39	-13	30.39	Pass	401
663	678	0.1	RMS	673.875	3.25	30	26.75	Pass	401




1.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:133197, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-39.77	-13	26.77	Pass	401
662.9	663	0.03	RMS	662.999	-38.54	-13	25.54	Pass	401
663	678	0.1	RMS	663.825	21.01	30	8.99	Pass	401




1.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:133197, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-41.41	-13	28.41	Pass	401
662.9	663	0.03	RMS	662.997	-44.79	-13	31.79	Pass	401
663	678	0.1	RMS	673.725	2.14	30	27.86	Pass	401




1.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	697.138	21.72	30	8.28	Pass	401
698	698.1	0.03	RMS	698.001	-38.76	-13	25.76	Pass	401
698.1	710	0.1	RMS	698.1	-39.07	-13	26.07	Pass	401




1.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	688.475	3.17	30	26.83	Pass	401
698	698.1	0.03	RMS	698.002	-39.55	-13	26.55	Pass	401
698.1	710	0.1	RMS	698.1	-35.95	-13	22.95	Pass	401




1.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:133397, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	697.138	21	30	9	Pass	401
698	698.1	0.03	RMS	698.004	-38.36	-13	25.36	Pass	401
698.1	710	0.1	RMS	698.1	-39.04	-13	26.04	Pass	401




1.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:133397, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	687.913	2.09	30	27.91	Pass	401
698	698.1	0.03	RMS	698.002	-42.17	-13	29.17	Pass	401
698.1	710	0.1	RMS	698.1	-38.27	-13	25.27	Pass	401




1.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-40.06	-13	27.06	Pass	401
662.9	663	0.03	RMS	663	-40.67	-13	27.67	Pass	401
663	683	0.1	RMS	664.1	21.61	30	8.39	Pass	401




1.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-41.64	-13	28.64	Pass	401
662.9	663	0.03	RMS	662.995	-45.58	-13	32.58	Pass	401
663	683	0.1	RMS	677.75	2.12	30	27.88	Pass	401




1.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:133222, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-40.22	-13	27.22	Pass	401
662.9	663	0.03	RMS	662.999	-40.98	-13	27.98	Pass	401
663	683	0.1	RMS	664.1	20.85	30	9.15	Pass	401




1.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:133222, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-42.72	-13	29.72	Pass	401
662.9	663	0.03	RMS	662.997	-46.69	-13	33.69	Pass	401
663	683	0.1	RMS	675.65	1.22	30	28.78	Pass	401




1.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	696.9	21.57	30	8.43	Pass	401
698	698.1	0.03	RMS	698.002	-39.91	-13	26.91	Pass	401
698.1	710	0.1	RMS	698.1	-39.49	-13	26.49	Pass	401




1.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	691.05	2.12	30	27.88	Pass	401
698	698.1	0.03	RMS	698.008	-42.53	-13	29.53	Pass	401
698.1	710	0.1	RMS	698.1	-38.78	-13	25.78	Pass	401




1.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:133372, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	696.9	21.14	30	8.86	Pass	401
698	698.1	0.03	RMS	698.001	-39.73	-13	26.73	Pass	401
698.1	710	0.1	RMS	698.1	-38.74	-13	25.74	Pass	401



1.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:133372, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	689.2	1.36	30	28.64	Pass	401
698	698.1	0.03	RMS	698.01	-44.5	-13	31.5	Pass	401
698.1	710	0.1	RMS	698.1	-40.49	-13	27.49	Pass	401



2. LTE_Band66


2.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.71	-13	31.71	Pass	401
1708	1709	1	RMS	1709	-37.71	-13	24.71	Pass	2
1709	1710	0.02	RMS	1710	-28.53	-13	15.53	Pass	401
1710	1712	0.1	RMS	1710.25	22.08	30	7.92	Pass	401




2.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.4	-13	20.4	Pass	401
1708	1709	1	RMS	1709	-22.51	-13	9.51	Pass	2
1709	1710	0.02	RMS	1710	-29.64	-13	16.64	Pass	401
1710	1712	0.1	RMS	1710.29	13.71	30	16.29	Pass	401




2.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.93	-13	31.93	Pass	401
1708	1709	1	RMS	1709	-38.32	-13	25.32	Pass	2
1709	1710	0.02	RMS	1709.993	-26.9	-13	13.9	Pass	401
1710	1712	0.1	RMS	1710.245	21.47	30	8.53	Pass	401



2.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.1	-13	22.1	Pass	401
1708	1709	1	RMS	1709	-25.25	-13	12.25	Pass	2
1709	1710	0.02	RMS	1709.898	-31.58	-13	18.58	Pass	401
1710	1712	0.1	RMS	1710.805	12.87	30	17.13	Pass	401




2.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.76	22.09	30	7.91	Pass	401
1780	1781	0.02	RMS	1780	-29.01	-13	16.01	Pass	401
1781	1782	1	RMS	1781	-37.07	-13	24.07	Pass	2
1782	1790	1	RMS	1782	-44.48	-13	31.48	Pass	401




2.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1778.915	13.65	30	16.35	Pass	401
1780	1781	0.02	RMS	1780	-29.53	-13	16.53	Pass	401
1781	1782	1	RMS	1781	-22.74	-13	9.74	Pass	2
1782	1790	1	RMS	1782	-34.26	-13	21.26	Pass	401




2.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.725	21.42	30	8.58	Pass	401
1780	1781	0.02	RMS	1780	-28.4	-13	15.4	Pass	401
1781	1782	1	RMS	1781	-37.78	-13	24.78	Pass	2
1782	1790	1	RMS	1782	-44.43	-13	31.43	Pass	401




2.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.685	12.77	30	17.23	Pass	401
1780	1781	0.02	RMS	1780.08	-32.4	-13	19.4	Pass	401
1781	1782	1	RMS	1781	-25.73	-13	12.73	Pass	2
1782	1790	1	RMS	1782	-35.84	-13	22.84	Pass	401




2.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.92	-13	30.92	Pass	401
1708	1709	1	RMS	1709	-37.37	-13	24.37	Pass	2
1709	1710	0.002	RMS	1709.99	-28.19	-13	15.19	Pass	501
1710	1713	0.1	RMS	1710.233	22.2	30	7.8	Pass	401




2.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-24.3	-13	11.3	Pass	401
1708	1709	1	RMS	1709	-20.33	-13	7.33	Pass	2
1709	1710	0.03	RMS	1710	-24.79	-13	11.79	Pass	401
1710	1713	0.1	RMS	1711.71	9.93	30	20.07	Pass	401




2.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.69	-13	30.69	Pass	401
1708	1709	1	RMS	1709	-38.21	-13	25.21	Pass	2
1709	1710	0.002	RMS	1709.998	-27.68	-13	14.68	Pass	501
1710	1713	0.1	RMS	1710.233	21.58	30	8.42	Pass	401




2.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-26.81	-13	13.81	Pass	401
1708	1709	1	RMS	1709	-22.86	-13	9.86	Pass	2
1709	1710	0.03	RMS	1710	-26.07	-13	13.07	Pass	401
1710	1713	0.1	RMS	1712.22	8.98	30	21.02	Pass	401




2.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.775	22.09	30	7.91	Pass	401
1780	1781	0.002	RMS	1780	-26.68	-13	13.68	Pass	501
1781	1782	1	RMS	1781	-36.87	-13	23.87	Pass	2
1782	1790	1	RMS	1782	-43.35	-13	30.35	Pass	401




2.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.75	9.92	30	20.08	Pass	401
1780	1781	0.03	RMS	1780	-24.63	-13	11.63	Pass	401
1781	1782	1	RMS	1781	-21.4	-13	8.4	Pass	2
1782	1790	1	RMS	1782	-25.15	-13	12.15	Pass	401




2.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.745	21.42	30	8.58	Pass	401
1780	1781	0.002	RMS	1780.004	-27.73	-13	14.73	Pass	501
1781	1782	1	RMS	1781	-37.6	-13	24.6	Pass	2
1782	1790	1	RMS	1782.02	-43.96	-13	30.96	Pass	401




2.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.293	8.87	30	21.13	Pass	401
1780	1781	0.03	RMS	1780	-26.04	-13	13.04	Pass	401
1781	1782	1	RMS	1781	-24.11	-13	11.11	Pass	2
1782	1790	1	RMS	1782	-27.56	-13	14.56	Pass	401




2.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.54	-44.25	-13	31.25	Pass	401
1708	1709	1	RMS	1709	-38.6	-13	25.6	Pass	2
1709	1710	0.01	RMS	1710	-27.7	-13	14.7	Pass	401
1710	1715	0.1	RMS	1710.325	21.97	30	8.03	Pass	401




2.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-23.74	-13	10.74	Pass	401
1708	1709	1	RMS	1709	-21.88	-13	8.88	Pass	2
1709	1710	0.051	RMS	1710	-27.05	-13	14.05	Pass	401
1710	1715	0.1	RMS	1710.613	7.83	30	22.17	Pass	401




2.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-44.79	-13	31.79	Pass	401
1708	1709	1	RMS	1709	-38.97	-13	25.97	Pass	2
1709	1710	0.01	RMS	1710	-27.67	-13	14.67	Pass	401
1710	1715	0.1	RMS	1710.35	21.64	30	8.36	Pass	401




2.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.8	-26.27	-13	13.27	Pass	401
1708	1709	1	RMS	1709	-24.74	-13	11.74	Pass	2
1709	1710	0.051	RMS	1710	-29.01	-13	16.01	Pass	401
1710	1715	0.1	RMS	1710.963	6.76	30	23.24	Pass	401




2.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.675	22.1	30	7.9	Pass	401
1780	1781	0.01	RMS	1780	-27.76	-13	14.76	Pass	401
1781	1782	1	RMS	1781	-38.08	-13	25.08	Pass	2
1782	1790	1	RMS	1783.48	-44.13	-13	31.13	Pass	401




2.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1775.638	7.7	30	22.3	Pass	401
1780	1781	0.051	RMS	1780	-27.15	-13	14.15	Pass	401
1781	1782	1	RMS	1781	-21.64	-13	8.64	Pass	2
1782	1790	1	RMS	1782	-23.25	-13	10.25	Pass	401




2.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.675	21.44	30	8.56	Pass	401
1780	1781	0.01	RMS	1780	-28.67	-13	15.67	Pass	401
1781	1782	1	RMS	1781	-38.58	-13	25.58	Pass	2
1782	1790	1	RMS	1782	-44.79	-13	31.79	Pass	401




2.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1775.988	6.72	30	23.28	Pass	401
1780	1781	0.051	RMS	1780	-29.58	-13	16.58	Pass	401
1781	1782	1	RMS	1781	-26.15	-13	13.15	Pass	2
1782	1790	1	RMS	1782.08	-27.49	-13	14.49	Pass	401




2.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-45.44	-13	32.44	Pass	401
1708	1709	1	RMS	1709	-41.38	-13	28.38	Pass	2
1709	1710	0.1	RMS	1710	-30.94	-13	17.94	Pass	401
1710	1720	0.1	RMS	1710.6	21.99	30	8.01	Pass	401



1.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-24.72	-13	11.72	Pass	401
1708	1709	1	RMS	1709	-24.11	-13	11.11	Pass	2
1709	1710	0.1	RMS	1710	-29.12	-13	16.12	Pass	401
1710	1720	0.1	RMS	1711.325	5.15	30	24.85	Pass	401




2.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-24.65	-13	11.65	Pass	401
1708	1709	1	RMS	1709	-24.32	-13	11.32	Pass	2
1709	1710	0.1	RMS	1710	-29.13	-13	16.13	Pass	401
1710	1720	0.1	RMS	1711.6	4.87	30	25.13	Pass	401




2.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-45.64	-13	32.64	Pass	401
1708	1709	1	RMS	1709	-41.58	-13	28.58	Pass	2
1709	1710	0.1	RMS	1710	-30.73	-13	17.73	Pass	401
1710	1720	0.1	RMS	1710.575	21.42	30	8.58	Pass	401




2.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-27.09	-13	14.09	Pass	401
1708	1709	1	RMS	1709	-26.72	-13	13.72	Pass	2
1709	1710	0.1	RMS	1710	-31.64	-13	18.64	Pass	401
1710	1720	0.1	RMS	1712.4	4.1	30	25.9	Pass	401




2.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.425	21.88	30	8.12	Pass	401
1780	1781	0.1	RMS	1780	-33.04	-13	20.04	Pass	11
1781	1782	1	RMS	1781	-40.99	-13	27.99	Pass	2
1782	1790	1	RMS	1782.34	-45.15	-13	32.15	Pass	401




2.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1771.6	4.93	30	25.07	Pass	401
1780	1781	0.1	RMS	1780.005	-28.7	-13	15.7	Pass	401
1781	1782	1	RMS	1781	-23.63	-13	10.63	Pass	2
1782	1790	1	RMS	1782	-24.23	-13	11.23	Pass	401




2.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	21.21	30	8.79	Pass	401
1780	1781	0.1	RMS	1780	-31.11	-13	18.11	Pass	401
1781	1782	1	RMS	1781	-41.29	-13	28.29	Pass	2
1782	1790	1	RMS	1782.54	-45.49	-13	32.49	Pass	401




2.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1772.425	3.98	30	26.02	Pass	401
1780	1781	0.1	RMS	1780	-31.55	-13	18.55	Pass	401
1781	1782	1	RMS	1781	-26.73	-13	13.73	Pass	2
1782	1790	1	RMS	1782	-27.23	-13	14.23	Pass	401




2.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-46.1	-13	33.1	Pass	401
1708	1709	1	RMS	1709	-43.66	-13	30.66	Pass	2
1709	1710	0.15	RMS	1710	-29.16	-13	16.16	Pass	401
1710	1725	0.1	RMS	1710.825	21.66	30	8.34	Pass	401




2.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-26.08	-13	13.08	Pass	401
1708	1709	1	RMS	1709	-26.21	-13	13.21	Pass	2
1709	1710	0.15	RMS	1710	-29.62	-13	16.62	Pass	401
1710	1725	0.1	RMS	1711.163	3.56	30	26.44	Pass	401




2.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-46.31	-13	33.31	Pass	401
1708	1709	1	RMS	1709	-43.7	-13	30.7	Pass	2
1709	1710	0.15	RMS	1710	-29.52	-13	16.52	Pass	401
1710	1725	0.1	RMS	1710.825	21.1	30	8.9	Pass	401




2.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-29.89	-13	16.89	Pass	401
1708	1709	1	RMS	1708	-30.15	-13	17.15	Pass	2
1709	1710	0.15	RMS	1710	-33.28	-13	20.28	Pass	401
1710	1725	0.1	RMS	1711.2	2.26	30	27.74	Pass	401




2.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	22	30	8	Pass	401
1780	1781	0.15	RMS	1780	-29.36	-13	16.36	Pass	401
1781	1782	1	RMS	1781	-42.63	-13	29.63	Pass	2
1782	1790	1	RMS	1782.22	-44.29	-13	31.29	Pass	401




2.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1770.475	3.02	30	26.98	Pass	401
1780	1781	0.15	RMS	1780.003	-29.2	-13	16.2	Pass	401
1781	1782	1	RMS	1781	-24.96	-13	11.96	Pass	2
1782	1790	1	RMS	1782.04	-24.75	-13	11.75	Pass	401




2.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.138	21.09	30	8.91	Pass	401
1780	1781	0.15	RMS	1780	-29.6	-13	16.6	Pass	401
1781	1782	1	RMS	1781	-42.88	-13	29.88	Pass	2
1782	1790	1	RMS	1782.26	-45.08	-13	32.08	Pass	401




2.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1769.913	2.19	30	27.81	Pass	401
1780	1781	0.15	RMS	1780.003	-32.28	-13	19.28	Pass	401
1781	1782	1	RMS	1781	-27.99	-13	14.99	Pass	2
1782	1790	1	RMS	1782.08	-27.7	-13	14.7	Pass	401




2.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-46.59	-13	33.59	Pass	401
1708	1709	1	RMS	1709	-45.07	-13	32.07	Pass	2
1709	1710	0.2	RMS	1709.998	-30.36	-13	17.36	Pass	401
1710	1730	0.1	RMS	1711.1	21.74	30	8.26	Pass	401




2.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.8	-26.66	-13	13.66	Pass	401
1708	1709	1	RMS	1709	-26.54	-13	13.54	Pass	2
1709	1710	0.2	RMS	1709.995	-29.51	-13	16.51	Pass	401
1710	1730	0.1	RMS	1711.7	2.31	30	27.69	Pass	401




2.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-46.89	-13	33.89	Pass	401
1708	1709	1	RMS	1709	-45.11	-13	32.11	Pass	2
1709	1710	0.2	RMS	1709.998	-30.37	-13	17.37	Pass	401
1710	1730	0.1	RMS	1711.1	21.19	30	8.81	Pass	401




2.49. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-30.35	-13	17.35	Pass	401
1708	1709	1	RMS	1709	-30.62	-13	17.62	Pass	2
1709	1710	0.2	RMS	1709.98	-33.57	-13	20.57	Pass	401
1710	1730	0.1	RMS	1711.9	1	30	29	Pass	401




2.50. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	21.92	30	8.08	Pass	401
1780	1781	0.2	RMS	1780	-29.8	-13	16.8	Pass	401
1781	1782	1	RMS	1781	-44.02	-13	31.02	Pass	2
1782	1790	1	RMS	1782	-44.61	-13	31.61	Pass	401




2.51. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1773.1	1.76	30	28.24	Pass	401
1780	1781	0.2	RMS	1780.01	-29.32	-13	16.32	Pass	401
1781	1782	1	RMS	1781	-26.11	-13	13.11	Pass	2
1782	1790	1	RMS	1782.08	-25.44	-13	12.44	Pass	401




2.52. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	21.15	30	8.85	Pass	401
1780	1781	0.2	RMS	1780.003	-29.75	-13	16.75	Pass	401
1781	1782	1	RMS	1781	-44.18	-13	31.18	Pass	2
1782	1790	1	RMS	1782.02	-45.01	-13	32.01	Pass	401



2.53. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1771.15	0.89	30	29.11	Pass	401
1780	1781	0.2	RMS	1780	-32.66	-13	19.66	Pass	401
1781	1782	1	RMS	1781	-28.9	-13	15.9	Pass	2
1782	1790	1	RMS	1782.46	-28.64	-13	15.64	Pass	401



1. CA_7C


1.2. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.163	-34.85	-25	Pass	401
2490	2496	1	RMS	2492.715	-49.52	-13	Pass	401
2496	2499	1	RMS	2499	-46.02	-10	Pass	401
2499	2500	1	RMS	2500	-26.79	-10	Pass	2
2500	2530	0.1	RMS	2501.125	10.51	30	Pass	401




1.3. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.375	-50.38	-25	Pass	401
2490	2496	1	RMS	2495.82	-50.21	-13	Pass	401
2496	2499	1	RMS	2498.453	-44.23	-10	Pass	401
2499	2500	1	RMS	2500	-26.85	-10	Pass	2
2500	2530	0.1	RMS	2528.8	10.84	30	Pass	401




1.4. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.475	-28.8	-25	Pass	401
2490	2496	1	RMS	2495.91	-26.29	-13	Pass	401
2496	2499	1	RMS	2498.955	-24.67	-10	Pass	401
2499	2500	1	RMS	2500	-23.57	-10	Pass	2
2500	2530	0.1	RMS	2525.95	0.94	30	Pass	401




1.5. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.238	-35.42	-25	Pass	401
2490	2496	1	RMS	2492.49	-50.07	-13	Pass	401
2496	2499	1	RMS	2499	-45.78	-10	Pass	401
2499	2500	1	RMS	2500	-26.2	-10	Pass	2
2500	2530	0.1	RMS	2501.125	10.59	30	Pass	401




1.6. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.188	-50.31	-25	Pass	401
2490	2496	1	RMS	2495.79	-50.22	-13	Pass	401
2496	2499	1	RMS	2499	-45.76	-10	Pass	401
2499	2500	1	RMS	2500	-26.25	-10	Pass	2
2500	2530	0.1	RMS	2501.125	10.64	30	Pass	401




1.7. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.663	-32.04	-25	Pass	401
2490	2496	1	RMS	2495.76	-29.59	-13	Pass	401
2496	2499	1	RMS	2498.97	-28.33	-10	Pass	401
2499	2500	1	RMS	2500	-26.93	-10	Pass	2
2500	2530	0.1	RMS	2526.85	-0.09	30	Pass	401




1.8. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2541.2	10.69	30	Pass	401
2570	2571	1	RMS	2570	-42.16	-10	Pass	2
2571	2575	1	RMS	2571.56	-45.94	-10	Pass	401
2575	2600	1	RMS	2596.625	-32.38	-13	Pass	401
2600	2615	1	RMS	2614.925	-50.15	-25	Pass	401




1.9. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2568.875	14.49	30	Pass	401
2570	2571	1	RMS	2570	-38.76	-10	Pass	2
2571	2575	1	RMS	2571	-45.82	-10	Pass	401
2575	2600	1	RMS	2578.813	-29.72	-13	Pass	401
2600	2615	1	RMS	2614.775	-50.21	-25	Pass	401




1.10. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2562.125	0.95	30	Pass	401
2570	2571	1	RMS	2570	-23.34	-10	Pass	2
2571	2575	1	RMS	2571	-23.48	-10	Pass	401
2575	2600	1	RMS	2575	-24.54	-13	Pass	401
2600	2615	1	RMS	2600.038	-49.71	-25	Pass	401




1.11. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2541.2	10.58	30	Pass	401
2570	2571	1	RMS	2570	-42.55	-10	Pass	2
2571	2575	1	RMS	2571	-47.95	-10	Pass	401
2575	2600	1	RMS	2596.625	-32.99	-13	Pass	401
2600	2615	1	RMS	2613.35	-50.21	-25	Pass	401




1.12. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2568.875	14.46	30	Pass	401
2570	2571	1	RMS	2570	-39.18	-10	Pass	2
2571	2575	1	RMS	2571.45	-41.4	-10	Pass	401
2575	2600	1	RMS	2578.813	-27.15	-13	Pass	401
2600	2615	1	RMS	2612.825	-50.22	-25	Pass	401




1.13. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2560.25	-0.02	30	Pass	401
2570	2571	1	RMS	2570	-27.32	-10	Pass	2
2571	2575	1	RMS	2571.02	-27.26	-10	Pass	401
2575	2600	1	RMS	2575	-28.34	-13	Pass	401
2600	2615	1	RMS	2600	-49.6	-25	Pass	401




1.14. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2481.225	-34.66	-25	Pass	401
2490	2496	1	RMS	2495.955	-50.01	-13	Pass	401
2496	2499	1	RMS	2499	-43	-10	Pass	401
2499	2500	1	RMS	2500	-24.63	-10	Pass	2
2500	2540	0.1	RMS	2501.1	13.25	30	Pass	401




1.15. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.125	-50.38	-25	Pass	401
2490	2496	1	RMS	2495.76	-50.24	-13	Pass	401
2496	2499	1	RMS	2499	-46.12	-10	Pass	401
2499	2500	1	RMS	2500	-27.09	-10	Pass	2
2500	2540	0.1	RMS	2501.1	10.75	30	Pass	401




1.16. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-29.03	-25	Pass	16
2490	2496	1	RMS	2495.91	-26.74	-13	Pass	401
2496	2499	1	RMS	2498.903	-25.82	-10	Pass	401
2499	2500	1	RMS	2500	-24.46	-10	Pass	2
2500	2540	0.1	RMS	2512.8	-1.78	30	Pass	401




1.17. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2481.3	-33.43	-25	Pass	401
2490	2496	1	RMS	2495.97	-50.01	-13	Pass	401
2496	2499	1	RMS	2499	-42.54	-10	Pass	401
2499	2500	1	RMS	2500	-24.09	-10	Pass	2
2500	2540	0.1	RMS	2501.1	13.18	30	Pass	401




1.18. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.35	-50.37	-25	Pass	401
2490	2496	1	RMS	2495.715	-50.24	-13	Pass	401
2496	2499	1	RMS	2499	-45.93	-10	Pass	401
2499	2500	1	RMS	2500	-26.57	-10	Pass	2
2500	2540	0.1	RMS	2501.1	10.69	30	Pass	401




1.19. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.14	-25	Pass	401
2490	2496	1	RMS	2496	-29.18	-13	Pass	401
2496	2499	1	RMS	2498.97	-28.54	-10	Pass	401
2499	2500	1	RMS	2500	-27.23	-10	Pass	2
2500	2540	0.1	RMS	2513.2	-2.91	30	Pass	401




1.20. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2568.9	10.76	30	Pass	401
2570	2571	1	RMS	2570	-26.85	-10	Pass	2
2571	2575	1	RMS	2571	-45.97	-10	Pass	401
2575	2610	1	RMS	2587.775	-49.93	-13	Pass	401
2610	2735	1	RMS	2732.813	-49.98	-25	Pass	401




1.21. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2568.9	13.28	30	Pass	401
2570	2571	1	RMS	2570	-24.31	-10	Pass	2
2571	2575	1	RMS	2571	-42.65	-10	Pass	401
2575	2610	1	RMS	2588.65	-29.35	-13	Pass	401
2610	2735	1	RMS	2734.688	-49.99	-25	Pass	401




1.22. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2557.9	-1.84	30	Pass	401
2570	2571	1	RMS	2570	-24.24	-10	Pass	2
2571	2575	1	RMS	2571.28	-25.15	-10	Pass	401
2575	2610	1	RMS	2575.175	-26.21	-13	Pass	401
2610	2735	1	RMS	2734.688	-50	-25	Pass	401




1.23. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2531.3	10.83	30	Pass	401
2570	2571	1	RMS	2570	-26.63	-10	Pass	2
2571	2575	1	RMS	2571	-45.88	-10	Pass	401
2575	2610	1	RMS	2587.775	-49.98	-13	Pass	401
2610	2735	1	RMS	2735	-49.99	-25	Pass	401



1.24. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2549.1	13.19	30	Pass	401
2570	2571	1	RMS	2570	-24.06	-10	Pass	2
2571	2575	1	RMS	2571	-42.36	-10	Pass	401
2575	2610	1	RMS	2588.65	-29.95	-13	Pass	401
2610	2735	1	RMS	2735	-49.99	-25	Pass	401



1.25. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2563.3	-2.91	30	Pass	401
2570	2571	1	RMS	2570	-27.88	-10	Pass	2
2571	2575	1	RMS	2571.01	-29.46	-10	Pass	401
2575	2610	1	RMS	2575.438	-30.33	-13	Pass	401
2610	2735	1	RMS	2733.438	-50.01	-25	Pass	401




--BLANK BELOW--

2. CA_38C


2.1. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2525.788	-39.88	-25	Pass	401
2540	2565	1	RMS	2555.688	-29.76	-13	Pass	401
2565	2569	1	RMS	2569	-31.85	-10	Pass	401
2569	2570	1	RMS	2570	-17.54	-10	Pass	2
2570	2600	0.1	RMS	2585.825	12.96	30	Pass	401




2.2. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2538.613	-46.31	-25	Pass	401
2540	2565	1	RMS	2542.5	-36.37	-13	Pass	401
2565	2569	1	RMS	2568.99	-34.35	-10	Pass	401
2569	2570	1	RMS	2570	-20.03	-10	Pass	2
2570	2600	0.1	RMS	2570.825	10.36	30	Pass	401




2.3. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.363	-38.02	-25	Pass	401
2540	2565	1	RMS	2564.625	-20.69	-13	Pass	401
2565	2569	1	RMS	2568.97	-19.84	-10	Pass	401
2569	2570	1	RMS	2570	-19.12	-10	Pass	2
2570	2600	0.1	RMS	2576.375	-0.73	30	Pass	401




2.4. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2525.863	-41.64	-25	Pass	401
2540	2565	1	RMS	2555.813	-26.11	-13	Pass	401
2565	2569	1	RMS	2569	-31.19	-10	Pass	401
2569	2570	1	RMS	2570	-18.12	-10	Pass	2
2570	2600	0.1	RMS	2585.825	13.13	30	Pass	401




2.5. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.663	-46.3	-25	Pass	401
2540	2565	1	RMS	2542.5	-33.69	-13	Pass	401
2565	2569	1	RMS	2568.99	-33.72	-10	Pass	401
2569	2570	1	RMS	2570	-20.58	-10	Pass	2
2570	2600	0.1	RMS	2570.825	11.43	30	Pass	401




2.6. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.888	-40.21	-25	Pass	401
2540	2565	1	RMS	2564.813	-24.05	-13	Pass	401
2565	2569	1	RMS	2568.93	-22.55	-10	Pass	401
2569	2570	1	RMS	2570	-22.23	-10	Pass	2
2570	2600	0.1	RMS	2583.2	-1.72	30	Pass	401




2.7. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2619.175	11.16	30	Pass	401
2620	2621	1	RMS	2620	-20.49	-10	Pass	2
2621	2625	1	RMS	2621	-35.05	-10	Pass	401
2625	2650	1	RMS	2647.438	-35.13	-13	Pass	401
2650	2665	1	RMS	2650.263	-46.05	-25	Pass	401




2.8. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2619.175	13.12	30	Pass	401
2620	2621	1	RMS	2620	-17.98	-10	Pass	2
2621	2625	1	RMS	2621	-32.56	-10	Pass	401
2625	2650	1	RMS	2634.25	-32.39	-13	Pass	401
2650	2665	1	RMS	2664.175	-40.61	-25	Pass	401




2.9. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2612.875	-0.95	30	Pass	401
2620	2621	1	RMS	2620	-19.27	-10	Pass	2
2621	2625	1	RMS	2621.2	-19.85	-10	Pass	401
2625	2650	1	RMS	2625.188	-20.51	-13	Pass	401
2650	2665	1	RMS	2650.188	-35.8	-25	Pass	401




2.10. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2619.175	10.33	30	Pass	401
2620	2621	1	RMS	2620	-20.59	-10	Pass	2
2621	2625	1	RMS	2621.02	-34.23	-10	Pass	401
2625	2650	1	RMS	2647.313	-33.79	-13	Pass	401
2650	2665	1	RMS	2654.163	-46.04	-25	Pass	401




2.11. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2619.175	13.72	30	Pass	401
2620	2621	1	RMS	2620	-18.11	-10	Pass	2
2621	2625	1	RMS	2621.01	-32.11	-10	Pass	401
2625	2650	1	RMS	2634.063	-30.43	-13	Pass	401
2650	2665	1	RMS	2650	-41.21	-25	Pass	401




2.12. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2595.025	-1.47	30	Pass	401
2620	2621	1	RMS	2620	-22.26	-10	Pass	2
2621	2625	1	RMS	2621.2	-23.33	-10	Pass	401
2625	2650	1	RMS	2625.188	-24.25	-13	Pass	401
2650	2665	1	RMS	2650.15	-37.47	-25	Pass	401




2.13. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.988	-46.16	-25	Pass	401
2530	2565	1	RMS	2551.35	-30.08	-13	Pass	401
2565	2569	1	RMS	2568.99	-33.41	-10	Pass	401
2569	2570	1	RMS	2570	-22.4	-10	Pass	2
2570	2610	0.1	RMS	2571.1	12.92	30	Pass	401




2.14. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.013	-46.38	-25	Pass	401
2530	2565	1	RMS	2533.413	-32.11	-13	Pass	401
2565	2569	1	RMS	2569	-36.17	-10	Pass	401
2569	2570	1	RMS	2570	-24.93	-10	Pass	2
2570	2610	0.1	RMS	2571.1	10.73	30	Pass	401




2.15. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.65	-39.09	-25	Pass	401
2530	2565	1	RMS	2565	-21.77	-13	Pass	401
2565	2569	1	RMS	2568.6	-21.22	-10	Pass	401
2569	2570	1	RMS	2570	-21.09	-10	Pass	2
2570	2610	0.1	RMS	2579	-1.71	30	Pass	401




2.16. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.988	-46.21	-25	Pass	401
2530	2565	1	RMS	2551.175	-26.31	-13	Pass	401
2565	2569	1	RMS	2569	-32.95	-10	Pass	401
2569	2570	1	RMS	2570	-22.34	-10	Pass	2
2570	2610	0.1	RMS	2571.1	13.38	30	Pass	401




2.17. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2526.75	-46.35	-25	Pass	401
2530	2565	1	RMS	2533.325	-29.9	-13	Pass	401
2565	2569	1	RMS	2568.99	-35.26	-10	Pass	401
2569	2570	1	RMS	2570	-24.75	-10	Pass	2
2570	2610	0.1	RMS	2571.1	10.83	30	Pass	401




2.18. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.863	-40.97	-25	Pass	401
2530	2565	1	RMS	2564.913	-25.11	-13	Pass	401
2565	2569	1	RMS	2567.87	-24.1	-10	Pass	401
2569	2570	1	RMS	2570	-24.18	-10	Pass	2
2570	2610	0.1	RMS	2579.2	-2.36	30	Pass	401




2.19. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2581.3	9.98	30	Pass	401
2620	2621	1	RMS	2620	-26	-10	Pass	2
2621	2625	1	RMS	2621.02	-37.54	-10	Pass	401
2625	2660	1	RMS	2656.5	-33.65	-13	Pass	401
2660	2665	1	RMS	2660.4	-46.09	-25	Pass	401




2.20. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2618.9	13.09	30	Pass	401
2620	2621	1	RMS	2620	-23.47	-10	Pass	2
2621	2625	1	RMS	2621	-34.85	-10	Pass	401
2625	2660	1	RMS	2638.738	-31.29	-13	Pass	401
2660	2665	1	RMS	2660.013	-45.89	-25	Pass	401




2.21. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2593.6	-1.97	30	Pass	401
2620	2621	1	RMS	2620	-21.34	-10	Pass	2
2621	2625	1	RMS	2621.42	-21.61	-10	Pass	401
2625	2660	1	RMS	2625.788	-21.67	-13	Pass	401
2660	2665	1	RMS	2660.475	-36.61	-25	Pass	401




2.22. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2581.3	10.52	30	Pass	401
2620	2621	1	RMS	2620	-26.19	-10	Pass	2
2621	2625	1	RMS	2621	-38.27	-10	Pass	401
2625	2660	1	RMS	2656.588	-33.51	-13	Pass	401
2660	2665	1	RMS	2660.163	-46.08	-25	Pass	401




2.23. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2618.9	12.43	30	Pass	401
2620	2621	1	RMS	2620	-23.76	-10	Pass	2
2621	2625	1	RMS	2621	-36.29	-10	Pass	401
2625	2660	1	RMS	2638.563	-29.45	-13	Pass	401
2660	2665	1	RMS	2660.025	-45.92	-25	Pass	401



2.24. LTE-A Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2586.2	-3.07	30	Pass	401
2620	2621	1	RMS	2620	-24.56	-10	Pass	2
2621	2625	1	RMS	2621.13	-24.96	-10	Pass	401
2625	2660	1	RMS	2625.438	-25.74	-13	Pass	401
2660	2665	1	RMS	2660.063	-38.78	-25	Pass	401



1. n5


1.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.168	-43.48	-13	30.48	Pass	401
823	824	0.02	RMS	824	-19.81	-13	6.81	Pass	401
824	829	0.1	RMS	824.325	19.07	30	10.93	Pass	401




1.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	823	-33.44	-13	20.44	Pass	401
823	824	0.051	RMS	824	-28.09	-13	15.09	Pass	401
824	829	0.1	RMS	824.55	5.5	30	24.5	Pass	401




1.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.638	18.84	30	11.16	Pass	401
849	850	0.02	RMS	849.003	-20.88	-13	7.88	Pass	401
850	859	0.1	RMS	850	-51.09	-13	38.09	Pass	401




1.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.513	5.97	30	24.03	Pass	401
849	850	0.051	RMS	849.003	-31.63	-13	18.63	Pass	401
850	859	0.1	RMS	850.113	-37.23	-13	24.23	Pass	401




1.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.905	-49.85	-13	36.85	Pass	401
823	824	0.02	RMS	824	-24.85	-13	11.85	Pass	401
824	839	0.1	RMS	824.488	18.96	30	11.04	Pass	401




1.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.858	-37.47	-13	24.47	Pass	401
823	824	0.15	RMS	824	-32.39	-13	19.39	Pass	401
824	839	0.1	RMS	836.9	0.76	30	29.24	Pass	401



1.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	18.79	30	11.21	Pass	401
849	850	0.02	RMS	849	-27.05	-13	14.05	Pass	401
850	869	0.1	RMS	850.048	-52.03	-13	39.03	Pass	401




1.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	837.413	0.68	30	29.32	Pass	401
849	850	0.15	RMS	849.003	-33.34	-13	20.34	Pass	401
850	869	0.1	RMS	850	-38.24	-13	25.24	Pass	401




1.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	823	-49.86	-13	36.86	Pass	401
823	824	0.02	RMS	824	-28.41	-13	15.41	Pass	401
824	844	0.1	RMS	824.55	18.89	30	11.11	Pass	401




1.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.82	-35.39	-13	22.39	Pass	401
823	824	0.2	RMS	823.995	-31.63	-13	18.63	Pass	401
824	844	0.1	RMS	837.65	-0.62	30	30.62	Pass	401




1.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	18.8	30	11.2	Pass	401
849	850	0.02	RMS	849.003	-30.79	-13	17.79	Pass	401
850	874	0.1	RMS	850	-51.54	-13	38.54	Pass	401



1.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	839.25	-0.48	30	30.48	Pass	401
849	850	0.2	RMS	849.028	-31.63	-13	18.63	Pass	401
850	874	0.1	RMS	850.12	-36.56	-13	23.56	Pass	401



2. n12 15kHz


2.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-19.88	-13	6.88	Pass	401
698.9	699	0.03	RMS	699	-18.55	-13	5.55	Pass	401
699	704	0.1	RMS	699.338	18.58	30	11.42	Pass	401




2.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-31.73	-13	18.73	Pass	401
698.9	699	0.03	RMS	698.999	-32.83	-13	19.83	Pass	401
699	704	0.1	RMS	701.85	4.08	30	25.92	Pass	401



2.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	18.74	30	11.26	Pass	401
716	716.1	0.03	RMS	716	-20.42	-13	7.42	Pass	401
716.1	726	0.1	RMS	716.1	-20.98	-13	7.98	Pass	401




2.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	711.513	4.45	30	25.55	Pass	401
716	716.1	0.03	RMS	716	-34.81	-13	21.81	Pass	401
716.1	726	0.1	RMS	716.1	-32.17	-13	19.17	Pass	401




2.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-19.93	-13	6.93	Pass	401
698.9	699	0.03	RMS	699	-20.37	-13	7.37	Pass	401
699	709	0.1	RMS	699.4	18.68	30	11.32	Pass	401




2.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-31.28	-13	18.28	Pass	401
698.9	699	0.03	RMS	699	-34.88	-13	21.88	Pass	401
699	709	0.1	RMS	701.725	2.35	30	27.65	Pass	401




2.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.575	18.75	30	11.25	Pass	401
716	716.1	0.03	RMS	716	-22.63	-13	9.63	Pass	401
716.1	731	0.1	RMS	716.1	-22.33	-13	9.33	Pass	401




2.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	711.7	2.24	30	27.76	Pass	401
716	716.1	0.03	RMS	716	-34.84	-13	21.84	Pass	401
716.1	731	0.1	RMS	716.1	-32	-13	19	Pass	401




2.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-23.18	-13	10.18	Pass	401
698.9	699	0.03	RMS	699	-23.73	-13	10.73	Pass	401
699	714	0.1	RMS	699.488	18.49	30	11.51	Pass	401




2.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.85	-33.16	-13	20.16	Pass	401
698.9	699	0.03	RMS	698.996	-37.41	-13	24.41	Pass	401
699	714	0.1	RMS	711.675	0.45	30	29.55	Pass	401



2.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	716	0.1	RMS	715.513	18.57	30	11.43	Pass	401
716	716.1	0.03	RMS	716.001	-26.23	-13	13.23	Pass	401
716.1	736	0.1	RMS	716.1	-25.95	-13	12.95	Pass	401



2.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	716	0.1	RMS	712.25	0.45	30	29.55	Pass	401
716	716.1	0.03	RMS	716.002	-38.57	-13	25.57	Pass	401
716.1	736	0.1	RMS	716.1	-34.08	-13	21.08	Pass	401



3. n7


3.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.003	-50.34	-25	25.34	Pass	401
2490.5	2496	1	RMS	2495.959	-46.84	-13	33.84	Pass	401
2496	2498.5	1	RMS	2498.5	-39.51	-10	29.51	Pass	4
2499	2500	0.051	RMS	2500	-16.09	-10	6.09	Pass	401
2500	2505	1	RMS	2500.35	21.64	30	8.36	Pass	401




3.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.491	-45.95	-25	20.95	Pass	401
2490.5	2496	1	RMS	2495.973	-32.44	-13	19.44	Pass	401
2496	2498.5	1	RMS	2498.456	-20.97	-10	10.97	Pass	401
2499	2500	0.1	RMS	2500	-24.17	-10	14.17	Pass	401
2500	2505	1	RMS	2503.7	15.42	30	14.58	Pass	401




3.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2569.613	21.62	30	8.38	Pass	401
2570	2571	0.051	RMS	2570	-15.87	-10	5.87	Pass	401
2571.5	2575	1	RMS	2571.5	-28.74	-10	18.74	Pass	401
2575	2576	1	RMS	2575.02	-48.4	-13	35.4	Pass	401
2576	2580	1	RMS	2576.16	-49.58	-25	24.58	Pass	401




3.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2566.088	15.14	30	14.86	Pass	401
2570	2571	0.1	RMS	2570	-24.6	-10	14.6	Pass	401
2571	2575	1	RMS	2571	-21.1	-10	11.1	Pass	5
2575	2576	1	RMS	2575.008	-35.25	-13	22.25	Pass	401
2576	2580	1	RMS	2576	-38.67	-25	13.67	Pass	401




3.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2470	2490.5	1	RMS	2489.936	-49.09	-25	24.09	Pass	401
2490.5	2496	1	RMS	2495.945	-46.81	-13	33.81	Pass	401
2496	2499	1	RMS	2499	-36.17	-10	26.17	Pass	4
2499	2500	0.051	RMS	2500	-20.88	-10	10.88	Pass	401
2500	2525	1	RMS	2500.563	21.55	30	8.45	Pass	401




3.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2470	2490.5	1	RMS	2490.5	-30.81	-25	5.81	Pass	401
2490.5	2496	1	RMS	2496	-27.01	-13	14.01	Pass	401
2496	2499	1	RMS	2498.993	-24	-10	14	Pass	401
2499	2500	0.51	RMS	2500	-16.79	-10	6.79	Pass	401
2500	2525	1	RMS	2522	8.29	30	21.71	Pass	401




3.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2570	1	RMS	2569.313	21.52	30	8.48	Pass	401
2570	2571	0.051	RMS	2570	-23.2	-10	13.2	Pass	401
2571	2575	1	RMS	2571	-15.98	-10	5.98	Pass	401
2575	2595	1	RMS	2575.25	-48.04	-13	35.04	Pass	401
2595	2600	1	RMS	2595.225	-51.09	-25	26.09	Pass	401




3.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2570	1	RMS	2559	8	30	22	Pass	401
2570	2571	0.51	RMS	2570	-17.45	-10	7.45	Pass	401
2571	2575	1	RMS	2571	-24.29	-10	14.29	Pass	401
2575	2595	1	RMS	2575	-28.57	-13	15.57	Pass	401
2595	2600	1	RMS	2595	-45.75	-25	20.75	Pass	401




3.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2455	2490.5	1	RMS	2489.879	-49.19	-25	24.19	Pass	401
2490.5	2496	1	RMS	2495.931	-46.58	-13	33.58	Pass	401
2496	2499	1	RMS	2499	-16.39	-10	6.39	Pass	401
2499	2500	0.051	RMS	2500	-23.01	-10	13.01	Pass	401
2500	2540	1	RMS	2500.6	21.54	30	8.46	Pass	401




3.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2455	2490.5	1	RMS	2490.323	-31.12	-25	6.12	Pass	401
2490.5	2496	1	RMS	2496	-28.85	-13	15.85	Pass	401
2496	2499	1	RMS	2499	-27.33	-10	17.33	Pass	401
2499	2499.6	0.82	RMS	2499.6	-21.21	-10	11.21	Pass	401
2500	2540	1	RMS	2537.9	6.12	30	23.88	Pass	401



3.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2570	1	RMS	2569.3	21.44	30	8.56	Pass	401
2570	2571	0.051	RMS	2570	-26.36	-10	16.36	Pass	401
2571	2575	1	RMS	2571	-17.65	-10	7.65	Pass	401
2575	2610	1	RMS	2575.088	-47.79	-13	34.79	Pass	401
2610	2615	1	RMS	2614.813	-51.1	-25	26.1	Pass	401



3.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2570	1	RMS	2560.5	6.24	30	23.76	Pass	401
2570.4	2571	0.82	RMS	2570.4	-21.31	-10	11.31	Pass	401
2571	2575	1	RMS	2571	-27	-10	17	Pass	401
2575	2610	1	RMS	2575	-28.79	-13	15.79	Pass	401
2610	2615	1	RMS	2613.05	-51.15	-25	26.15	Pass	401



4. n26 15kHz(824-849)


4.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	823	-49.04	-13	36.04	Pass	401
823	824	0.05	RMS	824	-15.76	-13	2.76	Pass	21
824	829	0.1	RMS	824.325	19.09	30	10.91	Pass	401




4.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	823	-32.62	-13	19.62	Pass	401
823	824	0.051	RMS	824	-27.67	-13	14.67	Pass	401
824	829	0.1	RMS	824.5	5.58	30	24.42	Pass	401



4.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	19.24	30	10.76	Pass	401
849	850	0.051	RMS	849	-16.33	-13	3.33	Pass	401
850	859	0.1	RMS	850	-50.22	-13	37.22	Pass	401




4.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.513	6.36	30	23.64	Pass	401
849	850	0.051	RMS	849	-30.75	-13	17.75	Pass	401
850	859	0.1	RMS	850.113	-36.47	-13	23.47	Pass	401




4.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.953	-49.64	-13	36.64	Pass	401
823	824	0.15	RMS	824	-15.95	-13	2.95	Pass	8
824	839	0.1	RMS	824.488	18.83	30	11.17	Pass	401




4.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.905	-36.57	-13	23.57	Pass	401
823	824	0.15	RMS	823.998	-32	-13	19	Pass	401
824	839	0.1	RMS	836.863	0.76	30	29.24	Pass	401



4.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	18.93	30	11.07	Pass	401
849	850	0.15	RMS	849	-17.17	-13	4.17	Pass	401
850	869	0.1	RMS	850	-51.49	-13	38.49	Pass	401




4.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	837.413	0.8	30	29.2	Pass	401
849	850	0.15	RMS	849.003	-32.47	-13	19.47	Pass	401
850	869	0.1	RMS	850	-37.32	-13	24.32	Pass	401




4.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	823	-49.71	-13	36.71	Pass	401
823	824	0.2	RMS	824	-16.61	-13	3.61	Pass	401
824	844	0.1	RMS	824.55	18.9	30	11.1	Pass	401




4.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.82	-34.77	-13	21.77	Pass	401
823	824	0.2	RMS	824	-30.88	-13	17.88	Pass	401
824	844	0.1	RMS	837.3	-0.49	30	30.49	Pass	401




4.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	18.9	30	11.1	Pass	401
849	850	0.2	RMS	849	-18.65	-13	5.65	Pass	401
850	874	0.1	RMS	850.06	-51.73	-13	38.73	Pass	401



4.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	839.25	-0.4	30	30.4	Pass	401
849	850	0.2	RMS	849	-32.31	-13	19.31	Pass	401
850	874	0.1	RMS	850.06	-36.98	-13	23.98	Pass	401



5. n38_PC3


5.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2547	-46.94	-25	21.94	Pass	401
2550	2565	1	RMS	2561.888	-44.07	-13	31.07	Pass	401
2565	2569	1	RMS	2569	-26.09	-10	16.09	Pass	401
2569	2570	0.051	RMS	2570	-24.29	-10	14.29	Pass	401
2570	2590	1	RMS	2570.95	20.85	30	9.15	Pass	401




5.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.875	-43.23	-25	18.23	Pass	401
2550	2565	1	RMS	2564.738	-26.99	-13	13.99	Pass	401
2565	2569	1	RMS	2568.98	-22.2	-10	12.2	Pass	401
2569	2570	0.39	RMS	2569.993	-24.12	-10	14.12	Pass	401
2570	2590	1	RMS	2571.8	8.76	30	21.24	Pass	401



5.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2619	20.89	30	9.11	Pass	401
2620	2621	0.051	RMS	2620.005	-27.39	-10	17.39	Pass	401
2621	2625	1	RMS	2621	-28.61	-10	18.61	Pass	401
2625	2640	1	RMS	2627.963	-45.38	-13	32.38	Pass	401
2640	2645	1	RMS	2644.488	-46.28	-25	21.28	Pass	401




5.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2601.95	8.87	30	21.13	Pass	401
2620	2621	0.39	RMS	2620	-26.46	-10	16.46	Pass	401
2621	2625	1	RMS	2621.07	-23.98	-10	13.98	Pass	401
2625	2640	1	RMS	2625.113	-28.06	-13	15.06	Pass	401
2640	2645	1	RMS	2640.125	-41.99	-25	16.99	Pass	401




5.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2536.213	-46.82	-25	21.82	Pass	401
2540	2565	1	RMS	2557.375	-44.39	-13	31.39	Pass	401
2565	2569	1	RMS	2569	-31.52	-10	21.52	Pass	401
2569	2570	0.051	RMS	2570	-29.31	-10	19.31	Pass	401
2570	2600	1	RMS	2571.125	21.13	30	8.87	Pass	401




5.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2539.75	-44.09	-25	19.09	Pass	401
2540	2565	1	RMS	2565	-27.43	-13	14.43	Pass	401
2565	2569	1	RMS	2568.91	-25.01	-10	15.01	Pass	401
2569	2570	0.62	RMS	2569.995	-25.28	-10	15.28	Pass	401
2570	2600	1	RMS	2572.325	7.25	30	22.75	Pass	401




5.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	1	RMS	2618.8	21.03	30	8.97	Pass	401
2620	2621	0.051	RMS	2620	-31.78	-10	21.78	Pass	401
2621	2625	1	RMS	2621	-33.3	-10	23.3	Pass	401
2625	2650	1	RMS	2632.813	-45.44	-13	32.44	Pass	401
2650	2655	1	RMS	2652.7	-46.32	-25	21.32	Pass	401




5.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	1	RMS	2592.775	7.14	30	22.86	Pass	401
2620	2621	0.62	RMS	2620	-27.75	-10	17.75	Pass	401
2621	2625	1	RMS	2621.23	-27.1	-10	17.1	Pass	401
2625	2650	1	RMS	2625.188	-29.28	-13	16.28	Pass	401
2650	2655	1	RMS	2650.55	-42.73	-25	17.73	Pass	401




5.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2525.55	-46.63	-25	21.63	Pass	401
2530	2565	1	RMS	2552.138	-44.44	-13	31.44	Pass	401
2565	2569	1	RMS	2569	-30.19	-10	20.19	Pass	401
2569	2570	0.051	RMS	2569.998	-28.37	-10	18.37	Pass	401
2570	2610	1	RMS	2571.1	21.01	30	8.99	Pass	401




5.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.6	-44.8	-25	19.8	Pass	401
2530	2565	1	RMS	2565	-28.46	-13	15.46	Pass	401
2565	2569	1	RMS	2568.97	-26.33	-10	16.33	Pass	401
2569	2570	0.82	RMS	2569.998	-18.52	-10	8.52	Pass	401
2570	2610	1	RMS	2573.8	5.84	30	24.16	Pass	401




5.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	20.99	30	9.01	Pass	401
2620	2621	0.051	RMS	2620.003	-31.42	-10	21.42	Pass	401
2621	2625	1	RMS	2621	-32.46	-10	22.46	Pass	401
2625	2660	1	RMS	2637.775	-45.34	-13	32.34	Pass	401
2660	2665	1	RMS	2662.788	-46.4	-25	21.4	Pass	401



5.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2582.2	5.68	30	24.32	Pass	401
2620	2621	0.82	RMS	2620	-20.96	-10	10.96	Pass	401
2621	2625	1	RMS	2621.07	-28.38	-10	18.38	Pass	401
2625	2660	1	RMS	2625	-30.22	-13	17.22	Pass	401
2660	2665	1	RMS	2660.013	-43.12	-25	18.12	Pass	401



6. n41


6.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490.5	1	RMS	2488.014	-46.36	-25	21.36	Pass	401
2490.5	2495	1	RMS	2495	-27.78	-13	14.78	Pass	401
2495	2496	0.051	RMS	2495.998	-26.6	-13	13.6	Pass	401
2496	2516	1	RMS	2497.05	20.86	40	19.14	Pass	401




6.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2480	1	RMS	2479.978	-42.1	-25	17.1	Pass	401
2480	2490	1	RMS	2490	-27.14	-25	2.14	Pass	11
2490.5	2494.5	1	RMS	2494.32	-21.93	-13	8.93	Pass	401
2495	2495.8	0.39	RMS	2495.778	-24.22	-13	11.22	Pass	401
2496	2516	1	RMS	2513.5	9.21	40	30.79	Pass	401




6.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	1	RMS	2688.95	20.84	40	19.16	Pass	401
2690	2691	0.051	RMS	2690.005	-26.59	-10	16.59	Pass	401
2691	2695	1	RMS	2691	-28.43	-10	18.43	Pass	401
2695	2710	1	RMS	2698.113	-48.7	-13	35.7	Pass	401
2710	2715	1	RMS	2710.188	-50.48	-25	25.48	Pass	401




6.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	1	RMS	2672.05	8.93	40	31.07	Pass	401
2690	2691	0.39	RMS	2690.028	-25.92	-10	15.92	Pass	401
2691.5	2695	1	RMS	2691.64	-23.86	-10	13.86	Pass	401
2695.5	2710	1	RMS	2695.5	-28.03	-13	15.03	Pass	401
2710	2715	1	RMS	2710.013	-41.41	-25	16.41	Pass	401




6.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490.5	1	RMS	2473.423	-48.71	-25	23.71	Pass	401
2490.5	2495	1	RMS	2495	-35.19	-13	22.19	Pass	401
2495	2496	0.051	RMS	2495.998	-33.56	-13	20.56	Pass	401
2496	2546	1	RMS	2497.25	20.75	40	19.25	Pass	401




6.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490	1	RMS	2489.755	-29.45	-25	4.45	Pass	401
2490.5	2495	1	RMS	2494.708	-27.33	-13	14.33	Pass	401
2495	2496	1	RMS	2496	-19.07	-13	6.07	Pass	401
2496	2546	1	RMS	2540	5.18	40	34.82	Pass	401



6.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2688.625	20.72	40	19.28	Pass	401
2690	2691	0.051	RMS	2690.003	-36.03	-10	26.03	Pass	401
2691	2695	1	RMS	2691	-35.85	-10	25.85	Pass	401
2695	2740	1	RMS	2712.325	-47.98	-13	34.98	Pass	401
2740	2745	1	RMS	2742.938	-50.05	-25	25.05	Pass	401




6.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2646.75	4.85	40	35.15	Pass	401
2690	2691	1	RMS	2690.003	-19.71	-10	9.71	Pass	401
2691	2695	1	RMS	2691	-30.46	-10	20.46	Pass	401
2695	2740	1	RMS	2695.113	-31.72	-13	18.72	Pass	401
2740	2745	1	RMS	2740.188	-48.83	-25	23.83	Pass	401




6.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2477.814	-48.69	-25	23.69	Pass	401
2490.5	2495	1	RMS	2495	-28.95	-13	15.95	Pass	401
2495	2496	0.051	RMS	2495.99	-28	-13	15	Pass	401
2496	2596	1	RMS	2497	20.52	40	19.48	Pass	401




6.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-32.66	-25	7.66	Pass	401
2490.5	2495	1	RMS	2494.91	-30.93	-13	17.93	Pass	401
2495	2495.5	1	RMS	2495.491	-29.62	-13	16.62	Pass	401
2496	2596	1	RMS	2576.75	1.79	40	38.21	Pass	401




6.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.69	40	19.31	Pass	401
2690	2691	0.051	RMS	2690	-27.92	-10	17.92	Pass	401
2691	2695	1	RMS	2691	-29.82	-10	19.82	Pass	401
2695	2790	1	RMS	2708.063	-47.46	-13	34.46	Pass	401
2790	2795	1	RMS	2793.713	-49.91	-25	24.91	Pass	401



6.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2595.5	2.7	40	37.3	Pass	401
2690.5	2691	1	RMS	2690.503	-31.79	-10	21.79	Pass	401
2691	2695	1	RMS	2691.06	-34.51	-10	24.51	Pass	401
2695	2790	1	RMS	2695	-35.52	-13	22.52	Pass	401
2790	2795	1	RMS	2794.813	-49.98	-25	24.98	Pass	401



7. n66


7.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-27.91	-13	14.91	Pass	401
1709	1710	0.02	RMS	1710	-18.42	-13	5.42	Pass	401
1710	1715	1	RMS	1710.375	21.51	30	8.49	Pass	401




7.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.479	-24.15	-13	11.15	Pass	401
1709	1710	0.051	RMS	1710	-26.72	-13	13.72	Pass	401
1710	1715	1	RMS	1711.188	15.24	30	14.76	Pass	401



7.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1779.663	21.74	30	8.26	Pass	401
1780	1781	0.051	RMS	1780	-16.68	-13	3.68	Pass	401
1781.5	1790	1	RMS	1781.5	-30.35	-13	17.35	Pass	401




7.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1776.25	15.43	30	14.57	Pass	401
1780	1781	0.051	RMS	1780.003	-28.06	-13	15.06	Pass	401
1781.5	1790	1	RMS	1781.521	-23.91	-13	10.91	Pass	401




7.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-38.9	-13	25.9	Pass	401
1709	1710	0.2	RMS	1710	-15.39	-13	2.39	Pass	401
1710	1730	1	RMS	1710.55	21.57	30	8.43	Pass	401




7.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-22.56	-13	9.56	Pass	401
1709	1710	0.2	RMS	1709.998	-26.87	-13	13.87	Pass	401
1710	1730	1	RMS	1711.65	9.35	30	20.65	Pass	401




7.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	21.7	30	8.3	Pass	401
1780	1781	0.2	RMS	1780	-17.79	-13	4.79	Pass	401
1781.5	1805	1	RMS	1781.5	-41.84	-13	28.84	Pass	401




7.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1773.8	9.23	30	20.77	Pass	401
1780	1781	0.2	RMS	1780	-26.64	-13	13.64	Pass	401
1781.5	1805	1	RMS	1781.5	-21.77	-13	8.77	Pass	401




7.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1708.5	1	RMS	1708.5	-40.67	-13	27.67	Pass	401
1709	1709.8	0.39	RMS	1709.798	-23.57	-13	10.57	Pass	401
1710	1750	1	RMS	1710.6	21.53	30	8.47	Pass	401




7.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-27.65	-13	14.65	Pass	401
1709	1710	0.39	RMS	1710	-28.68	-13	15.68	Pass	401
1710	1750	1	RMS	1747.5	6.8	30	23.2	Pass	401



7.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1779.3	21.67	30	8.33	Pass	401
1780.2	1781	0.39	RMS	1780.2	-24.53	-13	11.53	Pass	401
1781	1825	1	RMS	1781	-39.7	-13	26.7	Pass	45



7.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1771.3	6.48	30	23.52	Pass	401
1780	1781	0.39	RMS	1780	-29.71	-13	16.71	Pass	401
1781	1825	1	RMS	1781	-27.85	-13	14.85	Pass	401



8. n71 15kHz


8.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-18.61	-13	5.61	Pass	401
662.9	663	0.03	RMS	663	-17.9	-13	4.9	Pass	401
663	668	0.1	RMS	663.338	18.85	30	11.15	Pass	401




8.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-30.63	-13	17.63	Pass	401
662.9	663	0.03	RMS	662.997	-31.25	-13	18.25	Pass	401
663	668	0.1	RMS	664.263	5.27	30	24.73	Pass	401




8.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	697.663	18.75	30	11.25	Pass	401
698	698.1	0.03	RMS	698.009	-19.6	-13	6.6	Pass	401
698.1	708	0.1	RMS	698.1	-19.88	-13	6.88	Pass	401




8.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	693.575	5.63	30	24.37	Pass	401
698	698.1	0.03	RMS	698	-31.72	-13	18.72	Pass	401
698.1	708	0.1	RMS	698.1	-29.46	-13	16.46	Pass	401




8.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.9	-23.34	-13	10.34	Pass	401
662.9	663	0.03	RMS	663	-23.66	-13	10.66	Pass	401
663	678	0.1	RMS	663.488	18.57	30	11.43	Pass	401




8.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.85	-37.75	-13	24.75	Pass	401
662.9	663	0.03	RMS	663	-40.76	-13	27.76	Pass	401
663	678	0.1	RMS	675.713	0.85	30	29.15	Pass	401



8.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	697.513	18.69	30	11.31	Pass	401
698	698.1	0.03	RMS	698	-24.62	-13	11.62	Pass	401
698.1	718	0.1	RMS	698.1	-24.63	-13	11.63	Pass	401




8.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	692.6	0.71	30	29.29	Pass	401
698	698.1	0.03	RMS	698.065	-38.72	-13	25.72	Pass	401
698.1	718	0.1	RMS	698.1	-34.48	-13	21.48	Pass	401




8.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-27.62	-13	14.62	Pass	401
662.9	663	0.03	RMS	663	-27.28	-13	14.28	Pass	401
663	683	0.1	RMS	663.55	18.57	30	11.43	Pass	401




8.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-37.59	-13	24.59	Pass	401
662.9	663	0.03	RMS	662.994	-41.52	-13	28.52	Pass	401
663	683	0.1	RMS	676.65	-0.35	30	30.35	Pass	401




8.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	697.45	18.67	30	11.33	Pass	401
698	698.1	0.03	RMS	698.001	-28.17	-13	15.17	Pass	401
698.1	723	0.1	RMS	698.1	-28.81	-13	15.81	Pass	401



8.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	690.55	-0.49	30	30.49	Pass	401
698	698.1	0.03	RMS	698.008	-38.38	-13	25.38	Pass	401
698.1	723	0.1	RMS	698.162	-33.48	-13	20.48	Pass	401



1. n77(3450-3550)


1.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3444.35	-40.94	-13	27.94	Pass	401
3445	3449	0.62	RMS	3449	-35.54	-13	22.54	Pass	401
3449	3450	0.051	RMS	3450	-25.67	-13	12.67	Pass	401
3450	3470	1	RMS	3451	22.9	40	17.1	Pass	401




1.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3445	-26.23	-13	13.23	Pass	401
3445	3449	0.62	RMS	3448.87	-25.29	-13	12.29	Pass	401
3449	3450	0.2	RMS	3449.93	-28.27	-13	15.27	Pass	401
3450	3470	1	RMS	3454.15	10.54	40	29.46	Pass	401



1.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3549	21.84	40	18.16	Pass	401
3550	3551	0.051	RMS	3550.01	-26.31	-13	13.31	Pass	401
3551	3555	0.62	RMS	3551	-35.83	-13	22.83	Pass	401
3555	3575	1	RMS	3558.05	-41.8	-13	28.8	Pass	401




1.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3534	9.68	40	30.32	Pass	401
3550	3551	0.2	RMS	3550.008	-28.97	-13	15.97	Pass	401
3551	3555	0.62	RMS	3551.04	-25.57	-13	12.57	Pass	401
3555	3575	1	RMS	3555.05	-26.96	-13	13.96	Pass	401



1.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3427.5	-40.73	-13	27.73	Pass	401
3445	3449	0.62	RMS	3448.99	-36.72	-13	23.72	Pass	401
3449	3450	0.2	RMS	3449.998	-26.31	-13	13.31	Pass	401
3450	3500	1	RMS	3451.25	22.38	40	17.62	Pass	401




1.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3444.75	-26.84	-13	13.84	Pass	401
3445	3449	0.62	RMS	3448.95	-27.72	-13	14.72	Pass	401
3449	3450	0.2	RMS	3449.893	-31.65	-13	18.65	Pass	401
3450	3500	1	RMS	3454.125	6	40	34	Pass	401



1.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3548.75	21.42	40	18.58	Pass	401
3550	3551	0.2	RMS	3550.003	-26.79	-13	13.79	Pass	401
3551	3555	0.62	RMS	3551	-37.92	-13	24.92	Pass	401
3555	3605	1	RMS	3555.25	-42.54	-13	29.54	Pass	401




1.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3503.875	5.27	40	34.73	Pass	401
3550	3551	0.2	RMS	3550.043	-35.38	-13	22.38	Pass	401
3551	3555	0.62	RMS	3551.32	-31.22	-13	18.22	Pass	401
3555	3605	1	RMS	3555	-30.18	-13	17.18	Pass	401




1.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3402	-40.83	-13	27.83	Pass	401
3445	3449	0.62	RMS	3449	-36.27	-13	23.27	Pass	401
3449	3450	0.051	RMS	3449.998	-26.2	-13	13.2	Pass	401
3450	3550	1	RMS	3451	22.07	40	17.93	Pass	401




1.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3444.5	-29.48	-13	16.48	Pass	401
3445	3449	0.62	RMS	3446.62	-30.68	-13	17.68	Pass	401
3449	3450	0.2	RMS	3449.993	-34.99	-13	21.99	Pass	401
3450	3550	1	RMS	3458.25	2.68	40	37.32	Pass	401




1.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	21.33	40	18.67	Pass	401
3550	3551	0.2	RMS	3550	-21.72	-13	8.72	Pass	401
3551	3555	0.62	RMS	3551.03	-36.13	-13	23.13	Pass	401
3555	3655	1	RMS	3576.75	-35.1	-13	22.1	Pass	401



1.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3453	2.66	40	37.34	Pass	401
3550	3551	0.2	RMS	3550.008	-35.83	-13	22.83	Pass	401
3551	3555	0.62	RMS	3551.11	-31.49	-13	18.49	Pass	401
3555	3655	1	RMS	3555	-30.55	-13	17.55	Pass	401



2. n78(3450-3550)


2.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3442.25	-40.76	-13	27.76	Pass	401
3445	3449	0.62	RMS	3448.99	-35.97	-13	22.97	Pass	401
3449	3450	0.051	RMS	3450	-25.63	-13	12.63	Pass	401
3450	3470	1	RMS	3451.1	22.6	40	17.4	Pass	401




2.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3445	-24.95	-13	11.95	Pass	401
3445	3449	0.62	RMS	3448.94	-23.18	-13	10.18	Pass	401
3449	3450	0.2	RMS	3449.903	-26.01	-13	13.01	Pass	401
3450	3470	1	RMS	3453.05	10.36	40	29.64	Pass	401



2.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3549	21.53	40	18.47	Pass	401
3550	3551	0.051	RMS	3550.008	-26.39	-13	13.39	Pass	401
3551	3555	0.62	RMS	3551.02	-35.99	-13	22.99	Pass	401
3555	3575	1	RMS	3558	-42.26	-13	29.26	Pass	401




2.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3533.6	9.27	40	30.73	Pass	401
3550	3551	0.2	RMS	3550.005	-27.75	-13	14.75	Pass	401
3551	3555	0.62	RMS	3551.06	-24.58	-13	11.58	Pass	401
3555	3575	1	RMS	3555	-27.28	-13	14.28	Pass	401




2.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3427.5	-40.82	-13	27.82	Pass	401
3445	3449	0.62	RMS	3448.97	-37.7	-13	24.7	Pass	401
3449	3450	0.2	RMS	3450	-26.7	-13	13.7	Pass	401
3450	3500	1	RMS	3451.25	22.23	40	17.77	Pass	401




2.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3444.75	-27.68	-13	14.68	Pass	401
3445	3449	0.62	RMS	3447.12	-28.68	-13	15.68	Pass	401
3449	3450	0.2	RMS	3449.848	-32.37	-13	19.37	Pass	401
3450	3500	1	RMS	3454.125	5.86	40	34.14	Pass	401




2.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3548.75	21.12	40	18.88	Pass	401
3550	3551	0.2	RMS	3550.01	-27.83	-13	14.83	Pass	401
3551	3555	0.62	RMS	3551	-38.1	-13	25.1	Pass	401
3555	3605	1	RMS	3555.75	-42.34	-13	29.34	Pass	401




2.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3504.125	5.13	40	34.87	Pass	401
3550	3551	0.2	RMS	3550.035	-34.07	-13	21.07	Pass	401
3551	3555	0.62	RMS	3551.07	-29.64	-13	16.64	Pass	401
3555	3605	1	RMS	3555.125	-29.05	-13	16.05	Pass	401




2.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3431.75	-39.72	-13	26.72	Pass	401
3445	3449	0.62	RMS	3449	-36.13	-13	23.13	Pass	401
3449	3450	0.051	RMS	3450	-26.68	-13	13.68	Pass	401
3450	3550	1	RMS	3451	22.12	40	17.88	Pass	401




2.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3444.75	-30.35	-13	17.35	Pass	401
3445	3449	0.62	RMS	3445.05	-31.57	-13	18.57	Pass	401
3449	3450	0.2	RMS	3449.998	-35.96	-13	22.96	Pass	401
3450	3550	1	RMS	3453.25	2.54	40	37.46	Pass	401



2.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	20.96	40	19.04	Pass	401
3550	3551	0.2	RMS	3550.005	-21.83	-13	8.83	Pass	401
3551	3555	0.62	RMS	3551	-36.86	-13	23.86	Pass	401
3555	3655	1	RMS	3568.25	-41.06	-13	28.06	Pass	401



2.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3465.25	2.55	40	37.45	Pass	401
3550	3551	0.2	RMS	3550.04	-37.12	-13	24.12	Pass	401
3551	3555	0.62	RMS	3551.07	-32.67	-13	19.67	Pass	401
3555	3655	1	RMS	3556	-31.72	-13	18.72	Pass	401



3. n77(3700-3980)


3.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3692.3	-43.03	-13	30.03	Pass	401
3695	3699	0.62	RMS	3699	-37.13	-13	24.13	Pass	401
3699	3700	0.051	RMS	3700	-28.03	-13	15.03	Pass	401
3700	3720	1	RMS	3701	20.88	40	19.12	Pass	401




3.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3694.95	-30.39	-13	17.39	Pass	401
3695	3699	0.62	RMS	3698.8	-27.34	-13	14.34	Pass	401
3699	3700	0.39	RMS	3699.985	-26.74	-13	13.74	Pass	401
3700	3720	1	RMS	3716.25	8.59	40	31.41	Pass	401




3.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3960	3980	1	RMS	3978.95	21.01	40	18.99	Pass	401
3980	3981	0.051	RMS	3980	-26.68	-13	13.68	Pass	401
3981	3985	0.62	RMS	3981.01	-36.15	-13	23.15	Pass	401
3985	4005	1	RMS	3985	-42.06	-13	29.06	Pass	401




3.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3960	3980	1	RMS	3964.35	9.02	40	30.98	Pass	401
3980	3981	0.39	RMS	3980	-29.37	-13	16.37	Pass	401
3981	3985	0.62	RMS	3981.03	-30.71	-13	17.71	Pass	401
3985	4005	1	RMS	3985	-34.06	-13	21.06	Pass	401




3.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3677.75	-43.05	-13	30.05	Pass	401
3695	3699	0.62	RMS	3698.99	-38.17	-13	25.17	Pass	401
3699	3700	0.39	RMS	3699.993	-22.82	-13	9.82	Pass	401
3700	3750	1	RMS	3701.25	20.65	40	19.35	Pass	401




3.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3694.75	-32.62	-13	19.62	Pass	401
3695	3699	0.62	RMS	3698.95	-33.2	-13	20.2	Pass	401
3699	3700	0.39	RMS	3699.98	-34.07	-13	21.07	Pass	401
3700	3750	1	RMS	3746.125	4.82	40	35.18	Pass	401



3.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3978.75	20.73	40	19.27	Pass	401
3980	3981	0.39	RMS	3980	-23.84	-13	10.84	Pass	401
3981	3985	0.62	RMS	3981.02	-37.51	-13	24.51	Pass	401
3985	4035	1	RMS	3985.75	-42.56	-13	29.56	Pass	401



3.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3966.875	4.7	40	35.3	Pass	401
3980	3981	0.39	RMS	3980	-37.74	-13	24.74	Pass	401
3981	3985	0.62	RMS	3981.06	-36.88	-13	23.88	Pass	401
3985	4035	1	RMS	3985.125	-36.12	-13	23.12	Pass	401



3.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3681.75	-42.05	-13	29.05	Pass	401
3695	3699	0.62	RMS	3699	-37.45	-13	24.45	Pass	401
3699	3700	0.051	RMS	3700	-29	-13	16	Pass	401
3700	3800	1	RMS	3701	20.54	40	19.46	Pass	401

