



3.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3694.5	-35.78	-13	22.78	Pass	401
3695	3699	0.62	RMS	3698.95	-37.2	-13	24.2	Pass	401
3699	3700	0.39	RMS	3699.998	-37.37	-13	24.37	Pass	401
3700	3800	1	RMS	3795.75	2.39	40	37.61	Pass	401




3.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3979	20.71	40	19.29	Pass	401
3980	3981	0.051	RMS	3980.005	-28.29	-13	15.29	Pass	401
3981	3985	0.62	RMS	3981.03	-35.8	-13	22.8	Pass	401
3985	4085	1	RMS	3998	-41.95	-13	28.95	Pass	401



3.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3971	1.74	40	38.26	Pass	401
3980	3981	0.39	RMS	3980.003	-38.23	-13	25.23	Pass	401
3981	3985	0.62	RMS	3982.11	-38.14	-13	25.14	Pass	401
3985	4085	1	RMS	3986.75	-37.65	-13	24.65	Pass	401



4. n78(3700-3800)


4.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3694.7	-43.02	-13	30.02	Pass	401
3695	3699	0.62	RMS	3698.99	-37.63	-13	24.63	Pass	401
3699	3700	0.051	RMS	3700	-28.11	-13	15.11	Pass	401
3700	3720	1	RMS	3701.05	20.51	40	19.49	Pass	401




4.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3694.9	-31.78	-13	18.78	Pass	401
3695	3699	0.62	RMS	3698.95	-29.39	-13	16.39	Pass	401
3699	3700	0.39	RMS	3699.975	-28.72	-13	15.72	Pass	401
3700	3720	1	RMS	3704.5	8.22	40	31.78	Pass	401




4.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3780	3800	1	RMS	3799	21.3	40	18.7	Pass	401
3800	3801	0.051	RMS	3800.008	-26.67	-13	13.67	Pass	401
3801	3805	0.62	RMS	3801	-35.97	-13	22.97	Pass	401
3805	3825	1	RMS	3808.05	-42.06	-13	29.06	Pass	401




4.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3780	3800	1	RMS	3797.4	9.21	40	30.79	Pass	401
3800	3801	0.39	RMS	3800.005	-27.5	-13	14.5	Pass	401
3801	3805	0.62	RMS	3801.08	-28.99	-13	15.99	Pass	401
3805	3825	1	RMS	3805.05	-31.56	-13	18.56	Pass	401




4.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3692	-43.03	-13	30.03	Pass	401
3695	3699	0.62	RMS	3698.98	-38.58	-13	25.58	Pass	401
3699	3700	0.39	RMS	3700	-23.32	-13	10.32	Pass	401
3700	3750	1	RMS	3701.25	20.25	40	19.75	Pass	401




4.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3694.875	-34.12	-13	21.12	Pass	401
3695	3699	0.62	RMS	3698.92	-34.64	-13	21.64	Pass	401
3699	3700	0.39	RMS	3699.97	-35.83	-13	22.83	Pass	401
3700	3750	1	RMS	3746.25	4.27	40	35.73	Pass	401




4.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3798.75	20.97	40	19.03	Pass	401
3800	3801	0.39	RMS	3800.005	-23.54	-13	10.54	Pass	401
3801	3805	0.62	RMS	3801	-38.38	-13	25.38	Pass	401
3805	3855	1	RMS	3808.125	-42.49	-13	29.49	Pass	401




4.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3797.625	4.99	40	35.01	Pass	401
3800	3801	0.39	RMS	3800.015	-33.59	-13	20.59	Pass	401
3801	3805	0.62	RMS	3801.2	-32.55	-13	19.55	Pass	401
3805	3855	1	RMS	3805	-32.62	-13	19.62	Pass	401




4.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3603.25	-43.07	-13	30.07	Pass	401
3695	3699	0.62	RMS	3698.98	-37.57	-13	24.57	Pass	401
3699	3700	0.051	RMS	3700	-29.51	-13	16.51	Pass	401
3700	3800	1	RMS	3701	20.22	40	19.78	Pass	401




4.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-35.48	-13	22.48	Pass	401
3695	3699	0.62	RMS	3698.67	-36.46	-13	23.46	Pass	401
3699	3700	0.39	RMS	3700	-36.94	-13	23.94	Pass	401
3700	3800	1	RMS	3797.25	1.94	40	38.06	Pass	401




4.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3799	20.91	40	19.09	Pass	401
3800	3801	0.051	RMS	3800.01	-28.44	-13	15.44	Pass	401
3801	3805	0.62	RMS	3801.01	-36.94	-13	23.94	Pass	401
3805	3905	1	RMS	3848.25	-42.5	-13	29.5	Pass	401



4.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3795.25	1.92	40	38.08	Pass	401
3800	3801	0.39	RMS	3800.008	-36.22	-13	23.22	Pass	401
3801	3805	0.62	RMS	3801.63	-35.69	-13	22.69	Pass	401
3805	3905	1	RMS	3805.25	-34.79	-13	21.79	Pass	401



1. n26 15kHz(814-824)


1.1. Band Edge for SA_Part90(NTNV)(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9125	0.1	RMS	813.913	-18.6	-13	5.6	Pass*	401
813.9625	814	0.002	RMS	813.992	-29.97	-20	9.97	Pass	401
814	819	0.1	RMS	814.338	18.98	30	11.02	Pass	401




1.2. Band Edge for SA_Part90(NTNV)(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-27.94	-13	14.94	Pass	401
813.9625	814	0.051	RMS	813.998	-29.42	-20	9.42	Pass	401
814	819	0.1	RMS	818.238	5.49	30	24.51	Pass	401




1.3. Band Edge for SA_Part90(NTNV)(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.663	19.06	30	10.94	Pass	401
824	824.0375	0.002	RMS	824.005	-27.17	-20	7.17	Pass	401
824.0875	829	0.1	RMS	824.088	-18.22	-13	5.22	Pass*	401




1.4. Band Edge for SA_Part90(NTNV)(Subtest:4, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	819.888	5.69	30	24.31	Pass	401
824	824.0375	0.051	RMS	824	-29.29	-20	9.29	Pass	401
824.0375	829	0.1	RMS	824.038	-27.46	-13	14.46	Pass	401




1.5. Band Edge for SA_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-17.19	-13	4.19	Pass*	401
813.9625	814	0.002	RMS	813.992	-32	-20	12	Pass	401
814	824	0.1	RMS	814.4	18.96	30	11.04	Pass	401




1.6. Band Edge for SA_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-31.01	-13	18.01	Pass	401
813.9625	814	0.1	RMS	813.998	-29.32	-20	9.32	Pass	401
814	824	0.1	RMS	816.85	2.35	30	27.65	Pass	401




1.7. Band Edge for SA_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	823.575	19	30	11	Pass	401
824	824.0375	0.002	RMS	824.005	-29.42	-20	9.42	Pass	401
824.0375	834	0.1	RMS	824.038	-16.87	-13	3.87	Pass*	401



1.8. Band Edge for SA_Part90(NTNV)(Subtest:4, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	816.85	2.34	30	27.66	Pass	401
824	824.0375	0.1	RMS	824	-29.97	-20	9.97	Pass	401
824.0375	834	0.1	RMS	824.038	-30.79	-13	17.79	Pass	401



1. n2


1.1. Band Edge for SA_Part22-24-27(NTLV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-28.65	-13	15.65	Pass	401
1849	1850	0.051	RMS	1849.998	-17.07	-13	4.07	Pass	401
1850	1855	1	RMS	1850.313	21.01	30	8.99	Pass	401




1.2. Band Edge for SA_Part22-24-27(NTLV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-28.24	-13	15.24	Pass	401
1849	1850	0.051	RMS	1850	-31.61	-13	18.61	Pass	401
1850	1855	1	RMS	1853.713	14.79	30	15.21	Pass	401




1.3. Band Edge for SA_Part22-24-27(NTLV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1909.65	20.51	30	9.49	Pass	401
1910	1911	0.02	RMS	1910	-23.92	-13	10.92	Pass	401
1911.5	1920	1	RMS	1911.5	-31.91	-13	18.91	Pass	401




1.4. Band Edge for SA_Part22-24-27(NTLV)(Subtest:4, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1906.1	15.26	30	14.74	Pass	401
1910	1911	0.051	RMS	1910	-30.46	-13	17.46	Pass	401
1911.5	1920	1	RMS	1911.5	-25.97	-13	12.97	Pass	401




1.5. Band Edge for SA_Part22-24-27(NTLV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848.5	1	RMS	1848.5	-37.16	-13	24.16	Pass	401
1849	1850	0.051	RMS	1850	-23.28	-13	10.28	Pass	401
1850	1865	1	RMS	1850.45	20.8	30	9.2	Pass	401




1.6. Band Edge for SA_Part22-24-27(NTLV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1849	1	RMS	1849	-23.38	-13	10.38	Pass	401
1849	1850	0.15	RMS	1850	-31.13	-13	18.13	Pass	401
1850	1865	1	RMS	1863.575	11.09	30	18.91	Pass	401




1.7. Band Edge for SA_Part22-24-27(NTLV)(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	1	RMS	1909.475	19.21	30	10.79	Pass	401
1910	1911	0.051	RMS	1910	-26.39	-13	13.39	Pass	401
1911.5	1930	1	RMS	1911.5	-41.56	-13	28.56	Pass	401




1.8. Band Edge for SA_Part22-24-27(NTLV)(Subtest:4, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	1	RMS	1898.975	9.68	30	20.32	Pass	401
1910	1911	0.15	RMS	1910	-32.74	-13	19.74	Pass	401
1911	1930	1	RMS	1911	-25.97	-13	12.97	Pass	401




1.9. Band Edge for SA_Part22-24-27(NTLV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1848.5	1	RMS	1848.5	-39.27	-13	26.27	Pass	401
1849	1850	0.2	RMS	1850	-19.03	-13	6.03	Pass	401
1850	1870	1	RMS	1850.55	20.82	30	9.18	Pass	401




1.10. Band Edge for SA_Part22-24-27(NTLV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-22.68	-13	9.68	Pass	401
1849	1850	0.2	RMS	1849.948	-28.75	-13	15.75	Pass	401
1850	1870	1	RMS	1868.5	10.57	30	19.43	Pass	401




1.11. Band Edge for SA_Part22-24-27(NTLV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1909.4	20.47	30	9.53	Pass	401
1910	1911	0.2	RMS	1910.005	-21.05	-13	8.05	Pass	401
1911.5	1935	1	RMS	1911.5	-42.4	-13	29.4	Pass	401



1.12. Band Edge for SA_Part22-24-27(NTLV)(Subtest:4, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1903.1	9.32	30	20.68	Pass	401
1910	1911	0.2	RMS	1910.008	-29.1	-13	16.1	Pass	401
1911	1935	1	RMS	1911	-23.59	-13	10.59	Pass	401



--BLANK BELOW--