



**2.3. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:3,
Channel:37901|38099, Bandwidth:20|20MHz, Modulation:QPSK, RB
Number:Full|Full, RB Position:Low|Low)**




**2.4. LTE-A Peak to Average Ratio_Part22-24-27(NTNV)(Subtest:4,
Channel:37901|38099, Bandwidth:20|20MHz, Modulation:16QAM, RB
Number:Full|Full, RB Position:Low|Low)**



1. n2


1.1. Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	3.84	13	Pass




1.2. Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	4.27	13	Pass




1.3. Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	4.27	13	Pass




1.4. Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	5.3	13	Pass




1.5. Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	5.02	13	Pass




1.6. Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6	13	Pass




1.7. Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	5.81	13	Pass




1.8. Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6.28	13	Pass




1.9. Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6.56	13	Pass




1.10. Peak to Average Ratio for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1860	0.1	20	6.56	13	Pass




1.11. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	4.08	13	Pass




1.12. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	4.22	13	Pass




1.13. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	4.36	13	Pass




1.14. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	5.2	13	Pass




1.15. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	5.25	13	Pass




1.16. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	5.95	13	Pass




1.17. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	6.23	13	Pass




1.18. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	6.23	13	Pass




1.19. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	6.7	13	Pass




1.20. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	20	6.56	13	Pass




1.21. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	3.94	13	Pass




1.22. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	4.17	13	Pass




1.23. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	4.22	13	Pass




1.24. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	5.16	13	Pass




1.25. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	5.06	13	Pass




1.26. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	5.86	13	Pass




1.27. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	6.05	13	Pass




1.28. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	6.19	13	Pass




1.29. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	5.72	13	Pass



1.30. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	20	6.19	13	Pass



2. n7


2.1. Peak to Average Ratio for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	3.75	13	Pass




2.2. Peak to Average Ratio for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	4.36	13	Pass




2.3. Peak to Average Ratio for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	4.03	13	Pass




2.4. Peak to Average Ratio for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	5.44	13	Pass




2.5. Peak to Average Ratio for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	4.92	13	Pass




2.6. Peak to Average Ratio for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	6.09	13	Pass




2.7. Peak to Average Ratio for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	5.81	13	Pass




2.8. Peak to Average Ratio for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	6.37	13	Pass




2.9. Peak to Average Ratio for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	6.47	13	Pass




2.10. Peak to Average Ratio for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	20	6.52	13	Pass




2.11. Peak to Average Ratio for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	3.84	13	Pass




2.12. Peak to Average Ratio for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	4.5	13	Pass




2.13. Peak to Average Ratio for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	4.12	13	Pass




2.14. Peak to Average Ratio for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	5.48	13	Pass




2.15. Peak to Average Ratio for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	5.02	13	Pass




2.16. Peak to Average Ratio for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	6.14	13	Pass




2.17. Peak to Average Ratio for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	5.91	13	Pass




2.18. Peak to Average Ratio for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	6.42	13	Pass




2.19. Peak to Average Ratio for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	6.56	13	Pass




2.20. Peak to Average Ratio for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	20	6.52	13	Pass




2.21. Peak to Average Ratio for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	3.84	13	Pass




2.22. Peak to Average Ratio for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	4.31	13	Pass




2.23. Peak to Average Ratio for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	4.12	13	Pass




2.24. Peak to Average Ratio for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	5.25	13	Pass




2.25. Peak to Average Ratio for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	4.97	13	Pass




2.26. Peak to Average Ratio for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	6.09	13	Pass




2.27. Peak to Average Ratio for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	5.86	13	Pass




2.28. Peak to Average Ratio for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	6.37	13	Pass




2.29. Peak to Average Ratio for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	6.56	13	Pass



2.30. Peak to Average Ratio for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2560	0.1	20	6.47	13	Pass



3. n5


3.1. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	3.89	13	Pass




3.2. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	4.45	13	Pass




3.3. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	4.22	13	Pass




3.4. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	5.53	13	Pass




3.5. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	5.11	13	Pass




3.6. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	6.23	13	Pass




3.7. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	5.91	13	Pass




3.8. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	6.52	13	Pass




3.9. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	6.75	13	Pass




3.10. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	6.56	13	Pass




3.9. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	3.98	13	Pass




3.11. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	4.03	13	Pass




3.12. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	4.5	13	Pass




3.13. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	5.44	13	Pass




3.14. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	5.3	13	Pass




3.15. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	6.23	13	Pass




3.16. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	6.14	13	Pass




3.17. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	6.42	13	Pass




3.18. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	6.75	13	Pass




3.19. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	6.52	13	Pass




3.20. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	4.12	13	Pass




3.21. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	4.27	13	Pass




3.22. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	4.41	13	Pass




3.23. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	5.44	13	Pass




3.24. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	5.3	13	Pass




3.25. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	6.23	13	Pass




3.26. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	6.28	13	Pass




3.27. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	6.42	13	Pass




3.28. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	6.8	13	Pass



3.29. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	6.56	13	Pass



4. n66


4.1. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	3.84	13	Pass




4.2. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	4.36	13	Pass




4.3. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	4.12	13	Pass




4.4. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	5.34	13	Pass




4.5. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	5.02	13	Pass




4.6. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	6.09	13	Pass




4.7. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	5.86	13	Pass




4.8. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	6.42	13	Pass




4.9. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	5.67	13	Pass




4.10. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	6.42	13	Pass




4.11. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	3.98	13	Pass




4.12. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	4.5	13	Pass




4.13. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	4.22	13	Pass




4.14. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	5.34	13	Pass




4.15. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	5.11	13	Pass




4.16. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	6.14	13	Pass




4.17. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	6	13	Pass




4.18. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	6.47	13	Pass




4.19. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	6.8	13	Pass




4.20. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	6.56	13	Pass




4.21. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	3.98	13	Pass




4.22. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	4.55	13	Pass




4.23. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	4.27	13	Pass




4.24. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	5.48	13	Pass




4.25. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	5.11	13	Pass




4.26. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	6.23	13	Pass




4.27. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	6.05	13	Pass




4.28. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	6.52	13	Pass




4.29. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	6.8	13	Pass



4.30. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	6.52	13	Pass



1. n38_PC3


1.1. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	3.94	13	Pass




1.2. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	4.22	13	Pass




1.3. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	4.73	13	Pass




1.4. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	5.34	13	Pass




1.5. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.47	13	Pass




1.6. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.23	13	Pass




1.7. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.05	13	Pass




1.8. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.33	13	Pass




1.9. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	7.17	13	Pass




1.10. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.61	13	Pass




1.11. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	4.03	13	Pass




1.12. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	4.22	13	Pass




1.13. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	4.83	13	Pass




1.14. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	5.34	13	Pass




1.15. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.61	13	Pass




1.16. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.28	13	Pass




1.17. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.09	13	Pass




1.18. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.37	13	Pass




1.19. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	7.22	13	Pass




1.20. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.66	13	Pass




1.21. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	3.94	13	Pass




1.22. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	4.27	13	Pass




1.23. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	4.78	13	Pass




1.24. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	5.34	13	Pass




1.25. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.66	13	Pass




1.26. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.23	13	Pass




1.27. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.14	13	Pass




1.28. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.33	13	Pass




1.29. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	7.22	13	Pass



1.30. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.66	13	Pass



2. n41


2.1. Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	20	3.84	13	Pass




2.2. Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	20	4.22	13	Pass




2.3. Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	20	4.73	13	Pass




2.4. Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	20	5.34	13	Pass




2.5. Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	20	6.56	13	Pass




2.6. Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	20	6.19	13	Pass




2.7. Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	20	6.19	13	Pass




2.8. Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	20	6.33	13	Pass




2.9. Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	20	7.17	13	Pass




2.10. Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	20	6.61	13	Pass




2.11. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	20	3.89	13	Pass




2.12. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	20	4.22	13	Pass



2.13. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	20	4.83	13	Pass



2.14. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	20	5.34	13	Pass

