


## **A.5 Spurious Emission at Antenna Terminals**

## 1. GSM\_GSM850


### 1.1. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-39.25	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.1	-13	Pass	2986
30	500	0.1	Peak	495.4	-41.77	-13	Pass	4701
500	1000	0.1	Peak	824.2	33.19	-13	N/A	5001
1000	10000	1	Peak	9764	-38.69	-13	Pass	9001




## 1.2. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-37.7	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.06	-13	Pass	2986
30	500	0.1	Peak	371	-41.71	-13	Pass	4701
500	1000	0.1	Peak	836.7	33.36	-13	N/A	5001
1000	10000	1	Peak	9968	-38.01	-13	Pass	9001



### 1.3. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-39.63	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.21	-13	Pass	2986
30	500	0.1	Peak	395.9	-42.1	-13	Pass	4701
500	1000	0.1	Peak	848.7	33.28	-13	N/A	5001
1000	10000	1	Peak	9507	-37.83	-13	Pass	9001



## 2. GSM\_PCS


### 2.1. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.92	-13	Pass	401
0.15	30	0.01	Peak	0.15	-46.29	-13	Pass	2986
30	1000	0.1	Peak	837.4	-46.45	-13	Pass	9701
1000	3000	1	Peak	1851	28.56	-13	N/A	2001
3000	20000	1	Peak	19999	-34.12	-13	Pass	17001




## 2.2. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.64	-13	Pass	401
0.15	30	0.01	Peak	0.16	-44.47	-13	Pass	2986
30	1000	0.1	Peak	902	-46	-13	Pass	9701
1000	3000	1	Peak	1880	29.4	-13	N/A	2001
3000	20000	1	Peak	19971	-33.72	-13	Pass	17001



### 2.3. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.34	-13	Pass	401
0.15	30	0.01	Peak	0.15	-46.56	-13	Pass	2986
30	1000	0.1	Peak	880.4	-46.73	-13	Pass	9701
1000	3000	1	Peak	1909	27.87	-13	N/A	2001
3000	20000	1	Peak	19958	-33.94	-13	Pass	17001



## 1. EGPRS\_GSM850


### 1.1. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.44	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.56	-13	Pass	2986
30	500	0.1	Peak	459.4	-41.48	-13	Pass	4701
500	1000	0.1	Peak	824.2	30.08	-13	N/A	5001
1000	10000	1	Peak	9880	-38.45	-13	Pass	9001




## 1.2. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.49	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.01	-13	Pass	2986
30	500	0.1	Peak	443.2	-41.9	-13	Pass	4701
500	1000	0.1	Peak	836.6	29.72	-13	N/A	5001
1000	10000	1	Peak	9984	-38.49	-13	Pass	9001



### 1.3. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.92	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.72	-13	Pass	2986
30	500	0.1	Peak	434.5	-41.97	-13	Pass	4701
500	1000	0.1	Peak	848.8	29.47	-13	N/A	5001
1000	10000	1	Peak	9726	-38.38	-13	Pass	9001



## 2. EGPRS\_PCS


### 2.1. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-45.47	-13	Pass	401
0.15	30	0.01	Peak	0.16	-46.49	-13	Pass	2986
30	1000	0.1	Peak	826.1	-46.49	-13	Pass	9701
1000	3000	1	Peak	1850	28.59	-13	N/A	2001
3000	20000	1	Peak	19789	-34.35	-13	Pass	17001




## 2.2. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.64	-13	Pass	401
0.15	30	0.01	Peak	0.16	-45.89	-13	Pass	2986
30	1000	0.1	Peak	930.5	-45.54	-13	Pass	9701
1000	3000	1	Peak	1880	28.95	-13	N/A	2001
3000	20000	1	Peak	19732	-33.95	-13	Pass	17001



### 2.3. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-46.92	-13	Pass	2986
30	1000	0.1	Peak	857.9	-46.26	-13	Pass	9701
1000	3000	1	Peak	1910	25.92	-13	N/A	2001
3000	20000	1	Peak	19999	-33.57	-13	Pass	17001



## 1. WCDMA\_Band2


### 1.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.22	-13	Pass	401
0.15	30	0.01	Peak	0.37	-63.85	-13	Pass	2986
30	1000	0.1	Peak	923.85	-52.34	-13	Pass	9701
1000	3000	1	Peak	1851	24.86	-13	N/A	2001
3000	20000	1	Peak	19701	-19.63	-13	Pass	17003




## 1.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-60.41	-13	Pass	401
0.15	30	0.01	Peak	0.19	-63.1	-13	Pass	2986
30	1000	0.1	Peak	898.433	-52.49	-13	Pass	9701
1000	3000	1	Peak	1879	24.83	-13	N/A	2001
3000	20000	1	Peak	19404	-19.37	-13	Pass	17003



### 1.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.032	-59.32	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.89	-13	Pass	2986
30	1000	0.1	Peak	783.2	-51.98	-13	Pass	9701
1000	3000	1	Peak	1906	24.97	-13	N/A	2001
3000	20000	1	Peak	19984	-18.87	-13	Pass	17003



## 2. WCDMA\_Band4


### 2.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.026	-60.83	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.44	-13	Pass	2986
30	1000	0.1	Peak	813.9	-52.7	-13	Pass	9701
1000	3000	1	Peak	1711	24.44	-13	N/A	2001
3000	20000	1	Peak	19723	-18.93	-13	Pass	17003




## 2.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.01	-13	Pass	401
0.15	30	0.01	Peak	0.2	-62.44	-13	Pass	2986
30	1000	0.1	Peak	840.1	-51.36	-13	Pass	9701
1000	3000	1	Peak	1731	24.42	-13	N/A	2001
3000	20000	1	Peak	19434	-18.83	-13	Pass	17003



### 2.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-62.48	-13	Pass	401
0.15	30	0.01	Peak	1.02	-64.09	-13	Pass	2986
30	1000	0.1	Peak	853.303	-52.8	-13	Pass	9701
1000	3000	1	Peak	1751	24.66	-13	N/A	2001
3000	20000	1	Peak	19412	-19.24	-13	Pass	17003



### 3. WCDMA\_Band5


#### 3.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-58.75	-13	Pass	401
0.15	30	0.01	Peak	0.31	-63.16	-13	Pass	2986
30	500	0.1	Peak	479.2	-54.06	-13	Pass	4701
500	1000	0.1	Peak	825.5	18.23	-13	N/A	5001
1000	10000	1	Peak	6953	-30.07	-13	Pass	9002




### 3.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.032	-59.85	-13	Pass	401
0.15	30	0.01	Peak	0.35	-63.77	-13	Pass	2986
30	500	0.1	Peak	406.2	-53.06	-13	Pass	4701
500	1000	0.1	Peak	837.3	18.6	-13	N/A	5001
1000	10000	1	Peak	7603	-29.85	-13	Pass	9002



### 3.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.032	-60.5	-13	Pass	401
0.15	30	0.01	Peak	0.24	-64.36	-13	Pass	2986
30	500	0.1	Peak	422.9	-53.5	-13	Pass	4701
500	1000	0.1	Peak	846	19.31	-13	N/A	5001
1000	10000	1	Peak	7588	-29.56	-13	Pass	9002



## 1. LTE\_Band2


**1.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.28	-13	Pass	2986
30	1000	0.1	RMS	843.3	-63.69	-13	Pass	9701
1000	1840	1	RMS	1840	-51.37	-13	Pass	841
1840	1920	1	RMS	1850.2	24.32	60	Pass	401
1920	3000	1	RMS	2955	-48.74	-13	Pass	1081
3000	12000	1	RMS	11952	-40.12	-13	Pass	9002
12000	20000	1	RMS	19395	-30.95	-13	Pass	8001




**1.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-64.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	Pass	2986
30	1000	0.1	RMS	844.2	-63.41	-13	Pass	9701
1000	1840	1	RMS	1840	-51.53	-13	Pass	841
1840	1920	1	RMS	1850.2	23.56	60	Pass	401
1920	3000	1	RMS	2957	-48.71	-13	Pass	1081
3000	12000	1	RMS	11950	-40.09	-13	Pass	9002
12000	20000	1	RMS	19408	-30.97	-13	Pass	8001




**1.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-68.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.66	-13	Pass	2986
30	1000	0.1	RMS	848.5	-63.67	-13	Pass	9701
1000	1840	1	RMS	1810	-52.17	-13	Pass	841
1840	1920	1	RMS	1879.4	24.59	60	Pass	401
1920	3000	1	RMS	2957	-48.78	-13	Pass	1081
3000	12000	1	RMS	11952	-40.12	-13	Pass	9002
12000	20000	1	RMS	19412	-30.98	-13	Pass	8001




**1.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-65.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.52	-13	Pass	2986
30	1000	0.1	RMS	859.507	-63.72	-13	Pass	9701
1000	1840	1	RMS	1815	-52.19	-13	Pass	841
1840	1920	1	RMS	1879.4	23.73	60	Pass	401
1920	3000	1	RMS	2959	-48.75	-13	Pass	1081
3000	12000	1	RMS	11948	-40.07	-13	Pass	9002
12000	20000	1	RMS	19401	-30.97	-13	Pass	8001




**1.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	Pass	2986
30	1000	0.1	RMS	885.224	-63.63	-13	Pass	9701
1000	1840	1	RMS	1811	-52.13	-13	Pass	841
1840	1920	1	RMS	1908.8	24.63	60	Pass	401
1920	3000	1	RMS	2956	-48.71	-13	Pass	1081
3000	12000	1	RMS	11847	-40.13	-13	Pass	9002
12000	20000	1	RMS	19404	-31.01	-13	Pass	8001




**1.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-65.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	Pass	2986
30	1000	0.1	RMS	850.401	-63.69	-13	Pass	9701
1000	1840	1	RMS	1812	-52.18	-13	Pass	841
1840	1920	1	RMS	1908.8	23.86	60	Pass	401
1920	3000	1	RMS	2961	-48.72	-13	Pass	1081
3000	12000	1	RMS	11847	-40.18	-13	Pass	9002
12000	20000	1	RMS	19404	-31	-13	Pass	8001




**1.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-68.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.59	-13	Pass	2986
30	1000	0.1	RMS	842.8	-63.76	-13	Pass	9701
1000	1840	1	RMS	1840	-51.15	-13	Pass	841
1840	1920	1	RMS	1850.2	24.52	60	Pass	401
1920	3000	1	RMS	2955	-48.7	-13	Pass	1081
3000	12000	1	RMS	11845	-40.15	-13	Pass	9002
12000	20000	1	RMS	19399	-31.02	-13	Pass	8001




**1.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-65.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	Pass	2986
30	1000	0.1	RMS	855.704	-63.65	-13	Pass	9701
1000	1840	1	RMS	1840	-51.46	-13	Pass	841
1840	1920	1	RMS	1850.2	23.76	60	Pass	401
1920	3000	1	RMS	2955	-48.75	-13	Pass	1081
3000	12000	1	RMS	11947	-40.16	-13	Pass	9002
12000	20000	1	RMS	19403	-31.01	-13	Pass	8001



**1.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.32	-13	Pass	2986
30	1000	0.1	RMS	854.404	-63.75	-13	Pass	9701
1000	1840	1	RMS	1807	-52.19	-13	Pass	841
1840	1920	1	RMS	1878.6	24.64	60	Pass	401
1920	3000	1	RMS	2950	-48.73	-13	Pass	1081
3000	12000	1	RMS	11957	-40.12	-13	Pass	9002
12000	20000	1	RMS	19402	-31.02	-13	Pass	8001



### 1.10. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2986
30	1000	0.1	RMS	840.1	-63.81	-13	Pass	9701
1000	1840	1	RMS	1807	-52.2	-13	Pass	841
1840	1920	1	RMS	1878.6	23.75	60	Pass	401
1920	3000	1	RMS	2957	-48.75	-13	Pass	1081
3000	12000	1	RMS	11944	-40.1	-13	Pass	9002
12000	20000	1	RMS	19406	-31.03	-13	Pass	8001



### 1.11. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-67.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	Pass	2986
30	1000	0.1	RMS	832.1	-63.67	-13	Pass	9701
1000	1840	1	RMS	1811	-52.21	-13	Pass	841
1840	1920	1	RMS	1907.2	23.69	60	Pass	401
1920	3000	1	RMS	2950	-48.77	-13	Pass	1081
3000	12000	1	RMS	11848	-40.14	-13	Pass	9002
12000	20000	1	RMS	19410	-31.05	-13	Pass	8001



### 1.12. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	Pass	2986
30	1000	0.1	RMS	828.7	-63.76	-13	Pass	9701
1000	1840	1	RMS	1799	-52.23	-13	Pass	841
1840	1920	1	RMS	1907.2	23.88	60	Pass	401
1920	3000	1	RMS	2958	-48.71	-13	Pass	1081
3000	12000	1	RMS	11847	-40.17	-13	Pass	9002
12000	20000	1	RMS	19405	-31.07	-13	Pass	8001



### 1.13. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-68.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.13	-13	Pass	2986
30	1000	0.1	RMS	836.6	-63.76	-13	Pass	9701
1000	1840	1	RMS	1840	-51.47	-13	Pass	841
1840	1920	1	RMS	1850.2	23.71	60	Pass	401
1920	3000	1	RMS	2953	-48.8	-13	Pass	1081
3000	12000	1	RMS	11839	-40.17	-13	Pass	9002
12000	20000	1	RMS	19402	-30.96	-13	Pass	8001



### 1.14. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-66.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2986
30	1000	0.1	RMS	844	-63.8	-13	Pass	9701
1000	1840	1	RMS	1840	-51.33	-13	Pass	841
1840	1920	1	RMS	1850.2	23.77	60	Pass	401
1920	3000	1	RMS	2946	-48.8	-13	Pass	1081
3000	12000	1	RMS	11850	-40.14	-13	Pass	9002
12000	20000	1	RMS	19411	-31.02	-13	Pass	8001



### 1.15. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.04	-13	Pass	2986
30	1000	0.1	RMS	858.506	-63.58	-13	Pass	9701
1000	1840	1	RMS	1810	-52.21	-13	Pass	841
1840	1920	1	RMS	1877.8	23.82	60	Pass	401
1920	3000	1	RMS	2947	-48.79	-13	Pass	1081
3000	12000	1	RMS	11841	-40.16	-13	Pass	9002
12000	20000	1	RMS	19397	-31.07	-13	Pass	8001



### 1.16. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-67.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.59	-13	Pass	2986
30	1000	0.1	RMS	840.3	-63.59	-13	Pass	9701
1000	1840	1	RMS	1811	-52.14	-13	Pass	841
1840	1920	1	RMS	1877.8	24	60	Pass	401
1920	3000	1	RMS	2956	-48.77	-13	Pass	1081
3000	12000	1	RMS	11950	-40.12	-13	Pass	9002
12000	20000	1	RMS	19406	-31.02	-13	Pass	8001



### 1.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-68.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	Pass	2986
30	1000	0.1	RMS	917.445	-63.81	-13	Pass	9701
1000	1840	1	RMS	1804	-52.22	-13	Pass	841
1840	1920	1	RMS	1905.2	23.74	60	Pass	401
1920	3000	1	RMS	2953	-48.74	-13	Pass	1081
3000	12000	1	RMS	11847	-40.15	-13	Pass	9002
12000	20000	1	RMS	19404	-31.05	-13	Pass	8001



### 1.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-67.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	Pass	2986
30	1000	0.1	RMS	848.5	-63.71	-13	Pass	9701
1000	1840	1	RMS	1810	-52.2	-13	Pass	841
1840	1920	1	RMS	1905.2	22.95	60	Pass	401
1920	3000	1	RMS	2952	-48.77	-13	Pass	1081
3000	12000	1	RMS	11840	-40.13	-13	Pass	9002
12000	20000	1	RMS	19398	-31.04	-13	Pass	8001



### 1.19. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-67.51	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.35	-13	Pass	2986
30	1000	0.1	RMS	849.8	-63.8	-13	Pass	9701
1000	1840	1	RMS	1840	-50.65	-13	Pass	841
1840	1920	1	RMS	1850.4	23.65	60	Pass	401
1920	3000	1	RMS	2947	-48.73	-13	Pass	1081
3000	12000	1	RMS	11954	-40.15	-13	Pass	9002
12000	20000	1	RMS	19401	-31.04	-13	Pass	8001



### 1.20. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.81	-13	Pass	2986
30	1000	0.1	RMS	839.9	-63.74	-13	Pass	9701
1000	1840	1	RMS	1840	-50.47	-13	Pass	841
1840	1920	1	RMS	1850.4	23.88	60	Pass	401
1920	3000	1	RMS	2951	-48.74	-13	Pass	1081
3000	12000	1	RMS	11950	-40.12	-13	Pass	9002
12000	20000	1	RMS	19401	-31.03	-13	Pass	8001



### 1.21. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2986
30	1000	0.1	RMS	846.6	-63.58	-13	Pass	9701
1000	1840	1	RMS	1808	-52.21	-13	Pass	841
1840	1920	1	RMS	1875.4	23.8	60	Pass	401
1920	3000	1	RMS	2948	-48.79	-13	Pass	1081
3000	12000	1	RMS	11949	-40.13	-13	Pass	9002
12000	20000	1	RMS	19404	-31.02	-13	Pass	8001



### 1.22. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-67.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	Pass	2986
30	1000	0.1	RMS	848.4	-63.59	-13	Pass	9701
1000	1840	1	RMS	1840	-52.21	-13	Pass	841
1840	1920	1	RMS	1875.6	23.83	60	Pass	401
1920	3000	1	RMS	2953	-48.77	-13	Pass	1081
3000	12000	1	RMS	11951	-40.1	-13	Pass	9002
12000	20000	1	RMS	19401	-31.04	-13	Pass	8001



### 1.23. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	Pass	2986
30	1000	0.1	RMS	850.201	-63.69	-13	Pass	9701
1000	1840	1	RMS	1811	-52.2	-13	Pass	841
1840	1920	1	RMS	1900.4	23.73	60	Pass	401
1920	3000	1	RMS	2949	-48.76	-13	Pass	1081
3000	12000	1	RMS	11953	-40.12	-13	Pass	9002
12000	20000	1	RMS	19402	-31.07	-13	Pass	8001



### 1.24. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-66.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-13	Pass	2986
30	1000	0.1	RMS	847.8	-63.8	-13	Pass	9701
1000	1840	1	RMS	1804	-52.2	-13	Pass	841
1840	1920	1	RMS	1900.6	23.83	60	Pass	401
1920	3000	1	RMS	2946	-48.75	-13	Pass	1081
3000	12000	1	RMS	11949	-40.09	-13	Pass	9002
12000	20000	1	RMS	19400	-31.04	-13	Pass	8001



### 1.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.82	-13	Pass	2986
30	1000	0.1	RMS	921.748	-63.81	-13	Pass	9701
1000	1840	1	RMS	1840	-50.35	-13	Pass	841
1840	1920	1	RMS	1850.8	23.72	60	Pass	401
1920	3000	1	RMS	2957	-48.76	-13	Pass	1081
3000	12000	1	RMS	11954	-40.14	-13	Pass	9002
12000	20000	1	RMS	19400	-31	-13	Pass	8001



### 1.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	Pass	2986
30	1000	0.1	RMS	830.1	-63.7	-13	Pass	9701
1000	1840	1	RMS	1840	-50.25	-13	Pass	841
1840	1920	1	RMS	1850.8	23.9	60	Pass	401
1920	3000	1	RMS	2962	-48.77	-13	Pass	1081
3000	12000	1	RMS	11948	-40.19	-13	Pass	9002
12000	20000	1	RMS	19400	-30.96	-13	Pass	8001



### 1.27. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	Pass	2986
30	1000	0.1	RMS	847.3	-63.8	-13	Pass	9701
1000	1840	1	RMS	1810	-52.18	-13	Pass	841
1840	1920	1	RMS	1873.2	22.82	60	Pass	401
1920	3000	1	RMS	2942	-48.77	-13	Pass	1081
3000	12000	1	RMS	11951	-40.16	-13	Pass	9002
12000	20000	1	RMS	19402	-31.07	-13	Pass	8001



### 1.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-68.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.84	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.66	-13	Pass	9701
1000	1840	1	RMS	1804	-52.23	-13	Pass	841
1840	1920	1	RMS	1873.2	22.84	60	Pass	401
1920	3000	1	RMS	2957	-48.79	-13	Pass	1081
3000	12000	1	RMS	11949	-40.19	-13	Pass	9002
12000	20000	1	RMS	19402	-31.02	-13	Pass	8001



### 1.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	Pass	2986
30	1000	0.1	RMS	839.7	-63.8	-13	Pass	9701
1000	1840	1	RMS	1807	-52.23	-13	Pass	841
1840	1920	1	RMS	1895.8	22.78	60	Pass	401
1920	3000	1	RMS	2953	-48.77	-13	Pass	1081
3000	12000	1	RMS	11851	-40.15	-13	Pass	9002
12000	20000	1	RMS	19402	-31.05	-13	Pass	8001



### 1.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-66.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	Pass	2986
30	1000	0.1	RMS	858.106	-63.76	-13	Pass	9701
1000	1840	1	RMS	1812	-52.21	-13	Pass	841
1840	1920	1	RMS	1895.8	22.94	60	Pass	401
1920	3000	1	RMS	2954	-48.8	-13	Pass	1081
3000	12000	1	RMS	11945	-40.19	-13	Pass	9002
12000	20000	1	RMS	19409	-31.03	-13	Pass	8001



### 1.31. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	Pass	2986
30	1000	0.1	RMS	859.107	-63.77	-13	Pass	9701
1000	1840	1	RMS	1840	-50.37	-13	Pass	841
1840	1920	1	RMS	1851	23.79	60	Pass	401
1920	3000	1	RMS	2959	-48.8	-13	Pass	1081
3000	12000	1	RMS	11845	-40.14	-13	Pass	9002
12000	20000	1	RMS	19404	-31.1	-13	Pass	8001



### 1.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-67.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	Pass	2986
30	1000	0.1	RMS	847.4	-63.69	-13	Pass	9701
1000	1840	1	RMS	1840	-50	-13	Pass	841
1840	1920	1	RMS	1851	23.95	60	Pass	401
1920	3000	1	RMS	2952	-48.77	-13	Pass	1081
3000	12000	1	RMS	11955	-40.13	-13	Pass	9002
12000	20000	1	RMS	19400	-31.05	-13	Pass	8001



### 1.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2986
30	1000	0.1	RMS	940.461	-63.76	-13	Pass	9701
1000	1840	1	RMS	1812	-52.23	-13	Pass	841
1840	1920	1	RMS	1871	23.84	60	Pass	401
1920	3000	1	RMS	2956	-48.77	-13	Pass	1081
3000	12000	1	RMS	11949	-40.08	-13	Pass	9002
12000	20000	1	RMS	19406	-31.03	-13	Pass	8001



### 1.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-67.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	Pass	2986
30	1000	0.1	RMS	846.7	-63.53	-13	Pass	9701
1000	1840	1	RMS	1796	-52.23	-13	Pass	841
1840	1920	1	RMS	1871	23.92	60	Pass	401
1920	3000	1	RMS	2960	-48.8	-13	Pass	1081
3000	12000	1	RMS	11846	-40.16	-13	Pass	9002
12000	20000	1	RMS	19396	-31.04	-13	Pass	8001



### 1.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.82	-13	Pass	2986
30	1000	0.1	RMS	847.1	-63.63	-13	Pass	9701
1000	1840	1	RMS	1804	-52.23	-13	Pass	841
1840	1920	1	RMS	1891	23.81	60	Pass	401
1920	3000	1	RMS	1920	-46.04	-13	Pass	1081
3000	12000	1	RMS	11950	-40.12	-13	Pass	9002
12000	20000	1	RMS	19402	-31.02	-13	Pass	8001



### 1.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	Pass	2986
30	1000	0.1	RMS	849.4	-63.84	-13	Pass	9701
1000	1840	1	RMS	1813	-52.26	-13	Pass	841
1840	1920	1	RMS	1891	23.8	60	Pass	401
1920	3000	1	RMS	1920	-46.1	-13	Pass	1081
3000	12000	1	RMS	11950	-40.16	-13	Pass	9002
12000	20000	1	RMS	19399	-31.08	-13	Pass	8001



## 2. LTE\_Band4


### 2.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.31	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.15	-13	Pass	2986
30	1000	0.1	RMS	848.8	-63.77	-13	Pass	9701
1000	1700	1	RMS	1700	-51.58	-13	Pass	701
1700	1765	1	RMS	1710.238	24.25	60	Pass	401
1765	3000	1	RMS	2949	-48.82	-13	Pass	1236
3000	12000	1	RMS	11952	-40.1	-13	Pass	9002
12000	20000	1	RMS	19411	-31.04	-13	Pass	8001




**2.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-67.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2986
30	1000	0.1	RMS	847.7	-63.8	-13	Pass	9701
1000	1700	1	RMS	1700	-51.73	-13	Pass	701
1700	1765	1	RMS	1710.238	23.52	60	Pass	401
1765	3000	1	RMS	2957	-48.78	-13	Pass	1236
3000	12000	1	RMS	11853	-40.15	-13	Pass	9002
12000	20000	1	RMS	19395	-31.03	-13	Pass	8001




**2.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	Pass	2986
30	1000	0.1	RMS	852.302	-63.76	-13	Pass	9701
1000	1700	1	RMS	1694	-52.5	-13	Pass	701
1700	1765	1	RMS	1732.013	24.44	60	Pass	401
1765	3000	1	RMS	2959	-48.76	-13	Pass	1236
3000	12000	1	RMS	11949	-40.15	-13	Pass	9002
12000	20000	1	RMS	19414	-31.03	-13	Pass	8001




**2.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.07	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.06	-13	Pass	2986
30	1000	0.1	RMS	854.504	-63.61	-13	Pass	9701
1000	1700	1	RMS	1699	-52.53	-13	Pass	701
1700	1765	1	RMS	1732.013	23.5	60	Pass	401
1765	3000	1	RMS	2954	-48.77	-13	Pass	1236
3000	12000	1	RMS	11853	-40.15	-13	Pass	9002
12000	20000	1	RMS	19396	-31.02	-13	Pass	8001




**2.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.19	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.03	-13	Pass	2986
30	1000	0.1	RMS	833.3	-63.8	-13	Pass	9701
1000	1700	1	RMS	1699	-52.5	-13	Pass	701
1700	1765	1	RMS	1753.788	24.44	60	Pass	401
1765	3000	1	RMS	2951	-48.76	-13	Pass	1236
3000	12000	1	RMS	11948	-40.11	-13	Pass	9002
12000	20000	1	RMS	19404	-31.04	-13	Pass	8001




**2.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-68.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	Pass	2986
30	1000	0.1	RMS	856.405	-63.68	-13	Pass	9701
1000	1700	1	RMS	1699	-52.52	-13	Pass	701
1700	1765	1	RMS	1753.788	23.56	60	Pass	401
1765	3000	1	RMS	2955	-48.78	-13	Pass	1236
3000	12000	1	RMS	11840	-40.2	-13	Pass	9002
12000	20000	1	RMS	19397	-31.07	-13	Pass	8001




**2.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2986
30	1000	0.1	RMS	836.4	-63.88	-13	Pass	9701
1000	1700	1	RMS	1700	-51.32	-13	Pass	701
1700	1765	1	RMS	1710.075	24.39	60	Pass	401
1765	3000	1	RMS	2953	-48.71	-13	Pass	1236
3000	12000	1	RMS	11957	-40.18	-13	Pass	9002
12000	20000	1	RMS	19406	-31.02	-13	Pass	8001




**2.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-13	Pass	2986
30	1000	0.1	RMS	859.407	-63.72	-13	Pass	9701
1000	1700	1	RMS	1700	-51.51	-13	Pass	701
1700	1765	1	RMS	1710.238	23.57	60	Pass	401
1765	3000	1	RMS	2949	-48.79	-13	Pass	1236
3000	12000	1	RMS	11951	-40.15	-13	Pass	9002
12000	20000	1	RMS	19704	-31.07	-13	Pass	8001



**2.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	Pass	2986
30	1000	0.1	RMS	840.4	-63.77	-13	Pass	9701
1000	1700	1	RMS	1695	-52.46	-13	Pass	701
1700	1765	1	RMS	1731.2	24.37	60	Pass	401
1765	3000	1	RMS	2947	-48.77	-13	Pass	1236
3000	12000	1	RMS	11949	-40.13	-13	Pass	9002
12000	20000	1	RMS	19404	-31.04	-13	Pass	8001



## 2.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-68.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	Pass	2986
30	1000	0.1	RMS	843.9	-63.75	-13	Pass	9701
1000	1700	1	RMS	1700	-52.51	-13	Pass	701
1700	1765	1	RMS	1731.2	23.54	60	Pass	401
1765	3000	1	RMS	2954	-48.73	-13	Pass	1236
3000	12000	1	RMS	11852	-40.13	-13	Pass	9002
12000	20000	1	RMS	19399	-31.07	-13	Pass	8001



### 2.11. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.48	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.38	-13	Pass	2986
30	1000	0.1	RMS	852.802	-63.7	-13	Pass	9701
1000	1700	1	RMS	1696	-52.53	-13	Pass	701
1700	1765	1	RMS	1752.163	24.36	60	Pass	401
1765	3000	1	RMS	2957	-48.78	-13	Pass	1236
3000	12000	1	RMS	11849	-40.07	-13	Pass	9002
12000	20000	1	RMS	19402	-30.98	-13	Pass	8001



## 2.12. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-67.89	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.1	-13	Pass	2986
30	1000	0.1	RMS	846.6	-63.68	-13	Pass	9701
1000	1700	1	RMS	1700	-52.56	-13	Pass	701
1700	1765	1	RMS	1752.163	23.57	60	Pass	401
1765	3000	1	RMS	2962	-48.76	-13	Pass	1236
3000	12000	1	RMS	11847	-40.18	-13	Pass	9002
12000	20000	1	RMS	19417	-31.04	-13	Pass	8001



### 2.13. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.05	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.28	-13	Pass	2986
30	1000	0.1	RMS	846.3	-63.77	-13	Pass	9701
1000	1700	1	RMS	1700	-50.86	-13	Pass	701
1700	1765	1	RMS	1710.238	24.47	60	Pass	401
1765	3000	1	RMS	2959	-48.75	-13	Pass	1236
3000	12000	1	RMS	11843	-40.12	-13	Pass	9002
12000	20000	1	RMS	19401	-31.04	-13	Pass	8001



### 2.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-68.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	Pass	2986
30	1000	0.1	RMS	854.003	-63.83	-13	Pass	9701
1000	1700	1	RMS	1700	-51.12	-13	Pass	701
1700	1765	1	RMS	1710.238	23.63	60	Pass	401
1765	3000	1	RMS	2955	-48.77	-13	Pass	1236
3000	12000	1	RMS	11950	-40.1	-13	Pass	9002
12000	20000	1	RMS	19409	-31.04	-13	Pass	8001



## 2.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.13	-13	Pass	2986
30	1000	0.1	RMS	848.4	-63.66	-13	Pass	9701
1000	1700	1	RMS	1699	-52.52	-13	Pass	701
1700	1765	1	RMS	1730.225	24.5	60	Pass	401
1765	3000	1	RMS	2958	-48.81	-13	Pass	1236
3000	12000	1	RMS	11951	-40.2	-13	Pass	9002
12000	20000	1	RMS	19401	-31	-13	Pass	8001



## 2.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	Pass	2986
30	1000	0.1	RMS	849.901	-63.58	-13	Pass	9701
1000	1700	1	RMS	1696	-52.51	-13	Pass	701
1700	1765	1	RMS	1730.225	23.72	60	Pass	401
1765	3000	1	RMS	2951	-48.79	-13	Pass	1236
3000	12000	1	RMS	11947	-40.14	-13	Pass	9002
12000	20000	1	RMS	19405	-31.05	-13	Pass	8001



## 2.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.16	-13	Pass	2986
30	1000	0.1	RMS	828.1	-63.92	-13	Pass	9701
1000	1700	1	RMS	1696	-52.52	-13	Pass	701
1700	1765	1	RMS	1750.213	24.53	60	Pass	401
1765	3000	1	RMS	2953	-48.78	-13	Pass	1236
3000	12000	1	RMS	11948	-40.18	-13	Pass	9002
12000	20000	1	RMS	19400	-31.05	-13	Pass	8001



## 2.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.95	-13	Pass	2986
30	1000	0.1	RMS	847.6	-63.7	-13	Pass	9701
1000	1700	1	RMS	1694	-52.57	-13	Pass	701
1700	1765	1	RMS	1750.213	23.66	60	Pass	401
1765	3000	1	RMS	2957	-48.81	-13	Pass	1236
3000	12000	1	RMS	11845	-40.12	-13	Pass	9002
12000	20000	1	RMS	19403	-31.06	-13	Pass	8001



### 2.19. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	Pass	2986
30	1000	0.1	RMS	850.001	-63.82	-13	Pass	9701
1000	1700	1	RMS	1700	-48.65	-13	Pass	701
1700	1765	1	RMS	1710.563	24.44	60	Pass	401
1765	3000	1	RMS	2950	-48.77	-13	Pass	1236
3000	12000	1	RMS	11954	-40.17	-13	Pass	9002
12000	20000	1	RMS	19409	-31.08	-13	Pass	8001



## 2.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	Pass	2986
30	1000	0.1	RMS	853.103	-63.78	-13	Pass	9701
1000	1700	1	RMS	1700	-48.79	-13	Pass	701
1700	1765	1	RMS	1710.563	23.69	60	Pass	401
1765	3000	1	RMS	2943	-48.75	-13	Pass	1236
3000	12000	1	RMS	11953	-40.18	-13	Pass	9002
12000	20000	1	RMS	19399	-31.08	-13	Pass	8001



## 2.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2986
30	1000	0.1	RMS	853.503	-63.76	-13	Pass	9701
1000	1700	1	RMS	1699	-52.48	-13	Pass	701
1700	1765	1	RMS	1727.95	24.46	60	Pass	401
1765	3000	1	RMS	2959	-48.8	-13	Pass	1236
3000	12000	1	RMS	11955	-40.17	-13	Pass	9002
12000	20000	1	RMS	19410	-31.09	-13	Pass	8001



## 2.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.57	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.72	-13	Pass	2986
30	1000	0.1	RMS	854.504	-63.84	-13	Pass	9701
1000	1700	1	RMS	1699	-52.55	-13	Pass	701
1700	1765	1	RMS	1727.95	23.56	60	Pass	401
1765	3000	1	RMS	2961	-48.8	-13	Pass	1236
3000	12000	1	RMS	11952	-40.08	-13	Pass	9002
12000	20000	1	RMS	19401	-31.03	-13	Pass	8001



### 2.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-13	Pass	2986
30	1000	0.1	RMS	842.2	-63.79	-13	Pass	9701
1000	1700	1	RMS	1696	-52.54	-13	Pass	701
1700	1765	1	RMS	1745.5	24.53	60	Pass	401
1765	3000	1	RMS	2961	-48.79	-13	Pass	1236
3000	12000	1	RMS	11847	-40.11	-13	Pass	9002
12000	20000	1	RMS	19398	-31.03	-13	Pass	8001



## 2.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-69.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	Pass	2986
30	1000	0.1	RMS	833	-63.89	-13	Pass	9701
1000	1700	1	RMS	1697	-52.47	-13	Pass	701
1700	1765	1	RMS	1745.5	23.74	60	Pass	401
1765	3000	1	RMS	2944	-48.78	-13	Pass	1236
3000	12000	1	RMS	11842	-40.17	-13	Pass	9002
12000	20000	1	RMS	19402	-31.02	-13	Pass	8001



### 2.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.83	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.16	-13	Pass	2986
30	1000	0.1	RMS	855.804	-63.71	-13	Pass	9701
1000	1700	1	RMS	1699	-46.51	-13	Pass	701
1700	1765	1	RMS	1710.725	24.61	60	Pass	401
1765	3000	1	RMS	2952	-48.75	-13	Pass	1236
3000	12000	1	RMS	11944	-40.18	-13	Pass	9002
12000	20000	1	RMS	19400	-31.04	-13	Pass	8001



## 2.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.42	-13	Pass	2986
30	1000	0.1	RMS	845.3	-63.69	-13	Pass	9701
1000	1700	1	RMS	1700	-46.9	-13	Pass	701
1700	1765	1	RMS	1710.725	23.67	60	Pass	401
1765	3000	1	RMS	2958	-48.76	-13	Pass	1236
3000	12000	1	RMS	11844	-40.12	-13	Pass	9002
12000	20000	1	RMS	19401	-31.07	-13	Pass	8001



### 2.27. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	Pass	2986
30	1000	0.1	RMS	861.808	-63.77	-13	Pass	9701
1000	1700	1	RMS	1699	-52.19	-13	Pass	701
1700	1765	1	RMS	1725.675	24.41	60	Pass	401
1765	3000	1	RMS	2958	-48.78	-13	Pass	1236
3000	12000	1	RMS	11955	-40.16	-13	Pass	9002
12000	20000	1	RMS	19404	-30.98	-13	Pass	8001



## 2.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-69.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2986
30	1000	0.1	RMS	827.8	-63.69	-13	Pass	9701
1000	1700	1	RMS	1699	-52.28	-13	Pass	701
1700	1765	1	RMS	1725.838	23.6	60	Pass	401
1765	3000	1	RMS	2953	-48.78	-13	Pass	1236
3000	12000	1	RMS	11950	-40.15	-13	Pass	9002
12000	20000	1	RMS	19405	-31.05	-13	Pass	8001



## 2.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2986
30	1000	0.1	RMS	847.5	-63.71	-13	Pass	9701
1000	1700	1	RMS	1693	-52.57	-13	Pass	701
1700	1765	1	RMS	1740.788	24.54	60	Pass	401
1765	3000	1	RMS	1770	-47.91	-13	Pass	1236
3000	12000	1	RMS	11846	-40.1	-13	Pass	9002
12000	20000	1	RMS	19405	-31	-13	Pass	8001



### 2.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	Pass	2986
30	1000	0.1	RMS	856.905	-63.85	-13	Pass	9701
1000	1700	1	RMS	1695	-52.52	-13	Pass	701
1700	1765	1	RMS	1740.788	23.66	60	Pass	401
1765	3000	1	RMS	1767	-48.07	-13	Pass	1236
3000	12000	1	RMS	11850	-40.09	-13	Pass	9002
12000	20000	1	RMS	19402	-31.07	-13	Pass	8001



### 2.31. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	Pass	2986
30	1000	0.1	RMS	834.4	-63.78	-13	Pass	9701
1000	1700	1	RMS	1700	-46.87	-13	Pass	701
1700	1765	1	RMS	1711.05	24.48	60	Pass	401
1765	3000	1	RMS	2955	-48.76	-13	Pass	1236
3000	12000	1	RMS	11949	-40.12	-13	Pass	9002
12000	20000	1	RMS	19404	-31.01	-13	Pass	8001



### 2.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-68.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	Pass	2986
30	1000	0.1	RMS	849.4	-63.83	-13	Pass	9701
1000	1700	1	RMS	1700	-47.2	-13	Pass	701
1700	1765	1	RMS	1711.05	23.74	60	Pass	401
1765	3000	1	RMS	2952	-48.75	-13	Pass	1236
3000	12000	1	RMS	11951	-40.15	-13	Pass	9002
12000	20000	1	RMS	19398	-31.06	-13	Pass	8001



### 2.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.33	-13	Pass	2986
30	1000	0.1	RMS	861.308	-63.79	-13	Pass	9701
1000	1700	1	RMS	1694	-51.83	-13	Pass	701
1700	1765	1	RMS	1723.563	24.44	60	Pass	401
1765	3000	1	RMS	2950	-48.71	-13	Pass	1236
3000	12000	1	RMS	11847	-40.15	-13	Pass	9002
12000	20000	1	RMS	19399	-31.04	-13	Pass	8001



### 2.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-68.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	Pass	2986
30	1000	0.1	RMS	848.3	-63.8	-13	Pass	9701
1000	1700	1	RMS	1694	-52.1	-13	Pass	701
1700	1765	1	RMS	1723.563	23.56	60	Pass	401
1765	3000	1	RMS	2959	-48.77	-13	Pass	1236
3000	12000	1	RMS	11858	-40.1	-13	Pass	9002
12000	20000	1	RMS	19404	-31.01	-13	Pass	8001



### 2.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	Pass	2986
30	1000	0.1	RMS	830.1	-63.66	-13	Pass	9701
1000	1700	1	RMS	1699	-52.4	-13	Pass	701
1700	1765	1	RMS	1736.075	24.47	60	Pass	401
1765	3000	1	RMS	1765	-39.59	-13	Pass	1236
3000	12000	1	RMS	11949	-40.05	-13	Pass	9002
12000	20000	1	RMS	19395	-31.05	-13	Pass	8001



### 2.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2986
30	1000	0.1	RMS	861.508	-63.78	-13	Pass	9701
1000	1700	1	RMS	1699	-52.49	-13	Pass	701
1700	1765	1	RMS	1736.075	23.52	60	Pass	401
1765	3000	1	RMS	1765	-40.14	-13	Pass	1236
3000	12000	1	RMS	11955	-40.19	-13	Pass	9002
12000	20000	1	RMS	19397	-31	-13	Pass	8001



### 3. LTE\_Band5


3.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.52	-13	Pass	7841
814	860	0.1	RMS	824.2	21.12	60	Pass	461
860	1000	0.1	RMS	870	-63.91	-13	Pass	1401
1000	3000	1	RMS	1648	-46.33	-13	Pass	2001
3000	10000	1	RMS	6960	-41.28	-13	Pass	7001




**3.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-68.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.04	-13	Pass	7841
814	860	0.1	RMS	824.3	20.23	60	Pass	461
860	1000	0.1	RMS	882.7	-63.79	-13	Pass	1401
1000	3000	1	RMS	1648	-47.13	-13	Pass	2001
3000	10000	1	RMS	6961	-41.37	-13	Pass	7001




**3.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	Pass	2986
30	814	0.1	RMS	812.6	-64.04	-13	Pass	7841
814	860	0.1	RMS	836.1	21.31	60	Pass	461
860	1000	0.1	RMS	860.3	-63.97	-13	Pass	1401
1000	3000	1	RMS	1672	-46.7	-13	Pass	2001
3000	10000	1	RMS	6961	-41.34	-13	Pass	7001




**3.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-68.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	Pass	2986
30	814	0.1	RMS	810	-64.12	-13	Pass	7841
814	860	0.1	RMS	836.1	20.38	60	Pass	461
860	1000	0.1	RMS	864	-63.92	-13	Pass	1401
1000	3000	1	RMS	1672	-47.63	-13	Pass	2001
3000	10000	1	RMS	6961	-41.38	-13	Pass	7001




**3.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.85	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.24	-13	Pass	2986
30	814	0.1	RMS	810.4	-64	-13	Pass	7841
814	860	0.1	RMS	847.8	21.17	60	Pass	461
860	1000	0.1	RMS	862.9	-63.93	-13	Pass	1401
1000	3000	1	RMS	1695	-46.34	-13	Pass	2001
3000	10000	1	RMS	6960	-41.3	-13	Pass	7001




**3.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-67.02	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.37	-13	Pass	2986
30	814	0.1	RMS	810.1	-64.1	-13	Pass	7841
814	860	0.1	RMS	847.8	20.41	60	Pass	461
860	1000	0.1	RMS	878.5	-63.99	-13	Pass	1401
1000	3000	1	RMS	1695	-47.04	-13	Pass	2001
3000	10000	1	RMS	6960	-41.26	-13	Pass	7001




**3.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.03	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.21	-13	Pass	7841
814	860	0.1	RMS	824.2	21.53	60	Pass	461
860	1000	0.1	RMS	867.1	-63.86	-13	Pass	1401
1000	3000	1	RMS	1648	-46.25	-13	Pass	2001
3000	10000	1	RMS	6960	-41.28	-13	Pass	7001




**3.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-68.3	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.7	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.44	-13	Pass	7841
814	860	0.1	RMS	824.2	20.63	60	Pass	461
860	1000	0.1	RMS	864.6	-63.88	-13	Pass	1401
1000	3000	1	RMS	1648	-47.11	-13	Pass	2001
3000	10000	1	RMS	6961	-41.39	-13	Pass	7001



### 3.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.75	-13	Pass	2986
30	814	0.1	RMS	813	-63.91	-13	Pass	7841
814	860	0.1	RMS	835.2	21.49	60	Pass	461
860	1000	0.1	RMS	983.4	-63.93	-13	Pass	1401
1000	3000	1	RMS	1670	-45.87	-13	Pass	2001
3000	10000	1	RMS	6960	-41.4	-13	Pass	7001



### 3.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-67.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	Pass	2986
30	814	0.1	RMS	808.4	-64.08	-13	Pass	7841
814	860	0.1	RMS	835.2	20.67	60	Pass	461
860	1000	0.1	RMS	871.3	-63.92	-13	Pass	1401
1000	3000	1	RMS	1670	-46.79	-13	Pass	2001
3000	10000	1	RMS	6961	-41.35	-13	Pass	7001



### 3.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-13	Pass	2986
30	814	0.1	RMS	801.5	-64.03	-13	Pass	7841
814	860	0.1	RMS	846.2	21.49	60	Pass	461
860	1000	0.1	RMS	861	-63.9	-13	Pass	1401
1000	3000	1	RMS	1692	-45.97	-13	Pass	2001
3000	10000	1	RMS	6961	-41.36	-13	Pass	7001



### 3.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-68.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	Pass	2986
30	814	0.1	RMS	811.5	-64.1	-13	Pass	7841
814	860	0.1	RMS	846.2	20.64	60	Pass	461
860	1000	0.1	RMS	947.2	-64	-13	Pass	1401
1000	3000	1	RMS	1692	-46.8	-13	Pass	2001
3000	10000	1	RMS	6962	-41.35	-13	Pass	7001



### 3.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.74	-13	Pass	7841
814	860	0.1	RMS	824.3	21.59	60	Pass	461
860	1000	0.1	RMS	973.3	-63.97	-13	Pass	1401
1000	3000	1	RMS	1648	-46.22	-13	Pass	2001
3000	10000	1	RMS	6961	-41.32	-13	Pass	7001



### 3.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-68.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.45	-13	Pass	7841
814	860	0.1	RMS	824.3	20.56	60	Pass	461
860	1000	0.1	RMS	860.3	-63.92	-13	Pass	1401
1000	3000	1	RMS	1648	-47.27	-13	Pass	2001
3000	10000	1	RMS	6960	-41.29	-13	Pass	7001



### 3.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2986
30	814	0.1	RMS	735.5	-64.02	-13	Pass	7841
814	860	0.1	RMS	834.3	21.59	60	Pass	461
860	1000	0.1	RMS	862	-63.91	-13	Pass	1401
1000	3000	1	RMS	1668	-45.99	-13	Pass	2001
3000	10000	1	RMS	6960	-41.37	-13	Pass	7001



### 3.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	Pass	2986
30	814	0.1	RMS	813.4	-64.01	-13	Pass	7841
814	860	0.1	RMS	834.3	20.86	60	Pass	461
860	1000	0.1	RMS	971.1	-63.89	-13	Pass	1401
1000	3000	1	RMS	1668	-46.64	-13	Pass	2001
3000	10000	1	RMS	6961	-41.34	-13	Pass	7001



### 3.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-68.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2986
30	814	0.1	RMS	810.1	-63.88	-13	Pass	7841
814	860	0.1	RMS	844.3	21.51	60	Pass	461
860	1000	0.1	RMS	889.7	-63.77	-13	Pass	1401
1000	3000	1	RMS	1688	-45.82	-13	Pass	2001
3000	10000	1	RMS	6959	-41.28	-13	Pass	7001



### 3.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-68	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.24	-13	Pass	2986
30	814	0.1	RMS	804.5	-64.19	-13	Pass	7841
814	860	0.1	RMS	844.3	20.7	60	Pass	461
860	1000	0.1	RMS	866.8	-63.83	-13	Pass	1401
1000	3000	1	RMS	1688	-46.62	-13	Pass	2001
3000	10000	1	RMS	6961	-41.38	-13	Pass	7001



### 3.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.05	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.37	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.44	-13	Pass	7841
814	860	0.1	RMS	824.6	21.85	60	Pass	461
860	1000	0.1	RMS	865.8	-63.86	-13	Pass	1401
1000	3000	1	RMS	1649	-46.55	-13	Pass	2001
3000	10000	1	RMS	6960	-41.33	-13	Pass	7001



### 3.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.69	-13	Pass	7841
814	860	0.1	RMS	824.6	21.27	60	Pass	461
860	1000	0.1	RMS	871.4	-63.91	-13	Pass	1401
1000	3000	1	RMS	1649	-47.43	-13	Pass	2001
3000	10000	1	RMS	6964	-41.44	-13	Pass	7001



### 3.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	Pass	2986
30	814	0.1	RMS	813.8	-63.95	-13	Pass	7841
814	860	0.1	RMS	832.1	21.99	60	Pass	461
860	1000	0.1	RMS	868.7	-63.94	-13	Pass	1401
1000	3000	1	RMS	1664	-46.36	-13	Pass	2001
3000	10000	1	RMS	6960	-41.27	-13	Pass	7001



### 3.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-68.25	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.9	-13	Pass	2986
30	814	0.1	RMS	812.5	-64.08	-13	Pass	7841
814	860	0.1	RMS	832.1	21.26	60	Pass	461
860	1000	0.1	RMS	861.1	-63.99	-13	Pass	1401
1000	3000	1	RMS	1664	-47.18	-13	Pass	2001
3000	10000	1	RMS	6963	-41.33	-13	Pass	7001



### 3.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.99	-13	Pass	7841
814	860	0.1	RMS	839.6	21.95	60	Pass	461
860	1000	0.1	RMS	860.3	-63.91	-13	Pass	1401
1000	3000	1	RMS	1679	-46.15	-13	Pass	2001
3000	10000	1	RMS	6962	-41.33	-13	Pass	7001



### 3.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-67.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	Pass	2986
30	814	0.1	RMS	813.8	-64.03	-13	Pass	7841
814	860	0.1	RMS	839.6	21.22	60	Pass	461
860	1000	0.1	RMS	874.1	-63.84	-13	Pass	1401
1000	3000	1	RMS	1679	-47.02	-13	Pass	2001
3000	10000	1	RMS	6960	-41.38	-13	Pass	7001



## 4. LTE\_Band7


### 4.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.26	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.35	-25	Pass	2986
30	1000	0.1	RMS	856.605	-63.88	-25	Pass	9701
1000	2490	1	RMS	2490	-49.93	-25	Pass	1491
2490	2580	1	RMS	2500.125	22.7	60	Pass	401
2580	3000	1	RMS	2956	-48.83	-25	Pass	421
3000	12000	1	RMS	11851	-59.9	-25	Pass	9002
12000	26000	1	RMS	25991	-44	-25	Pass	14002




**4.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-25	Pass	2986
30	1000	0.1	RMS	854.704	-63.8	-25	Pass	9701
1000	2490	1	RMS	2490	-50.11	-25	Pass	1491
2490	2580	1	RMS	2500.125	21.68	60	Pass	401
2580	3000	1	RMS	2948	-48.82	-25	Pass	421
3000	12000	1	RMS	11847	-59.85	-25	Pass	9002
12000	26000	1	RMS	25989	-43.7	-25	Pass	14002




**4.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.6	-25	Pass	401
0.15	30	0.01	RMS	0.34	-72.16	-25	Pass	2986
30	1000	0.1	RMS	850.801	-63.8	-25	Pass	9701
1000	2490	1	RMS	2490	-50.48	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.78	60	Pass	401
2580	3000	1	RMS	2954	-48.82	-25	Pass	421
3000	12000	1	RMS	11846	-59.9	-25	Pass	9002
12000	26000	1	RMS	25998	-43.55	-25	Pass	14002




**4.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.9	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.68	-25	Pass	2986
30	1000	0.1	RMS	850.701	-63.81	-25	Pass	9701
1000	2490	1	RMS	2490	-50.5	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.95	60	Pass	401
2580	3000	1	RMS	2957	-48.85	-25	Pass	421
3000	12000	1	RMS	11846	-59.77	-25	Pass	9002
12000	26000	1	RMS	25990	-43.57	-25	Pass	14002




**4.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.7	-25	Pass	2986
30	1000	0.1	RMS	852.602	-63.57	-25	Pass	9701
1000	2490	1	RMS	2485	-50.52	-25	Pass	1491
2490	2580	1	RMS	2565.15	20.67	60	Pass	401
2580	3000	1	RMS	2957	-48.83	-25	Pass	421
3000	12000	1	RMS	11852	-59.92	-25	Pass	9002
12000	26000	1	RMS	25992	-43.59	-25	Pass	14002




**4.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-25	Pass	2986
30	1000	0.1	RMS	856.205	-63.81	-25	Pass	9701
1000	2490	1	RMS	2484	-50.53	-25	Pass	1491
2490	2580	1	RMS	2565.15	20.93	60	Pass	401
2580	3000	1	RMS	2957	-48.79	-25	Pass	421
3000	12000	1	RMS	11843	-59.86	-25	Pass	9002
12000	26000	1	RMS	25988	-43.64	-25	Pass	14002




**4.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.39	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.07	-25	Pass	2986
30	1000	0.1	RMS	860.207	-63.85	-25	Pass	9701
1000	2490	1	RMS	2490	-48.85	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.73	60	Pass	401
2580	3000	1	RMS	2956	-48.85	-25	Pass	421
3000	12000	1	RMS	11847	-59.88	-25	Pass	9002
12000	26000	1	RMS	25995	-43.59	-25	Pass	14002




**4.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-25	Pass	2986
30	1000	0.1	RMS	871.115	-63.86	-25	Pass	9701
1000	2490	1	RMS	2490	-48.92	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.86	60	Pass	401
2580	3000	1	RMS	2951	-48.8	-25	Pass	421
3000	12000	1	RMS	11847	-59.88	-25	Pass	9002
12000	26000	1	RMS	25994	-43.67	-25	Pass	14002



**4.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.12	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.39	-25	Pass	2986
30	1000	0.1	RMS	859.207	-63.66	-25	Pass	9701
1000	2490	1	RMS	2481	-50.54	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.82	60	Pass	401
2580	3000	1	RMS	2955	-48.86	-25	Pass	421
3000	12000	1	RMS	11848	-59.9	-25	Pass	9002
12000	26000	1	RMS	25999	-43.68	-25	Pass	14002



#### 4.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-68.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-25	Pass	2986
30	1000	0.1	RMS	852.602	-63.84	-25	Pass	9701
1000	2490	1	RMS	2477	-50.53	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.83	60	Pass	401
2580	3000	1	RMS	2956	-48.85	-25	Pass	421
3000	12000	1	RMS	11851	-59.88	-25	Pass	9002
12000	26000	1	RMS	25999	-43.58	-25	Pass	14002



#### 4.11. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-25	Pass	2986
30	1000	0.1	RMS	599.9	-63.38	-25	Pass	9701
1000	2490	1	RMS	2489	-50.51	-25	Pass	1491
2490	2580	1	RMS	2560.425	21.92	60	Pass	401
2580	3000	1	RMS	2956	-48.81	-25	Pass	421
3000	12000	1	RMS	11848	-59.88	-25	Pass	9002
12000	26000	1	RMS	25997	-43.58	-25	Pass	14002



#### 4.12. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-68.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-25	Pass	2986
30	1000	0.1	RMS	599.9	-63.59	-25	Pass	9701
1000	2490	1	RMS	2487	-50.55	-25	Pass	1491
2490	2580	1	RMS	2560.425	21.93	60	Pass	401
2580	3000	1	RMS	2948	-48.86	-25	Pass	421
3000	12000	1	RMS	11849	-59.82	-25	Pass	9002
12000	26000	1	RMS	25983	-43.65	-25	Pass	14002



### 4.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-69.08	-25	Pass	401
0.15	30	0.01	RMS	0.27	-72.53	-25	Pass	2986
30	1000	0.1	RMS	847.3	-63.74	-25	Pass	9701
1000	2490	1	RMS	2490	-48.47	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.78	60	Pass	401
2580	3000	1	RMS	2958	-48.85	-25	Pass	421
3000	12000	1	RMS	11850	-59.89	-25	Pass	9002
12000	26000	1	RMS	25994	-43.64	-25	Pass	14002



#### 4.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-68.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-25	Pass	2986
30	1000	0.1	RMS	852.302	-63.84	-25	Pass	9701
1000	2490	1	RMS	2490	-47.97	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.9	60	Pass	401
2580	3000	1	RMS	2953	-48.85	-25	Pass	421
3000	12000	1	RMS	11850	-59.91	-25	Pass	9002
12000	26000	1	RMS	25999	-43.59	-25	Pass	14002



#### 4.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-25	Pass	2986
30	1000	0.1	RMS	849.1	-63.84	-25	Pass	9701
1000	2490	1	RMS	2489	-50.49	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.83	60	Pass	401
2580	3000	1	RMS	2952	-48.86	-25	Pass	421
3000	12000	1	RMS	11843	-59.92	-25	Pass	9002
12000	26000	1	RMS	25998	-43.65	-25	Pass	14002



#### 4.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-25	Pass	2986
30	1000	0.1	RMS	821.7	-63.88	-25	Pass	9701
1000	2490	1	RMS	2480	-50.45	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.83	60	Pass	401
2580	3000	1	RMS	2953	-48.84	-25	Pass	421
3000	12000	1	RMS	11850	-59.92	-25	Pass	9002
12000	26000	1	RMS	25997	-43.61	-25	Pass	14002



#### 4.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.08	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.25	-25	Pass	2986
30	1000	0.1	RMS	595.1	-63.51	-25	Pass	9701
1000	2490	1	RMS	2490	-50.56	-25	Pass	1491
2490	2580	1	RMS	2555.7	21.93	60	Pass	401
2580	3000	1	RMS	2957	-48.84	-25	Pass	421
3000	12000	1	RMS	11849	-59.94	-25	Pass	9002
12000	26000	1	RMS	25994	-43.66	-25	Pass	14002



#### 4.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.41	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.2	-25	Pass	2986
30	1000	0.1	RMS	595.1	-63.35	-25	Pass	9701
1000	2490	1	RMS	2486	-50.49	-25	Pass	1491
2490	2580	1	RMS	2555.7	22.09	60	Pass	401
2580	3000	1	RMS	2582	-48.54	-25	Pass	421
3000	12000	1	RMS	11849	-59.88	-25	Pass	9002
12000	26000	1	RMS	26000	-43.57	-25	Pass	14002



#### 4.19. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-25	Pass	2986
30	1000	0.1	RMS	856.505	-63.71	-25	Pass	9701
1000	2490	1	RMS	2490	-47.65	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.84	60	Pass	401
2580	3000	1	RMS	2957	-48.67	-25	Pass	421
3000	12000	1	RMS	11850	-59.81	-25	Pass	9002
12000	26000	1	RMS	25996	-43.55	-25	Pass	14002



#### 4.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-25	Pass	2986
30	1000	0.1	RMS	876.618	-63.64	-25	Pass	9701
1000	2490	1	RMS	2490	-47.73	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.06	60	Pass	401
2580	3000	1	RMS	2957	-48.69	-25	Pass	421
3000	12000	1	RMS	11844	-59.83	-25	Pass	9002
12000	26000	1	RMS	25995	-43.61	-25	Pass	14002



#### 4.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-25	Pass	2986
30	1000	0.1	RMS	850.501	-63.69	-25	Pass	9701
1000	2490	1	RMS	2489	-50.46	-25	Pass	1491
2490	2580	1	RMS	2526	21.92	60	Pass	401
2580	3000	1	RMS	2952	-48.71	-25	Pass	421
3000	12000	1	RMS	11848	-59.78	-25	Pass	9002
12000	26000	1	RMS	25999	-43.5	-25	Pass	14002



#### 4.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-25	Pass	2986
30	1000	0.1	RMS	850.001	-63.69	-25	Pass	9701
1000	2490	1	RMS	2482	-50.42	-25	Pass	1491
2490	2580	1	RMS	2526	21.9	60	Pass	401
2580	3000	1	RMS	2956	-48.68	-25	Pass	421
3000	12000	1	RMS	11850	-59.75	-25	Pass	9002
12000	26000	1	RMS	25998	-43.5	-25	Pass	14002



### 4.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-25	Pass	2986
30	1000	0.1	RMS	590.4	-63.16	-25	Pass	9701
1000	2490	1	RMS	2480	-50.43	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.03	60	Pass	401
2580	3000	1	RMS	2580	-42.54	-25	Pass	421
3000	12000	1	RMS	11850	-59.84	-25	Pass	9002
12000	26000	1	RMS	25992	-43.55	-25	Pass	14002



#### 4.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-25	Pass	2986
30	1000	0.1	RMS	590.4	-62.45	-25	Pass	9701
1000	2490	1	RMS	2482	-50.42	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.06	60	Pass	401
2580	3000	1	RMS	2580	-42.51	-25	Pass	421
3000	12000	1	RMS	11845	-59.84	-25	Pass	9002
12000	26000	1	RMS	25994	-43.62	-25	Pass	14002



## 5. LTE\_Band12


### 5.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.059	-63.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.17	-13	Pass	2986
30	689	0.1	RMS	688.5	-62.45	-13	Pass	6591
689	726	0.1	RMS	699.268	21.82	60	Pass	401
726	1000	0.1	RMS	854.2	-63.47	-13	Pass	2741
1000	3000	1	RMS	1398	-48.22	-13	Pass	2001
3000	10000	1	RMS	6960	-41.2	-13	Pass	7001




**5.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-13	Pass	2986
30	689	0.1	RMS	688.6	-63.24	-13	Pass	6591
689	726	0.1	RMS	699.268	20.7	60	Pass	401
726	1000	0.1	RMS	850.6	-63.52	-13	Pass	2741
1000	3000	1	RMS	2956	-48.67	-13	Pass	2001
3000	10000	1	RMS	6959	-41.26	-13	Pass	7001




**5.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.96	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.04	-13	Pass	2986
30	689	0.1	RMS	688.2	-64.43	-13	Pass	6591
689	726	0.1	RMS	707.038	21.9	60	Pass	401
726	1000	0.1	RMS	834.6	-63.52	-13	Pass	2741
1000	3000	1	RMS	1414	-47.75	-13	Pass	2001
3000	10000	1	RMS	6962	-41.3	-13	Pass	7001




**5.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.59	-13	Pass	2986
30	689	0.1	RMS	487.5	-64.49	-13	Pass	6591
689	726	0.1	RMS	707.038	20.86	60	Pass	401
726	1000	0.1	RMS	839.5	-63.55	-13	Pass	2741
1000	3000	1	RMS	2957	-48.65	-13	Pass	2001
3000	10000	1	RMS	6961	-41.25	-13	Pass	7001




**5.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	Pass	2986
30	689	0.1	RMS	492.8	-64.49	-13	Pass	6591
689	726	0.1	RMS	714.808	21.48	60	Pass	401
726	1000	0.1	RMS	851.3	-63.45	-13	Pass	2741
1000	3000	1	RMS	1429	-48.26	-13	Pass	2001
3000	10000	1	RMS	6961	-41.22	-13	Pass	7001




**5.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.24	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.91	-13	Pass	2986
30	689	0.1	RMS	493.6	-64.48	-13	Pass	6591
689	726	0.1	RMS	714.808	20.53	60	Pass	401
726	1000	0.1	RMS	852.9	-63.29	-13	Pass	2741
1000	3000	1	RMS	2957	-48.66	-13	Pass	2001
3000	10000	1	RMS	6959	-41.34	-13	Pass	7001




**5.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-62.71	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.24	-13	Pass	2986
30	689	0.1	RMS	688.5	-62.5	-13	Pass	6591
689	726	0.1	RMS	699.268	21.72	60	Pass	401
726	1000	0.1	RMS	862.3	-63.38	-13	Pass	2741
1000	3000	1	RMS	1398	-48.07	-13	Pass	2001
3000	10000	1	RMS	6960	-41.34	-13	Pass	7001




**5.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.31	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.98	-13	Pass	2986
30	689	0.1	RMS	688.5	-62.66	-13	Pass	6591
689	726	0.1	RMS	699.268	20.8	60	Pass	401
726	1000	0.1	RMS	856.6	-63.54	-13	Pass	2741
1000	3000	1	RMS	2955	-48.67	-13	Pass	2001
3000	10000	1	RMS	6958	-41.22	-13	Pass	7001



**5.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-13	Pass	2986
30	689	0.1	RMS	490.3	-64.44	-13	Pass	6591
689	726	0.1	RMS	706.205	21.47	60	Pass	401
726	1000	0.1	RMS	840.1	-63.49	-13	Pass	2741
1000	3000	1	RMS	1412	-47.29	-13	Pass	2001
3000	10000	1	RMS	6958	-41.24	-13	Pass	7001



### 5.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	Pass	2986
30	689	0.1	RMS	482.3	-64.42	-13	Pass	6591
689	726	0.1	RMS	706.205	20.5	60	Pass	401
726	1000	0.1	RMS	832.6	-63.44	-13	Pass	2741
1000	3000	1	RMS	1412	-48.32	-13	Pass	2001
3000	10000	1	RMS	6960	-41.27	-13	Pass	7001



### 5.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2986
30	689	0.1	RMS	688.7	-64.48	-13	Pass	6591
689	726	0.1	RMS	713.235	22.02	60	Pass	401
726	1000	0.1	RMS	845.7	-63.47	-13	Pass	2741
1000	3000	1	RMS	1426	-48.05	-13	Pass	2001
3000	10000	1	RMS	6962	-41.23	-13	Pass	7001



### 5.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-13	Pass	2986
30	689	0.1	RMS	496.7	-64.48	-13	Pass	6591
689	726	0.1	RMS	713.235	21.09	60	Pass	401
726	1000	0.1	RMS	848.9	-63.51	-13	Pass	2741
1000	3000	1	RMS	2955	-48.69	-13	Pass	2001
3000	10000	1	RMS	6960	-41.24	-13	Pass	7001



### 5.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.25	-13	Pass	401
0.15	30	0.01	RMS	0.32	-72.34	-13	Pass	2986
30	689	0.1	RMS	688.6	-62.58	-13	Pass	6591
689	726	0.1	RMS	699.36	21.85	60	Pass	401
726	1000	0.1	RMS	845.1	-63.5	-13	Pass	2741
1000	3000	1	RMS	1398	-48.09	-13	Pass	2001
3000	10000	1	RMS	6959	-41.31	-13	Pass	7001



### 5.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.51	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.92	-13	Pass	2986
30	689	0.1	RMS	688.6	-63.14	-13	Pass	6591
689	726	0.1	RMS	699.36	20.91	60	Pass	401
726	1000	0.1	RMS	841.6	-63.39	-13	Pass	2741
1000	3000	1	RMS	2954	-48.67	-13	Pass	2001
3000	10000	1	RMS	6959	-41.31	-13	Pass	7001



### 5.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.07	-13	Pass	2986
30	689	0.1	RMS	490.6	-64.42	-13	Pass	6591
689	726	0.1	RMS	705.373	21.57	60	Pass	401
726	1000	0.1	RMS	857.6	-63.46	-13	Pass	2741
1000	3000	1	RMS	1410	-47.62	-13	Pass	2001
3000	10000	1	RMS	6959	-41.27	-13	Pass	7001



### 5.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	Pass	2986
30	689	0.1	RMS	493.2	-64.26	-13	Pass	6591
689	726	0.1	RMS	705.373	20.78	60	Pass	401
726	1000	0.1	RMS	835.7	-63.45	-13	Pass	2741
1000	3000	1	RMS	1410	-48.63	-13	Pass	2001
3000	10000	1	RMS	6963	-41.27	-13	Pass	7001



### 5.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	Pass	2986
30	689	0.1	RMS	507.5	-64.47	-13	Pass	6591
689	726	0.1	RMS	711.293	21.37	60	Pass	401
726	1000	0.1	RMS	839.4	-63.44	-13	Pass	2741
1000	3000	1	RMS	1422	-47.59	-13	Pass	2001
3000	10000	1	RMS	6961	-41.27	-13	Pass	7001



### 5.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-69	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.67	-13	Pass	2986
30	689	0.1	RMS	489.5	-64.41	-13	Pass	6591
689	726	0.1	RMS	711.293	20.61	60	Pass	401
726	1000	0.1	RMS	855.7	-63.35	-13	Pass	2741
1000	3000	1	RMS	1422	-48.56	-13	Pass	2001
3000	10000	1	RMS	6961	-41.33	-13	Pass	7001



### 5.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.18	-13	Pass	2986
30	689	0.1	RMS	688.9	-61.49	-13	Pass	6591
689	726	0.1	RMS	699.545	21.39	60	Pass	401
726	1000	0.1	RMS	863.5	-63.51	-13	Pass	2741
1000	3000	1	RMS	1399	-48.58	-13	Pass	2001
3000	10000	1	RMS	6960	-41.35	-13	Pass	7001



### 5.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2986
30	689	0.1	RMS	688.9	-62.08	-13	Pass	6591
689	726	0.1	RMS	699.638	20.54	60	Pass	401
726	1000	0.1	RMS	855.9	-63.54	-13	Pass	2741
1000	3000	1	RMS	2957	-48.69	-13	Pass	2001
3000	10000	1	RMS	6961	-41.26	-13	Pass	7001



### 5.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2986
30	689	0.1	RMS	487.8	-64.4	-13	Pass	6591
689	726	0.1	RMS	703.06	21.73	60	Pass	401
726	1000	0.1	RMS	850.7	-63.46	-13	Pass	2741
1000	3000	1	RMS	1406	-48.35	-13	Pass	2001
3000	10000	1	RMS	6960	-41.28	-13	Pass	7001



### 5.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.3	-13	Pass	2986
30	689	0.1	RMS	487.5	-64.38	-13	Pass	6591
689	726	0.1	RMS	703.06	20.78	60	Pass	401
726	1000	0.1	RMS	848.6	-63.42	-13	Pass	2741
1000	3000	1	RMS	2947	-48.66	-13	Pass	2001
3000	10000	1	RMS	6963	-41.28	-13	Pass	7001



### 5.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.12	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.05	-13	Pass	2986
30	689	0.1	RMS	689	-64.44	-13	Pass	6591
689	726	0.1	RMS	706.575	21.86	60	Pass	401
726	1000	0.1	RMS	860.3	-63.48	-13	Pass	2741
1000	3000	1	RMS	1413	-47.5	-13	Pass	2001
3000	10000	1	RMS	6960	-41.33	-13	Pass	7001



### 5.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-69.16	-13	Pass	401
0.15	30	0.01	RMS	0.3	-71.82	-13	Pass	2986
30	689	0.1	RMS	496.1	-64.46	-13	Pass	6591
689	726	0.1	RMS	706.575	20.96	60	Pass	401
726	1000	0.1	RMS	856.4	-63.49	-13	Pass	2741
1000	3000	1	RMS	1413	-48.48	-13	Pass	2001
3000	10000	1	RMS	6959	-41.24	-13	Pass	7001



## 6. LTE\_Band13


### 6.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	Pass	2986
30	767	0.1	RMS	766.6	-62.26	-13	Pass	7371
767	797	0.1	RMS	777.35	21.88	60	Pass	401
797	1000	0.1	RMS	852.5	-63.48	-13	Pass	2031
1000	3000	1	RMS	1554	-46.37	-13	Pass	2001
3000	10000	1	RMS	6961	-41.28	-13	Pass	7001




**6.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	Pass	2986
30	767	0.1	RMS	766.6	-62.96	-13	Pass	7371
767	797	0.1	RMS	777.35	21.1	60	Pass	401
797	1000	0.1	RMS	832.7	-63.69	-13	Pass	2031
1000	3000	1	RMS	1554	-47.37	-13	Pass	2001
3000	10000	1	RMS	6961	-41.3	-13	Pass	7001




**6.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2986
30	767	0.1	RMS	760.8	-64.14	-13	Pass	7371
767	797	0.1	RMS	779.825	21.95	60	Pass	401
797	1000	0.1	RMS	982.4	-63.53	-13	Pass	2031
1000	3000	1	RMS	1559	-46.34	-13	Pass	2001
3000	10000	1	RMS	6961	-41.21	-13	Pass	7001




**6.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2986
30	767	0.1	RMS	726.4	-64.21	-13	Pass	7371
767	797	0.1	RMS	779.825	21.21	60	Pass	401
797	1000	0.1	RMS	826.3	-63.52	-13	Pass	2031
1000	3000	1	RMS	1559	-47.19	-13	Pass	2001
3000	10000	1	RMS	6959	-41.28	-13	Pass	7001




**6.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.51	-13	Pass	2986
30	767	0.1	RMS	746.6	-64.12	-13	Pass	7371
767	797	0.1	RMS	782.3	21.62	60	Pass	401
797	1000	0.1	RMS	848.3	-63.57	-13	Pass	2031
1000	3000	1	RMS	1564	-46.33	-13	Pass	2001
3000	10000	1	RMS	6960	-41.29	-13	Pass	7001




**6.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.89	-13	Pass	2986
30	767	0.1	RMS	749.8	-64.18	-13	Pass	7371
767	797	0.1	RMS	782.375	20.92	60	Pass	401
797	1000	0.1	RMS	849.1	-63.43	-13	Pass	2031
1000	3000	1	RMS	1564	-47.24	-13	Pass	2001
3000	10000	1	RMS	6961	-41.28	-13	Pass	7001




**6.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2986
30	767	0.1	RMS	766.9	-61.47	-13	Pass	7371
767	797	0.1	RMS	777.575	21.97	60	Pass	401
797	1000	0.1	RMS	797.1	-60.59	-13	Pass	2031
1000	3000	1	RMS	1555	-46.8	-13	Pass	2001
3000	10000	1	RMS	6961	-41.24	-13	Pass	7001



**6.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.25	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.22	-13	Pass	2986
30	767	0.1	RMS	766.9	-61.99	-13	Pass	7371
767	797	0.1	RMS	777.575	21.1	60	Pass	401
797	1000	0.1	RMS	797.1	-61.02	-13	Pass	2031
1000	3000	1	RMS	1555	-47.51	-13	Pass	2001
3000	10000	1	RMS	6961	-41.29	-13	Pass	7001



## 7. LTE\_Band17


### 7.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71	-13	Pass	2986
30	694	0.1	RMS	693.6	-61.96	-13	Pass	6641
694	726	0.1	RMS	704.32	21.83	60	Pass	401
726	1000	0.1	RMS	852	-63.55	-13	Pass	2741
1000	3000	1	RMS	1408	-47.38	-13	Pass	2001
3000	10000	1	RMS	6961	-41.3	-13	Pass	7001




**7.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	Pass	2986
30	694	0.1	RMS	693.6	-62.72	-13	Pass	6641
694	726	0.1	RMS	704.32	20.97	60	Pass	401
726	1000	0.1	RMS	844.5	-63.55	-13	Pass	2741
1000	3000	1	RMS	1408	-48.36	-13	Pass	2001
3000	10000	1	RMS	6960	-41.25	-13	Pass	7001




**7.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	Pass	2986
30	694	0.1	RMS	690.1	-64.29	-13	Pass	6641
694	726	0.1	RMS	707.84	22.07	60	Pass	401
726	1000	0.1	RMS	854.7	-63.46	-13	Pass	2741
1000	3000	1	RMS	1415	-46.91	-13	Pass	2001
3000	10000	1	RMS	6959	-41.3	-13	Pass	7001




**7.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.51	-13	Pass	2986
30	694	0.1	RMS	509.6	-64.29	-13	Pass	6641
694	726	0.1	RMS	707.84	21.24	60	Pass	401
726	1000	0.1	RMS	853.3	-63.58	-13	Pass	2741
1000	3000	1	RMS	1415	-47.71	-13	Pass	2001
3000	10000	1	RMS	6959	-41.3	-13	Pass	7001




**7.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.17	-13	Pass	2986
30	694	0.1	RMS	510.5	-64.46	-13	Pass	6641
694	726	0.1	RMS	711.36	21.68	60	Pass	401
726	1000	0.1	RMS	971.1	-63.51	-13	Pass	2741
1000	3000	1	RMS	1422	-47.69	-13	Pass	2001
3000	10000	1	RMS	6960	-41.2	-13	Pass	7001




**7.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2986
30	694	0.1	RMS	469.8	-64.51	-13	Pass	6641
694	726	0.1	RMS	711.36	21.16	60	Pass	401
726	1000	0.1	RMS	851.6	-63.35	-13	Pass	2741
1000	3000	1	RMS	1422	-48.6	-13	Pass	2001
3000	10000	1	RMS	6960	-41.25	-13	Pass	7001




**7.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.26	-13	Pass	401
0.15	30	0.01	RMS	0.33	-72.47	-13	Pass	2986
30	694	0.1	RMS	693.9	-60.37	-13	Pass	6641
694	726	0.1	RMS	704.56	21.87	60	Pass	401
726	1000	0.1	RMS	821	-63.32	-13	Pass	2741
1000	3000	1	RMS	1409	-47.81	-13	Pass	2001
3000	10000	1	RMS	6961	-41.26	-13	Pass	7001




**7.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2986
30	694	0.1	RMS	693.9	-61.13	-13	Pass	6641
694	726	0.1	RMS	704.56	21	60	Pass	401
726	1000	0.1	RMS	833.2	-63.45	-13	Pass	2741
1000	3000	1	RMS	1409	-48.61	-13	Pass	2001
3000	10000	1	RMS	6960	-41.19	-13	Pass	7001



**7.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.53	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.24	-13	Pass	2986
30	694	0.1	RMS	693.9	-63.32	-13	Pass	6641
694	726	0.1	RMS	705.6	22.03	60	Pass	401
726	1000	0.1	RMS	850.6	-63.47	-13	Pass	2741
1000	3000	1	RMS	1411	-47.84	-13	Pass	2001
3000	10000	1	RMS	6963	-41.22	-13	Pass	7001



### 7.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2986
30	694	0.1	RMS	694	-63.44	-13	Pass	6641
694	726	0.1	RMS	705.6	21.02	60	Pass	401
726	1000	0.1	RMS	918.4	-63.55	-13	Pass	2741
1000	3000	1	RMS	2957	-48.66	-13	Pass	2001
3000	10000	1	RMS	6961	-41.21	-13	Pass	7001



### 7.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.03	-13	Pass	2986
30	694	0.1	RMS	691.9	-63.51	-13	Pass	6641
694	726	0.1	RMS	706.56	21.86	60	Pass	401
726	1000	0.1	RMS	860.2	-63.46	-13	Pass	2741
1000	3000	1	RMS	1413	-47.36	-13	Pass	2001
3000	10000	1	RMS	6960	-41.24	-13	Pass	7001



### 7.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-13	Pass	2986
30	694	0.1	RMS	691.9	-63.97	-13	Pass	6641
694	726	0.1	RMS	706.56	20.97	60	Pass	401
726	1000	0.1	RMS	868.3	-63.45	-13	Pass	2741
1000	3000	1	RMS	1413	-48.18	-13	Pass	2001
3000	10000	1	RMS	6961	-41.22	-13	Pass	7001



## 8. LTE\_Band26(part22)


8.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.26	-13	Pass	7841
814	860	0.1	RMS	824.2	21.15	60	Pass	461
860	1000	0.1	RMS	867.3	-63.78	-13	Pass	1401
1000	3000	1	RMS	1648	-46.42	-13	Pass	2001
3000	10000	1	RMS	6962	-41.27	-13	Pass	7001




**8.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-67.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.67	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.65	-13	Pass	7841
814	860	0.1	RMS	824.2	20.45	60	Pass	461
860	1000	0.1	RMS	863.9	-63.84	-13	Pass	1401
1000	3000	1	RMS	1648	-47.02	-13	Pass	2001
3000	10000	1	RMS	6961	-41.24	-13	Pass	7001




**8.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.77	-13	Pass	2986
30	814	0.1	RMS	811.5	-63.88	-13	Pass	7841
814	860	0.1	RMS	836.1	21.37	60	Pass	461
860	1000	0.1	RMS	872.6	-63.8	-13	Pass	1401
1000	3000	1	RMS	1672	-46.82	-13	Pass	2001
3000	10000	1	RMS	6963	-41.34	-13	Pass	7001




**8.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-68.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	Pass	2986
30	814	0.1	RMS	811.8	-63.88	-13	Pass	7841
814	860	0.1	RMS	836.1	20.43	60	Pass	461
860	1000	0.1	RMS	863	-63.85	-13	Pass	1401
1000	3000	1	RMS	1672	-47.6	-13	Pass	2001
3000	10000	1	RMS	6964	-41.25	-13	Pass	7001




**8.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.04	-13	Pass	2986
30	814	0.1	RMS	811.2	-63.95	-13	Pass	7841
814	860	0.1	RMS	847.9	21.2	60	Pass	461
860	1000	0.1	RMS	864.2	-63.77	-13	Pass	1401
1000	3000	1	RMS	1695	-46.34	-13	Pass	2001
3000	10000	1	RMS	6960	-41.27	-13	Pass	7001




**8.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.65	-13	Pass	2986
30	814	0.1	RMS	810	-63.96	-13	Pass	7841
814	860	0.1	RMS	847.8	20.39	60	Pass	461
860	1000	0.1	RMS	991.7	-63.67	-13	Pass	1401
1000	3000	1	RMS	1695	-46.94	-13	Pass	2001
3000	10000	1	RMS	6960	-41.27	-13	Pass	7001




**8.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.47	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.2	-13	Pass	7841
814	860	0.1	RMS	824.2	21.52	60	Pass	461
860	1000	0.1	RMS	862.8	-63.76	-13	Pass	1401
1000	3000	1	RMS	1648	-46.2	-13	Pass	2001
3000	10000	1	RMS	6961	-41.26	-13	Pass	7001




**8.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.05	-13	Pass	7841
814	860	0.1	RMS	824.2	20.81	60	Pass	461
860	1000	0.1	RMS	869.3	-63.72	-13	Pass	1401
1000	3000	1	RMS	1648	-46.76	-13	Pass	2001
3000	10000	1	RMS	6960	-41.24	-13	Pass	7001



**8.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.7	-13	Pass	2986
30	814	0.1	RMS	811.9	-63.92	-13	Pass	7841
814	860	0.1	RMS	835.2	21.55	60	Pass	461
860	1000	0.1	RMS	942.9	-63.82	-13	Pass	1401
1000	3000	1	RMS	1670	-45.82	-13	Pass	2001
3000	10000	1	RMS	6963	-41.31	-13	Pass	7001



### 8.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-67.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.14	-13	Pass	2986
30	814	0.1	RMS	802.3	-64.01	-13	Pass	7841
814	860	0.1	RMS	835.2	20.69	60	Pass	461
860	1000	0.1	RMS	862.4	-63.8	-13	Pass	1401
1000	3000	1	RMS	1670	-46.87	-13	Pass	2001
3000	10000	1	RMS	6962	-41.24	-13	Pass	7001



### 8.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	Pass	2986
30	814	0.1	RMS	807.6	-64.03	-13	Pass	7841
814	860	0.1	RMS	846.2	21.45	60	Pass	461
860	1000	0.1	RMS	965.4	-63.62	-13	Pass	1401
1000	3000	1	RMS	1692	-45.93	-13	Pass	2001
3000	10000	1	RMS	6960	-41.27	-13	Pass	7001



### 8.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-68.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	Pass	2986
30	814	0.1	RMS	800.2	-64.06	-13	Pass	7841
814	860	0.1	RMS	846.2	20.65	60	Pass	461
860	1000	0.1	RMS	912.6	-63.83	-13	Pass	1401
1000	3000	1	RMS	1692	-46.75	-13	Pass	2001
3000	10000	1	RMS	6961	-41.18	-13	Pass	7001



### 8.13. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.74	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.51	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.27	-13	Pass	7841
814	860	0.1	RMS	824.3	21.53	60	Pass	461
860	1000	0.1	RMS	876.3	-63.68	-13	Pass	1401
1000	3000	1	RMS	1648	-46.3	-13	Pass	2001
3000	10000	1	RMS	6962	-41.23	-13	Pass	7001



### 8.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-68.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.79	-13	Pass	7841
814	860	0.1	RMS	824.3	20.7	60	Pass	461
860	1000	0.1	RMS	869.4	-63.81	-13	Pass	1401
1000	3000	1	RMS	1648	-47	-13	Pass	2001
3000	10000	1	RMS	6961	-41.26	-13	Pass	7001



### 8.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2986
30	814	0.1	RMS	811.9	-63.93	-13	Pass	7841
814	860	0.1	RMS	834.3	21.66	60	Pass	461
860	1000	0.1	RMS	864.9	-63.77	-13	Pass	1401
1000	3000	1	RMS	1668	-45.92	-13	Pass	2001
3000	10000	1	RMS	6960	-41.33	-13	Pass	7001



### 8.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-68.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	Pass	2986
30	814	0.1	RMS	813.3	-63.88	-13	Pass	7841
814	860	0.1	RMS	834.3	20.9	60	Pass	461
860	1000	0.1	RMS	861.2	-63.74	-13	Pass	1401
1000	3000	1	RMS	1668	-46.75	-13	Pass	2001
3000	10000	1	RMS	6961	-41.26	-13	Pass	7001



### 8.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.07	-13	Pass	2986
30	814	0.1	RMS	810.5	-64.06	-13	Pass	7841
814	860	0.1	RMS	844.3	21.7	60	Pass	461
860	1000	0.1	RMS	865.1	-63.79	-13	Pass	1401
1000	3000	1	RMS	1688	-45.84	-13	Pass	2001
3000	10000	1	RMS	6961	-41.32	-13	Pass	7001



### 8.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-68.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2986
30	814	0.1	RMS	805.2	-64.07	-13	Pass	7841
814	860	0.1	RMS	844.3	20.86	60	Pass	461
860	1000	0.1	RMS	872.1	-63.72	-13	Pass	1401
1000	3000	1	RMS	1688	-46.61	-13	Pass	2001
3000	10000	1	RMS	6959	-41.26	-13	Pass	7001



### 8.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.25	-13	Pass	7841
814	860	0.1	RMS	824.6	22	60	Pass	461
860	1000	0.1	RMS	876.5	-63.68	-13	Pass	1401
1000	3000	1	RMS	1649	-46.58	-13	Pass	2001
3000	10000	1	RMS	6960	-41.3	-13	Pass	7001



### 8.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.3	-13	Pass	7841
814	860	0.1	RMS	824.6	21.47	60	Pass	461
860	1000	0.1	RMS	875.5	-63.81	-13	Pass	1401
1000	3000	1	RMS	1649	-47.34	-13	Pass	2001
3000	10000	1	RMS	6960	-41.2	-13	Pass	7001



### 8.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	Pass	2986
30	814	0.1	RMS	813.9	-63.82	-13	Pass	7841
814	860	0.1	RMS	832.1	22.15	60	Pass	461
860	1000	0.1	RMS	861.3	-63.79	-13	Pass	1401
1000	3000	1	RMS	1664	-46.25	-13	Pass	2001
3000	10000	1	RMS	6960	-41.25	-13	Pass	7001



### 8.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-68.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.88	-13	Pass	7841
814	860	0.1	RMS	832.1	21.2	60	Pass	461
860	1000	0.1	RMS	963.8	-63.76	-13	Pass	1401
1000	3000	1	RMS	1664	-47.4	-13	Pass	2001
3000	10000	1	RMS	6961	-41.31	-13	Pass	7001



### 8.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.15	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.65	-13	Pass	2986
30	814	0.1	RMS	812.9	-63.85	-13	Pass	7841
814	860	0.1	RMS	839.6	22.06	60	Pass	461
860	1000	0.1	RMS	863.4	-63.62	-13	Pass	1401
1000	3000	1	RMS	1679	-46.15	-13	Pass	2001
3000	10000	1	RMS	6960	-41.23	-13	Pass	7001



### 8.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-66.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	Pass	2986
30	814	0.1	RMS	812	-64	-13	Pass	7841
814	860	0.1	RMS	839.6	21.3	60	Pass	461
860	1000	0.1	RMS	919.4	-63.7	-13	Pass	1401
1000	3000	1	RMS	1679	-46.86	-13	Pass	2001
3000	10000	1	RMS	6959	-41.39	-13	Pass	7001



### 8.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	Pass	2986
30	814	0.1	RMS	813.4	-54.87	-13	Pass	7841
814	860	0.1	RMS	824.8	21.58	60	Pass	461
860	1000	0.1	RMS	874.9	-63.79	-13	Pass	1401
1000	3000	1	RMS	1649	-46.26	-13	Pass	2001
3000	10000	1	RMS	6960	-41.24	-13	Pass	7001



### 8.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2986
30	814	0.1	RMS	813.3	-55.02	-13	Pass	7841
814	860	0.1	RMS	824.8	20.79	60	Pass	461
860	1000	0.1	RMS	972.7	-63.83	-13	Pass	1401
1000	3000	1	RMS	1649	-47.05	-13	Pass	2001
3000	10000	1	RMS	6962	-41.32	-13	Pass	7001



### 8.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2986
30	814	0.1	RMS	812.9	-60.94	-13	Pass	7841
814	860	0.1	RMS	829.8	21.59	60	Pass	461
860	1000	0.1	RMS	861.2	-63.68	-13	Pass	1401
1000	3000	1	RMS	1659	-46.02	-13	Pass	2001
3000	10000	1	RMS	6960	-41.19	-13	Pass	7001



### 8.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-68.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2986
30	814	0.1	RMS	812.8	-61.2	-13	Pass	7841
814	860	0.1	RMS	829.8	20.73	60	Pass	461
860	1000	0.1	RMS	878	-63.79	-13	Pass	1401
1000	3000	1	RMS	1659	-47.01	-13	Pass	2001
3000	10000	1	RMS	6960	-41.35	-13	Pass	7001



### 8.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	Pass	2986
30	814	0.1	RMS	813	-63.25	-13	Pass	7841
814	860	0.1	RMS	834.8	21.46	60	Pass	461
860	1000	0.1	RMS	860.4	-63.68	-13	Pass	1401
1000	3000	1	RMS	1669	-45.99	-13	Pass	2001
3000	10000	1	RMS	6961	-41.24	-13	Pass	7001



### 8.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	Pass	2986
30	814	0.1	RMS	813.7	-63.5	-13	Pass	7841
814	860	0.1	RMS	834.8	20.66	60	Pass	461
860	1000	0.1	RMS	865.1	-63.79	-13	Pass	1401
1000	3000	1	RMS	1669	-46.72	-13	Pass	2001
3000	10000	1	RMS	6962	-41.28	-13	Pass	7001



## 9. LTE\_Band66


### 9.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.33	-13	Pass	2986
30	1000	0.1	RMS	848.7	-63.61	-13	Pass	9701
1000	1700	1	RMS	1700	-51.19	-13	Pass	701
1700	1790	1	RMS	1710.125	24.4	60	Pass	401
1790	3000	1	RMS	2953	-48.66	-13	Pass	1211
3000	12000	1	RMS	11848	-40.07	-13	Pass	9002
12000	20000	1	RMS	19399	-30.85	-13	Pass	8001




**9.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-68.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	Pass	2986
30	1000	0.1	RMS	841.1	-63.63	-13	Pass	9701
1000	1700	1	RMS	1700	-51.51	-13	Pass	701
1700	1790	1	RMS	1710.125	23.6	60	Pass	401
1790	3000	1	RMS	2962	-48.64	-13	Pass	1211
3000	12000	1	RMS	11945	-40.05	-13	Pass	9002
12000	20000	1	RMS	19402	-30.94	-13	Pass	8001




**9.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.36	-13	Pass	2986
30	1000	0.1	RMS	847.8	-63.54	-13	Pass	9701
1000	1700	1	RMS	1697	-52.38	-13	Pass	701
1700	1790	1	RMS	1744.325	24.37	60	Pass	401
1790	3000	1	RMS	2949	-48.62	-13	Pass	1211
3000	12000	1	RMS	11955	-39.96	-13	Pass	9002
12000	20000	1	RMS	19717	-30.97	-13	Pass	8001




**9.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-69.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	Pass	2986
30	1000	0.1	RMS	848.1	-63.52	-13	Pass	9701
1000	1700	1	RMS	1700	-52.36	-13	Pass	701
1700	1790	1	RMS	1744.325	23.42	60	Pass	401
1790	3000	1	RMS	2950	-48.65	-13	Pass	1211
3000	12000	1	RMS	11949	-40.01	-13	Pass	9002
12000	20000	1	RMS	19406	-30.94	-13	Pass	8001




**9.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2986
30	1000	0.1	RMS	851.101	-63.56	-13	Pass	9701
1000	1700	1	RMS	1697	-52.4	-13	Pass	701
1700	1790	1	RMS	1778.75	24.55	60	Pass	401
1790	3000	1	RMS	2948	-48.66	-13	Pass	1211
3000	12000	1	RMS	11951	-40.04	-13	Pass	9002
12000	20000	1	RMS	19400	-30.96	-13	Pass	8001




**9.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	Pass	2986
30	1000	0.1	RMS	856.905	-63.58	-13	Pass	9701
1000	1700	1	RMS	1697	-52.37	-13	Pass	701
1700	1790	1	RMS	1778.75	23.73	60	Pass	401
1790	3000	1	RMS	2947	-48.64	-13	Pass	1211
3000	12000	1	RMS	11848	-40.03	-13	Pass	9002
12000	20000	1	RMS	19403	-30.99	-13	Pass	8001




**9.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.5	-13	Pass	2986
30	1000	0.1	RMS	832.7	-63.74	-13	Pass	9701
1000	1700	1	RMS	1700	-50.91	-13	Pass	701
1700	1790	1	RMS	1710.125	24.54	60	Pass	401
1790	3000	1	RMS	2949	-48.63	-13	Pass	1211
3000	12000	1	RMS	11952	-40.03	-13	Pass	9002
12000	20000	1	RMS	19400	-30.98	-13	Pass	8001




**9.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	Pass	2986
30	1000	0.1	RMS	984.59	-63.67	-13	Pass	9701
1000	1700	1	RMS	1700	-51.29	-13	Pass	701
1700	1790	1	RMS	1710.125	23.58	60	Pass	401
1790	3000	1	RMS	2952	-48.68	-13	Pass	1211
3000	12000	1	RMS	11952	-40.03	-13	Pass	9002
12000	20000	1	RMS	19403	-30.99	-13	Pass	8001



**9.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.57	-13	Pass	2986
30	1000	0.1	RMS	851.001	-63.74	-13	Pass	9701
1000	1700	1	RMS	1700	-52.42	-13	Pass	701
1700	1790	1	RMS	1743.65	24.55	60	Pass	401
1790	3000	1	RMS	2959	-48.63	-13	Pass	1211
3000	12000	1	RMS	11853	-40.08	-13	Pass	9002
12000	20000	1	RMS	19411	-30.96	-13	Pass	8001



### 9.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2986
30	1000	0.1	RMS	847.4	-63.66	-13	Pass	9701
1000	1700	1	RMS	1699	-52.42	-13	Pass	701
1700	1790	1	RMS	1743.65	23.62	60	Pass	401
1790	3000	1	RMS	2959	-48.65	-13	Pass	1211
3000	12000	1	RMS	11950	-40.09	-13	Pass	9002
12000	20000	1	RMS	19401	-30.94	-13	Pass	8001



### 9.11. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.13	-13	Pass	2986
30	1000	0.1	RMS	834.7	-63.67	-13	Pass	9701
1000	1700	1	RMS	1693	-52.4	-13	Pass	701
1700	1790	1	RMS	1777.175	24.51	60	Pass	401
1790	3000	1	RMS	2953	-48.65	-13	Pass	1211
3000	12000	1	RMS	11841	-40.04	-13	Pass	9002
12000	20000	1	RMS	19400	-30.95	-13	Pass	8001



### 9.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-69.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	Pass	2986
30	1000	0.1	RMS	859.307	-63.68	-13	Pass	9701
1000	1700	1	RMS	1687	-52.41	-13	Pass	701
1700	1790	1	RMS	1777.175	23.67	60	Pass	401
1790	3000	1	RMS	2952	-48.65	-13	Pass	1211
3000	12000	1	RMS	11845	-40.06	-13	Pass	9002
12000	20000	1	RMS	19405	-31	-13	Pass	8001



### 9.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.82	-13	Pass	2986
30	1000	0.1	RMS	851.101	-63.7	-13	Pass	9701
1000	1700	1	RMS	1700	-50.52	-13	Pass	701
1700	1790	1	RMS	1710.125	24.38	60	Pass	401
1790	3000	1	RMS	2945	-48.66	-13	Pass	1211
3000	12000	1	RMS	11846	-40.07	-13	Pass	9002
12000	20000	1	RMS	19400	-31	-13	Pass	8001



### 9.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2986
30	1000	0.1	RMS	846.9	-63.55	-13	Pass	9701
1000	1700	1	RMS	1700	-50.94	-13	Pass	701
1700	1790	1	RMS	1710.125	23.45	60	Pass	401
1790	3000	1	RMS	2957	-48.66	-13	Pass	1211
3000	12000	1	RMS	11953	-40.03	-13	Pass	9002
12000	20000	1	RMS	19395	-30.97	-13	Pass	8001



### 9.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2986
30	1000	0.1	RMS	858.606	-63.63	-13	Pass	9701
1000	1700	1	RMS	1700	-52.4	-13	Pass	701
1700	1790	1	RMS	1742.75	24.5	60	Pass	401
1790	3000	1	RMS	2951	-48.62	-13	Pass	1211
3000	12000	1	RMS	11949	-40.08	-13	Pass	9002
12000	20000	1	RMS	19405	-30.93	-13	Pass	8001



### 9.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	Pass	2986
30	1000	0.1	RMS	850.801	-63.72	-13	Pass	9701
1000	1700	1	RMS	1698	-52.39	-13	Pass	701
1700	1790	1	RMS	1742.75	23.77	60	Pass	401
1790	3000	1	RMS	2956	-48.64	-13	Pass	1211
3000	12000	1	RMS	11843	-40.11	-13	Pass	9002
12000	20000	1	RMS	19401	-30.87	-13	Pass	8001



### 9.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.27	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.03	-13	Pass	2986
30	1000	0.1	RMS	859.707	-63.65	-13	Pass	9701
1000	1700	1	RMS	1700	-52.4	-13	Pass	701
1700	1790	1	RMS	1775.15	24.63	60	Pass	401
1790	3000	1	RMS	2950	-48.65	-13	Pass	1211
3000	12000	1	RMS	11950	-40.03	-13	Pass	9002
12000	20000	1	RMS	19404	-30.92	-13	Pass	8001



### 9.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-68.98	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.46	-13	Pass	2986
30	1000	0.1	RMS	864.11	-63.59	-13	Pass	9701
1000	1700	1	RMS	1700	-52.34	-13	Pass	701
1700	1790	1	RMS	1775.15	23.82	60	Pass	401
1790	3000	1	RMS	2956	-48.64	-13	Pass	1211
3000	12000	1	RMS	11845	-40.01	-13	Pass	9002
12000	20000	1	RMS	19409	-30.92	-13	Pass	8001



### 9.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-69.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.16	-13	Pass	2986
30	1000	0.1	RMS	860.007	-63.65	-13	Pass	9701
1000	1700	1	RMS	1700	-48.37	-13	Pass	701
1700	1790	1	RMS	1710.575	24.49	60	Pass	401
1790	3000	1	RMS	2960	-48.64	-13	Pass	1211
3000	12000	1	RMS	11846	-40.02	-13	Pass	9002
12000	20000	1	RMS	19398	-30.94	-13	Pass	8001



### 9.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-68.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.66	-13	Pass	2986
30	1000	0.1	RMS	850.601	-63.56	-13	Pass	9701
1000	1700	1	RMS	1700	-48.54	-13	Pass	701
1700	1790	1	RMS	1710.575	23.6	60	Pass	401
1790	3000	1	RMS	2947	-48.63	-13	Pass	1211
3000	12000	1	RMS	11841	-40.05	-13	Pass	9002
12000	20000	1	RMS	19411	-30.94	-13	Pass	8001



### 9.21. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.26	-13	Pass	2986
30	1000	0.1	RMS	845.8	-63.67	-13	Pass	9701
1000	1700	1	RMS	1697	-52.39	-13	Pass	701
1700	1790	1	RMS	1740.5	24.55	60	Pass	401
1790	3000	1	RMS	2945	-48.69	-13	Pass	1211
3000	12000	1	RMS	11848	-40.07	-13	Pass	9002
12000	20000	1	RMS	19408	-30.94	-13	Pass	8001



### 9.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2986
30	1000	0.1	RMS	850.601	-63.7	-13	Pass	9701
1000	1700	1	RMS	1698	-52.42	-13	Pass	701
1700	1790	1	RMS	1740.5	23.67	60	Pass	401
1790	3000	1	RMS	2950	-48.69	-13	Pass	1211
3000	12000	1	RMS	11853	-40.03	-13	Pass	9002
12000	20000	1	RMS	19405	-30.91	-13	Pass	8001



### 9.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.15	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.79	-13	Pass	2986
30	1000	0.1	RMS	867.212	-63.52	-13	Pass	9701
1000	1700	1	RMS	1699	-52.36	-13	Pass	701
1700	1790	1	RMS	1770.425	24.59	60	Pass	401
1790	3000	1	RMS	2947	-48.63	-13	Pass	1211
3000	12000	1	RMS	11947	-40.06	-13	Pass	9002
12000	20000	1	RMS	19728	-31.03	-13	Pass	8001



### 9.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-68.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2986
30	1000	0.1	RMS	850.001	-63.66	-13	Pass	9701
1000	1700	1	RMS	1679	-52.45	-13	Pass	701
1700	1790	1	RMS	1770.425	23.67	60	Pass	401
1790	3000	1	RMS	2953	-48.68	-13	Pass	1211
3000	12000	1	RMS	11949	-40.02	-13	Pass	9002
12000	20000	1	RMS	19407	-30.91	-13	Pass	8001



### 9.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2986
30	1000	0.1	RMS	850.401	-63.58	-13	Pass	9701
1000	1700	1	RMS	1699	-46.13	-13	Pass	701
1700	1790	1	RMS	1710.8	24.57	60	Pass	401
1790	3000	1	RMS	2950	-48.71	-13	Pass	1211
3000	12000	1	RMS	11949	-40.08	-13	Pass	9002
12000	20000	1	RMS	19411	-30.97	-13	Pass	8001



### 9.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-68.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.32	-13	Pass	2986
30	1000	0.1	RMS	867.812	-63.78	-13	Pass	9701
1000	1700	1	RMS	1700	-46.9	-13	Pass	701
1700	1790	1	RMS	1710.8	23.62	60	Pass	401
1790	3000	1	RMS	2945	-48.67	-13	Pass	1211
3000	12000	1	RMS	11844	-40.02	-13	Pass	9002
12000	20000	1	RMS	19397	-30.97	-13	Pass	8001



### 9.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	Pass	2986
30	1000	0.1	RMS	837.2	-63.73	-13	Pass	9701
1000	1700	1	RMS	1699	-52.38	-13	Pass	701
1700	1790	1	RMS	1738.25	24.65	60	Pass	401
1790	3000	1	RMS	2959	-48.69	-13	Pass	1211
3000	12000	1	RMS	11944	-40.1	-13	Pass	9002
12000	20000	1	RMS	19411	-30.98	-13	Pass	8001



### 9.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	Pass	2986
30	1000	0.1	RMS	850.301	-63.51	-13	Pass	9701
1000	1700	1	RMS	1699	-52.37	-13	Pass	701
1700	1790	1	RMS	1738.25	23.68	60	Pass	401
1790	3000	1	RMS	2957	-48.67	-13	Pass	1211
3000	12000	1	RMS	11952	-40.06	-13	Pass	9002
12000	20000	1	RMS	19408	-30.97	-13	Pass	8001



### 9.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-69.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.68	-13	Pass	2986
30	1000	0.1	RMS	840.5	-63.69	-13	Pass	9701
1000	1700	1	RMS	1693	-52.37	-13	Pass	701
1700	1790	1	RMS	1765.7	24.58	60	Pass	401
1790	3000	1	RMS	2956	-48.64	-13	Pass	1211
3000	12000	1	RMS	11953	-40.04	-13	Pass	9002
12000	20000	1	RMS	19400	-31	-13	Pass	8001



### 9.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.51	-13	Pass	2986
30	1000	0.1	RMS	845.3	-63.73	-13	Pass	9701
1000	1700	1	RMS	1699	-52.43	-13	Pass	701
1700	1790	1	RMS	1765.7	23.73	60	Pass	401
1790	3000	1	RMS	2953	-48.63	-13	Pass	1211
3000	12000	1	RMS	11943	-40.04	-13	Pass	9002
12000	20000	1	RMS	19404	-30.97	-13	Pass	8001



### 9.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-69.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	Pass	2986
30	1000	0.1	RMS	847.1	-63.68	-13	Pass	9701
1000	1700	1	RMS	1700	-46.76	-13	Pass	701
1700	1790	1	RMS	1711.025	24.56	60	Pass	401
1790	3000	1	RMS	2949	-48.67	-13	Pass	1211
3000	12000	1	RMS	11848	-40.06	-13	Pass	9002
12000	20000	1	RMS	19408	-30.93	-13	Pass	8001



### 9.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2986
30	1000	0.1	RMS	856.305	-63.62	-13	Pass	9701
1000	1700	1	RMS	1700	-47.16	-13	Pass	701
1700	1790	1	RMS	1711.025	23.72	60	Pass	401
1790	3000	1	RMS	2954	-48.61	-13	Pass	1211
3000	12000	1	RMS	11949	-39.98	-13	Pass	9002
12000	20000	1	RMS	19401	-30.96	-13	Pass	8001



### 9.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-69.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.45	-13	Pass	2986
30	1000	0.1	RMS	855.704	-63.63	-13	Pass	9701
1000	1700	1	RMS	1700	-52.24	-13	Pass	701
1700	1790	1	RMS	1736	24.55	60	Pass	401
1790	3000	1	RMS	2953	-48.6	-13	Pass	1211
3000	12000	1	RMS	11955	-40.08	-13	Pass	9002
12000	20000	1	RMS	19391	-30.99	-13	Pass	8001



### 9.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-69.18	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.43	-13	Pass	2986
30	1000	0.1	RMS	855.704	-63.66	-13	Pass	9701
1000	1700	1	RMS	1700	-52.18	-13	Pass	701
1700	1790	1	RMS	1736	23.54	60	Pass	401
1790	3000	1	RMS	2957	-48.61	-13	Pass	1211
3000	12000	1	RMS	11852	-40.08	-13	Pass	9002
12000	20000	1	RMS	19398	-31.02	-13	Pass	8001



### 9.35. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.04	-13	Pass	2986
30	1000	0.1	RMS	847.2	-63.66	-13	Pass	9701
1000	1700	1	RMS	1697	-52.38	-13	Pass	701
1700	1790	1	RMS	1760.975	24.58	60	Pass	401
1790	3000	1	RMS	1790	-41.21	-13	Pass	1211
3000	12000	1	RMS	11953	-40.09	-13	Pass	9002
12000	20000	1	RMS	19405	-30.97	-13	Pass	8001



### 9.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-68.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.88	-13	Pass	2986
30	1000	0.1	RMS	861.908	-63.65	-13	Pass	9701
1000	1700	1	RMS	1699	-52.33	-13	Pass	701
1700	1790	1	RMS	1760.975	23.58	60	Pass	401
1790	3000	1	RMS	1790	-41.88	-13	Pass	1211
3000	12000	1	RMS	11853	-40.09	-13	Pass	9002
12000	20000	1	RMS	19402	-30.86	-13	Pass	8001



## 10. LTE\_Band38


### 10.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.34	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.89	-25	Pass	2986
30	1000	0.1	RMS	852.802	-59.7	-25	Pass	9701
1000	2560	1	RMS	2559	-46	-25	Pass	1561
2560	2630	1	RMS	2570.15	24.46	60	Pass	401
2630	3000	1	RMS	2946.35	-44.69	-25	Pass	401
3000	12000	1	RMS	11843	-45.71	-25	Pass	9002
12000	26500	1	RMS	25999	-39.85	-25	Pass	14502




**10.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.35	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.25	-25	Pass	2986
30	1000	0.1	RMS	846.9	-59.65	-25	Pass	9701
1000	2560	1	RMS	2560	-45.86	-25	Pass	1561
2560	2630	1	RMS	2570.325	22.95	60	Pass	401
2630	3000	1	RMS	2956.525	-44.68	-25	Pass	401
3000	12000	1	RMS	11850	-45.74	-25	Pass	9002
12000	26500	1	RMS	25990	-39.87	-25	Pass	14502




**10.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.96	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.23	-25	Pass	2986
30	1000	0.1	RMS	871.115	-59.72	-25	Pass	9701
1000	2560	1	RMS	2560	-46.16	-25	Pass	1561
2560	2630	1	RMS	2592.725	23.55	60	Pass	401
2630	3000	1	RMS	2960.225	-44.73	-25	Pass	401
3000	12000	1	RMS	11847	-45.76	-25	Pass	9002
12000	26500	1	RMS	26001	-39.84	-25	Pass	14502




**10.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.05	-25	Pass	2986
30	1000	0.1	RMS	851.702	-59.7	-25	Pass	9701
1000	2560	1	RMS	2560	-46.13	-25	Pass	1561
2560	2630	1	RMS	2592.9	23.36	60	Pass	401
2630	3000	1	RMS	2950.05	-44.73	-25	Pass	401
3000	12000	1	RMS	11852	-45.74	-25	Pass	9002
12000	26500	1	RMS	26002	-39.82	-25	Pass	14502




**10.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.79	-25	Pass	401
0.15	30	0.01	RMS	0.35	-68.42	-25	Pass	2986
30	1000	0.1	RMS	836.4	-59.81	-25	Pass	9701
1000	2560	1	RMS	2560	-46.24	-25	Pass	1561
2560	2630	1	RMS	2615.3	23.96	60	Pass	401
2630	3000	1	RMS	2943.575	-44.71	-25	Pass	401
3000	12000	1	RMS	11849	-45.73	-25	Pass	9002
12000	26500	1	RMS	26000	-39.89	-25	Pass	14502




**10.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.86	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.97	-25	Pass	2986
30	1000	0.1	RMS	850.801	-59.54	-25	Pass	9701
1000	2560	1	RMS	2560	-46.12	-25	Pass	1561
2560	2630	1	RMS	2615.3	23.62	60	Pass	401
2630	3000	1	RMS	2950.05	-44.66	-25	Pass	401
3000	12000	1	RMS	11846	-45.71	-25	Pass	9002
12000	26500	1	RMS	25995	-39.86	-25	Pass	14502




**10.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.52	-25	Pass	2986
30	1000	0.1	RMS	857.906	-59.67	-25	Pass	9701
1000	2560	1	RMS	2560	-44.33	-25	Pass	1561
2560	2630	1	RMS	2570.675	24.16	60	Pass	401
2630	3000	1	RMS	2948.2	-44.72	-25	Pass	401
3000	12000	1	RMS	11844	-45.61	-25	Pass	9002
12000	26500	1	RMS	26004	-39.84	-25	Pass	14502




**10.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.63	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.04	-25	Pass	2986
30	1000	0.1	RMS	837.5	-59.76	-25	Pass	9701
1000	2560	1	RMS	2559	-45.46	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.61	60	Pass	401
2630	3000	1	RMS	2956.525	-44.69	-25	Pass	401
3000	12000	1	RMS	11846	-45.65	-25	Pass	9002
12000	26500	1	RMS	25995	-39.81	-25	Pass	14502



**10.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.97	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.89	-25	Pass	2986
30	1000	0.1	RMS	873.616	-59.73	-25	Pass	9701
1000	2560	1	RMS	2560	-46.15	-25	Pass	1561
2560	2630	1	RMS	2590.45	23.98	60	Pass	401
2630	3000	1	RMS	2957.45	-44.7	-25	Pass	401
3000	12000	1	RMS	11852	-45.66	-25	Pass	9002
12000	26500	1	RMS	25999	-39.86	-25	Pass	14502



### 10.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.64	-25	Pass	401
0.15	30	0.01	RMS	0.37	-67.76	-25	Pass	2986
30	1000	0.1	RMS	846.6	-59.76	-25	Pass	9701
1000	2560	1	RMS	2558	-46.15	-25	Pass	1561
2560	2630	1	RMS	2590.625	22.58	60	Pass	401
2630	3000	1	RMS	2955.6	-44.69	-25	Pass	401
3000	12000	1	RMS	11850	-45.64	-25	Pass	9002
12000	26500	1	RMS	26001	-39.87	-25	Pass	14502



### 10.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.05	-25	Pass	2986
30	1000	0.1	RMS	851.101	-59.76	-25	Pass	9701
1000	2560	1	RMS	2553	-46.17	-25	Pass	1561
2560	2630	1	RMS	2610.575	24.33	60	Pass	401
2630	3000	1	RMS	2955.6	-44.69	-25	Pass	401
3000	12000	1	RMS	11841	-45.71	-25	Pass	9002
12000	26500	1	RMS	26006	-39.84	-25	Pass	14502



### 10.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.93	-25	Pass	2986
30	1000	0.1	RMS	859.507	-59.71	-25	Pass	9701
1000	2560	1	RMS	2558	-46.2	-25	Pass	1561
2560	2630	1	RMS	2610.4	23.54	60	Pass	401
2630	3000	1	RMS	2954.675	-44.68	-25	Pass	401
3000	12000	1	RMS	11851	-45.65	-25	Pass	9002
12000	26500	1	RMS	25999	-39.89	-25	Pass	14502



### 10.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.53	-25	Pass	2986
30	1000	0.1	RMS	849	-59.66	-25	Pass	9701
1000	2560	1	RMS	2560	-41.7	-25	Pass	1561
2560	2630	1	RMS	2570.85	24.47	60	Pass	401
2630	3000	1	RMS	2959.3	-44.68	-25	Pass	401
3000	12000	1	RMS	11843	-45.71	-25	Pass	9002
12000	26500	1	RMS	26009	-39.86	-25	Pass	14502



### 10.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.65	-25	Pass	2986
30	1000	0.1	RMS	847	-59.56	-25	Pass	9701
1000	2560	1	RMS	2560	-42.34	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.58	60	Pass	401
2630	3000	1	RMS	2947.275	-44.68	-25	Pass	401
3000	12000	1	RMS	11848	-45.7	-25	Pass	9002
12000	26500	1	RMS	26016	-39.87	-25	Pass	14502



### 10.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.22	-25	Pass	2986
30	1000	0.1	RMS	851.702	-59.7	-25	Pass	9701
1000	2560	1	RMS	2558	-46.17	-25	Pass	1561
2560	2630	1	RMS	2588.35	24.34	60	Pass	401
2630	3000	1	RMS	2948.2	-44.69	-25	Pass	401
3000	12000	1	RMS	11849	-45.56	-25	Pass	9002
12000	26500	1	RMS	26001	-39.76	-25	Pass	14502



### 10.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.5	-25	Pass	2986
30	1000	0.1	RMS	856.005	-59.74	-25	Pass	9701
1000	2560	1	RMS	2560	-46.12	-25	Pass	1561
2560	2630	1	RMS	2588.175	22.89	60	Pass	401
2630	3000	1	RMS	2956.525	-44.67	-25	Pass	401
3000	12000	1	RMS	11855	-45.69	-25	Pass	9002
12000	26500	1	RMS	26001	-39.74	-25	Pass	14502



### 10.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.37	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.81	-25	Pass	2986
30	1000	0.1	RMS	830.2	-59.7	-25	Pass	9701
1000	2560	1	RMS	2560	-46.19	-25	Pass	1561
2560	2630	1	RMS	2605.675	24.18	60	Pass	401
2630	3000	1	RMS	2630	-43.18	-25	Pass	401
3000	12000	1	RMS	11857	-45.67	-25	Pass	9002
12000	26500	1	RMS	26005	-39.89	-25	Pass	14502



### 10.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.47	-25	Pass	2986
30	1000	0.1	RMS	851.702	-59.7	-25	Pass	9701
1000	2560	1	RMS	2559	-46.14	-25	Pass	1561
2560	2630	1	RMS	2605.85	23.43	60	Pass	401
2630	3000	1	RMS	2631.85	-43.37	-25	Pass	401
3000	12000	1	RMS	11857	-45.73	-25	Pass	9002
12000	26500	1	RMS	26001	-39.82	-25	Pass	14502



### 10.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.83	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.53	-25	Pass	2986
30	1000	0.1	RMS	856.105	-59.63	-25	Pass	9701
1000	2560	1	RMS	2560	-40.71	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.6	60	Pass	401
2630	3000	1	RMS	2954.675	-44.67	-25	Pass	401
3000	12000	1	RMS	11848	-45.61	-25	Pass	9002
12000	26500	1	RMS	26001	-39.78	-25	Pass	14502



### 10.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.9	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.67	-25	Pass	2986
30	1000	0.1	RMS	842.3	-59.75	-25	Pass	9701
1000	2560	1	RMS	2560	-39.08	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.48	60	Pass	401
2630	3000	1	RMS	2950.05	-44.69	-25	Pass	401
3000	12000	1	RMS	11851	-45.63	-25	Pass	9002
12000	26500	1	RMS	26010	-39.79	-25	Pass	14502



### 10.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.21	-25	Pass	2986
30	1000	0.1	RMS	834.4	-59.6	-25	Pass	9701
1000	2560	1	RMS	2557	-46.04	-25	Pass	1561
2560	2630	1	RMS	2586.075	24.18	60	Pass	401
2630	3000	1	RMS	2955.6	-44.68	-25	Pass	401
3000	12000	1	RMS	11857	-45.69	-25	Pass	9002
12000	26500	1	RMS	25998	-39.88	-25	Pass	14502



### 10.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.18	-25	Pass	2986
30	1000	0.1	RMS	839.6	-59.76	-25	Pass	9701
1000	2560	1	RMS	2558	-46.13	-25	Pass	1561
2560	2630	1	RMS	2585.9	22.94	60	Pass	401
2630	3000	1	RMS	2961.15	-44.69	-25	Pass	401
3000	12000	1	RMS	11842	-45.71	-25	Pass	9002
12000	26500	1	RMS	26000	-39.81	-25	Pass	14502



### 10.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.86	-25	Pass	2986
30	1000	0.1	RMS	843.8	-59.7	-25	Pass	9701
1000	2560	1	RMS	2560	-46.13	-25	Pass	1561
2560	2630	1	RMS	2600.95	24.32	60	Pass	401
2630	3000	1	RMS	2630	-38.73	-25	Pass	401
3000	12000	1	RMS	11859	-45.71	-25	Pass	9002
12000	26500	1	RMS	25998	-39.86	-25	Pass	14502



### 10.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.37	-25	Pass	401
0.15	30	0.01	RMS	0.28	-68.27	-25	Pass	2986
30	1000	0.1	RMS	870.114	-59.72	-25	Pass	9701
1000	2560	1	RMS	2558	-46.17	-25	Pass	1561
2560	2630	1	RMS	2600.95	23.27	60	Pass	401
2630	3000	1	RMS	2630	-39.56	-25	Pass	401
3000	12000	1	RMS	11850	-45.66	-25	Pass	9002
12000	26500	1	RMS	26005	-39.86	-25	Pass	14502



## 11. LTE\_Band41 full


### 11.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.84	-25	Pass	2986
30	1000	0.1	RMS	853.203	-59.71	-25	Pass	9701
1000	2486	1	RMS	2486	-46.18	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.25	60	Pass	401
2700	3000	1	RMS	2956.5	-44.8	-25	Pass	401
3000	12000	1	RMS	11854	-55.85	-25	Pass	9002
12000	27000	1	RMS	26004	-39.68	-25	Pass	15002




**11.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.47	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.21	-25	Pass	2986
30	1000	0.1	RMS	843.7	-59.64	-25	Pass	9701
1000	2486	1	RMS	2486	-46.17	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.97	60	Pass	401
2700	3000	1	RMS	2951.25	-44.76	-25	Pass	401
3000	12000	1	RMS	11850	-55.83	-25	Pass	9002
12000	27000	1	RMS	26000	-39.54	-25	Pass	15002




**11.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.62	-25	Pass	2986
30	1000	0.1	RMS	848.5	-59.83	-25	Pass	9701
1000	2486	1	RMS	2479	-46.49	-25	Pass	1487
2486	2700	1	RMS	2590.86	22.88	60	Pass	401
2700	3000	1	RMS	2949	-44.81	-25	Pass	401
3000	12000	1	RMS	11852	-55.83	-25	Pass	9002
12000	27000	1	RMS	26017	-39.68	-25	Pass	15002




**11.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.8	-25	Pass	2986
30	1000	0.1	RMS	837.7	-59.74	-25	Pass	9701
1000	2486	1	RMS	2482	-46.53	-25	Pass	1487
2486	2700	1	RMS	2590.325	22.67	60	Pass	401
2700	3000	1	RMS	2955	-44.78	-25	Pass	401
3000	12000	1	RMS	11843	-55.88	-25	Pass	9002
12000	27000	1	RMS	25997	-39.57	-25	Pass	15002




**11.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.78	-25	Pass	2986
30	1000	0.1	RMS	724.7	-58.86	-25	Pass	9701
1000	2486	1	RMS	2484	-46.46	-25	Pass	1487
2486	2700	1	RMS	2685.02	23.31	60	Pass	401
2700	3000	1	RMS	2958.75	-44.8	-25	Pass	401
3000	12000	1	RMS	11848	-55.9	-25	Pass	9002
12000	27000	1	RMS	26009	-39.63	-25	Pass	15002




**11.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.14	-25	Pass	2986
30	1000	0.1	RMS	724.7	-59.2	-25	Pass	9701
1000	2486	1	RMS	2482	-46.48	-25	Pass	1487
2486	2700	1	RMS	2685.02	22.53	60	Pass	401
2700	3000	1	RMS	2944.5	-44.79	-25	Pass	401
3000	12000	1	RMS	11850	-55.83	-25	Pass	9002
12000	27000	1	RMS	25997	-39.64	-25	Pass	15002



**11.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.35	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.42	-25	Pass	2986
30	1000	0.1	RMS	848.9	-59.59	-25	Pass	9701
1000	2486	1	RMS	2485	-45.4	-25	Pass	1487
2486	2700	1	RMS	2496.165	24.32	60	Pass	401
2700	3000	1	RMS	2957.25	-44.78	-25	Pass	401
3000	12000	1	RMS	4993	-52.55	-25	Pass	9002
12000	27000	1	RMS	26002	-39.54	-25	Pass	15002



### 11.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.53	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.18	-25	Pass	2986
30	1000	0.1	RMS	842.8	-59.77	-25	Pass	9701
1000	2486	1	RMS	2486	-44.67	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.25	60	Pass	401
2700	3000	1	RMS	2953.5	-44.77	-25	Pass	401
3000	12000	1	RMS	11850	-55.81	-25	Pass	9002
12000	27000	1	RMS	26001	-39.5	-25	Pass	15002



### 11.11. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.24	-25	Pass	2986
30	1000	0.1	RMS	833.9	-59.78	-25	Pass	9701
1000	2486	1	RMS	2482	-46.49	-25	Pass	1487
2486	2700	1	RMS	2588.185	24.28	60	Pass	401
2700	3000	1	RMS	2953.5	-44.75	-25	Pass	401
3000	12000	1	RMS	11852	-55.86	-25	Pass	9002
12000	27000	1	RMS	25997	-39.71	-25	Pass	15002



### 11.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.47	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.91	-25	Pass	2986
30	1000	0.1	RMS	850.201	-59.72	-25	Pass	9701
1000	2486	1	RMS	2484	-46.5	-25	Pass	1487
2486	2700	1	RMS	2588.185	23.43	60	Pass	401
2700	3000	1	RMS	2952	-44.77	-25	Pass	401
3000	12000	1	RMS	11850	-55.73	-25	Pass	9002
12000	27000	1	RMS	26000	-39.67	-25	Pass	15002



### 11.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.29	-25	Pass	2986
30	1000	0.1	RMS	719.9	-58.6	-25	Pass	9701
1000	2486	1	RMS	2478	-46.52	-25	Pass	1487
2486	2700	1	RMS	2680.205	24.79	60	Pass	401
2700	3000	1	RMS	2957.25	-44.75	-25	Pass	401
3000	12000	1	RMS	11855	-55.85	-25	Pass	9002
12000	27000	1	RMS	25989	-39.59	-25	Pass	15002



### 11.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.22	-25	Pass	2986
30	1000	0.1	RMS	849.6	-59.78	-25	Pass	9701
1000	2486	1	RMS	2479	-46.44	-25	Pass	1487
2486	2700	1	RMS	2680.205	23.38	60	Pass	401
2700	3000	1	RMS	2956.5	-44.78	-25	Pass	401
3000	12000	1	RMS	11846	-55.85	-25	Pass	9002
12000	27000	1	RMS	25999	-39.69	-25	Pass	15002



### 11.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.76	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.26	-25	Pass	2986
30	1000	0.1	RMS	857.506	-59.78	-25	Pass	9701
1000	2486	1	RMS	2485	-43.91	-25	Pass	1487
2486	2700	1	RMS	2496.7	24.21	60	Pass	401
2700	3000	1	RMS	2957.25	-44.78	-25	Pass	401
3000	12000	1	RMS	11842	-55.88	-25	Pass	9002
12000	27000	1	RMS	25998	-39.65	-25	Pass	15002



### 11.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.51	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.16	-25	Pass	2986
30	1000	0.1	RMS	826.8	-59.75	-25	Pass	9701
1000	2486	1	RMS	2486	-43.91	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.81	60	Pass	401
2700	3000	1	RMS	2955.75	-44.81	-25	Pass	401
3000	12000	1	RMS	4994	-51.94	-25	Pass	9002
12000	27000	1	RMS	25980	-39.68	-25	Pass	15002



### 11.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.61	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.24	-25	Pass	2986
30	1000	0.1	RMS	836.2	-59.73	-25	Pass	9701
1000	2486	1	RMS	2486	-46.5	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.55	60	Pass	401
2700	3000	1	RMS	2950.5	-44.78	-25	Pass	401
3000	12000	1	RMS	5238	-54.83	-25	Pass	9002
12000	27000	1	RMS	26006	-39.64	-25	Pass	15002



### 11.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.89	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.96	-25	Pass	2986
30	1000	0.1	RMS	852.802	-59.69	-25	Pass	9701
1000	2486	1	RMS	2484	-46.48	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.6	60	Pass	401
2700	3000	1	RMS	2955.75	-44.79	-25	Pass	401
3000	12000	1	RMS	11849	-55.85	-25	Pass	9002
12000	27000	1	RMS	26007	-39.62	-25	Pass	15002



### 11.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.15	-25	Pass	401
0.15	30	0.01	RMS	0.3	-68.65	-25	Pass	2986
30	1000	0.1	RMS	855.905	-59.63	-25	Pass	9701
1000	2486	1	RMS	2479	-46.5	-25	Pass	1487
2486	2700	1	RMS	2675.39	24.55	60	Pass	401
2700	3000	1	RMS	2700	-43.37	-25	Pass	401
3000	12000	1	RMS	11850	-55.83	-25	Pass	9002
12000	27000	1	RMS	26000	-39.63	-25	Pass	15002



### 11.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.48	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.4	-25	Pass	2986
30	1000	0.1	RMS	843	-59.69	-25	Pass	9701
1000	2486	1	RMS	2480	-46.52	-25	Pass	1487
2486	2700	1	RMS	2675.925	22.59	60	Pass	401
2700	3000	1	RMS	2702.25	-43.25	-25	Pass	401
3000	12000	1	RMS	11849	-55.86	-25	Pass	9002
12000	27000	1	RMS	26001	-39.61	-25	Pass	15002



### 11.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.2	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.44	-25	Pass	2986
30	1000	0.1	RMS	842.3	-59.57	-25	Pass	9701
1000	2486	1	RMS	2485	-46.49	-25	Pass	1487
2486	2700	1	RMS	2675.925	22.39	60	Pass	401
2700	3000	1	RMS	2702.25	-42.72	-25	Pass	401
3000	12000	1	RMS	11844	-55.88	-25	Pass	9002
12000	27000	1	RMS	25996	-39.67	-25	Pass	15002



### 11.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.78	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.33	-25	Pass	2986
30	1000	0.1	RMS	849.2	-59.71	-25	Pass	9701
1000	2486	1	RMS	2486	-44.31	-25	Pass	1487
2486	2700	1	RMS	2496.7	24.15	60	Pass	401
2700	3000	1	RMS	2949	-44.79	-25	Pass	401
3000	12000	1	RMS	4994	-52.44	-25	Pass	9002
12000	27000	1	RMS	26004	-39.6	-25	Pass	15002



### 11.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.78	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.33	-25	Pass	2986
30	1000	0.1	RMS	849.6	-59.82	-25	Pass	9701
1000	2486	1	RMS	2484	-44.9	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.45	60	Pass	401
2700	3000	1	RMS	2950.5	-44.78	-25	Pass	401
3000	12000	1	RMS	4994	-53.2	-25	Pass	9002
12000	27000	1	RMS	26000	-39.6	-25	Pass	15002



### 11.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.21	-25	Pass	2986
30	1000	0.1	RMS	831.3	-59.64	-25	Pass	9701
1000	2486	1	RMS	2485	-46.47	-25	Pass	1487
2486	2700	1	RMS	2583.905	23.99	60	Pass	401
2700	3000	1	RMS	2954.25	-44.79	-25	Pass	401
3000	12000	1	RMS	11851	-55.86	-25	Pass	9002
12000	27000	1	RMS	25998	-39.65	-25	Pass	15002



### 11.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.86	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.04	-25	Pass	2986
30	1000	0.1	RMS	851.902	-59.67	-25	Pass	9701
1000	2486	1	RMS	2485	-46.42	-25	Pass	1487
2486	2700	1	RMS	2583.905	23.73	60	Pass	401
2700	3000	1	RMS	2947.5	-44.8	-25	Pass	401
3000	12000	1	RMS	11852	-55.75	-25	Pass	9002
12000	27000	1	RMS	25989	-39.6	-25	Pass	15002



### 11.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.78	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.74	-25	Pass	2986
30	1000	0.1	RMS	710.4	-59.63	-25	Pass	9701
1000	2486	1	RMS	2484	-46.54	-25	Pass	1487
2486	2715	1	RMS	2670.918	23.93	60	Pass	401
2715	3000	1	RMS	2951.55	-44.79	-25	Pass	401
3000	12000	1	RMS	11847	-55.85	-25	Pass	9002
12000	27000	1	RMS	25995	-39.64	-25	Pass	15002



### 11.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.48	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.49	-25	Pass	2986
30	1000	0.1	RMS	842.9	-59.78	-25	Pass	9701
1000	2486	1	RMS	2477	-46.44	-25	Pass	1487
2486	2715	1	RMS	2670.918	23.46	60	Pass	401
2715	3000	1	RMS	2944.425	-44.8	-25	Pass	401
3000	12000	1	RMS	11843	-55.82	-25	Pass	9002
12000	27000	1	RMS	25996	-39.55	-25	Pass	15002



## 12. LTE\_Band42


### 12.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:41615, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.13	-13	Pass	2986
30	1000	0.1	RMS	981.288	-59.75	-13	Pass	9701
1000	3000	1	RMS	2965	-44.49	-13	Pass	2001
3000	3380	1	RMS	3180.5	-41.81	-13	Pass	401
3380	3620	1	RMS	3399.8	18.68	60	Pass	401
3620	6500	1	RMS	6407	-49.37	-13	Pass	2881
6500	26500	1	RMS	26007	-49.84	-13	Pass	20003



**12.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:41615, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.1	-13	Pass	401
0.15	30	0.01	RMS	0.18	-67.94	-13	Pass	2986
30	1000	0.1	RMS	857.706	-59.74	-13	Pass	9701
1000	3000	1	RMS	2951	-44.6	-13	Pass	2001
3000	3380	1	RMS	3178.6	-41.95	-13	Pass	401
3380	3620	1	RMS	3399.8	19.31	60	Pass	401
3620	6500	1	RMS	6333	-49.38	-13	Pass	2881
6500	26500	1	RMS	25998	-49.92	-13	Pass	20003



**12.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:42590, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.54	-13	Pass	401
0.15	30	0.01	RMS	0.22	-68.28	-13	Pass	2986
30	1000	0.1	RMS	845.7	-59.65	-13	Pass	9701
1000	3000	1	RMS	2946	-44.58	-13	Pass	2001
3000	3380	1	RMS	3180.5	-41.97	-13	Pass	401
3380	3620	1	RMS	3497.6	21.81	60	Pass	401
3620	6500	1	RMS	6315	-49.45	-13	Pass	2881
6500	26500	1	RMS	26009	-49.89	-13	Pass	20003

