



**12.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:42590, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.6	-13	Pass	2986
30	1000	0.1	RMS	841.5	-59.68	-13	Pass	9701
1000	3000	1	RMS	2950	-44.56	-13	Pass	2001
3000	3380	1	RMS	3180.5	-42.01	-13	Pass	401
3380	3620	1	RMS	3497.6	20.97	60	Pass	401
3620	6500	1	RMS	6315	-49.44	-13	Pass	2881
6500	26500	1	RMS	26004	-49.96	-13	Pass	20003




**12.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:43565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.13	-13	Pass	2986
30	1000	0.1	RMS	850.401	-59.62	-13	Pass	9701
1000	3000	1	RMS	2960	-44.55	-13	Pass	2001
3000	3380	1	RMS	3180.5	-42.03	-13	Pass	401
3380	3620	1	RMS	3595.4	21.13	60	Pass	401
3620	6500	1	RMS	6489	-49.43	-13	Pass	2881
6500	26500	1	RMS	25986	-49.94	-13	Pass	20003




**12.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:43565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.58	-13	Pass	401
0.15	30	0.01	RMS	0.23	-67.12	-13	Pass	2986
30	1000	0.1	RMS	862.009	-59.76	-13	Pass	9701
1000	3000	1	RMS	2951	-44.59	-13	Pass	2001
3000	3380	1	RMS	3180.5	-42.05	-13	Pass	401
3380	3620	1	RMS	3594.8	20.58	60	Pass	401
3620	6500	1	RMS	6494	-49.45	-13	Pass	2881
6500	26500	1	RMS	25999	-49.94	-13	Pass	20003




**12.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:41640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.45	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.03	-13	Pass	2986
30	1000	0.1	RMS	853.103	-59.57	-13	Pass	9701
1000	3000	1	RMS	2960	-44.61	-13	Pass	2001
3000	3380	1	RMS	3180.5	-42.04	-13	Pass	401
3380	3620	1	RMS	3400.4	22.7	60	Pass	401
3620	6500	1	RMS	6323	-49.47	-13	Pass	2881
6500	26500	1	RMS	25992	-49.92	-13	Pass	20003




**12.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:41640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.01	-13	Pass	2986
30	1000	0.1	RMS	849.1	-59.58	-13	Pass	9701
1000	3000	1	RMS	2947	-44.53	-13	Pass	2001
3000	3380	1	RMS	3179.55	-42.06	-13	Pass	401
3380	3620	1	RMS	3400.4	21.41	60	Pass	401
3620	6500	1	RMS	6320	-49.44	-13	Pass	2881
6500	26500	1	RMS	26001	-49.87	-13	Pass	20003



**12.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:42590, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.13	-13	Pass	401
0.15	30	0.01	RMS	0.21	-67.85	-13	Pass	2986
30	1000	0.1	RMS	837.1	-59.72	-13	Pass	9701
1000	3000	1	RMS	2956	-44.57	-13	Pass	2001
3000	3380	1	RMS	3181.45	-42.06	-13	Pass	401
3380	3620	1	RMS	3495.2	22.75	60	Pass	401
3620	6500	1	RMS	6492	-49.42	-13	Pass	2881
6500	26500	1	RMS	26001	-49.83	-13	Pass	20003



### 12.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:42590, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.43	-13	Pass	2986
30	1000	0.1	RMS	856.605	-59.62	-13	Pass	9701
1000	3000	1	RMS	2962	-44.57	-13	Pass	2001
3000	3380	1	RMS	3180.5	-42.07	-13	Pass	401
3380	3620	1	RMS	3495.2	21.51	60	Pass	401
3620	6500	1	RMS	6314	-49.36	-13	Pass	2881
6500	26500	1	RMS	25996	-49.9	-13	Pass	20003



### 12.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:43540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.88	-13	Pass	401
0.15	30	0.01	RMS	0.25	-67.7	-13	Pass	2986
30	1000	0.1	RMS	850.601	-59.58	-13	Pass	9701
1000	3000	1	RMS	2952	-44.57	-13	Pass	2001
3000	3380	1	RMS	3179.55	-42.07	-13	Pass	401
3380	3620	1	RMS	3590.6	21.88	60	Pass	401
3620	6500	1	RMS	6304	-49.37	-13	Pass	2881
6500	26500	1	RMS	26001	-49.8	-13	Pass	20003



### 12.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:43540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.93	-13	Pass	401
0.15	30	0.01	RMS	0.18	-67.77	-13	Pass	2986
30	1000	0.1	RMS	851.001	-59.56	-13	Pass	9701
1000	3000	1	RMS	2945	-44.54	-13	Pass	2001
3000	3380	1	RMS	3181.45	-42.08	-13	Pass	401
3380	3620	1	RMS	3590.6	21.09	60	Pass	401
3620	6500	1	RMS	6318	-49.42	-13	Pass	2881
6500	26500	1	RMS	25999	-49.88	-13	Pass	20003



### 12.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:41665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.84	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.5	-13	Pass	2986
30	1000	0.1	RMS	843.9	-59.61	-13	Pass	9701
1000	3000	1	RMS	2947	-44.49	-13	Pass	2001
3000	3380	1	RMS	3178.6	-42.08	-13	Pass	401
3380	3620	1	RMS	3400.4	21.61	60	Pass	401
3620	6500	1	RMS	6478	-49.47	-13	Pass	2881
6500	26500	1	RMS	26013	-49.88	-13	Pass	20003



### 12.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:41665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.6	-13	Pass	2986
30	1000	0.1	RMS	850.101	-59.73	-13	Pass	9701
1000	3000	1	RMS	2954	-44.53	-13	Pass	2001
3000	3380	1	RMS	3179.55	-42.09	-13	Pass	401
3380	3620	1	RMS	3400.4	21.91	60	Pass	401
3620	6500	1	RMS	6482	-49.47	-13	Pass	2881
6500	26500	1	RMS	26005	-49.93	-13	Pass	20003



### 12.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:42590, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.65	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.35	-13	Pass	2986
30	1000	0.1	RMS	828.6	-59.74	-13	Pass	9701
1000	3000	1	RMS	2953	-44.63	-13	Pass	2001
3000	3380	1	RMS	3180.5	-42.09	-13	Pass	401
3380	3620	1	RMS	3493.4	21.56	60	Pass	401
3620	6500	1	RMS	6308	-49.46	-13	Pass	2881
6500	26500	1	RMS	26011	-49.97	-13	Pass	20003



### 12.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:42590, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.73	-13	Pass	2986
30	1000	0.1	RMS	845.5	-59.67	-13	Pass	9701
1000	3000	1	RMS	2955	-44.6	-13	Pass	2001
3000	3380	1	RMS	3180.5	-42.07	-13	Pass	401
3380	3620	1	RMS	3492.8	20.47	60	Pass	401
3620	6500	1	RMS	6319	-49.39	-13	Pass	2881
6500	26500	1	RMS	26011	-49.84	-13	Pass	20003



### 12.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:43515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.13	-13	Pass	2986
30	1000	0.1	RMS	852.102	-59.71	-13	Pass	9701
1000	3000	1	RMS	2957	-44.59	-13	Pass	2001
3000	3380	1	RMS	3181.45	-42.1	-13	Pass	401
3380	3620	1	RMS	3585.8	22.05	60	Pass	401
3620	6500	1	RMS	6299	-49.46	-13	Pass	2881
6500	26500	1	RMS	25996	-49.87	-13	Pass	20003



### 12.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:43515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.05	-13	Pass	2986
30	1000	0.1	RMS	834.7	-59.7	-13	Pass	9701
1000	3000	1	RMS	2948	-44.55	-13	Pass	2001
3000	3380	1	RMS	3158.65	-42.11	-13	Pass	401
3380	3620	1	RMS	3585.2	20.97	60	Pass	401
3620	6500	1	RMS	6312	-49.46	-13	Pass	2881
6500	26500	1	RMS	25999	-49.93	-13	Pass	20003



### 12.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:41690, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.35	-13	Pass	2986
30	1000	0.1	RMS	848.7	-59.61	-13	Pass	9701
1000	3000	1	RMS	2960	-44.58	-13	Pass	2001
3000	3380	1	RMS	3179.55	-42.11	-13	Pass	401
3380	3620	1	RMS	3400.4	21.64	60	Pass	401
3620	6500	1	RMS	6334	-49.49	-13	Pass	2881
6500	26500	1	RMS	26002	-49.9	-13	Pass	20003



### 12.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:41690, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.04	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.4	-13	Pass	2986
30	1000	0.1	RMS	846.9	-59.63	-13	Pass	9701
1000	3000	1	RMS	2956	-44.59	-13	Pass	2001
3000	3380	1	RMS	3160.55	-42.12	-13	Pass	401
3380	3620	1	RMS	3401	21.33	60	Pass	401
3620	6500	1	RMS	6317	-49.45	-13	Pass	2881
6500	26500	1	RMS	25998	-49.89	-13	Pass	20003



### 12.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:42590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.71	-13	Pass	2986
30	1000	0.1	RMS	863.009	-59.61	-13	Pass	9701
1000	3000	1	RMS	2951	-44.54	-13	Pass	2001
3000	3380	1	RMS	3159.6	-42.11	-13	Pass	401
3380	3620	1	RMS	3490.4	21.46	60	Pass	401
3620	6500	1	RMS	6311	-49.48	-13	Pass	2881
6500	26500	1	RMS	26007	-49.84	-13	Pass	20003



### 12.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:42590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-66.84	-13	Pass	2986
30	1000	0.1	RMS	852.702	-59.76	-13	Pass	9701
1000	3000	1	RMS	2949	-44.59	-13	Pass	2001
3000	3380	1	RMS	3181.45	-42.09	-13	Pass	401
3380	3620	1	RMS	3491	21.25	60	Pass	401
3620	6500	1	RMS	6321	-49.41	-13	Pass	2881
6500	26500	1	RMS	25991	-49.82	-13	Pass	20003



### 12.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:43490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.56	-13	Pass	2986
30	1000	0.1	RMS	849.901	-59.71	-13	Pass	9701
1000	3000	1	RMS	2956	-44.6	-13	Pass	2001
3000	3380	1	RMS	3180.5	-42.12	-13	Pass	401
3380	3620	1	RMS	3580.4	21.86	60	Pass	401
3620	6500	1	RMS	6321	-49.38	-13	Pass	2881
6500	26500	1	RMS	25997	-50.01	-13	Pass	20003



### 12.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:43490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.8	-13	Pass	2986
30	1000	0.1	RMS	858.106	-59.74	-13	Pass	9701
1000	3000	1	RMS	2958	-44.59	-13	Pass	2001
3000	3380	1	RMS	3180.5	-42.09	-13	Pass	401
3380	3620	1	RMS	3581	21.35	60	Pass	401
3620	6500	1	RMS	6423	-49.42	-13	Pass	2881
6500	26500	1	RMS	26008	-49.85	-13	Pass	20003



## 1. LTE\_Band71


**1.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.41	-13	57.41	Pass	401
0.15	30	0.01	RMS	0.15	-67.49	-13	54.49	Pass	2986
30	653	0.1	RMS	480.8	-64.22	-13	51.22	Pass	6231
653	709	0.1	RMS	663.3	21.33	60	38.67	Pass	561
709	1000	0.1	RMS	900	-61.66	-13	48.66	Pass	2911
1000	3000	1	RMS	1326	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	6976	-41.67	-13	28.67	Pass	7001




**1.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.17	-13	57.17	Pass	401
0.15	30	0.01	RMS	0.15	-69.16	-13	56.16	Pass	2986
30	653	0.1	RMS	491.8	-64.35	-13	51.35	Pass	6231
653	709	0.1	RMS	663.3	20.2	60	39.8	Pass	561
709	1000	0.1	RMS	900	-62.52	-13	49.52	Pass	2911
1000	3000	1	RMS	1326	-45.99	-13	32.99	Pass	2001
3000	10000	1	RMS	6980	-41.71	-13	28.71	Pass	7001




**1.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.65	-13	57.65	Pass	401
0.15	30	0.01	RMS	0.15	-68.62	-13	55.62	Pass	2986
30	653	0.1	RMS	486.8	-64.3	-13	51.3	Pass	6231
653	709	0.1	RMS	678.3	21.17	60	38.83	Pass	561
709	1000	0.1	RMS	900	-62.42	-13	49.42	Pass	2911
1000	3000	1	RMS	1356	-46.01	-13	33.01	Pass	2001
3000	10000	1	RMS	6978	-41.68	-13	28.68	Pass	7001




**1.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.74	-13	57.74	Pass	401
0.15	30	0.01	RMS	0.15	-68.83	-13	55.83	Pass	2986
30	653	0.1	RMS	491.4	-64.34	-13	51.34	Pass	6231
653	709	0.1	RMS	678.3	20.45	60	39.55	Pass	561
709	1000	0.1	RMS	900	-62.18	-13	49.18	Pass	2911
1000	3000	1	RMS	1356	-46.96	-13	33.96	Pass	2001
3000	10000	1	RMS	6978	-41.72	-13	28.72	Pass	7001




**1.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.07	-13	57.07	Pass	401
0.15	30	0.01	RMS	0.16	-68.76	-13	55.76	Pass	2986
30	653	0.1	RMS	478.9	-64.38	-13	51.38	Pass	6231
653	709	0.1	RMS	693.3	21.26	60	38.74	Pass	561
709	1000	0.1	RMS	900	-62	-13	49	Pass	2911
1000	3000	1	RMS	1386	-45.89	-13	32.89	Pass	2001
3000	10000	1	RMS	6982	-41.74	-13	28.74	Pass	7001




**1.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.12	-13	57.12	Pass	401
0.15	30	0.01	RMS	0.15	-68.83	-13	55.83	Pass	2986
30	653	0.1	RMS	482.1	-64.27	-13	51.27	Pass	6231
653	709	0.1	RMS	693.3	20.46	60	39.54	Pass	561
709	1000	0.1	RMS	900	-62.29	-13	49.29	Pass	2911
1000	3000	1	RMS	1386	-46.84	-13	33.84	Pass	2001
3000	10000	1	RMS	6980	-41.67	-13	28.67	Pass	7001




**1.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-70.79	-13	57.79	Pass	401
0.15	30	0.01	RMS	0.15	-68.25	-13	55.25	Pass	2986
30	653	0.1	RMS	488.3	-64.38	-13	51.38	Pass	6231
653	709	0.1	RMS	663.6	21.75	60	38.25	Pass	561
709	1000	0.1	RMS	900	-62.39	-13	49.39	Pass	2911
1000	3000	1	RMS	1327	-46.71	-13	33.71	Pass	2001
3000	10000	1	RMS	6980	-41.73	-13	28.73	Pass	7001




**1.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.64	-13	56.64	Pass	401
0.15	30	0.01	RMS	0.15	-69.72	-13	56.72	Pass	2986
30	653	0.1	RMS	495.7	-64.26	-13	51.26	Pass	6231
653	709	0.1	RMS	663.6	20.89	60	39.11	Pass	561
709	1000	0.1	RMS	900	-61.87	-13	48.87	Pass	2911
1000	3000	1	RMS	1327	-47.16	-13	34.16	Pass	2001
3000	10000	1	RMS	6980	-41.69	-13	28.69	Pass	7001



**1.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.76	-13	57.76	Pass	401
0.15	30	0.01	RMS	0.15	-68.81	-13	55.81	Pass	2986
30	653	0.1	RMS	474.3	-64.31	-13	51.31	Pass	6231
653	709	0.1	RMS	676.1	21.71	60	38.29	Pass	561
709	1000	0.1	RMS	900	-62.5	-13	49.5	Pass	2911
1000	3000	1	RMS	1352	-45.29	-13	32.29	Pass	2001
3000	10000	1	RMS	6980	-41.59	-13	28.59	Pass	7001



### 1.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:133297, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.37	-13	57.37	Pass	401
0.15	30	0.01	RMS	0.15	-69.14	-13	56.14	Pass	2986
30	653	0.1	RMS	491.1	-64.22	-13	51.22	Pass	6231
653	709	0.1	RMS	676.1	20.72	60	39.28	Pass	561
709	1000	0.1	RMS	900	-62.47	-13	49.47	Pass	2911
1000	3000	1	RMS	1352	-46.67	-13	33.67	Pass	2001
3000	10000	1	RMS	6983	-41.73	-13	28.73	Pass	7001



### 1.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.29	-13	58.29	Pass	401
0.15	30	0.01	RMS	0.16	-68.31	-13	55.31	Pass	2986
30	653	0.1	RMS	485.8	-64.25	-13	51.25	Pass	6231
653	709	0.1	RMS	688.6	21.78	60	38.22	Pass	561
709	1000	0.1	RMS	900	-62.38	-13	49.38	Pass	2911
1000	3000	1	RMS	1377	-46.99	-13	33.99	Pass	2001
3000	10000	1	RMS	6978	-41.69	-13	28.69	Pass	7001



### 1.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.54	-13	56.54	Pass	401
0.15	30	0.01	RMS	0.15	-68.98	-13	55.98	Pass	2986
30	653	0.1	RMS	479.5	-64.3	-13	51.3	Pass	6231
653	709	0.1	RMS	688.6	20.8	60	39.2	Pass	561
709	1000	0.1	RMS	900	-62.6	-13	49.6	Pass	2911
1000	3000	1	RMS	1377	-48.06	-13	35.06	Pass	2001
3000	10000	1	RMS	6980	-41.74	-13	28.74	Pass	7001



### 1.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.9	-13	57.9	Pass	401
0.15	30	0.01	RMS	0.15	-69.03	-13	56.03	Pass	2986
30	653	0.1	RMS	488.9	-64.28	-13	51.28	Pass	6231
653	709	0.1	RMS	663.8	21.24	60	38.76	Pass	561
709	1000	0.1	RMS	900	-61.99	-13	48.99	Pass	2911
1000	3000	1	RMS	1327	-46.46	-13	33.46	Pass	2001
3000	10000	1	RMS	6976	-41.71	-13	28.71	Pass	7001



### 1.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.89	-13	56.89	Pass	401
0.15	30	0.01	RMS	0.15	-69.22	-13	56.22	Pass	2986
30	653	0.1	RMS	489.3	-64.28	-13	51.28	Pass	6231
653	709	0.1	RMS	663.8	20.35	60	39.65	Pass	561
709	1000	0.1	RMS	900	-62.57	-13	49.57	Pass	2911
1000	3000	1	RMS	1327	-47.41	-13	34.41	Pass	2001
3000	10000	1	RMS	6980	-41.69	-13	28.69	Pass	7001



### 1.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-70.88	-13	57.88	Pass	401
0.15	30	0.01	RMS	0.15	-68.31	-13	55.31	Pass	2986
30	653	0.1	RMS	486.3	-64.27	-13	51.27	Pass	6231
653	709	0.1	RMS	673.8	21.24	60	38.76	Pass	561
709	1000	0.1	RMS	900	-62.66	-13	49.66	Pass	2911
1000	3000	1	RMS	1347	-45.5	-13	32.5	Pass	2001
3000	10000	1	RMS	6978	-41.58	-13	28.58	Pass	7001



### 1.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:133297, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.82	-13	56.82	Pass	401
0.15	30	0.01	RMS	0.16	-68.9	-13	55.9	Pass	2986
30	653	0.1	RMS	498.3	-64.25	-13	51.25	Pass	6231
653	709	0.1	RMS	673.8	20.27	60	39.73	Pass	561
709	1000	0.1	RMS	900	-61.6	-13	48.6	Pass	2911
1000	3000	1	RMS	1347	-46.34	-13	33.34	Pass	2001
3000	10000	1	RMS	6977	-41.71	-13	28.71	Pass	7001



### 1.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-71.16	-13	58.16	Pass	401
0.15	30	0.01	RMS	0.15	-67.79	-13	54.79	Pass	2986
30	653	0.1	RMS	468.9	-64.32	-13	51.32	Pass	6231
653	709	0.1	RMS	683.8	20.93	60	39.07	Pass	561
709	1000	0.1	RMS	710.5	-56.14	-13	43.14	Pass	2911
1000	3000	1	RMS	2051	-48.63	-13	35.63	Pass	2001
3000	10000	1	RMS	6982	-41.64	-13	28.64	Pass	7001



### 1.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.18	-13	57.18	Pass	401
0.15	30	0.01	RMS	0.15	-69.27	-13	56.27	Pass	2986
30	653	0.1	RMS	476.3	-64.21	-13	51.21	Pass	6231
653	709	0.1	RMS	683.8	20.17	60	39.83	Pass	561
709	1000	0.1	RMS	710.5	-55.07	-13	42.07	Pass	2911
1000	3000	1	RMS	2051	-49.05	-13	36.05	Pass	2001
3000	10000	1	RMS	6977	-41.66	-13	28.66	Pass	7001



### 1.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.99	-13	56.99	Pass	401
0.15	30	0.01	RMS	0.15	-69.25	-13	56.25	Pass	2986
30	653	0.1	RMS	500.3	-64.31	-13	51.31	Pass	6231
653	709	0.1	RMS	664.1	21.73	60	38.27	Pass	561
709	1000	0.1	RMS	900	-61.94	-13	48.94	Pass	2911
1000	3000	1	RMS	1328	-47.54	-13	34.54	Pass	2001
3000	10000	1	RMS	6980	-41.7	-13	28.7	Pass	7001



### 1.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.11	-13	57.11	Pass	401
0.15	30	0.01	RMS	0.15	-68.82	-13	55.82	Pass	2986
30	653	0.1	RMS	489.9	-64.13	-13	51.13	Pass	6231
653	709	0.1	RMS	664.1	20.9	60	39.1	Pass	561
709	1000	0.1	RMS	900	-62.04	-13	49.04	Pass	2911
1000	3000	1	RMS	1328	-47.91	-13	34.91	Pass	2001
3000	10000	1	RMS	6980	-41.64	-13	28.64	Pass	7001



### 1.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-70.47	-13	57.47	Pass	401
0.15	30	0.01	RMS	0.15	-68.57	-13	55.57	Pass	2986
30	653	0.1	RMS	498.2	-64.17	-13	51.17	Pass	6231
653	709	0.1	RMS	674.1	21.63	60	38.37	Pass	561
709	1000	0.1	RMS	709.8	-53.16	-13	40.16	Pass	2911
1000	3000	1	RMS	1348	-45.88	-13	32.88	Pass	2001
3000	10000	1	RMS	6980	-41.78	-13	28.78	Pass	7001



### 1.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.48	-13	57.48	Pass	401
0.15	30	0.01	RMS	0.16	-68.66	-13	55.66	Pass	2986
30	653	0.1	RMS	490.1	-64.26	-13	51.26	Pass	6231
653	709	0.1	RMS	674.1	20.73	60	39.27	Pass	561
709	1000	0.1	RMS	709.7	-52.8	-13	39.8	Pass	2911
1000	3000	1	RMS	1348	-47.11	-13	34.11	Pass	2001
3000	10000	1	RMS	6981	-41.71	-13	28.71	Pass	7001



### 1.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.13	-13	58.13	Pass	401
0.15	30	0.01	RMS	0.16	-68.47	-13	55.47	Pass	2986
30	653	0.1	RMS	480.7	-64.17	-13	51.17	Pass	6231
653	709	0.1	RMS	679.1	21.6	60	38.4	Pass	561
709	1000	0.1	RMS	709.2	-58.99	-13	45.99	Pass	2911
1000	3000	1	RMS	1358	-47.53	-13	34.53	Pass	2001
3000	10000	1	RMS	6980	-41.66	-13	28.66	Pass	7001



### 1.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.93	-13	56.93	Pass	401
0.15	30	0.01	RMS	0.15	-67.93	-13	54.93	Pass	2986
30	653	0.1	RMS	468.5	-64.3	-13	51.3	Pass	6231
653	709	0.1	RMS	679.1	20.66	60	39.34	Pass	561
709	1000	0.1	RMS	709	-59.17	-13	46.17	Pass	2911
1000	3000	1	RMS	1358	-47.99	-13	34.99	Pass	2001
3000	10000	1	RMS	6979	-41.74	-13	28.74	Pass	7001



## 1. LTE\_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.026	-60.72	-13	Pass	401
0.15	30	0.01	Peak	0.22	-62.53	-13	Pass	2986
30	809	0.1	Peak	498.1	-52.62	-13	Pass	7791
809	829	0.1	Peak	814.3	26.81	60	Pass	401
829	1000	0.1	Peak	926.2	-52.38	-13	Pass	1711
1000	3000	1	Peak	1628	-35.53	-13	Pass	2001
3000	10000	1	Peak	7641	-29.41	-13	Pass	7001




**1.2. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.026	-58.65	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.2	-13	Pass	2986
30	809	0.1	Peak	808.7	-52.13	-13	Pass	7791
809	829	0.1	Peak	814.2	27.35	60	Pass	401
829	1000	0.1	Peak	855.3	-52.59	-13	Pass	1711
1000	3000	1	Peak	1628	-37.17	-13	Pass	2001
3000	10000	1	Peak	9904	-30.21	-13	Pass	7001




**1.3. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.027	-60.46	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.88	-13	Pass	2986
30	809	0.1	Peak	565.4	-52.96	-13	Pass	7791
809	829	0.1	Peak	818.55	27.02	60	Pass	401
829	1000	0.1	Peak	859.3	-52.38	-13	Pass	1711
1000	3000	1	Peak	1637	-36.46	-13	Pass	2001
3000	10000	1	Peak	7240	-30.05	-13	Pass	7001




**1.4. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.026	-61.31	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.7	-13	Pass	2986
30	809	0.1	Peak	489.4	-52.84	-13	Pass	7791
809	829	0.1	Peak	818.6	26.94	60	Pass	401
829	1000	0.1	Peak	867.8	-52.71	-13	Pass	1711
1000	3000	1	Peak	2955	-36.89	-13	Pass	2001
3000	10000	1	Peak	8015	-30.18	-13	Pass	7001




**1.5. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.027	-62.48	-13	Pass	401
0.15	30	0.01	Peak	0.23	-63.71	-13	Pass	2986
30	809	0.1	Peak	532.1	-53.54	-13	Pass	7791
809	829	0.1	Peak	822.85	26.61	60	Pass	401
829	1000	0.1	Peak	831.9	-52.56	-13	Pass	1711
1000	3000	1	Peak	2923	-36.28	-13	Pass	2001
3000	10000	1	Peak	6967	-29.46	-13	Pass	7001




**1.6. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:6,  
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-60.82	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.08	-13	Pass	2986
30	809	0.1	Peak	733	-52.87	-13	Pass	7791
809	829	0.1	Peak	822.8	26.84	60	Pass	401
829	1000	0.1	Peak	971.8	-52.87	-13	Pass	1711
1000	3000	1	Peak	2719	-36.86	-13	Pass	2001
3000	10000	1	Peak	7194	-29.82	-13	Pass	7001




**1.7. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.027	-60.77	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.73	-13	Pass	2986
30	809	0.1	Peak	808.8	-48.22	-13	Pass	7791
809	829	0.1	Peak	814.2	26.8	60	Pass	401
829	1000	0.1	Peak	885.9	-53	-13	Pass	1711
1000	3000	1	Peak	1628	-36.75	-13	Pass	2001
3000	10000	1	Peak	6978	-29.9	-13	Pass	7001




**1.8. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-61	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.14	-13	Pass	2986
30	809	0.1	Peak	809	-51.21	-13	Pass	7791
809	829	0.1	Peak	814.2	27.44	60	Pass	401
829	1000	0.1	Peak	897.3	-52.19	-13	Pass	1711
1000	3000	1	Peak	2937	-36.73	-13	Pass	2001
3000	10000	1	Peak	7172	-30	-13	Pass	7001




**1.9. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.024	-62.82	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.39	-13	Pass	2986
30	809	0.1	Peak	807	-52.78	-13	Pass	7791
809	829	0.1	Peak	817.8	27.12	60	Pass	401
829	1000	0.1	Peak	979.3	-52.47	-13	Pass	1711
1000	3000	1	Peak	1635	-37.2	-13	Pass	2001
3000	10000	1	Peak	7698	-29.76	-13	Pass	7001




**1.10. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.026	-60.65	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.48	-13	Pass	2986
30	809	0.1	Peak	754.4	-52.93	-13	Pass	7791
809	829	0.1	Peak	817.75	27.06	60	Pass	401
829	1000	0.1	Peak	830.6	-52.55	-13	Pass	1711
1000	3000	1	Peak	2958	-36.3	-13	Pass	2001
3000	10000	1	Peak	7253	-29.83	-13	Pass	7001




**1.11. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.025	-60.91	-13	Pass	401
0.15	30	0.01	Peak	0.23	-63.47	-13	Pass	2986
30	809	0.1	Peak	564.5	-53.08	-13	Pass	7791
809	829	0.1	Peak	821.25	27.01	60	Pass	401
829	1000	0.1	Peak	868.8	-52.52	-13	Pass	1711
1000	3000	1	Peak	1643	-36.55	-13	Pass	2001
3000	10000	1	Peak	7168	-30.27	-13	Pass	7001




**1.12. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.025	-57.6	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.08	-13	Pass	2986
30	809	0.1	Peak	573.8	-52.74	-13	Pass	7791
809	829	0.1	Peak	821.25	27.16	60	Pass	401
829	1000	0.1	Peak	949.5	-52.36	-13	Pass	1711
1000	3000	1	Peak	2768	-37.19	-13	Pass	2001
3000	10000	1	Peak	8704	-29.26	-13	Pass	7001




**1.13. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.026	-61.27	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.25	-13	Pass	2986
30	809	0.1	Peak	808.4	-40.7	-13	Pass	7791
809	829	0.1	Peak	814.35	27.32	60	Pass	401
829	1000	0.1	Peak	899.7	-52.83	-13	Pass	1711
1000	3000	1	Peak	1629	-36.65	-13	Pass	2001
3000	10000	1	Peak	7176	-29.63	-13	Pass	7001




**1.14. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.022	-60.24	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.39	-13	Pass	2986
30	809	0.1	Peak	808.2	-38.42	-13	Pass	7791
809	829	0.1	Peak	814.3	27.54	60	Pass	401
829	1000	0.1	Peak	848.3	-52.78	-13	Pass	1711
1000	3000	1	Peak	1629	-36.43	-13	Pass	2001
3000	10000	1	Peak	6963	-30.06	-13	Pass	7001




**1.15. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.024	-61.23	-13	Pass	401
0.15	30	0.01	Peak	0.37	-63.96	-13	Pass	2986
30	809	0.1	Peak	808.6	-50.1	-13	Pass	7791
809	829	0.1	Peak	816.85	27.33	60	Pass	401
829	1000	0.1	Peak	829.1	-52.85	-13	Pass	1711
1000	3000	1	Peak	1634	-36.57	-13	Pass	2001
3000	10000	1	Peak	7220	-29.61	-13	Pass	7001




**1.16. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.032	-61.15	-13	Pass	401
0.15	30	0.01	Peak	0.33	-64.42	-13	Pass	2986
30	809	0.1	Peak	808.5	-50.45	-13	Pass	7791
809	829	0.1	Peak	816.8	27.28	60	Pass	401
829	1000	0.1	Peak	834	-52.42	-13	Pass	1711
1000	3000	1	Peak	1634	-36.59	-13	Pass	2001
3000	10000	1	Peak	7444	-30.29	-13	Pass	7001




**1.17. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-62.43	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.21	-13	Pass	2986
30	809	0.1	Peak	426.3	-52.79	-13	Pass	7791
809	829	0.1	Peak	819.3	26.93	60	Pass	401
829	1000	0.1	Peak	829.1	-41.49	-13	Pass	1711
1000	3000	1	Peak	1639	-36.95	-13	Pass	2001
3000	10000	1	Peak	6883	-29.93	-13	Pass	7001




**1.18. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.022	-61.51	-13	Pass	401
0.15	30	0.01	Peak	0.24	-63.45	-13	Pass	2986
30	809	0.1	Peak	808.7	-49.76	-13	Pass	7791
809	829	0.1	Peak	819.3	27.15	60	Pass	401
829	1000	0.1	Peak	829	-44	-13	Pass	1711
1000	3000	1	Peak	1639	-36.49	-13	Pass	2001
3000	10000	1	Peak	8408	-29.64	-13	Pass	7001




**1.19. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-60.74	-13	Pass	401
0.15	30	0.01	Peak	0.3	-63.88	-13	Pass	2986
30	809	0.1	Peak	808.3	-36.12	-13	Pass	7791
809	829	0.1	Peak	814.6	27.3	60	Pass	401
829	1000	0.1	Peak	829.1	-37.01	-13	Pass	1711
1000	3000	1	Peak	1629	-36.55	-13	Pass	2001
3000	10000	1	Peak	6969	-29.66	-13	Pass	7001



**1.20. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-60.03	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.22	-13	Pass	2986
30	809	0.1	Peak	808.4	-34.35	-13	Pass	7791
809	829	0.1	Peak	814.55	27.42	60	Pass	401
829	1000	0.1	Peak	830.9	-36.51	-13	Pass	1711
1000	3000	1	Peak	1629	-36.99	-13	Pass	2001
3000	10000	1	Peak	7286	-29.94	-13	Pass	7001




## 1. CA\_7C

### 1.1. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-25	Pass	2986
30	1000	0.1	RMS	850.301	-63.71	-25	Pass	9701
1000	2475	1	RMS	2473	-42.97	-25	Pass	1476
2475	2735	1	RMS	2528.3	11.52	60	Pass	401
2735	3000	1	RMS	2954.288	-48.65	-25	Pass	401
3000	12000	1	RMS	11850	-49.65	-25	Pass	9002
12000	26000	1	RMS	25992	-33.57	-25	Pass	14002



## 1.2. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-25	Pass	2986
30	1000	0.1	RMS	847.9	-63.69	-25	Pass	9701
1000	2475	1	RMS	2475	-44.71	-25	Pass	1476
2475	2735	1	RMS	2521.15	9.46	60	Pass	401
2735	3000	1	RMS	2960.25	-48.7	-25	Pass	401
3000	12000	1	RMS	11851	-49.74	-25	Pass	9002
12000	26000	1	RMS	25990	-33.49	-25	Pass	14002



### 1.3. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.99	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.98	-25	Pass	2986
30	1000	0.1	RMS	845.5	-63.67	-25	Pass	9701
1000	2475	1	RMS	2473	-43.21	-25	Pass	1476
2475	2735	1	RMS	2528.3	11.47	60	Pass	401
2735	3000	1	RMS	2952.963	-48.7	-25	Pass	401
3000	12000	1	RMS	11853	-49.73	-25	Pass	9002
12000	26000	1	RMS	25993	-33.5	-25	Pass	14002



### 1.4. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.04	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.18	-25	Pass	2986
30	1000	0.1	RMS	858.606	-63.79	-25	Pass	9701
1000	2475	1	RMS	2475	-46.83	-25	Pass	1476
2475	2735	1	RMS	2521.15	8.35	60	Pass	401
2735	3000	1	RMS	2956.938	-48.67	-25	Pass	401
3000	12000	1	RMS	11849	-49.69	-25	Pass	9002
12000	26000	1	RMS	26000	-33.56	-25	Pass	14002



### 1.5. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-25	Pass	2986
30	1000	0.1	RMS	845.2	-63.64	-25	Pass	9701
1000	2475	1	RMS	2463	-50.46	-25	Pass	1476
2475	2735	1	RMS	2521.15	11.16	60	Pass	401
2735	3000	1	RMS	2956.938	-48.7	-25	Pass	401
3000	12000	1	RMS	11849	-49.72	-25	Pass	9002
12000	26000	1	RMS	25986	-33.58	-25	Pass	14002



### 1.6. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-25	Pass	2986
30	1000	0.1	RMS	853.803	-63.61	-25	Pass	9701
1000	2475	1	RMS	2475	-49.54	-25	Pass	1476
2475	2735	1	RMS	2543.9	9.19	60	Pass	401
2735	3000	1	RMS	2948.988	-48.66	-25	Pass	401
3000	12000	1	RMS	11846	-49.73	-25	Pass	9002
12000	26000	1	RMS	25993	-33.48	-25	Pass	14002



### 1.7. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.84	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.99	-25	Pass	2986
30	1000	0.1	RMS	867.712	-63.69	-25	Pass	9701
1000	2475	1	RMS	2470	-50.52	-25	Pass	1476
2475	2735	1	RMS	2521.15	11.21	60	Pass	401
2735	3000	1	RMS	2951.638	-48.69	-25	Pass	401
3000	12000	1	RMS	11849	-49.62	-25	Pass	9002
12000	26000	1	RMS	25995	-33.54	-25	Pass	14002



### 1.8. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-25	Pass	2986
30	1000	0.1	RMS	858.206	-63.61	-25	Pass	9701
1000	2475	1	RMS	2475	-49.89	-25	Pass	1476
2475	2735	1	RMS	2541.95	8.16	60	Pass	401
2735	3000	1	RMS	2952.963	-48.7	-25	Pass	401
3000	12000	1	RMS	11851	-49.75	-25	Pass	9002
12000	26000	1	RMS	25996	-33.51	-25	Pass	14002



### 1.9. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-25	Pass	2986
30	1000	0.1	RMS	861.308	-63.72	-25	Pass	9701
1000	2475	1	RMS	2474	-50.52	-25	Pass	1476
2475	2735	1	RMS	2568.6	11.54	60	Pass	401
2735	3000	1	RMS	2950.313	-48.71	-25	Pass	401
3000	12000	1	RMS	11859	-49.68	-25	Pass	9002
12000	26000	1	RMS	25994	-33.52	-25	Pass	14002



### 1.10. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-25	Pass	2986
30	1000	0.1	RMS	852.102	-63.67	-25	Pass	9701
1000	2475	1	RMS	2474	-50.28	-25	Pass	1476
2475	2735	1	RMS	2560.8	9.52	60	Pass	401
2735	3000	1	RMS	2954.288	-48.7	-25	Pass	401
3000	12000	1	RMS	11853	-49.67	-25	Pass	9002
12000	26000	1	RMS	26000	-33.49	-25	Pass	14002



### 1.11. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-25	Pass	2986
30	1000	0.1	RMS	839.9	-63.78	-25	Pass	9701
1000	2475	1	RMS	2475	-50.49	-25	Pass	1476
2475	2735	1	RMS	2568.6	11.3	60	Pass	401
2735	3000	1	RMS	2952.963	-48.7	-25	Pass	401
3000	12000	1	RMS	11843	-49.7	-25	Pass	9002
12000	26000	1	RMS	25988	-33.46	-25	Pass	14002



### 1.12. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-25	Pass	2986
30	1000	0.1	RMS	852.802	-63.69	-25	Pass	9701
1000	2475	1	RMS	2475	-50.41	-25	Pass	1476
2475	2735	1	RMS	2561.45	8.54	60	Pass	401
2735	3000	1	RMS	2954.95	-48.63	-25	Pass	401
3000	12000	1	RMS	11855	-49.74	-25	Pass	9002
12000	26000	1	RMS	25991	-33.6	-25	Pass	14002



### 1.13. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-25	Pass	2986
30	1000	0.1	RMS	851.602	-63.63	-25	Pass	9701
1000	2475	1	RMS	2475	-50.43	-25	Pass	1476
2475	2735	1	RMS	2501	11.12	60	Pass	401
2735	3000	1	RMS	2947	-48.63	-25	Pass	401
3000	12000	1	RMS	11853	-49.73	-25	Pass	9002
12000	26000	1	RMS	25999	-33.6	-25	Pass	14002



### 1.14. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-25	Pass	2986
30	1000	0.1	RMS	837.6	-63.59	-25	Pass	9701
1000	2475	1	RMS	2475	-41.65	-25	Pass	1476
2475	2735	1	RMS	2514.65	6.62	60	Pass	401
2735	3000	1	RMS	2954.288	-48.68	-25	Pass	401
3000	12000	1	RMS	11848	-49.68	-25	Pass	9002
12000	26000	1	RMS	26000	-33.49	-25	Pass	14002



### 1.15. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-25	Pass	2986
30	1000	0.1	RMS	836.6	-63.61	-25	Pass	9701
1000	2475	1	RMS	2474	-50.41	-25	Pass	1476
2475	2735	1	RMS	2501	11.03	60	Pass	401
2735	3000	1	RMS	2957.6	-48.68	-25	Pass	401
3000	12000	1	RMS	11850	-49.69	-25	Pass	9002
12000	26000	1	RMS	25992	-33.51	-25	Pass	14002



### 1.16. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-25	Pass	2986
30	1000	0.1	RMS	850.601	-63.65	-25	Pass	9701
1000	2475	1	RMS	2475	-44.51	-25	Pass	1476
2475	2735	1	RMS	2517.25	5.59	60	Pass	401
2735	3000	1	RMS	2953.625	-48.64	-25	Pass	401
3000	12000	1	RMS	11847	-49.64	-25	Pass	9002
12000	26000	1	RMS	25992	-33.56	-25	Pass	14002



### 1.17. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-25	Pass	2986
30	1000	0.1	RMS	862.409	-63.69	-25	Pass	9701
1000	2475	1	RMS	2472	-50.52	-25	Pass	1476
2475	2735	1	RMS	2515.95	11.84	60	Pass	401
2735	3000	1	RMS	2947	-48.69	-25	Pass	401
3000	12000	1	RMS	11852	-49.66	-25	Pass	9002
12000	26000	1	RMS	26000	-33.52	-25	Pass	14002



### 1.18. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-25	Pass	2986
30	1000	0.1	RMS	832.2	-63.69	-25	Pass	9701
1000	2475	1	RMS	2475	-48.58	-25	Pass	1476
2475	2735	1	RMS	2519.85	6.69	60	Pass	401
2735	3000	1	RMS	2952.3	-48.65	-25	Pass	401
3000	12000	1	RMS	11849	-49.63	-25	Pass	9002
12000	26000	1	RMS	25994	-33.45	-25	Pass	14002



### 1.19. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.28	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.72	-25	Pass	2986
30	1000	0.1	RMS	845.6	-63.71	-25	Pass	9701
1000	2475	1	RMS	2473	-50.52	-25	Pass	1476
2475	2735	1	RMS	2515.95	11.78	60	Pass	401
2735	3000	1	RMS	2956.275	-48.68	-25	Pass	401
3000	12000	1	RMS	11848	-49.62	-25	Pass	9002
12000	26000	1	RMS	25999	-33.58	-25	Pass	14002



### 1.20. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-25	Pass	2986
30	1000	0.1	RMS	818.7	-63.57	-25	Pass	9701
1000	2475	1	RMS	2475	-49.39	-25	Pass	1476
2475	2735	1	RMS	2517.25	5.67	60	Pass	401
2735	3000	1	RMS	2953.625	-48.67	-25	Pass	401
3000	12000	1	RMS	11848	-49.71	-25	Pass	9002
12000	26000	1	RMS	25996	-33.43	-25	Pass	14002



### 1.21. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-25	Pass	2986
30	1000	0.1	RMS	838.5	-63.63	-25	Pass	9701
1000	2475	1	RMS	2475	-50.48	-25	Pass	1476
2475	2735	1	RMS	2530.9	12.03	60	Pass	401
2735	3000	1	RMS	2947	-48.68	-25	Pass	401
3000	12000	1	RMS	11851	-49.72	-25	Pass	9002
12000	26000	1	RMS	25997	-33.47	-25	Pass	14002



### 1.22. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.06	-25	Pass	2986
30	1000	0.1	RMS	853.503	-63.66	-25	Pass	9701
1000	2475	1	RMS	2475	-48.82	-25	Pass	1476
2475	2735	1	RMS	2557.55	6.85	60	Pass	401
2735	3000	1	RMS	2958.925	-48.67	-25	Pass	401
3000	12000	1	RMS	11844	-49.74	-25	Pass	9002
12000	26000	1	RMS	25997	-33.5	-25	Pass	14002



### 1.23. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-25	Pass	2986
30	1000	0.1	RMS	832.6	-63.48	-25	Pass	9701
1000	2475	1	RMS	2471	-50.46	-25	Pass	1476
2475	2735	1	RMS	2530.9	12.1	60	Pass	401
2735	3000	1	RMS	2952.3	-48.71	-25	Pass	401
3000	12000	1	RMS	11850	-49.68	-25	Pass	9002
12000	26000	1	RMS	25997	-33.47	-25	Pass	14002



### 1.24. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-25	Pass	2986
30	1000	0.1	RMS	845.7	-63.47	-25	Pass	9701
1000	2475	1	RMS	2475	-49.67	-25	Pass	1476
2475	2735	1	RMS	2555.6	5.69	60	Pass	401
2735	3000	1	RMS	2952.3	-48.66	-25	Pass	401
3000	12000	1	RMS	11854	-49.74	-25	Pass	9002
12000	26000	1	RMS	26000	-33.57	-25	Pass	14002




## 2. CA\_38C

### 2.1. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.32	-25	Pass	2986
30	1000	0.1	RMS	882.722	-59.72	-25	Pass	9701
1000	2525	1	RMS	2514	-44.98	-25	Pass	1526
2525	2665	1	RMS	2570.85	12.61	60	Pass	401
2665	3000	1	RMS	2952.263	-44.69	-25	Pass	401
3000	12000	1	RMS	11852	-49.67	-25	Pass	9002
12000	26500	1	RMS	26005	-33.43	-25	Pass	14502



## 2.2. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.3	-25	Pass	2986
30	1000	0.1	RMS	848.5	-59.72	-25	Pass	9701
1000	2525	1	RMS	2525	-44.57	-25	Pass	1526
2525	2665	1	RMS	2572.6	7.96	60	Pass	401
2665	3000	1	RMS	2953.938	-44.67	-25	Pass	401
3000	12000	1	RMS	11850	-49.64	-25	Pass	9002
12000	26500	1	RMS	25996	-33.4	-25	Pass	14502



### 2.3. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.03	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.64	-25	Pass	2986
30	1000	0.1	RMS	843.2	-59.52	-25	Pass	9701
1000	2525	1	RMS	2515	-44.56	-25	Pass	1526
2525	2665	1	RMS	2570.85	12.35	60	Pass	401
2665	3000	1	RMS	2953.938	-44.66	-25	Pass	401
3000	12000	1	RMS	11854	-49.64	-25	Pass	9002
12000	26500	1	RMS	26002	-33.42	-25	Pass	14502



## 2.4. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.09	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.96	-25	Pass	2986
30	1000	0.1	RMS	851.802	-59.69	-25	Pass	9701
1000	2525	1	RMS	2524	-45.56	-25	Pass	1526
2525	2665	1	RMS	2571.9	7.16	60	Pass	401
2665	3000	1	RMS	2959.8	-44.69	-25	Pass	401
3000	12000	1	RMS	11845	-49.69	-25	Pass	9002
12000	26500	1	RMS	26002	-33.47	-25	Pass	14502



## 2.5. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.37	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.04	-25	Pass	2986
30	1000	0.1	RMS	850.401	-59.67	-25	Pass	9701
1000	2525	1	RMS	2524	-42.03	-25	Pass	1526
2525	2665	1	RMS	2580.65	12.76	60	Pass	401
2665	3000	1	RMS	2665	-42.48	-25	Pass	401
3000	12000	1	RMS	11852	-49.66	-25	Pass	9002
12000	26500	1	RMS	26001	-33.33	-25	Pass	14502



## 2.6. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.16	-25	Pass	2986
30	1000	0.1	RMS	842.5	-59.76	-25	Pass	9701
1000	2525	1	RMS	2523	-45.8	-25	Pass	1526
2525	2665	1	RMS	2583.8	8.48	60	Pass	401
2665	3000	1	RMS	2943.05	-44.68	-25	Pass	401
3000	12000	1	RMS	11850	-49.65	-25	Pass	9002
12000	26500	1	RMS	25994	-33.41	-25	Pass	14502



### 2.7. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.22	-25	Pass	2986
30	1000	0.1	RMS	847.2	-59.68	-25	Pass	9701
1000	2525	1	RMS	2524	-43.59	-25	Pass	1526
2525	2665	1	RMS	2609	12.17	60	Pass	401
2665	3000	1	RMS	2665	-42.27	-25	Pass	401
3000	12000	1	RMS	11859	-49.66	-25	Pass	9002
12000	26500	1	RMS	25995	-33.47	-25	Pass	14502



## 2.8. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.6	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.05	-25	Pass	2986
30	1000	0.1	RMS	854.203	-59.68	-25	Pass	9701
1000	2525	1	RMS	2524	-45.98	-25	Pass	1526
2525	2665	1	RMS	2584.85	6.88	60	Pass	401
2665	3000	1	RMS	2958.963	-44.69	-25	Pass	401
3000	12000	1	RMS	11853	-49.6	-25	Pass	9002
12000	26500	1	RMS	26001	-33.26	-25	Pass	14502



### 2.9. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.19	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.69	-25	Pass	2986
30	1000	0.1	RMS	849.901	-59.7	-25	Pass	9701
1000	2525	1	RMS	2506	-45.58	-25	Pass	1526
2525	2665	1	RMS	2590.8	12.06	60	Pass	401
2665	3000	1	RMS	2675.05	-41.1	-25	Pass	401
3000	12000	1	RMS	11845	-49.61	-25	Pass	9002
12000	26500	1	RMS	26003	-33.38	-25	Pass	14502



### 2.10. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.63	-25	Pass	2986
30	1000	0.1	RMS	853.803	-59.47	-25	Pass	9701
1000	2525	1	RMS	2525	-46.05	-25	Pass	1526
2525	2665	1	RMS	2592.55	8.2	60	Pass	401
2665	3000	1	RMS	2665	-43.63	-25	Pass	401
3000	12000	1	RMS	11850	-49.6	-25	Pass	9002
12000	26500	1	RMS	26003	-33.48	-25	Pass	14502



### 2.11. LTE-A Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.46	-25	Pass	2986
30	1000	0.1	RMS	846.4	-59.77	-25	Pass	9701
1000	2525	1	RMS	2506	-45.45	-25	Pass	1526
2525	2665	1	RMS	2590.45	11.83	60	Pass	401
2665	3000	1	RMS	2675.05	-41.06	-25	Pass	401
3000	12000	1	RMS	11843	-49.66	-25	Pass	9002
12000	26500	1	RMS	25999	-33.42	-25	Pass	14502



## 2.12. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.56	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.8	-25	Pass	2986
30	1000	0.1	RMS	849.4	-59.59	-25	Pass	9701
1000	2525	1	RMS	2524	-46.06	-25	Pass	1526
2525	2665	1	RMS	2592.9	7.17	60	Pass	401
2665	3000	1	RMS	2665	-44.53	-25	Pass	401
3000	12000	1	RMS	11850	-49.57	-25	Pass	9002
12000	26500	1	RMS	25996	-33.48	-25	Pass	14502



### 2.13. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.72	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.91	-25	Pass	2986
30	1000	0.1	RMS	849.7	-59.68	-25	Pass	9701
1000	2525	1	RMS	2496	-43.32	-25	Pass	1526
2525	2665	1	RMS	2571.2	11.92	60	Pass	401
2665	3000	1	RMS	2683.425	-42.12	-25	Pass	401
3000	12000	1	RMS	11852	-49.69	-25	Pass	9002
12000	26500	1	RMS	25997	-33.38	-25	Pass	14502



### 2.14. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.48	-25	Pass	2986
30	1000	0.1	RMS	826.2	-59.78	-25	Pass	9701
1000	2525	1	RMS	2523	-43.48	-25	Pass	1526
2525	2665	1	RMS	2577.85	6.76	60	Pass	401
2665	3000	1	RMS	2665.838	-43.77	-25	Pass	401
3000	12000	1	RMS	11853	-49.69	-25	Pass	9002
12000	26500	1	RMS	26002	-33.39	-25	Pass	14502



### 2.15. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.57	-25	Pass	2986
30	1000	0.1	RMS	852.802	-59.7	-25	Pass	9701
1000	2525	1	RMS	2496	-43.35	-25	Pass	1526
2525	2665	1	RMS	2570.85	12.54	60	Pass	401
2665	3000	1	RMS	2683.425	-41.94	-25	Pass	401
3000	12000	1	RMS	11846	-49.66	-25	Pass	9002
12000	26500	1	RMS	25999	-33.45	-25	Pass	14502



## 2.16. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.05	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.07	-25	Pass	2986
30	1000	0.1	RMS	845	-59.5	-25	Pass	9701
1000	2525	1	RMS	2525	-44.28	-25	Pass	1526
2525	2665	1	RMS	2579.25	6.34	60	Pass	401
2665	3000	1	RMS	2953.1	-44.7	-25	Pass	401
3000	12000	1	RMS	11848	-49.64	-25	Pass	9002
12000	26500	1	RMS	26004	-33.43	-25	Pass	14502



### 2.17. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.6	-25	Pass	2986
30	1000	0.1	RMS	830	-59.7	-25	Pass	9701
1000	2525	1	RMS	2501	-45.48	-25	Pass	1526
2525	2665	1	RMS	2576.1	12.01	60	Pass	401
2665	3000	1	RMS	2688.45	-41.55	-25	Pass	401
3000	12000	1	RMS	11848	-49.69	-25	Pass	9002
12000	26500	1	RMS	26009	-33.41	-25	Pass	14502



### 2.18. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.12	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.05	-25	Pass	2986
30	1000	0.1	RMS	859.907	-59.67	-25	Pass	9701
1000	2525	1	RMS	2523	-44.17	-25	Pass	1526
2525	2665	1	RMS	2581.7	6.62	60	Pass	401
2665	3000	1	RMS	2665	-42.4	-25	Pass	401
3000	12000	1	RMS	11848	-49.66	-25	Pass	9002
12000	26500	1	RMS	26010	-33.44	-25	Pass	14502



### 2.19. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.5	-25	Pass	2986
30	1000	0.1	RMS	858.706	-59.64	-25	Pass	9701
1000	2525	1	RMS	2501	-45.22	-25	Pass	1526
2525	2665	1	RMS	2576.1	12.6	60	Pass	401
2665	3000	1	RMS	2688.45	-40.89	-25	Pass	401
3000	12000	1	RMS	11851	-49.67	-25	Pass	9002
12000	26500	1	RMS	26001	-33.37	-25	Pass	14502



## 2.20. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.6	-25	Pass	2986
30	1000	0.1	RMS	842.6	-59.7	-25	Pass	9701
1000	2525	1	RMS	2524	-44.92	-25	Pass	1526
2525	2665	1	RMS	2581.35	5.63	60	Pass	401
2665	3000	1	RMS	2665.838	-44.02	-25	Pass	401
3000	12000	1	RMS	11850	-49.59	-25	Pass	9002
12000	26500	1	RMS	26004	-33.34	-25	Pass	14502



## 2.21. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.28	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.37	-25	Pass	2986
30	1000	0.1	RMS	842.6	-59.54	-25	Pass	9701
1000	2525	1	RMS	2506	-43.11	-25	Pass	1526
2525	2665	1	RMS	2581.35	12.44	60	Pass	401
2665	3000	1	RMS	2693.475	-42.09	-25	Pass	401
3000	12000	1	RMS	11854	-49.63	-25	Pass	9002
12000	26500	1	RMS	25988	-33.43	-25	Pass	14502



## 2.22. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.14	-25	Pass	401
0.15	30	0.01	RMS	0.3	-68.53	-25	Pass	2986
30	1000	0.1	RMS	859.307	-59.61	-25	Pass	9701
1000	2525	1	RMS	2524	-44.66	-25	Pass	1526
2525	2665	1	RMS	2582.05	6.88	60	Pass	401
2665	3000	1	RMS	2665.838	-41.69	-25	Pass	401
3000	12000	1	RMS	11856	-49.58	-25	Pass	9002
12000	26500	1	RMS	25996	-33.39	-25	Pass	14502



### 2.23. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.97	-25	Pass	2986
30	1000	0.1	RMS	846.2	-59.79	-25	Pass	9701
1000	2525	1	RMS	2506	-44.86	-25	Pass	1526
2525	2665	1	RMS	2581.35	12.01	60	Pass	401
2665	3000	1	RMS	2693.475	-41.9	-25	Pass	401
3000	12000	1	RMS	11851	-49.68	-25	Pass	9002
12000	26500	1	RMS	25993	-33.46	-25	Pass	14502



### 2.24. LTE-A Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.2	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.19	-25	Pass	2986
30	1000	0.1	RMS	855.404	-59.68	-25	Pass	9701
1000	2525	1	RMS	2525	-45.31	-25	Pass	1526
2525	2665	1	RMS	2582.4	6.12	60	Pass	401
2665	3000	1	RMS	2665	-43.13	-25	Pass	401
3000	12000	1	RMS	11851	-49.71	-25	Pass	9002
12000	26500	1	RMS	25992	-33.48	-25	Pass	14502



## 2. n2


### 2.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.25	-69.89	-13	56.89	Pass	2986
30	1000	0.1	RMS	731.1	-59.71	-13	46.71	Pass	9701
1000	1840	1	RMS	1840	-47.5	-13	34.5	Pass	841
1840	1920	1	RMS	1851	15.32	60	44.68	Pass	401
1920	3000	1	RMS	2979	-45.8	-13	32.8	Pass	1081
3000	7000	1	RMS	3432	-51.03	-13	38.03	Pass	4001
7000	20000	1	RMS	14017	-43.04	-13	30.04	Pass	13002




**2.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.56	-13	54.56	Pass	401
0.15	30	0.01	RMS	0.18	-70.4	-13	57.4	Pass	2986
30	1000	0.1	RMS	691	-59.96	-13	46.96	Pass	9701
1000	1840	1	RMS	1798	-48.66	-13	35.66	Pass	841
1840	1920	1	RMS	1850.2	21.26	60	38.74	Pass	401
1920	3000	1	RMS	2972	-45.76	-13	32.76	Pass	1081
3000	7000	1	RMS	6977	-58.05	-13	45.05	Pass	4001
7000	20000	1	RMS	17500	-45.77	-13	32.77	Pass	13002




**2.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.61	-13	54.61	Pass	401
0.15	30	0.01	RMS	29.11	-69.47	-13	56.47	Pass	2986
30	1000	0.1	RMS	863.409	-59.39	-13	46.39	Pass	9701
1000	1840	1	RMS	1815	-48.75	-13	35.75	Pass	841
1840	1920	1	RMS	1854.6	21.24	60	38.76	Pass	401
1920	3000	1	RMS	2972	-46.01	-13	33.01	Pass	1081
3000	7000	1	RMS	6981	-58.07	-13	45.07	Pass	4001
7000	20000	1	RMS	19799	-46.16	-13	33.16	Pass	13002




**2.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	0.27	-69.58	-13	56.58	Pass	2986
30	1000	0.1	RMS	871.615	-59.74	-13	46.74	Pass	9701
1000	1840	1	RMS	1803	-48.67	-13	35.67	Pass	841
1840	1920	1	RMS	1878.8	15.35	60	44.65	Pass	401
1920	3000	1	RMS	2969	-45.85	-13	32.85	Pass	1081
3000	7000	1	RMS	6979	-58.13	-13	45.13	Pass	4001
7000	20000	1	RMS	17502	-45.91	-13	32.91	Pass	13002




**2.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.04	-13	55.04	Pass	401
0.15	30	0.01	RMS	0.17	-70.48	-13	57.48	Pass	2986
30	1000	0.1	RMS	904.036	-59.79	-13	46.79	Pass	9701
1000	1840	1	RMS	1799	-48.63	-13	35.63	Pass	841
1840	1920	1	RMS	1877.8	21.32	60	38.68	Pass	401
1920	3000	1	RMS	2970	-45.8	-13	32.8	Pass	1081
3000	7000	1	RMS	6978	-57.98	-13	44.98	Pass	4001
7000	20000	1	RMS	19795	-46.1	-13	33.1	Pass	13002




**2.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.58	-13	55.58	Pass	401
0.15	30	0.01	RMS	0.27	-69.94	-13	56.94	Pass	2986
30	1000	0.1	RMS	887.225	-59.95	-13	46.95	Pass	9701
1000	1840	1	RMS	1786	-48.77	-13	35.77	Pass	841
1840	1920	1	RMS	1882	21.27	60	38.73	Pass	401
1920	3000	1	RMS	2968	-45.68	-13	32.68	Pass	1081
3000	7000	1	RMS	3435	-51.67	-13	38.67	Pass	4001
7000	20000	1	RMS	16009	-41.38	-13	28.38	Pass	13002




**2.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.3	-70.52	-13	57.52	Pass	2986
30	1000	0.1	RMS	905.337	-59.98	-13	46.98	Pass	9701
1000	1840	1	RMS	1800	-48.7	-13	35.7	Pass	841
1840	1920	1	RMS	1906.2	15.33	60	44.67	Pass	401
1920	3000	1	RMS	2986	-45.94	-13	32.94	Pass	1081
3000	7000	1	RMS	6980	-57.99	-13	44.99	Pass	4001
7000	20000	1	RMS	19798	-46.09	-13	33.09	Pass	13002




**2.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.96	-13	53.96	Pass	401
0.15	30	0.01	RMS	0.19	-69.36	-13	56.36	Pass	2986
30	1000	0.1	RMS	894.53	-59.98	-13	46.98	Pass	9701
1000	1840	1	RMS	1783	-48.84	-13	35.84	Pass	841
1840	1920	1	RMS	1905.2	21.18	60	38.82	Pass	401
1920	3000	1	RMS	2984	-46.1	-13	33.1	Pass	1081
3000	7000	1	RMS	6981	-58.31	-13	45.31	Pass	4001
7000	20000	1	RMS	17500	-46.03	-13	33.03	Pass	13002




**2.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.19	-13	54.19	Pass	401
0.15	30	0.01	RMS	0.15	-70.66	-13	57.66	Pass	2986
30	1000	0.1	RMS	902.135	-59.84	-13	46.84	Pass	9701
1000	1840	1	RMS	1804	-48.74	-13	35.74	Pass	841
1840	1920	1	RMS	1909.6	21.18	60	38.82	Pass	401
1920	3000	1	RMS	2969	-45.75	-13	32.75	Pass	1081
3000	7000	1	RMS	6982	-58.22	-13	45.22	Pass	4001
7000	20000	1	RMS	17500	-45.87	-13	32.87	Pass	13002




**2.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.29	-13	58.29	Pass	401
0.15	30	0.01	RMS	0.19	-69.93	-13	56.93	Pass	2986
30	1000	0.1	RMS	886.425	-60.02	-13	47.02	Pass	9701
1000	1840	1	RMS	1840	-37.22	-13	24.22	Pass	841
1840	1920	1	RMS	1868.2	9.18	60	50.82	Pass	401
1920	3000	1	RMS	2970	-45.84	-13	32.84	Pass	1081
3000	7000	1	RMS	6979	-58.35	-13	45.35	Pass	4001
7000	20000	1	RMS	19796	-45.96	-13	32.96	Pass	13002




**2.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.31	-13	54.31	Pass	401
0.15	30	0.01	RMS	0.15	-69.29	-13	56.29	Pass	2986
30	1000	0.1	RMS	911.541	-59.85	-13	46.85	Pass	9701
1000	1840	1	RMS	1840	-48.54	-13	35.54	Pass	841
1840	1920	1	RMS	1850.4	21.31	60	38.69	Pass	401
1920	3000	1	RMS	2973	-46	-13	33	Pass	1081
3000	7000	1	RMS	3433	-51.65	-13	38.65	Pass	4001
7000	20000	1	RMS	14025	-42.7	-13	29.7	Pass	13002




**2.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.47	-13	55.47	Pass	401
0.15	30	0.01	RMS	0.18	-69.74	-13	56.74	Pass	2986
30	1000	0.1	RMS	885.024	-59.99	-13	46.99	Pass	9701
1000	1840	1	RMS	1840	-46.1	-13	33.1	Pass	841
1840	1920	1	RMS	1869.4	21.29	60	38.71	Pass	401
1920	3000	1	RMS	2967	-45.74	-13	32.74	Pass	1081
3000	7000	1	RMS	6979	-58.34	-13	45.34	Pass	4001
7000	20000	1	RMS	17500	-45.9	-13	32.9	Pass	13002




**2.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.28	-13	58.28	Pass	401
0.15	30	0.01	RMS	0.16	-69.75	-13	56.75	Pass	2986
30	1000	0.1	RMS	894.33	-60.02	-13	47.02	Pass	9701
1000	1840	1	RMS	1840	-47.99	-13	34.99	Pass	841
1840	1920	1	RMS	1876.8	9.3	60	50.7	Pass	401
1920	3000	1	RMS	2968	-45.97	-13	32.97	Pass	1081
3000	7000	1	RMS	6981	-58.04	-13	45.04	Pass	4001
7000	20000	1	RMS	17504	-46.04	-13	33.04	Pass	13002




**2.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.87	-13	54.87	Pass	401
0.15	30	0.01	RMS	0.18	-70.03	-13	57.03	Pass	2986
30	1000	0.1	RMS	920.047	-59.9	-13	46.9	Pass	9701
1000	1840	1	RMS	1799	-48.76	-13	35.76	Pass	841
1840	1920	1	RMS	1870.4	21.32	60	38.68	Pass	401
1920	3000	1	RMS	2968	-45.77	-13	32.77	Pass	1081
3000	7000	1	RMS	6979	-58.29	-13	45.29	Pass	4001
7000	20000	1	RMS	17502	-45.77	-13	32.77	Pass	13002




**2.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.02	-13	55.02	Pass	401
0.15	30	0.01	RMS	29.04	-69.32	-13	56.32	Pass	2986
30	1000	0.1	RMS	955.47	-59.94	-13	46.94	Pass	9701
1000	1840	1	RMS	1810	-48.76	-13	35.76	Pass	841
1840	1920	1	RMS	1889.4	21.23	60	38.77	Pass	401
1920	3000	1	RMS	2970	-45.89	-13	32.89	Pass	1081
3000	7000	1	RMS	6975	-57.94	-13	44.94	Pass	4001
7000	20000	1	RMS	17500	-46.09	-13	33.09	Pass	13002




**2.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	0.16	-70.17	-13	57.17	Pass	2986
30	1000	0.1	RMS	908.539	-59.81	-13	46.81	Pass	9701
1000	1840	1	RMS	1808	-48.66	-13	35.66	Pass	841
1840	1920	1	RMS	1898.4	9.04	60	50.96	Pass	401
1920	3000	1	RMS	1920	-35.01	-13	22.01	Pass	1081
3000	7000	1	RMS	3430	-51.4	-13	38.4	Pass	4001
7000	20000	1	RMS	19998	-39.22	-13	26.22	Pass	13002




**2.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.71	-13	54.71	Pass	401
0.15	30	0.01	RMS	0.37	-69.85	-13	56.85	Pass	2986
30	1000	0.1	RMS	928.453	-60.01	-13	47.01	Pass	9701
1000	1840	1	RMS	1776	-48.92	-13	35.92	Pass	841
1840	1920	1	RMS	1890.4	21.25	60	38.75	Pass	401
1920	3000	1	RMS	2961	-45.9	-13	32.9	Pass	1081
3000	7000	1	RMS	6999	-58.23	-13	45.23	Pass	4001
7000	20000	1	RMS	17498	-45.94	-13	32.94	Pass	13002




**2.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.22	-13	55.22	Pass	401
0.15	30	0.01	RMS	0.5	-70.03	-13	57.03	Pass	2986
30	1000	0.1	RMS	989.793	-59.93	-13	46.93	Pass	9701
1000	1840	1	RMS	1796	-48.7	-13	35.7	Pass	841
1840	1920	1	RMS	1909.4	21.24	60	38.76	Pass	401
1920	3000	1	RMS	2971	-45.73	-13	32.73	Pass	1081
3000	7000	1	RMS	6979	-58.02	-13	45.02	Pass	4001
7000	20000	1	RMS	17502	-46.02	-13	33.02	Pass	13002




**2.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.16	-13	58.16	Pass	401
0.15	30	0.01	RMS	0.24	-69.34	-13	56.34	Pass	2986
30	1000	0.1	RMS	865.511	-59.8	-13	46.8	Pass	9701
1000	1840	1	RMS	1840	-38.76	-13	25.76	Pass	841
1840	1920	1	RMS	1874.8	6.36	60	53.64	Pass	401
1920	3000	1	RMS	1920	-42.06	-13	29.06	Pass	1081
3000	7000	1	RMS	6980	-57.96	-13	44.96	Pass	4001
7000	20000	1	RMS	17502	-45.71	-13	32.71	Pass	13002




**2.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.17	-13	55.17	Pass	401
0.15	30	0.01	RMS	14.97	-70.08	-13	57.08	Pass	2986
30	1000	0.1	RMS	874.817	-59.69	-13	46.69	Pass	9701
1000	1840	1	RMS	1797	-48.67	-13	35.67	Pass	841
1840	1920	1	RMS	1850.6	21.18	60	38.82	Pass	401
1920	3000	1	RMS	2979	-45.74	-13	32.74	Pass	1081
3000	7000	1	RMS	6971	-58.05	-13	45.05	Pass	4001
7000	20000	1	RMS	17500	-45.8	-13	32.8	Pass	13002




**2.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-68.35	-13	55.35	Pass	401
0.15	30	0.01	RMS	0.23	-69.97	-13	56.97	Pass	2986
30	1000	0.1	RMS	908.74	-59.77	-13	46.77	Pass	9701
1000	1840	1	RMS	1807	-48.61	-13	35.61	Pass	841
1840	1920	1	RMS	1889.2	21.19	60	38.81	Pass	401
1920	3000	1	RMS	2971	-45.7	-13	32.7	Pass	1081
3000	7000	1	RMS	3432	-51.87	-13	38.87	Pass	4001
7000	20000	1	RMS	16007	-41.56	-13	28.56	Pass	13002




**2.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.49	-13	58.49	Pass	401
0.15	30	0.01	RMS	0.16	-69.78	-13	56.78	Pass	2986
30	1000	0.1	RMS	905.237	-60	-13	47	Pass	9701
1000	1840	1	RMS	1840	-41.87	-13	28.87	Pass	841
1840	1920	1	RMS	1876.6	6.26	60	53.74	Pass	401
1920	3000	1	RMS	1920	-39.74	-13	26.74	Pass	1081
3000	7000	1	RMS	6978	-57.9	-13	44.9	Pass	4001
7000	20000	1	RMS	17500	-46.02	-13	33.02	Pass	13002




**2.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.41	-13	55.41	Pass	401
0.15	30	0.01	RMS	0.39	-70.08	-13	57.08	Pass	2986
30	1000	0.1	RMS	893.029	-60.04	-13	47.04	Pass	9701
1000	1840	1	RMS	1813	-48.74	-13	35.74	Pass	841
1840	1920	1	RMS	1860.6	21.19	60	38.81	Pass	401
1920	3000	1	RMS	2968	-46.05	-13	33.05	Pass	1081
3000	7000	1	RMS	6975	-58.11	-13	45.11	Pass	4001
7000	20000	1	RMS	17501	-46.08	-13	33.08	Pass	13002




**2.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-67.42	-13	54.42	Pass	401
0.15	30	0.01	RMS	0.33	-69.67	-13	56.67	Pass	2986
30	1000	0.1	RMS	877.019	-60.11	-13	47.11	Pass	9701
1000	1840	1	RMS	1840	-48.54	-13	35.54	Pass	841
1840	1920	1	RMS	1899.2	21.09	60	38.91	Pass	401
1920	3000	1	RMS	2985	-46.02	-13	33.02	Pass	1081
3000	7000	1	RMS	6982	-58.13	-13	45.13	Pass	4001
7000	20000	1	RMS	17497	-46.2	-13	33.2	Pass	13002




**2.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.13	-13	58.13	Pass	401
0.15	30	0.01	RMS	0.43	-70.37	-13	57.37	Pass	2986
30	1000	0.1	RMS	898.032	-59.93	-13	46.93	Pass	9701
1000	1840	1	RMS	1840	-44.05	-13	31.05	Pass	841
1840	1920	1	RMS	1875.2	6.42	60	53.58	Pass	401
1920	3000	1	RMS	1920	-36.31	-13	23.31	Pass	1081
3000	7000	1	RMS	6979	-57.88	-13	44.88	Pass	4001
7000	20000	1	RMS	17500	-46.13	-13	33.13	Pass	13002




**2.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.5	-13	54.5	Pass	401
0.15	30	0.01	RMS	0.16	-69.79	-13	56.79	Pass	2986
30	1000	0.1	RMS	1000	-59.94	-13	46.94	Pass	9701
1000	1840	1	RMS	1836	-48.88	-13	35.88	Pass	841
1840	1920	1	RMS	1870.6	21.25	60	38.75	Pass	401
1920	3000	1	RMS	2967	-45.81	-13	32.81	Pass	1081
3000	7000	1	RMS	3435	-52.32	-13	39.32	Pass	4001
7000	20000	1	RMS	14026	-42.78	-13	29.78	Pass	13002



**2.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.31	-13	53.31	Pass	401
0.15	30	0.01	RMS	0.26	-70.35	-13	57.35	Pass	2986
30	1000	0.1	RMS	858.606	-60.03	-13	47.03	Pass	9701
1000	1840	1	RMS	1800	-48.77	-13	35.77	Pass	841
1840	1920	1	RMS	1909.2	21.21	60	38.79	Pass	401
1920	3000	1	RMS	2983	-45.79	-13	32.79	Pass	1081
3000	7000	1	RMS	6974	-58.19	-13	45.19	Pass	4001
7000	20000	1	RMS	19791	-46.05	-13	33.05	Pass	13002



### 3. n5


**3.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.15	-13	58.15	Pass	401
0.15	30	0.01	RMS	0.16	-70.01	-13	57.01	Pass	2986
30	814	0.1	RMS	814	-50.55	-13	37.55	Pass	7841
814	859	0.1	RMS	824.5	5.63	60	54.37	Pass	451
859	1000	0.1	RMS	918.2	-60.14	-13	47.14	Pass	1411
1000	3000	1	RMS	2968	-45.82	-13	32.82	Pass	2001
3000	10000	1	RMS	9996	-56.12	-13	43.12	Pass	7001




**3.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.24	-13	53.24	Pass	401
0.15	30	0.01	RMS	0.2	-69.87	-13	56.87	Pass	2986
30	814	0.1	RMS	489.1	-60.26	-13	47.26	Pass	7841
814	859	0.1	RMS	824.3	18.24	60	41.76	Pass	451
859	1000	0.1	RMS	915.4	-60.07	-13	47.07	Pass	1411
1000	3000	1	RMS	2968	-45.88	-13	32.88	Pass	2001
3000	10000	1	RMS	9994	-56.18	-13	43.18	Pass	7001




**3.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.17	-13	53.17	Pass	401
0.15	30	0.01	RMS	0.17	-70	-13	57	Pass	2986
30	814	0.1	RMS	813.9	-60.29	-13	47.29	Pass	7841
814	859	0.1	RMS	828.7	17.88	60	42.12	Pass	451
859	1000	0.1	RMS	993	-60.09	-13	47.09	Pass	1411
1000	3000	1	RMS	2975	-45.82	-13	32.82	Pass	2001
3000	10000	1	RMS	9992	-56.1	-13	43.1	Pass	7001




**3.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.24	-13	58.24	Pass	401
0.15	30	0.01	RMS	0.24	-69.74	-13	56.74	Pass	2986
30	814	0.1	RMS	813.7	-47.46	-13	34.46	Pass	7841
814	859	0.1	RMS	837.5	0.59	60	59.41	Pass	451
859	1000	0.1	RMS	901.6	-59.94	-13	46.94	Pass	1411
1000	3000	1	RMS	2984	-45.95	-13	32.95	Pass	2001
3000	10000	1	RMS	7182	-48.16	-13	35.16	Pass	7001




**3.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.01	-13	54.01	Pass	401
0.15	30	0.01	RMS	0.17	-69.42	-13	56.42	Pass	2986
30	814	0.1	RMS	749.1	-60.42	-13	47.42	Pass	7841
814	859	0.1	RMS	834.3	18.27	60	41.73	Pass	451
859	1000	0.1	RMS	911.4	-60.22	-13	47.22	Pass	1411
1000	3000	1	RMS	2972	-45.88	-13	32.88	Pass	2001
3000	10000	1	RMS	7176	-47.3	-13	34.3	Pass	7001




**3.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.68	-13	53.68	Pass	401
0.15	30	0.01	RMS	0.15	-69.68	-13	56.68	Pass	2986
30	814	0.1	RMS	723.7	-60.43	-13	47.43	Pass	7841
814	859	0.1	RMS	838.7	17.84	60	42.16	Pass	451
859	1000	0.1	RMS	899.7	-60.07	-13	47.07	Pass	1411
1000	3000	1	RMS	2970	-45.91	-13	32.91	Pass	2001
3000	10000	1	RMS	9980	-56.03	-13	43.03	Pass	7001




**3.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.5	-13	58.5	Pass	401
0.15	30	0.01	RMS	0.29	-69.38	-13	56.38	Pass	2986
30	814	0.1	RMS	639.9	-60.35	-13	47.35	Pass	7841
814	859	0.1	RMS	844.7	5.98	60	54.02	Pass	451
859	1000	0.1	RMS	902.1	-60.08	-13	47.08	Pass	1411
1000	3000	1	RMS	2967	-45.91	-13	32.91	Pass	2001
3000	10000	1	RMS	9972	-56.25	-13	43.25	Pass	7001




**3.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.27	-13	54.27	Pass	401
0.15	30	0.01	RMS	0.75	-69.66	-13	56.66	Pass	2986
30	814	0.1	RMS	474	-60.31	-13	47.31	Pass	7841
814	859	0.1	RMS	844.3	18.27	60	41.73	Pass	451
859	1000	0.1	RMS	905.4	-60.06	-13	47.06	Pass	1411
1000	3000	1	RMS	2972	-45.83	-13	32.83	Pass	2001
3000	10000	1	RMS	9968	-56.12	-13	43.12	Pass	7001




**3.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.9	-13	52.9	Pass	401
0.15	30	0.01	RMS	0.17	-70.31	-13	57.31	Pass	2986
30	814	0.1	RMS	487.3	-60.47	-13	47.47	Pass	7841
814	859	0.1	RMS	848.6	17.86	60	42.14	Pass	451
859	1000	0.1	RMS	911.8	-59.78	-13	46.78	Pass	1411
1000	3000	1	RMS	2970	-46.07	-13	33.07	Pass	2001
3000	10000	1	RMS	9991	-56.12	-13	43.12	Pass	7001




**3.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.59	-70.16	-13	57.16	Pass	2986
30	814	0.1	RMS	813.9	-42.79	-13	29.79	Pass	7841
814	859	0.1	RMS	837.6	0.84	60	59.16	Pass	451
859	1000	0.1	RMS	899.4	-60.12	-13	47.12	Pass	1411
1000	3000	1	RMS	2978	-45.98	-13	32.98	Pass	2001
3000	10000	1	RMS	3579	-52.62	-13	39.62	Pass	7001




**3.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67	-13	54	Pass	401
0.15	30	0.01	RMS	0.16	-70.46	-13	57.46	Pass	2986
30	814	0.1	RMS	813.8	-58.03	-13	45.03	Pass	7841
814	859	0.1	RMS	824.5	18.31	60	41.69	Pass	451
859	1000	0.1	RMS	901.9	-60	-13	47	Pass	1411
1000	3000	1	RMS	2970	-45.85	-13	32.85	Pass	2001
3000	10000	1	RMS	7178	-47.72	-13	34.72	Pass	7001




**3.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.22	-13	52.22	Pass	401
0.15	30	0.01	RMS	0.41	-70	-13	57	Pass	2986
30	814	0.1	RMS	810.5	-54.51	-13	41.51	Pass	7841
814	859	0.1	RMS	838.5	18.57	60	41.43	Pass	451
859	1000	0.1	RMS	899.2	-59.99	-13	46.99	Pass	1411
1000	3000	1	RMS	2976	-45.91	-13	32.91	Pass	2001
3000	10000	1	RMS	9939	-56.11	-13	43.11	Pass	7001




**3.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.26	-70.02	-13	57.02	Pass	2986
30	814	0.1	RMS	814	-47.49	-13	34.49	Pass	7841
814	859	0.1	RMS	837.5	0.61	60	59.39	Pass	451
859	1000	0.1	RMS	878.1	-60.14	-13	47.14	Pass	1411
1000	3000	1	RMS	2968	-45.96	-13	32.96	Pass	2001
3000	10000	1	RMS	9993	-56.16	-13	43.16	Pass	7001




**3.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.29	-13	53.29	Pass	401
0.15	30	0.01	RMS	0.41	-70.37	-13	57.37	Pass	2986
30	814	0.1	RMS	813.9	-60.03	-13	47.03	Pass	7841
814	859	0.1	RMS	829.5	18.4	60	41.6	Pass	451
859	1000	0.1	RMS	996.8	-60	-13	47	Pass	1411
1000	3000	1	RMS	2979	-45.91	-13	32.91	Pass	2001
3000	10000	1	RMS	9925	-56.25	-13	43.25	Pass	7001




**3.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.98	-13	53.98	Pass	401
0.15	30	0.01	RMS	0.27	-69.94	-13	56.94	Pass	2986
30	814	0.1	RMS	813.8	-60.04	-13	47.04	Pass	7841
814	859	0.1	RMS	843.5	18.53	60	41.47	Pass	451
859	1000	0.1	RMS	900.2	-60.12	-13	47.12	Pass	1411
1000	3000	1	RMS	2962	-46.02	-13	33.02	Pass	2001
3000	10000	1	RMS	9965	-56.08	-13	43.08	Pass	7001




**3.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.35	-13	56.35	Pass	401
0.15	30	0.01	RMS	1.19	-70.33	-13	57.33	Pass	2986
30	814	0.1	RMS	814	-50.31	-13	37.31	Pass	7841
814	859	0.1	RMS	837.7	0.61	60	59.39	Pass	451
859	1000	0.1	RMS	900.8	-59.99	-13	46.99	Pass	1411
1000	3000	1	RMS	2980	-46.06	-13	33.06	Pass	2001
3000	10000	1	RMS	3584	-52.89	-13	39.89	Pass	7001




**3.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.1	-13	54.1	Pass	401
0.15	30	0.01	RMS	0.16	-69.4	-13	56.4	Pass	2986
30	814	0.1	RMS	717.4	-60.52	-13	47.52	Pass	7841
814	859	0.1	RMS	834.5	18.37	60	41.63	Pass	451
859	1000	0.1	RMS	898.8	-60.19	-13	47.19	Pass	1411
1000	3000	1	RMS	2981	-45.95	-13	32.95	Pass	2001
3000	10000	1	RMS	7179	-48.73	-13	35.73	Pass	7001




**3.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.23	-13	52.23	Pass	401
0.15	30	0.01	RMS	0.15	-69.77	-13	56.77	Pass	2986
30	814	0.1	RMS	813.9	-60.2	-13	47.2	Pass	7841
814	859	0.1	RMS	848.5	18.53	60	41.47	Pass	451
859	1000	0.1	RMS	899.7	-60.18	-13	47.18	Pass	1411
1000	3000	1	RMS	2966	-45.92	-13	32.92	Pass	2001
3000	10000	1	RMS	9973	-56.17	-13	43.17	Pass	7001




**3.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.56	-13	57.56	Pass	401
0.15	30	0.01	RMS	0.27	-70.24	-13	57.24	Pass	2986
30	814	0.1	RMS	813.9	-41.18	-13	28.18	Pass	7841
814	859	0.1	RMS	837	-0.48	60	60.48	Pass	451
859	1000	0.1	RMS	895.1	-60.13	-13	47.13	Pass	1411
1000	3000	1	RMS	2971	-45.82	-13	32.82	Pass	2001
3000	10000	1	RMS	9976	-56.14	-13	43.14	Pass	7001




**3.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.37	-13	53.37	Pass	401
0.15	30	0.01	RMS	1.43	-70.25	-13	57.25	Pass	2986
30	814	0.1	RMS	812.3	-57.92	-13	44.92	Pass	7841
814	859	0.1	RMS	824.5	18.09	60	41.91	Pass	451
859	1000	0.1	RMS	902.1	-60.07	-13	47.07	Pass	1411
1000	3000	1	RMS	2971	-46.07	-13	33.07	Pass	2001
3000	10000	1	RMS	9966	-56.15	-13	43.15	Pass	7001




**3.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.79	-13	53.79	Pass	401
0.15	30	0.01	RMS	0.69	-69.92	-13	56.92	Pass	2986
30	814	0.1	RMS	814	-55.47	-13	42.47	Pass	7841
814	859	0.1	RMS	843.4	18.05	60	41.95	Pass	451
859	1000	0.1	RMS	874	-60.06	-13	47.06	Pass	1411
1000	3000	1	RMS	2964	-46.01	-13	33.01	Pass	2001
3000	10000	1	RMS	9956	-56.15	-13	43.15	Pass	7001




**3.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.4	-13	58.4	Pass	401
0.15	30	0.01	RMS	0.38	-70.19	-13	57.19	Pass	2986
30	814	0.1	RMS	812.3	-43.44	-13	30.44	Pass	7841
814	859	0.1	RMS	838.2	-0.54	60	60.54	Pass	451
859	1000	0.1	RMS	898.9	-60.19	-13	47.19	Pass	1411
1000	3000	1	RMS	2970	-45.9	-13	32.9	Pass	2001
3000	10000	1	RMS	7168	-47.75	-13	34.75	Pass	7001




**3.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.72	-13	54.72	Pass	401
0.15	30	0.01	RMS	7.37	-70.14	-13	57.14	Pass	2986
30	814	0.1	RMS	813.1	-57.95	-13	44.95	Pass	7841
814	859	0.1	RMS	827	18.06	60	41.94	Pass	451
859	1000	0.1	RMS	989.6	-59.94	-13	46.94	Pass	1411
1000	3000	1	RMS	2970	-45.98	-13	32.98	Pass	2001
3000	10000	1	RMS	9999	-56.13	-13	43.13	Pass	7001




**3.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.52	-13	54.52	Pass	401
0.15	30	0.01	RMS	0.21	-69.92	-13	56.92	Pass	2986
30	814	0.1	RMS	813	-58.39	-13	45.39	Pass	7841
814	859	0.1	RMS	845.9	18.07	60	41.93	Pass	451
859	1000	0.1	RMS	905.1	-60.11	-13	47.11	Pass	1411
1000	3000	1	RMS	2972	-46.11	-13	33.11	Pass	2001
3000	10000	1	RMS	9973	-56.09	-13	43.09	Pass	7001




**3.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.8	-13	58.8	Pass	401
0.15	30	0.01	RMS	0.43	-70.4	-13	57.4	Pass	2986
30	814	0.1	RMS	813.8	-43.31	-13	30.31	Pass	7841
814	859	0.1	RMS	838.6	-0.52	60	60.52	Pass	451
859	1000	0.1	RMS	984.8	-60.2	-13	47.2	Pass	1411
1000	3000	1	RMS	2967	-45.91	-13	32.91	Pass	2001
3000	10000	1	RMS	9957	-56.19	-13	43.19	Pass	7001




**3.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.76	-13	53.76	Pass	401
0.15	30	0.01	RMS	0.62	-70.06	-13	57.06	Pass	2986
30	814	0.1	RMS	810	-56.23	-13	43.23	Pass	7841
814	859	0.1	RMS	829.5	18.13	60	41.87	Pass	451
859	1000	0.1	RMS	881.5	-60.05	-13	47.05	Pass	1411
1000	3000	1	RMS	2976	-45.84	-13	32.84	Pass	2001
3000	10000	1	RMS	9997	-56.1	-13	43.1	Pass	7001



**3.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67	-13	54	Pass	401
0.15	30	0.01	RMS	0.15	-70.45	-13	57.45	Pass	2986
30	814	0.1	RMS	810.7	-54.37	-13	41.37	Pass	7841
814	859	0.1	RMS	848.4	18.09	60	41.91	Pass	451
859	1000	0.1	RMS	992.7	-60.11	-13	47.11	Pass	1411
1000	3000	1	RMS	2973	-45.82	-13	32.82	Pass	2001
3000	10000	1	RMS	9906	-56.34	-13	43.34	Pass	7001



## 4. n7


### 4.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.15	-25	46.15	Pass	401
0.15	30	0.01	RMS	24.23	-70.46	-25	45.46	Pass	2986
30	1000	0.1	RMS	883.723	-59.92	-25	34.92	Pass	9701
1000	2495	1	RMS	2495	-30.59	-25	5.59	Pass	1496
2495	2575	1	RMS	2502.8	14.8	60	45.2	Pass	401
2575	3000	1	RMS	2977	-45.9	-25	20.9	Pass	426
3000	7000	1	RMS	3430	-51.62	-25	26.62	Pass	4001
7000	26000	1	RMS	20390	-37.2	-25	12.2	Pass	19003




**4.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.92	-25	42.92	Pass	401
0.15	30	0.01	RMS	0.29	-70.02	-25	45.02	Pass	2986
30	1000	0.1	RMS	912.442	-59.91	-25	34.91	Pass	9701
1000	2495	1	RMS	2495	-43.92	-25	18.92	Pass	1496
2495	2575	1	RMS	2500.2	20.87	60	39.13	Pass	401
2575	3000	1	RMS	2980	-46.01	-25	21.01	Pass	426
3000	7000	1	RMS	6977	-58.27	-25	33.27	Pass	4001
7000	26000	1	RMS	25104	-44.14	-25	19.14	Pass	19003




**4.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.25	-25	42.25	Pass	401
0.15	30	0.01	RMS	0.24	-70.12	-25	45.12	Pass	2986
30	1000	0.1	RMS	904.537	-59.93	-25	34.93	Pass	9701
1000	2495	1	RMS	2495	-43.61	-25	18.61	Pass	1496
2495	2575	1	RMS	2504.6	21	60	39	Pass	401
2575	3000	1	RMS	2965	-46.01	-25	21.01	Pass	426
3000	7000	1	RMS	6980	-57.96	-25	32.96	Pass	4001
7000	26000	1	RMS	24111	-44.3	-25	19.3	Pass	19003




**4.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.12	-25	47.12	Pass	401
0.15	30	0.01	RMS	0.23	-69.68	-25	44.68	Pass	2986
30	1000	0.1	RMS	995.297	-59.99	-25	34.99	Pass	9701
1000	2495	1	RMS	2492	-47.16	-25	22.16	Pass	1496
2495	2575	1	RMS	2533.6	14.9	60	45.1	Pass	401
2575	3000	1	RMS	2970	-45.95	-25	20.95	Pass	426
3000	7000	1	RMS	6980	-58.04	-25	33.04	Pass	4001
7000	26000	1	RMS	24108	-44.46	-25	19.46	Pass	19003




**4.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.67	-25	41.67	Pass	401
0.15	30	0.01	RMS	1.06	-69.84	-25	44.84	Pass	2986
30	1000	0.1	RMS	902.335	-60.11	-25	35.11	Pass	9701
1000	2495	1	RMS	2411	-45.21	-25	20.21	Pass	1496
2495	2575	1	RMS	2532.8	20.86	60	39.14	Pass	401
2575	3000	1	RMS	2978	-45.93	-25	20.93	Pass	426
3000	7000	1	RMS	6965	-58.32	-25	33.32	Pass	4001
7000	26000	1	RMS	25074	-44.35	-25	19.35	Pass	19003




**4.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.71	-25	41.71	Pass	401
0.15	30	0.01	RMS	0.17	-69.84	-25	44.84	Pass	2986
30	1000	0.1	RMS	902.736	-59.83	-25	34.83	Pass	9701
1000	2495	1	RMS	2492	-46.95	-25	21.95	Pass	1496
2495	2575	1	RMS	2537	20.87	60	39.13	Pass	401
2575	3000	1	RMS	2975	-45.86	-25	20.86	Pass	426
3000	7000	1	RMS	3438	-51.82	-25	26.82	Pass	4001
7000	26000	1	RMS	20405	-37.21	-25	12.21	Pass	19003




**4.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.97	-25	45.97	Pass	401
0.15	30	0.01	RMS	26.62	-70.3	-25	45.3	Pass	2986
30	1000	0.1	RMS	891.328	-59.96	-25	34.96	Pass	9701
1000	2495	1	RMS	2492	-47.04	-25	22.04	Pass	1496
2495	2575	1	RMS	2566.2	15.1	60	44.9	Pass	401
2575	3000	1	RMS	2575	-29.56	-25	4.56	Pass	426
3000	7000	1	RMS	6982	-58.33	-25	33.33	Pass	4001
7000	26000	1	RMS	25064	-44.37	-25	19.37	Pass	19003




**4.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.06	-25	42.06	Pass	401
0.15	30	0.01	RMS	2.92	-70.39	-25	45.39	Pass	2986
30	1000	0.1	RMS	869.413	-59.92	-25	34.92	Pass	9701
1000	2495	1	RMS	2491	-47.14	-25	22.14	Pass	1496
2495	2575	1	RMS	2565.2	20.89	60	39.11	Pass	401
2575	3000	1	RMS	2575	-45.11	-25	20.11	Pass	426
3000	7000	1	RMS	6978	-58.24	-25	33.24	Pass	4001
7000	26000	1	RMS	24107	-44.52	-25	19.52	Pass	19003




**4.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.83	-25	41.83	Pass	401
0.15	30	0.01	RMS	1.18	-70.1	-25	45.1	Pass	2986
30	1000	0.1	RMS	876.218	-60.06	-25	35.06	Pass	9701
1000	2495	1	RMS	2495	-46.86	-25	21.86	Pass	1496
2495	2575	1	RMS	2569.6	20.96	60	39.04	Pass	401
2575	3000	1	RMS	2575	-44.98	-25	19.98	Pass	426
3000	7000	1	RMS	6976	-58.1	-25	33.1	Pass	4001
7000	26000	1	RMS	24101	-44.21	-25	19.21	Pass	19003




**4.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.15	-25	46.15	Pass	401
0.15	30	0.01	RMS	0.18	-69.75	-25	44.75	Pass	2986
30	1000	0.1	RMS	892.329	-59.99	-25	34.99	Pass	9701
1000	2475	1	RMS	2475	-41.18	-25	16.18	Pass	1476
2475	2595	1	RMS	2519.1	7.61	60	52.39	Pass	401
2595	3000	1	RMS	2968	-45.9	-25	20.9	Pass	406
3000	7000	1	RMS	6977	-58.06	-25	33.06	Pass	4001
7000	26000	1	RMS	24113	-44.3	-25	19.3	Pass	19003




**4.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.41	-25	42.41	Pass	401
0.15	30	0.01	RMS	0.25	-70.12	-25	45.12	Pass	2986
30	1000	0.1	RMS	903.436	-59.98	-25	34.98	Pass	9701
1000	2475	1	RMS	2409	-45.74	-25	20.74	Pass	1476
2475	2595	1	RMS	2500.5	20.88	60	39.12	Pass	401
2595	3000	1	RMS	2971	-46.09	-25	21.09	Pass	406
3000	7000	1	RMS	3434	-51.73	-25	26.73	Pass	4001
7000	26000	1	RMS	20399	-37.61	-25	12.61	Pass	19003




**4.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.44	-25	42.44	Pass	401
0.15	30	0.01	RMS	0.25	-70.24	-25	45.24	Pass	2986
30	1000	0.1	RMS	887.025	-59.88	-25	34.88	Pass	9701
1000	2475	1	RMS	2467	-47.68	-25	22.68	Pass	1476
2475	2595	1	RMS	2524.2	20.7	60	39.3	Pass	401
2595	3000	1	RMS	2972	-45.89	-25	20.89	Pass	406
3000	7000	1	RMS	6981	-58.32	-25	33.32	Pass	4001
7000	26000	1	RMS	24125	-44.44	-25	19.44	Pass	19003




**4.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72	-25	47	Pass	401
0.15	30	0.01	RMS	0.22	-69.66	-25	44.66	Pass	2986
30	1000	0.1	RMS	911.942	-59.94	-25	34.94	Pass	9701
1000	2475	1	RMS	2410	-44.65	-25	19.65	Pass	1476
2475	2595	1	RMS	2532	7.57	60	52.43	Pass	401
2595	3000	1	RMS	2973	-45.82	-25	20.82	Pass	406
3000	7000	1	RMS	6975	-58.24	-25	33.24	Pass	4001
7000	26000	1	RMS	24106	-44.28	-25	19.28	Pass	19003




**4.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.84	-25	41.84	Pass	401
0.15	30	0.01	RMS	0.17	-69.89	-25	44.89	Pass	2986
30	1000	0.1	RMS	988.893	-59.97	-25	34.97	Pass	9701
1000	2475	1	RMS	2466	-47.4	-25	22.4	Pass	1476
2475	2595	1	RMS	2523	20.64	60	39.36	Pass	401
2595	3000	1	RMS	2973	-45.89	-25	20.89	Pass	406
3000	7000	1	RMS	6981	-57.93	-25	32.93	Pass	4001
7000	26000	1	RMS	25103	-44.31	-25	19.31	Pass	19003




**4.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.92	-25	42.92	Pass	401
0.15	30	0.01	RMS	0.78	-69.61	-25	44.61	Pass	2986
30	1000	0.1	RMS	908.139	-60.04	-25	35.04	Pass	9701
1000	2475	1	RMS	2475	-47.29	-25	22.29	Pass	1476
2475	2595	1	RMS	2546.7	20.47	60	39.53	Pass	401
2595	3000	1	RMS	2971	-45.88	-25	20.88	Pass	406
3000	7000	1	RMS	6982	-58	-25	33	Pass	4001
7000	26000	1	RMS	24094	-44.39	-25	19.39	Pass	19003




**4.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.5	-25	46.5	Pass	401
0.15	30	0.01	RMS	0.22	-70.11	-25	45.11	Pass	2986
30	1000	0.1	RMS	883.723	-60.03	-25	35.03	Pass	9701
1000	2475	1	RMS	2473	-47.62	-25	22.62	Pass	1476
2475	2595	1	RMS	2564.7	7.59	60	52.41	Pass	401
2595	3000	1	RMS	2595	-42.61	-25	17.61	Pass	406
3000	7000	1	RMS	3433	-51.47	-25	26.47	Pass	4001
7000	26000	1	RMS	20397	-36.99	-25	11.99	Pass	19003




**4.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.93	-25	41.93	Pass	401
0.15	30	0.01	RMS	0.28	-69.81	-25	44.81	Pass	2986
30	1000	0.1	RMS	909.14	-59.83	-25	34.83	Pass	9701
1000	2475	1	RMS	2470	-47.5	-25	22.5	Pass	1476
2475	2595	1	RMS	2545.5	20.53	60	39.47	Pass	401
2595	3000	1	RMS	2973	-45.91	-25	20.91	Pass	406
3000	7000	1	RMS	6978	-58	-25	33	Pass	4001
7000	26000	1	RMS	25130	-44.46	-25	19.46	Pass	19003




**4.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.4	-25	41.4	Pass	401
0.15	30	0.01	RMS	0.16	-70.07	-25	45.07	Pass	2986
30	1000	0.1	RMS	891.228	-60	-25	35	Pass	9701
1000	2475	1	RMS	2412	-46.55	-25	21.55	Pass	1476
2475	2595	1	RMS	2569.2	20.86	60	39.14	Pass	401
2595	3000	1	RMS	2978	-45.81	-25	20.81	Pass	406
3000	7000	1	RMS	6966	-58.21	-25	33.21	Pass	4001
7000	26000	1	RMS	25076	-44.33	-25	19.33	Pass	19003




**4.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.79	-25	45.79	Pass	401
0.15	30	0.01	RMS	29.94	-70.1	-25	45.1	Pass	2986
30	1000	0.1	RMS	994.096	-59.21	-25	34.21	Pass	9701
1000	2450	1	RMS	2426	-47.36	-25	22.36	Pass	1451
2450	2620	1	RMS	2509.075	4.66	60	55.34	Pass	401
2620	3000	1	RMS	2969.6	-45.79	-25	20.79	Pass	401
3000	7000	1	RMS	6982	-58.23	-25	33.23	Pass	4001
7000	26000	1	RMS	24132	-44.34	-25	19.34	Pass	19003




**4.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.29	-25	42.29	Pass	401
0.15	30	0.01	RMS	0.15	-69.36	-25	44.36	Pass	2986
30	1000	0.1	RMS	902.836	-59.77	-25	34.77	Pass	9701
1000	2450	1	RMS	2195	-47.42	-25	22.42	Pass	1451
2450	2620	1	RMS	2500.575	20.62	60	39.38	Pass	401
2620	3000	1	RMS	2978.15	-45.86	-25	20.86	Pass	401
3000	7000	1	RMS	6979	-58.27	-25	33.27	Pass	4001
7000	26000	1	RMS	25104	-44.03	-25	19.03	Pass	19003




**4.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.93	-25	41.93	Pass	401
0.15	30	0.01	RMS	10.31	-69.67	-25	44.67	Pass	2986
30	1000	0.1	RMS	900.934	-59.79	-25	34.79	Pass	9701
1000	2450	1	RMS	2448	-47.46	-25	22.46	Pass	1451
2450	2620	1	RMS	2549.025	20.3	60	39.7	Pass	401
2620	3000	1	RMS	2981	-45.93	-25	20.93	Pass	401
3000	7000	1	RMS	3432	-50.96	-25	25.96	Pass	4001
7000	26000	1	RMS	20389	-37.24	-25	12.24	Pass	19003




**4.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.88	-25	46.88	Pass	401
0.15	30	0.01	RMS	1.15	-69.91	-25	44.91	Pass	2986
30	1000	0.1	RMS	901.235	-59.92	-25	34.92	Pass	9701
1000	2450	1	RMS	2446	-47.4	-25	22.4	Pass	1451
2450	2620	1	RMS	2512.05	4.87	60	55.13	Pass	401
2620	3000	1	RMS	2975.3	-45.86	-25	20.86	Pass	401
3000	7000	1	RMS	6998	-58.27	-25	33.27	Pass	4001
7000	26000	1	RMS	24100	-44.42	-25	19.42	Pass	19003




**4.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.46	-25	44.46	Pass	401
0.15	30	0.01	RMS	0.32	-68.81	-25	43.81	Pass	2986
30	1000	0.1	RMS	913.243	-59.84	-25	34.84	Pass	9701
1000	2450	1	RMS	2198	-47.49	-25	22.49	Pass	1451
2450	2620	1	RMS	2510.775	20.17	60	39.83	Pass	401
2620	3000	1	RMS	2975.3	-45.84	-25	20.84	Pass	401
3000	7000	1	RMS	6972	-58.24	-25	33.24	Pass	4001
7000	26000	1	RMS	24112	-44.47	-25	19.47	Pass	19003




**4.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.04	-25	43.04	Pass	401
0.15	30	0.01	RMS	0.18	-69.96	-25	44.96	Pass	2986
30	1000	0.1	RMS	845.5	-59.99	-25	34.99	Pass	9701
1000	2450	1	RMS	2446	-47.51	-25	22.51	Pass	1451
2450	2620	1	RMS	2558.8	20.1	60	39.9	Pass	401
2620	3000	1	RMS	2971.5	-45.74	-25	20.74	Pass	401
3000	7000	1	RMS	6983	-57.96	-25	32.96	Pass	4001
7000	26000	1	RMS	24102	-44.28	-25	19.28	Pass	19003




**4.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.8	-25	44.8	Pass	401
0.15	30	0.01	RMS	0.33	-70.08	-25	45.08	Pass	2986
30	1000	0.1	RMS	903.736	-59.98	-25	34.98	Pass	9701
1000	2450	1	RMS	2409	-46.21	-25	21.21	Pass	1451
2450	2620	1	RMS	2560.5	4.8	60	55.2	Pass	401
2620	3000	1	RMS	2973.4	-45.81	-25	20.81	Pass	401
3000	7000	1	RMS	6981	-58.24	-25	33.24	Pass	4001
7000	26000	1	RMS	25091	-44.25	-25	19.25	Pass	19003




**4.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.04	-25	43.04	Pass	401
0.15	30	0.01	RMS	9.8	-70.26	-25	45.26	Pass	2986
30	1000	0.1	RMS	993.696	-59.7	-25	34.7	Pass	9701
1000	2450	1	RMS	2407	-47.07	-25	22.07	Pass	1451
2450	2620	1	RMS	2520.55	20.54	60	39.46	Pass	401
2620	3000	1	RMS	2968.65	-45.8	-25	20.8	Pass	401
3000	7000	1	RMS	3433	-52.76	-25	27.76	Pass	4001
7000	26000	1	RMS	20401	-37.77	-25	12.77	Pass	19003



**4.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.82	-25	40.82	Pass	401
0.15	30	0.01	RMS	0.44	-70.33	-25	45.33	Pass	2986
30	1000	0.1	RMS	994.396	-59.11	-25	34.11	Pass	9701
1000	2450	1	RMS	2178	-47.4	-25	22.4	Pass	1451
2450	2620	1	RMS	2569	20.79	60	39.21	Pass	401
2620	3000	1	RMS	2975.3	-45.82	-25	20.82	Pass	401
3000	7000	1	RMS	6976	-58.21	-25	33.21	Pass	4001
7000	26000	1	RMS	24105	-44.33	-25	19.33	Pass	19003



## 5. n12 15kHz


5.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.78	-13	51.78	Pass	401
0.15	30	0.01	RMS	0.28	-70.37	-13	57.37	Pass	2986
30	689	0.1	RMS	689	-59.69	-13	46.69	Pass	6591
689	726	0.1	RMS	699.545	5.22	60	54.78	Pass	401
726	1000	0.1	RMS	885.4	-59.7	-13	46.7	Pass	2741
1000	3000	1	RMS	2965	-45.93	-13	32.93	Pass	2001
3000	10000	1	RMS	9975	-56.07	-13	43.07	Pass	7001




**5.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-70.78	-13	57.78	Pass	401
0.15	30	0.01	RMS	0.15	-69.84	-13	56.84	Pass	2986
30	689	0.1	RMS	634	-60.5	-13	47.5	Pass	6591
689	726	0.1	RMS	699.36	18.24	60	41.76	Pass	401
726	1000	0.1	RMS	908.2	-59.77	-13	46.77	Pass	2741
1000	3000	1	RMS	2984	-45.9	-13	32.9	Pass	2001
3000	10000	1	RMS	9948	-56.04	-13	43.04	Pass	7001




**5.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.74	-13	57.74	Pass	401
0.15	30	0.01	RMS	0.36	-69.46	-13	56.46	Pass	2986
30	689	0.1	RMS	488	-60.6	-13	47.6	Pass	6591
689	726	0.1	RMS	703.615	18.09	60	41.91	Pass	401
726	1000	0.1	RMS	912.1	-59.61	-13	46.61	Pass	2741
1000	3000	1	RMS	2971	-45.76	-13	32.76	Pass	2001
3000	10000	1	RMS	9996	-56.18	-13	43.18	Pass	7001




**5.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.19	-13	58.19	Pass	401
0.15	30	0.01	RMS	0.17	-69.29	-13	56.29	Pass	2986
30	689	0.1	RMS	491.1	-60.59	-13	47.59	Pass	6591
689	726	0.1	RMS	705.558	5.4	60	54.6	Pass	401
726	1000	0.1	RMS	893.7	-59.64	-13	46.64	Pass	2741
1000	3000	1	RMS	2970	-45.96	-13	32.96	Pass	2001
3000	10000	1	RMS	7172	-47.43	-13	34.43	Pass	7001




**5.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.57	-13	55.57	Pass	401
0.15	30	0.01	RMS	0.36	-69.57	-13	56.57	Pass	2986
30	689	0.1	RMS	631.3	-60.55	-13	47.55	Pass	6591
689	726	0.1	RMS	705.373	17.88	60	42.12	Pass	401
726	1000	0.1	RMS	998.3	-59.71	-13	46.71	Pass	2741
1000	3000	1	RMS	2965	-45.92	-13	32.92	Pass	2001
3000	10000	1	RMS	9961	-56.05	-13	43.05	Pass	7001




**5.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.41	-13	57.41	Pass	401
0.15	30	0.01	RMS	0.15	-69.92	-13	56.92	Pass	2986
30	689	0.1	RMS	639.4	-60.59	-13	47.59	Pass	6591
689	726	0.1	RMS	709.628	18.29	60	41.71	Pass	401
726	1000	0.1	RMS	896.8	-59.42	-13	46.42	Pass	2741
1000	3000	1	RMS	2970	-45.79	-13	32.79	Pass	2001
3000	10000	1	RMS	9990	-56.03	-13	43.03	Pass	7001




**5.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.08	-13	58.08	Pass	401
0.15	30	0.01	RMS	0.23	-70.07	-13	57.07	Pass	2986
30	689	0.1	RMS	479.4	-60.67	-13	47.67	Pass	6591
689	726	0.1	RMS	711.478	5.38	60	54.62	Pass	401
726	1000	0.1	RMS	874.4	-59.89	-13	46.89	Pass	2741
1000	3000	1	RMS	2968	-45.83	-13	32.83	Pass	2001
3000	10000	1	RMS	10000	-56.17	-13	43.17	Pass	7001




**5.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.61	-13	56.61	Pass	401
0.15	30	0.01	RMS	2.66	-70.64	-13	57.64	Pass	2986
30	689	0.1	RMS	480.3	-60.31	-13	47.31	Pass	6591
689	726	0.1	RMS	711.293	18.01	60	41.99	Pass	401
726	1000	0.1	RMS	869	-59.78	-13	46.78	Pass	2741
1000	3000	1	RMS	2973	-45.87	-13	32.87	Pass	2001
3000	10000	1	RMS	9994	-56.09	-13	43.09	Pass	7001




**5.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-69.82	-13	56.82	Pass	401
0.15	30	0.01	RMS	0.19	-69.96	-13	56.96	Pass	2986
30	689	0.1	RMS	492.7	-60.6	-13	47.6	Pass	6591
689	726	0.1	RMS	715.64	18.36	60	41.64	Pass	401
726	1000	0.1	RMS	876.1	-59.35	-13	46.35	Pass	2741
1000	3000	1	RMS	2976	-45.92	-13	32.92	Pass	2001
3000	10000	1	RMS	9999	-56.33	-13	43.33	Pass	7001




**5.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	0.48	-69.67	-13	56.67	Pass	2986
30	689	0.1	RMS	689	-54.52	-13	41.52	Pass	6591
689	726	0.1	RMS	705.188	2.05	60	57.95	Pass	401
726	1000	0.1	RMS	911	-59.65	-13	46.65	Pass	2741
1000	3000	1	RMS	2975	-45.85	-13	32.85	Pass	2001
3000	10000	1	RMS	7177	-47.98	-13	34.98	Pass	7001




**5.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.25	-13	57.25	Pass	401
0.15	30	0.01	RMS	0.17	-69.82	-13	56.82	Pass	2986
30	689	0.1	RMS	484.8	-60.6	-13	47.6	Pass	6591
689	726	0.1	RMS	699.36	18.09	60	41.91	Pass	401
726	1000	0.1	RMS	984.7	-59.62	-13	46.62	Pass	2741
1000	3000	1	RMS	2973	-45.93	-13	32.93	Pass	2001
3000	10000	1	RMS	9883	-56.31	-13	43.31	Pass	7001




**5.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.4	-13	56.4	Pass	401
0.15	30	0.01	RMS	0.33	-70.05	-13	57.05	Pass	2986
30	689	0.1	RMS	471.7	-60.58	-13	47.58	Pass	6591
689	726	0.1	RMS	708.61	18.31	60	41.69	Pass	401
726	1000	0.1	RMS	898.4	-59.67	-13	46.67	Pass	2741
1000	3000	1	RMS	2973	-45.82	-13	32.82	Pass	2001
3000	10000	1	RMS	9973	-56.15	-13	43.15	Pass	7001




**5.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.86	-13	57.86	Pass	401
0.15	30	0.01	RMS	0.19	-69.95	-13	56.95	Pass	2986
30	689	0.1	RMS	689	-58.42	-13	45.42	Pass	6591
689	726	0.1	RMS	706.02	2.12	60	57.88	Pass	401
726	1000	0.1	RMS	875.1	-59.54	-13	46.54	Pass	2741
1000	3000	1	RMS	2970	-45.89	-13	32.89	Pass	2001
3000	10000	1	RMS	9979	-56.08	-13	43.08	Pass	7001




**5.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.25	-13	57.25	Pass	401
0.15	30	0.01	RMS	0.36	-70.19	-13	57.19	Pass	2986
30	689	0.1	RMS	492.1	-60.56	-13	47.56	Pass	6591
689	726	0.1	RMS	702.875	18.36	60	41.64	Pass	401
726	1000	0.1	RMS	887.3	-59.8	-13	46.8	Pass	2741
1000	3000	1	RMS	2968	-45.93	-13	32.93	Pass	2001
3000	10000	1	RMS	9948	-56.1	-13	43.1	Pass	7001




**5.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-69.95	-13	56.95	Pass	401
0.15	30	0.01	RMS	0.15	-69.5	-13	56.5	Pass	2986
30	689	0.1	RMS	629.7	-60.6	-13	47.6	Pass	6591
689	726	0.1	RMS	712.125	17.92	60	42.08	Pass	401
726	1000	0.1	RMS	905.3	-59.59	-13	46.59	Pass	2741
1000	3000	1	RMS	2969	-45.89	-13	32.89	Pass	2001
3000	10000	1	RMS	7182	-48.99	-13	35.99	Pass	7001




**5.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.97	-70.41	-13	57.41	Pass	2986
30	689	0.1	RMS	689	-60.04	-13	47.04	Pass	6591
689	726	0.1	RMS	709.535	2.23	60	57.77	Pass	401
726	1000	0.1	RMS	990.7	-59.41	-13	46.41	Pass	2741
1000	3000	1	RMS	2973	-45.9	-13	32.9	Pass	2001
3000	10000	1	RMS	9920	-56.38	-13	43.38	Pass	7001




**5.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.79	-13	56.79	Pass	401
0.15	30	0.01	RMS	0.54	-69.77	-13	56.77	Pass	2986
30	689	0.1	RMS	664.4	-60.63	-13	47.63	Pass	6591
689	726	0.1	RMS	706.39	18.43	60	41.57	Pass	401
726	1000	0.1	RMS	918.6	-59.54	-13	46.54	Pass	2741
1000	3000	1	RMS	2972	-46.02	-13	33.02	Pass	2001
3000	10000	1	RMS	9958	-56.09	-13	43.09	Pass	7001




**5.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.88	-13	57.88	Pass	401
0.15	30	0.01	RMS	0.4	-69.57	-13	56.57	Pass	2986
30	689	0.1	RMS	499.7	-60.56	-13	47.56	Pass	6591
689	726	0.1	RMS	715.548	18.15	60	41.85	Pass	401
726	1000	0.1	RMS	997.9	-59.61	-13	46.61	Pass	2741
1000	3000	1	RMS	2982	-45.96	-13	32.96	Pass	2001
3000	10000	1	RMS	9969	-56.02	-13	43.02	Pass	7001




**5.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.17	-13	58.17	Pass	401
0.15	30	0.01	RMS	1.41	-69.22	-13	56.22	Pass	2986
30	689	0.1	RMS	689	-50.27	-13	37.27	Pass	6591
689	726	0.1	RMS	705.558	0.43	60	59.57	Pass	401
726	1000	0.1	RMS	983.7	-59.7	-13	46.7	Pass	2741
1000	3000	1	RMS	2970	-45.8	-13	32.8	Pass	2001
3000	10000	1	RMS	9999	-56.07	-13	43.07	Pass	7001




**5.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.8	-13	56.8	Pass	401
0.15	30	0.01	RMS	0.84	-70.09	-13	57.09	Pass	2986
30	689	0.1	RMS	488.9	-60.55	-13	47.55	Pass	6591
689	726	0.1	RMS	699.453	18.47	60	41.53	Pass	401
726	1000	0.1	RMS	910.6	-59.74	-13	46.74	Pass	2741
1000	3000	1	RMS	2977	-45.86	-13	32.86	Pass	2001
3000	10000	1	RMS	9952	-56.28	-13	43.28	Pass	7001




**5.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.65	-13	56.65	Pass	401
0.15	30	0.01	RMS	0.2	-69.81	-13	56.81	Pass	2986
30	689	0.1	RMS	495	-60.43	-13	47.43	Pass	6591
689	726	0.1	RMS	713.513	18.44	60	41.56	Pass	401
726	1000	0.1	RMS	869.1	-59.56	-13	46.56	Pass	2741
1000	3000	1	RMS	2970	-46.04	-13	33.04	Pass	2001
3000	10000	1	RMS	7182	-47.75	-13	34.75	Pass	7001




**5.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.75	-13	58.75	Pass	401
0.15	30	0.01	RMS	0.22	-69.79	-13	56.79	Pass	2986
30	689	0.1	RMS	689	-52	-13	39	Pass	6591
689	726	0.1	RMS	705.095	0.44	60	59.56	Pass	401
726	1000	0.1	RMS	996.6	-59.74	-13	46.74	Pass	2741
1000	3000	1	RMS	2970	-46.02	-13	33.02	Pass	2001
3000	10000	1	RMS	9931	-56.33	-13	43.33	Pass	7001




**5.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.78	-13	56.78	Pass	401
0.15	30	0.01	RMS	0.15	-69.8	-13	56.8	Pass	2986
30	689	0.1	RMS	634.3	-60.4	-13	47.4	Pass	6591
689	726	0.1	RMS	700.47	18.51	60	41.49	Pass	401
726	1000	0.1	RMS	917.7	-59.81	-13	46.81	Pass	2741
1000	3000	1	RMS	2971	-45.91	-13	32.91	Pass	2001
3000	10000	1	RMS	9979	-56.1	-13	43.1	Pass	7001




**5.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.45	-13	56.45	Pass	401
0.15	30	0.01	RMS	0.16	-70.1	-13	57.1	Pass	2986
30	689	0.1	RMS	491.4	-60.51	-13	47.51	Pass	6591
689	726	0.1	RMS	714.53	18.35	60	41.65	Pass	401
726	1000	0.1	RMS	989.2	-59.72	-13	46.72	Pass	2741
1000	3000	1	RMS	2972	-45.85	-13	32.85	Pass	2001
3000	10000	1	RMS	9991	-56.18	-13	43.18	Pass	7001




**5.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.83	-13	57.83	Pass	401
0.15	30	0.01	RMS	0.66	-69.5	-13	56.5	Pass	2986
30	689	0.1	RMS	689	-52.47	-13	39.47	Pass	6591
689	726	0.1	RMS	705.28	0.46	60	59.54	Pass	401
726	1000	0.1	RMS	895.6	-59.86	-13	46.86	Pass	2741
1000	3000	1	RMS	2969	-45.76	-13	32.76	Pass	2001
3000	10000	1	RMS	9989	-56.19	-13	43.19	Pass	7001




**5.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.05	-13	57.05	Pass	401
0.15	30	0.01	RMS	0.2	-69.09	-13	56.09	Pass	2986
30	689	0.1	RMS	634.4	-60.62	-13	47.62	Pass	6591
689	726	0.1	RMS	701.488	18.43	60	41.57	Pass	401
726	1000	0.1	RMS	842.8	-59.5	-13	46.5	Pass	2741
1000	3000	1	RMS	2969	-45.86	-13	32.86	Pass	2001
3000	10000	1	RMS	9991	-55.98	-13	42.98	Pass	7001



**5.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.95	-13	56.95	Pass	401
0.15	30	0.01	RMS	0.17	-70.59	-13	57.59	Pass	2986
30	689	0.1	RMS	687.8	-60.37	-13	47.37	Pass	6591
689	726	0.1	RMS	715.548	18.02	60	41.98	Pass	401
726	1000	0.1	RMS	991.7	-59.58	-13	46.58	Pass	2741
1000	3000	1	RMS	2978	-45.94	-13	32.94	Pass	2001
3000	10000	1	RMS	7184	-48.43	-13	35.43	Pass	7001



## 6. n66


**6.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.06	-13	58.06	Pass	401
0.15	30	0.01	RMS	0.24	-70.37	-13	57.37	Pass	2986
30	1000	0.1	RMS	848.1	-59.71	-13	46.71	Pass	9701
1000	1700	1	RMS	1700	-42.59	-13	29.59	Pass	701
1700	1790	1	RMS	1713.5	15.17	60	44.83	Pass	401
1790	3000	1	RMS	2978	-45.73	-13	32.73	Pass	1211
3000	7000	1	RMS	6979	-58.21	-13	45.21	Pass	4001
7000	20000	1	RMS	14007	-42.63	-13	29.63	Pass	13002




**6.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-68.21	-13	55.21	Pass	401
0.15	30	0.01	RMS	0.17	-69.58	-13	56.58	Pass	2986
30	1000	0.1	RMS	737.7	-59.79	-13	46.79	Pass	9701
1000	1700	1	RMS	1700	-48.91	-13	35.91	Pass	701
1700	1790	1	RMS	1710.125	21.06	60	38.94	Pass	401
1790	3000	1	RMS	2970	-45.91	-13	32.91	Pass	1211
3000	7000	1	RMS	6998	-58.24	-13	45.24	Pass	4001
7000	20000	1	RMS	17502	-46.05	-13	33.05	Pass	13002




**6.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.56	-13	55.56	Pass	401
0.15	30	0.01	RMS	0.53	-69.86	-13	56.86	Pass	2986
30	1000	0.1	RMS	876.618	-59.89	-13	46.89	Pass	9701
1000	1700	1	RMS	1697	-48.95	-13	35.95	Pass	701
1700	1790	1	RMS	1714.625	21	60	39	Pass	401
1790	3000	1	RMS	2410	-45.05	-13	32.05	Pass	1211
3000	7000	1	RMS	6978	-57.96	-13	44.96	Pass	4001
7000	20000	1	RMS	17500	-45.96	-13	32.96	Pass	13002




**6.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.32	-13	58.32	Pass	401
0.15	30	0.01	RMS	0.18	-69.92	-13	56.92	Pass	2986
30	1000	0.1	RMS	902.736	-59.75	-13	46.75	Pass	9701
1000	1700	1	RMS	1654	-49.35	-13	36.35	Pass	701
1700	1790	1	RMS	1745.45	15.09	60	44.91	Pass	401
1790	3000	1	RMS	2970	-45.75	-13	32.75	Pass	1211
3000	7000	1	RMS	6970	-58.14	-13	45.14	Pass	4001
7000	20000	1	RMS	17500	-46.13	-13	33.13	Pass	13002




**6.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.78	-13	54.78	Pass	401
0.15	30	0.01	RMS	0.18	-69.82	-13	56.82	Pass	2986
30	1000	0.1	RMS	896.932	-59.88	-13	46.88	Pass	9701
1000	1700	1	RMS	1690	-49.25	-13	36.25	Pass	701
1700	1790	1	RMS	1742.75	21.15	60	38.85	Pass	401
1790	3000	1	RMS	2971	-46.02	-13	33.02	Pass	1211
3000	7000	1	RMS	3437	-51.24	-13	38.24	Pass	4001
7000	20000	1	RMS	17500	-46.18	-13	33.18	Pass	13002




**6.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.1	-13	55.1	Pass	401
0.15	30	0.01	RMS	0.15	-68.59	-13	55.59	Pass	2986
30	1000	0.1	RMS	906.038	-59.81	-13	46.81	Pass	9701
1000	1700	1	RMS	1691	-49.21	-13	36.21	Pass	701
1700	1790	1	RMS	1747.025	21.16	60	38.84	Pass	401
1790	3000	1	RMS	2983	-45.78	-13	32.78	Pass	1211
3000	7000	1	RMS	6979	-57.94	-13	44.94	Pass	4001
7000	20000	1	RMS	20000	-38.85	-13	25.85	Pass	13002




**6.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.16	-70.05	-13	57.05	Pass	2986
30	1000	0.1	RMS	909.64	-59.81	-13	46.81	Pass	9701
1000	1700	1	RMS	1695	-49.22	-13	36.22	Pass	701
1700	1790	1	RMS	1776.5	15.41	60	44.59	Pass	401
1790	3000	1	RMS	1790	-43.3	-13	30.3	Pass	1211
3000	7000	1	RMS	6976	-58.01	-13	45.01	Pass	4001
7000	20000	1	RMS	17499	-46.15	-13	33.15	Pass	13002




**6.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.29	-13	55.29	Pass	401
0.15	30	0.01	RMS	0.27	-69.35	-13	56.35	Pass	2986
30	1000	0.1	RMS	994.997	-59.78	-13	46.78	Pass	9701
1000	1700	1	RMS	1649	-49.27	-13	36.27	Pass	701
1700	1790	1	RMS	1775.15	21.29	60	38.71	Pass	401
1790	3000	1	RMS	2969	-45.66	-13	32.66	Pass	1211
3000	7000	1	RMS	6982	-58.16	-13	45.16	Pass	4001
7000	20000	1	RMS	17495	-45.98	-13	32.98	Pass	13002




**6.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.84	-13	55.84	Pass	401
0.15	30	0.01	RMS	0.2	-70.38	-13	57.38	Pass	2986
30	1000	0.1	RMS	906.638	-59.96	-13	46.96	Pass	9701
1000	1700	1	RMS	1666	-49.28	-13	36.28	Pass	701
1700	1790	1	RMS	1779.425	21.27	60	38.73	Pass	401
1790	3000	1	RMS	2974	-45.68	-13	32.68	Pass	1211
3000	7000	1	RMS	6983	-58.01	-13	45.01	Pass	4001
7000	20000	1	RMS	17501	-46.06	-13	33.06	Pass	13002




**6.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.04	-13	57.04	Pass	401
0.15	30	0.01	RMS	0.15	-69.83	-13	56.83	Pass	2986
30	1000	0.1	RMS	879.72	-59.99	-13	46.99	Pass	9701
1000	1700	1	RMS	1700	-30.85	-13	17.85	Pass	701
1700	1790	1	RMS	1724.525	9.17	60	50.83	Pass	401
1790	3000	1	RMS	2970	-45.98	-13	32.98	Pass	1211
3000	7000	1	RMS	3435	-51.18	-13	38.18	Pass	4001
7000	20000	1	RMS	17503	-46.16	-13	33.16	Pass	13002




**6.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.09	-13	55.09	Pass	401
0.15	30	0.01	RMS	26.26	-69.8	-13	56.8	Pass	2986
30	1000	0.1	RMS	909.74	-59.83	-13	46.83	Pass	9701
1000	1700	1	RMS	1700	-46.54	-13	33.54	Pass	701
1700	1790	1	RMS	1710.35	21.1	60	38.9	Pass	401
1790	3000	1	RMS	2412	-45.92	-13	32.92	Pass	1211
3000	7000	1	RMS	6981	-58.01	-13	45.01	Pass	4001
7000	20000	1	RMS	14025	-42.23	-13	29.23	Pass	13002




**6.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.06	-13	56.06	Pass	401
0.15	30	0.01	RMS	0.15	-70	-13	57	Pass	2986
30	1000	0.1	RMS	993.596	-59.91	-13	46.91	Pass	9701
1000	1700	1	RMS	1700	-42.16	-13	29.16	Pass	701
1700	1790	1	RMS	1729.25	21.04	60	38.96	Pass	401
1790	3000	1	RMS	2975	-45.94	-13	32.94	Pass	1211
3000	7000	1	RMS	6979	-58.03	-13	45.03	Pass	4001
7000	20000	1	RMS	17493	-46.17	-13	33.17	Pass	13002




**6.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.83	-13	56.83	Pass	401
0.15	30	0.01	RMS	0.19	-69.89	-13	56.89	Pass	2986
30	1000	0.1	RMS	895.231	-59.9	-13	46.9	Pass	9701
1000	1700	1	RMS	1700	-45.24	-13	32.24	Pass	701
1700	1790	1	RMS	1751.075	9.16	60	50.84	Pass	401
1790	3000	1	RMS	1790	-45.56	-13	32.56	Pass	1211
3000	7000	1	RMS	6980	-57.88	-13	44.88	Pass	4001
7000	20000	1	RMS	17501	-45.84	-13	32.84	Pass	13002




**6.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.27	-13	55.27	Pass	401
0.15	30	0.01	RMS	1.32	-69.78	-13	56.78	Pass	2986
30	1000	0.1	RMS	994.897	-59.96	-13	46.96	Pass	9701
1000	1700	1	RMS	1700	-49.05	-13	36.05	Pass	701
1700	1790	1	RMS	1735.325	21.01	60	38.99	Pass	401
1790	3000	1	RMS	2970	-45.92	-13	32.92	Pass	1211
3000	7000	1	RMS	6978	-58.26	-13	45.26	Pass	4001
7000	20000	1	RMS	17500	-45.86	-13	32.86	Pass	13002




**6.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.22	-13	55.22	Pass	401
0.15	30	0.01	RMS	27.75	-70.19	-13	57.19	Pass	2986
30	1000	0.1	RMS	898.032	-59.79	-13	46.79	Pass	9701
1000	1700	1	RMS	1699	-49.21	-13	36.21	Pass	701
1700	1790	1	RMS	1754.225	21.05	60	38.95	Pass	401
1790	3000	1	RMS	2937	-45.99	-13	32.99	Pass	1211
3000	7000	1	RMS	3437	-51.24	-13	38.24	Pass	4001
7000	20000	1	RMS	17498	-45.9	-13	32.9	Pass	13002




**6.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71	-13	58	Pass	401
0.15	30	0.01	RMS	0.22	-69.36	-13	56.36	Pass	2986
30	1000	0.1	RMS	900.334	-59.98	-13	46.98	Pass	9701
1000	1700	1	RMS	1700	-48.77	-13	35.77	Pass	701
1700	1790	1	RMS	1776.725	9.36	60	50.64	Pass	401
1790	3000	1	RMS	1790	-30.81	-13	17.81	Pass	1211
3000	7000	1	RMS	6980	-58.31	-13	45.31	Pass	4001
7000	20000	1	RMS	14029	-43.56	-13	30.56	Pass	13002




**6.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.43	-13	55.43	Pass	401
0.15	30	0.01	RMS	1.72	-70.12	-13	57.12	Pass	2986
30	1000	0.1	RMS	896.231	-59.89	-13	46.89	Pass	9701
1000	1700	1	RMS	1699	-49.09	-13	36.09	Pass	701
1700	1790	1	RMS	1760.525	21.09	60	38.91	Pass	401
1790	3000	1	RMS	1790	-43.11	-13	30.11	Pass	1211
3000	7000	1	RMS	6976	-58.29	-13	45.29	Pass	4001
7000	20000	1	RMS	17500	-45.83	-13	32.83	Pass	13002




**6.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.19	-13	56.19	Pass	401
0.15	30	0.01	RMS	26.69	-70.06	-13	57.06	Pass	2986
30	1000	0.1	RMS	879.92	-59.78	-13	46.78	Pass	9701
1000	1700	1	RMS	1698	-49.11	-13	36.11	Pass	701
1700	1790	1	RMS	1779.425	21.32	60	38.68	Pass	401
1790	3000	1	RMS	2411	-45.38	-13	32.38	Pass	1211
3000	7000	1	RMS	6985	-58.16	-13	45.16	Pass	4001
7000	20000	1	RMS	17499	-45.83	-13	32.83	Pass	13002




**6.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.08	-13	59.08	Pass	401
0.15	30	0.01	RMS	0.23	-70.01	-13	57.01	Pass	2986
30	1000	0.1	RMS	908.539	-59.93	-13	46.93	Pass	9701
1000	1700	1	RMS	1700	-31.49	-13	18.49	Pass	701
1700	1790	1	RMS	1748.15	6.44	60	53.56	Pass	401
1790	3000	1	RMS	1790	-36.6	-13	23.6	Pass	1211
3000	7000	1	RMS	6976	-57.96	-13	44.96	Pass	4001
7000	20000	1	RMS	17501	-46.24	-13	33.24	Pass	13002




**6.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.44	-13	55.44	Pass	401
0.15	30	0.01	RMS	0.15	-69.48	-13	56.48	Pass	2986
30	1000	0.1	RMS	890.227	-59.92	-13	46.92	Pass	9701
1000	1700	1	RMS	1700	-46.9	-13	33.9	Pass	701
1700	1790	1	RMS	1710.575	21.02	60	38.98	Pass	401
1790	3000	1	RMS	2976	-45.72	-13	32.72	Pass	1211
3000	7000	1	RMS	3435	-52.46	-13	39.46	Pass	4001
7000	20000	1	RMS	17500	-45.96	-13	32.96	Pass	13002




**6.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-68.52	-13	55.52	Pass	401
0.15	30	0.01	RMS	0.68	-69.98	-13	56.98	Pass	2986
30	1000	0.1	RMS	995.097	-59.74	-13	46.74	Pass	9701
1000	1700	1	RMS	1700	-47.56	-13	34.56	Pass	701
1700	1790	1	RMS	1749.275	21.08	60	38.92	Pass	401
1790	3000	1	RMS	2977	-45.95	-13	32.95	Pass	1211
3000	7000	1	RMS	6982	-58.01	-13	45.01	Pass	4001
7000	20000	1	RMS	16014	-42.19	-13	29.19	Pass	13002




**6.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.21	-69.68	-13	56.68	Pass	2986
30	1000	0.1	RMS	894.33	-59.8	-13	46.8	Pass	9701
1000	1700	1	RMS	1700	-33.26	-13	20.26	Pass	701
1700	1790	1	RMS	1751.75	6.1	60	53.9	Pass	401
1790	3000	1	RMS	1790	-34.15	-13	21.15	Pass	1211
3000	7000	1	RMS	6978	-57.97	-13	44.97	Pass	4001
7000	20000	1	RMS	19418	-46.27	-13	33.27	Pass	13002




**6.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.99	-13	55.99	Pass	401
0.15	30	0.01	RMS	0.15	-70.04	-13	57.04	Pass	2986
30	1000	0.1	RMS	893.529	-59.97	-13	46.97	Pass	9701
1000	1700	1	RMS	1700	-48.32	-13	35.32	Pass	701
1700	1790	1	RMS	1725.425	20.98	60	39.02	Pass	401
1790	3000	1	RMS	2970	-45.88	-13	32.88	Pass	1211
3000	7000	1	RMS	6993	-58.28	-13	45.28	Pass	4001
7000	20000	1	RMS	17500	-45.72	-13	32.72	Pass	13002




**6.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-68.6	-13	55.6	Pass	401
0.15	30	0.01	RMS	0.15	-69.97	-13	56.97	Pass	2986
30	1000	0.1	RMS	899.834	-59.87	-13	46.87	Pass	9701
1000	1700	1	RMS	1700	-48.52	-13	35.52	Pass	701
1700	1790	1	RMS	1764.125	21.05	60	38.95	Pass	401
1790	3000	1	RMS	2970	-45.7	-13	32.7	Pass	1211
3000	7000	1	RMS	6981	-58.24	-13	45.24	Pass	4001
7000	20000	1	RMS	17500	-45.76	-13	32.76	Pass	13002




**6.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.58	-13	58.58	Pass	401
0.15	30	0.01	RMS	0.16	-69.38	-13	56.38	Pass	2986
30	1000	0.1	RMS	905.437	-59.82	-13	46.82	Pass	9701
1000	1700	1	RMS	1700	-34.54	-13	21.54	Pass	701
1700	1790	1	RMS	1751.75	6.25	60	53.75	Pass	401
1790	3000	1	RMS	1790	-29.97	-13	16.97	Pass	1211
3000	7000	1	RMS	3427	-52.36	-13	39.36	Pass	4001
7000	20000	1	RMS	17499	-45.97	-13	32.97	Pass	13002




**6.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.8	-13	55.8	Pass	401
0.15	30	0.01	RMS	0.16	-70.13	-13	57.13	Pass	2986
30	1000	0.1	RMS	986.491	-59.82	-13	46.82	Pass	9701
1000	1700	1	RMS	1666	-49.3	-13	36.3	Pass	701
1700	1790	1	RMS	1740.5	21.13	60	38.87	Pass	401
1790	3000	1	RMS	2980	-45.69	-13	32.69	Pass	1211
3000	7000	1	RMS	6977	-58	-13	45	Pass	4001
7000	20000	1	RMS	14026	-41.64	-13	28.64	Pass	13002



**6.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.35	-13	55.35	Pass	401
0.15	30	0.01	RMS	0.19	-69.7	-13	56.7	Pass	2986
30	1000	0.1	RMS	902.035	-59.95	-13	46.95	Pass	9701
1000	1700	1	RMS	1700	-49.13	-13	36.13	Pass	701
1700	1790	1	RMS	1779.2	21.3	60	38.7	Pass	401
1790	3000	1	RMS	2969	-45.72	-13	32.72	Pass	1211
3000	7000	1	RMS	6982	-58.23	-13	45.23	Pass	4001
7000	20000	1	RMS	17503	-45.89	-13	32.89	Pass	13002



## 1. n26 15kHz(824-849)


1.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.3	-13	58.3	Pass	401
0.15	30	0.01	RMS	0.17	-69.77	-13	56.77	Pass	2986
30	814	0.1	RMS	813.9	-51.33	-13	38.33	Pass	7841
814	859	0.1	RMS	824.5	5.55	60	54.45	Pass	451
859	1000	0.1	RMS	870.5	-59.14	-13	46.14	Pass	1411
1000	3000	1	RMS	2970	-45.79	-13	32.79	Pass	2001
3000	10000	1	RMS	9958	-55.96	-13	42.96	Pass	7001




**1.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.9	-13	52.9	Pass	401
0.15	30	0.01	RMS	11.52	-69.48	-13	56.48	Pass	2986
30	814	0.1	RMS	455.3	-59.66	-13	46.66	Pass	7841
814	859	0.1	RMS	824.3	18.19	60	41.81	Pass	451
859	1000	0.1	RMS	877.4	-59.33	-13	46.33	Pass	1411
1000	3000	1	RMS	2971	-45.72	-13	32.72	Pass	2001
3000	10000	1	RMS	9999	-55.94	-13	42.94	Pass	7001




**1.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.33	-13	54.33	Pass	401
0.15	30	0.01	RMS	0.21	-69.92	-13	56.92	Pass	2986
30	814	0.1	RMS	811.4	-59.3	-13	46.3	Pass	7841
814	859	0.1	RMS	828.7	17.77	60	42.23	Pass	451
859	1000	0.1	RMS	867	-59.46	-13	46.46	Pass	1411
1000	3000	1	RMS	2970	-45.74	-13	32.74	Pass	2001
3000	10000	1	RMS	7177	-48.1	-13	35.1	Pass	7001




**1.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	14.29	-70.19	-13	57.19	Pass	2986
30	814	0.1	RMS	813.8	-59.75	-13	46.75	Pass	7841
814	859	0.1	RMS	837.2	5.22	60	54.78	Pass	451
859	1000	0.1	RMS	909	-60.02	-13	47.02	Pass	1411
1000	3000	1	RMS	2971	-45.8	-13	32.8	Pass	2001
3000	10000	1	RMS	9916	-56.35	-13	43.35	Pass	7001




**1.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.14	-13	52.14	Pass	401
0.15	30	0.01	RMS	0.18	-69.89	-13	56.89	Pass	2986
30	814	0.1	RMS	626.1	-60.44	-13	47.44	Pass	7841
814	859	0.1	RMS	834.3	18.24	60	41.76	Pass	451
859	1000	0.1	RMS	912.1	-59.96	-13	46.96	Pass	1411
1000	3000	1	RMS	2978	-45.87	-13	32.87	Pass	2001
3000	10000	1	RMS	10000	-56.32	-13	43.32	Pass	7001




**1.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.65	-13	54.65	Pass	401
0.15	30	0.01	RMS	0.81	-69.69	-13	56.69	Pass	2986
30	814	0.1	RMS	478.8	-60.4	-13	47.4	Pass	7841
814	859	0.1	RMS	838.7	17.81	60	42.19	Pass	451
859	1000	0.1	RMS	908	-60.09	-13	47.09	Pass	1411
1000	3000	1	RMS	2972	-45.84	-13	32.84	Pass	2001
3000	10000	1	RMS	9912	-56.33	-13	43.33	Pass	7001




**1.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.51	-13	58.51	Pass	401
0.15	30	0.01	RMS	0.15	-69.87	-13	56.87	Pass	2986
30	814	0.1	RMS	808.5	-60.29	-13	47.29	Pass	7841
814	859	0.1	RMS	844.7	5.97	60	54.03	Pass	451
859	1000	0.1	RMS	982	-60.14	-13	47.14	Pass	1411
1000	3000	1	RMS	2973	-45.81	-13	32.81	Pass	2001
3000	10000	1	RMS	9903	-56.38	-13	43.38	Pass	7001




**1.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.62	-13	54.62	Pass	401
0.15	30	0.01	RMS	0.18	-69.84	-13	56.84	Pass	2986
30	814	0.1	RMS	730.2	-60.31	-13	47.31	Pass	7841
814	859	0.1	RMS	844.3	18.27	60	41.73	Pass	451
859	1000	0.1	RMS	893	-60.11	-13	47.11	Pass	1411
1000	3000	1	RMS	2976	-45.83	-13	32.83	Pass	2001
3000	10000	1	RMS	9978	-56.37	-13	43.37	Pass	7001




**1.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.37	-13	52.37	Pass	401
0.15	30	0.01	RMS	1.42	-70.16	-13	57.16	Pass	2986
30	814	0.1	RMS	478.4	-60.4	-13	47.4	Pass	7841
814	859	0.1	RMS	848.6	17.73	60	42.27	Pass	451
859	1000	0.1	RMS	905.2	-60.04	-13	47.04	Pass	1411
1000	3000	1	RMS	2970	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	7180	-48.03	-13	35.03	Pass	7001




**1.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.52	-13	57.52	Pass	401
0.15	30	0.01	RMS	0.47	-69.83	-13	56.83	Pass	2986
30	814	0.1	RMS	813.8	-41.73	-13	28.73	Pass	7841
814	859	0.1	RMS	837.6	0.71	60	59.29	Pass	451
859	1000	0.1	RMS	890.7	-60.1	-13	47.1	Pass	1411
1000	3000	1	RMS	2967	-45.93	-13	32.93	Pass	2001
3000	10000	1	RMS	9969	-56.07	-13	43.07	Pass	7001




**1.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.17	-13	54.17	Pass	401
0.15	30	0.01	RMS	0.38	-69.85	-13	56.85	Pass	2986
30	814	0.1	RMS	814	-58.19	-13	45.19	Pass	7841
814	859	0.1	RMS	824.5	18.25	60	41.75	Pass	451
859	1000	0.1	RMS	902.7	-59.8	-13	46.8	Pass	1411
1000	3000	1	RMS	2971	-45.73	-13	32.73	Pass	2001
3000	10000	1	RMS	9961	-56.03	-13	43.03	Pass	7001




**1.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.49	-13	53.49	Pass	401
0.15	30	0.01	RMS	0.34	-69.39	-13	56.39	Pass	2986
30	814	0.1	RMS	810.5	-54.85	-13	41.85	Pass	7841
814	859	0.1	RMS	838.5	18.57	60	41.43	Pass	451
859	1000	0.1	RMS	899	-59.67	-13	46.67	Pass	1411
1000	3000	1	RMS	2967	-45.99	-13	32.99	Pass	2001
3000	10000	1	RMS	9982	-56.02	-13	43.02	Pass	7001




**1.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	15.59	-70.36	-13	57.36	Pass	2986
30	814	0.1	RMS	814	-47.89	-13	34.89	Pass	7841
814	859	0.1	RMS	837.5	0.62	60	59.38	Pass	451
859	1000	0.1	RMS	984.8	-60.08	-13	47.08	Pass	1411
1000	3000	1	RMS	2986	-46.05	-13	33.05	Pass	2001
3000	10000	1	RMS	9957	-56.02	-13	43.02	Pass	7001




**1.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.67	-13	52.67	Pass	401
0.15	30	0.01	RMS	20.69	-70.44	-13	57.44	Pass	2986
30	814	0.1	RMS	813.7	-59.91	-13	46.91	Pass	7841
814	859	0.1	RMS	829.5	18.31	60	41.69	Pass	451
859	1000	0.1	RMS	895.4	-59.63	-13	46.63	Pass	1411
1000	3000	1	RMS	2977	-45.8	-13	32.8	Pass	2001
3000	10000	1	RMS	9967	-56.31	-13	43.31	Pass	7001




**1.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.96	-13	53.96	Pass	401
0.15	30	0.01	RMS	1.38	-69.32	-13	56.32	Pass	2986
30	814	0.1	RMS	715.1	-59.71	-13	46.71	Pass	7841
814	859	0.1	RMS	843.5	18.55	60	41.45	Pass	451
859	1000	0.1	RMS	998.2	-59.36	-13	46.36	Pass	1411
1000	3000	1	RMS	2973	-45.71	-13	32.71	Pass	2001
3000	10000	1	RMS	7170	-47.95	-13	34.95	Pass	7001




**1.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.62	-13	58.62	Pass	401
0.15	30	0.01	RMS	0.24	-70.11	-13	57.11	Pass	2986
30	814	0.1	RMS	813.9	-49.93	-13	36.93	Pass	7841
814	859	0.1	RMS	837.7	0.63	60	59.37	Pass	451
859	1000	0.1	RMS	980.3	-59.47	-13	46.47	Pass	1411
1000	3000	1	RMS	2971	-45.76	-13	32.76	Pass	2001
3000	10000	1	RMS	9995	-56.06	-13	43.06	Pass	7001




**1.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.69	-13	52.69	Pass	401
0.15	30	0.01	RMS	0.16	-70.14	-13	57.14	Pass	2986
30	814	0.1	RMS	491.6	-60.51	-13	47.51	Pass	7841
814	859	0.1	RMS	834.5	18.38	60	41.62	Pass	451
859	1000	0.1	RMS	904.7	-59.74	-13	46.74	Pass	1411
1000	3000	1	RMS	2970	-45.76	-13	32.76	Pass	2001
3000	10000	1	RMS	9988	-56.35	-13	43.35	Pass	7001




**1.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.12	-13	52.12	Pass	401
0.15	30	0.01	RMS	0.23	-69.59	-13	56.59	Pass	2986
30	814	0.1	RMS	668.4	-59.86	-13	46.86	Pass	7841
814	859	0.1	RMS	848.5	18.47	60	41.53	Pass	451
859	1000	0.1	RMS	985.2	-59.74	-13	46.74	Pass	1411
1000	3000	1	RMS	2970	-45.93	-13	32.93	Pass	2001
3000	10000	1	RMS	9950	-55.99	-13	42.99	Pass	7001




**1.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	19.74	-69.43	-13	56.43	Pass	2986
30	814	0.1	RMS	812	-41.79	-13	28.79	Pass	7841
814	859	0.1	RMS	838.2	-0.56	60	60.56	Pass	451
859	1000	0.1	RMS	1000	-59.43	-13	46.43	Pass	1411
1000	3000	1	RMS	2980	-45.8	-13	32.8	Pass	2001
3000	10000	1	RMS	9953	-56.08	-13	43.08	Pass	7001




**1.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.75	-13	53.75	Pass	401
0.15	30	0.01	RMS	0.17	-69.47	-13	56.47	Pass	2986
30	814	0.1	RMS	813.9	-58.03	-13	45.03	Pass	7841
814	859	0.1	RMS	824.5	18.01	60	41.99	Pass	451
859	1000	0.1	RMS	871.9	-60.03	-13	47.03	Pass	1411
1000	3000	1	RMS	2979	-45.79	-13	32.79	Pass	2001
3000	10000	1	RMS	9940	-56.09	-13	43.09	Pass	7001




**1.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.75	-13	53.75	Pass	401
0.15	30	0.01	RMS	0.47	-70.04	-13	57.04	Pass	2986
30	814	0.1	RMS	814	-55.2	-13	42.2	Pass	7841
814	859	0.1	RMS	843.4	18.02	60	41.98	Pass	451
859	1000	0.1	RMS	997.2	-59.92	-13	46.92	Pass	1411
1000	3000	1	RMS	2973	-45.77	-13	32.77	Pass	2001
3000	10000	1	RMS	7164	-47.72	-13	34.72	Pass	7001




**1.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.47	-13	58.47	Pass	401
0.15	30	0.01	RMS	0.16	-69.69	-13	56.69	Pass	2986
30	814	0.1	RMS	813.3	-43.34	-13	30.34	Pass	7841
814	859	0.1	RMS	838.2	-0.62	60	60.62	Pass	451
859	1000	0.1	RMS	907.6	-60.09	-13	47.09	Pass	1411
1000	3000	1	RMS	2972	-45.75	-13	32.75	Pass	2001
3000	10000	1	RMS	9999	-56.11	-13	43.11	Pass	7001




**1.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.89	-13	53.89	Pass	401
0.15	30	0.01	RMS	0.8	-69.93	-13	56.93	Pass	2986
30	814	0.1	RMS	814	-57.79	-13	44.79	Pass	7841
814	859	0.1	RMS	827	18.01	60	41.99	Pass	451
859	1000	0.1	RMS	900.9	-59.92	-13	46.92	Pass	1411
1000	3000	1	RMS	2971	-45.93	-13	32.93	Pass	2001
3000	10000	1	RMS	9948	-56.01	-13	43.01	Pass	7001




**1.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.37	-13	53.37	Pass	401
0.15	30	0.01	RMS	0.29	-70.2	-13	57.2	Pass	2986
30	814	0.1	RMS	813.6	-57.95	-13	44.95	Pass	7841
814	859	0.1	RMS	845.9	18.05	60	41.95	Pass	451
859	1000	0.1	RMS	988.4	-60.08	-13	47.08	Pass	1411
1000	3000	1	RMS	2972	-45.88	-13	32.88	Pass	2001
3000	10000	1	RMS	9993	-56.06	-13	43.06	Pass	7001




**1.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.56	-13	58.56	Pass	401
0.15	30	0.01	RMS	1.06	-70.15	-13	57.15	Pass	2986
30	814	0.1	RMS	814	-43.46	-13	30.46	Pass	7841
814	859	0.1	RMS	838.6	-0.58	60	60.58	Pass	451
859	1000	0.1	RMS	901	-59.98	-13	46.98	Pass	1411
1000	3000	1	RMS	2970	-45.75	-13	32.75	Pass	2001
3000	10000	1	RMS	7164	-48.08	-13	35.08	Pass	7001




**1.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.93	-13	53.93	Pass	401
0.15	30	0.01	RMS	0.83	-69.73	-13	56.73	Pass	2986
30	814	0.1	RMS	810	-55.93	-13	42.93	Pass	7841
814	859	0.1	RMS	829.5	18.04	60	41.96	Pass	451
859	1000	0.1	RMS	908.1	-60.14	-13	47.14	Pass	1411
1000	3000	1	RMS	2970	-45.81	-13	32.81	Pass	2001
3000	10000	1	RMS	9999	-56.21	-13	43.21	Pass	7001



**1.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.39	-13	53.39	Pass	401
0.15	30	0.01	RMS	3.26	-70.23	-13	57.23	Pass	2986
30	814	0.1	RMS	810.7	-55.69	-13	42.69	Pass	7841
814	859	0.1	RMS	848.4	18.04	60	41.96	Pass	451
859	1000	0.1	RMS	898	-59.87	-13	46.87	Pass	1411
1000	3000	1	RMS	2977	-45.87	-13	32.87	Pass	2001
3000	10000	1	RMS	9923	-56.3	-13	43.3	Pass	7001



## 2. n71 15kHz


2.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.89	-13	57.89	Pass	401
0.15	30	0.01	RMS	3.93	-70.49	-13	57.49	Pass	2986
30	653	0.1	RMS	487.4	-60.49	-13	47.49	Pass	6231
653	708	0.1	RMS	665.3	5.06	60	54.94	Pass	551
708	1000	0.1	RMS	912.5	-59.47	-13	46.47	Pass	2921
1000	3000	1	RMS	2984	-46.05	-13	33.05	Pass	2001
3000	10000	1	RMS	7176	-48.54	-13	35.54	Pass	7001




**2.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.87	-13	53.87	Pass	401
0.15	30	0.01	RMS	29.46	-70.17	-13	57.17	Pass	2986
30	653	0.1	RMS	475.9	-60.78	-13	47.78	Pass	6231
653	708	0.1	RMS	663.3	18.03	60	41.97	Pass	551
708	1000	0.1	RMS	906.6	-59.42	-13	46.42	Pass	2921
1000	3000	1	RMS	2969	-46.15	-13	33.15	Pass	2001
3000	10000	1	RMS	9957	-56.17	-13	43.17	Pass	7001




**2.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.83	-13	52.83	Pass	401
0.15	30	0.01	RMS	0.16	-70.07	-13	57.07	Pass	2986
30	653	0.1	RMS	481.4	-60.61	-13	47.61	Pass	6231
653	708	0.1	RMS	667.7	17.6	60	42.4	Pass	551
708	1000	0.1	RMS	895.8	-59.61	-13	46.61	Pass	2921
1000	3000	1	RMS	1335	-44.81	-13	31.81	Pass	2001
3000	10000	1	RMS	9970	-56.04	-13	43.04	Pass	7001




**2.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.18	-69.6	-13	56.6	Pass	2986
30	653	0.1	RMS	488.8	-60.64	-13	47.64	Pass	6231
653	708	0.1	RMS	678.6	5.28	60	54.72	Pass	551
708	1000	0.1	RMS	915.7	-59.59	-13	46.59	Pass	2921
1000	3000	1	RMS	2977	-45.94	-13	32.94	Pass	2001
3000	10000	1	RMS	9976	-56.17	-13	43.17	Pass	7001




**2.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.04	-13	54.04	Pass	401
0.15	30	0.01	RMS	0.15	-69.93	-13	56.93	Pass	2986
30	653	0.1	RMS	485.3	-60.55	-13	47.55	Pass	6231
653	708	0.1	RMS	678.3	18.1	60	41.9	Pass	551
708	1000	0.1	RMS	918.8	-59.61	-13	46.61	Pass	2921
1000	3000	1	RMS	2970	-45.9	-13	32.9	Pass	2001
3000	10000	1	RMS	9997	-56.06	-13	43.06	Pass	7001




**2.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.29	-13	53.29	Pass	401
0.15	30	0.01	RMS	0.15	-69.79	-13	56.79	Pass	2986
30	653	0.1	RMS	640.4	-60.62	-13	47.62	Pass	6231
653	708	0.1	RMS	682.7	17.66	60	42.34	Pass	551
708	1000	0.1	RMS	863	-59.59	-13	46.59	Pass	2921
1000	3000	1	RMS	2973	-45.87	-13	32.87	Pass	2001
3000	10000	1	RMS	9974	-56.19	-13	43.19	Pass	7001




**2.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.83	-13	57.83	Pass	401
0.15	30	0.01	RMS	0.41	-70.11	-13	57.11	Pass	2986
30	653	0.1	RMS	639.1	-60.67	-13	47.67	Pass	6231
653	708	0.1	RMS	693.5	5.57	60	54.43	Pass	551
708	1000	0.1	RMS	708	-54.59	-13	41.59	Pass	2921
1000	3000	1	RMS	2970	-45.79	-13	32.79	Pass	2001
3000	10000	1	RMS	7185	-48.92	-13	35.92	Pass	7001




**2.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.19	-13	54.19	Pass	401
0.15	30	0.01	RMS	0.19	-69.91	-13	56.91	Pass	2986
30	653	0.1	RMS	464.1	-60.51	-13	47.51	Pass	6231
653	708	0.1	RMS	693.3	18.15	60	41.85	Pass	551
708	1000	0.1	RMS	887.6	-59.48	-13	46.48	Pass	2921
1000	3000	1	RMS	2973	-45.86	-13	32.86	Pass	2001
3000	10000	1	RMS	9948	-56.22	-13	43.22	Pass	7001




**2.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.57	-13	53.57	Pass	401
0.15	30	0.01	RMS	1.17	-69.91	-13	56.91	Pass	2986
30	653	0.1	RMS	485.4	-60.64	-13	47.64	Pass	6231
653	708	0.1	RMS	697.7	17.74	60	42.26	Pass	551
708	1000	0.1	RMS	968.8	-59.52	-13	46.52	Pass	2921
1000	3000	1	RMS	2969	-46.09	-13	33.09	Pass	2001
3000	10000	1	RMS	9960	-56.08	-13	43.08	Pass	7001




**2.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.2	-13	58.2	Pass	401
0.15	30	0.01	RMS	0.18	-69.34	-13	56.34	Pass	2986
30	653	0.1	RMS	644.6	-60.62	-13	47.62	Pass	6231
653	708	0.1	RMS	676.6	0.57	60	59.43	Pass	551
708	1000	0.1	RMS	708.7	-56.69	-13	43.69	Pass	2921
1000	3000	1	RMS	2970	-45.94	-13	32.94	Pass	2001
3000	10000	1	RMS	9990	-56.08	-13	43.08	Pass	7001




**2.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.87	-13	52.87	Pass	401
0.15	30	0.01	RMS	0.18	-70.18	-13	57.18	Pass	2986
30	653	0.1	RMS	483.7	-60.68	-13	47.68	Pass	6231
653	708	0.1	RMS	663.5	18.1	60	41.9	Pass	551
708	1000	0.1	RMS	873.5	-59.68	-13	46.68	Pass	2921
1000	3000	1	RMS	2986	-46.05	-13	33.05	Pass	2001
3000	10000	1	RMS	9951	-56.15	-13	43.15	Pass	7001



**2.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.15	-13	53.15	Pass	401
0.15	30	0.01	RMS	0.18	-70.05	-13	57.05	Pass	2986
30	653	0.1	RMS	474	-60.53	-13	47.53	Pass	6231
653	708	0.1	RMS	677.5	18.4	60	41.6	Pass	551
708	1000	0.1	RMS	886.8	-59.38	-13	46.38	Pass	2921
1000	3000	1	RMS	2969	-45.91	-13	32.91	Pass	2001
3000	10000	1	RMS	9985	-56.17	-13	43.17	Pass	7001



**2.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.2	-68.95	-13	55.95	Pass	2986
30	653	0.1	RMS	480.6	-60.66	-13	47.66	Pass	6231
653	708	0.1	RMS	677.9	0.35	60	59.65	Pass	551
708	1000	0.1	RMS	708.1	-51.03	-13	38.03	Pass	2921
1000	3000	1	RMS	2972	-45.88	-13	32.88	Pass	2001
3000	10000	1	RMS	7184	-49.16	-13	36.16	Pass	7001

