


A.5 Spurious Emission at Antenna Terminals

1. LTE_Band48


1.1. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-66.66	-40	26.66	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-40	31.4	Pass	2986
30	1000	0.1	RMS	890.127	-63.35	-40	23.35	Pass	9701
1000	3000	1	RMS	2955	-48.75	-40	8.75	Pass	2001
3000	3500	1	RMS	3315	-46.27	-40	6.27	Pass	501
3500	3750	1	RMS	3550	18.51	60	41.49	Pass	401
3750	6500	1	RMS	6325	-49.63	-40	9.63	Pass	2751
6500	26500	1	RMS	25999	-50.35	-40	10.35	Pass	20003




1.2. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:2, Channel:55265, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-65.65	-40	25.65	Pass	401
0.15	30	0.01	RMS	0.15	-71.07	-40	31.07	Pass	2986
30	1000	0.1	RMS	846.8	-63.47	-40	23.47	Pass	9701
1000	3000	1	RMS	2957	-48.7	-40	8.7	Pass	2001
3000	3500	1	RMS	3316	-46.38	-40	6.38	Pass	501
3500	3750	1	RMS	3550	19.25	60	40.75	Pass	401
3750	6500	1	RMS	6395	-49.69	-40	9.69	Pass	2751
6500	26500	1	RMS	26004	-50.23	-40	10.23	Pass	20003




1.3. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:3, Channel:55990, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.96	-40	26.96	Pass	401
0.15	30	0.01	RMS	0.15	-70.85	-40	30.85	Pass	2986
30	1000	0.1	RMS	860.007	-63.46	-40	23.46	Pass	9701
1000	3000	1	RMS	2956	-48.71	-40	8.71	Pass	2001
3000	3500	1	RMS	3314	-46.42	-40	6.42	Pass	501
3500	3750	1	RMS	3622.5	20.86	60	39.14	Pass	401
3750	6500	1	RMS	6490	-49.73	-40	9.73	Pass	2751
6500	26500	1	RMS	25987	-50.29	-40	10.29	Pass	20003




**1.4. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:4,
Channel:55990, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.22	-40	26.22	Pass	401
0.15	30	0.01	RMS	0.16	-71.53	-40	31.53	Pass	2986
30	1000	0.1	RMS	853.403	-63.35	-40	23.35	Pass	9701
1000	3000	1	RMS	2947	-48.69	-40	8.69	Pass	2001
3000	3500	1	RMS	3314	-46.41	-40	6.41	Pass	501
3500	3750	1	RMS	3622.5	20.43	60	39.57	Pass	401
3750	6500	1	RMS	6410	-49.69	-40	9.69	Pass	2751
6500	26500	1	RMS	25980	-50.29	-40	10.29	Pass	20003




1.5. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:5, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-66.98	-40	26.98	Pass	401
0.15	30	0.01	RMS	0.17	-72.22	-40	32.22	Pass	2986
30	1000	0.1	RMS	850.401	-63.29	-40	23.29	Pass	9701
1000	3000	1	RMS	2941	-48.73	-40	8.73	Pass	2001
3000	3500	1	RMS	3286	-46.42	-40	6.42	Pass	501
3500	3750	1	RMS	3695	21.32	60	38.68	Pass	401
3750	6500	1	RMS	6467	-49.7	-40	9.7	Pass	2751
6500	26500	1	RMS	26001	-50.34	-40	10.34	Pass	20003




**1.6. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:6,
Channel:56715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.55	-40	25.55	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-40	31.92	Pass	2986
30	1000	0.1	RMS	849.2	-63.33	-40	23.33	Pass	9701
1000	3000	1	RMS	2957	-48.75	-40	8.75	Pass	2001
3000	3500	1	RMS	3283	-46.45	-40	6.45	Pass	501
3500	3750	1	RMS	3695	20.77	60	39.23	Pass	401
3750	6500	1	RMS	6479	-49.73	-40	9.73	Pass	2751
6500	26500	1	RMS	26009	-50.23	-40	10.23	Pass	20003




**1.7. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:7,
Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.49	-40	25.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-40	31.85	Pass	2986
30	1000	0.1	RMS	850.601	-63.33	-40	23.33	Pass	9701
1000	3000	1	RMS	2949	-48.68	-40	8.68	Pass	2001
3000	3500	1	RMS	3280	-46.45	-40	6.45	Pass	501
3500	3750	1	RMS	3550	21.49	60	38.51	Pass	401
3750	6500	1	RMS	6371	-49.74	-40	9.74	Pass	2751
6500	26500	1	RMS	26003	-50.34	-40	10.34	Pass	20003




**1.8. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:8,
Channel:55290, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.81	-40	23.81	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-40	31.65	Pass	2986
30	1000	0.1	RMS	853.403	-63.53	-40	23.53	Pass	9701
1000	3000	1	RMS	2953	-48.68	-40	8.68	Pass	2001
3000	3500	1	RMS	3285	-46.45	-40	6.45	Pass	501
3500	3750	1	RMS	3550	20.86	60	39.14	Pass	401
3750	6500	1	RMS	6436	-49.72	-40	9.72	Pass	2751
6500	26500	1	RMS	26001	-50.29	-40	10.29	Pass	20003




**1.9. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:9,
Channel:55990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.04	-40	25.04	Pass	401
0.15	30	0.01	RMS	0.21	-71.62	-40	31.62	Pass	2986
30	1000	0.1	RMS	970.48	-63.49	-40	23.49	Pass	9701
1000	3000	1	RMS	2958	-48.72	-40	8.72	Pass	2001
3000	3500	1	RMS	3285	-46.44	-40	6.44	Pass	501
3500	3750	1	RMS	3620	21.76	60	38.24	Pass	401
3750	6500	1	RMS	6413	-49.74	-40	9.74	Pass	2751
6500	26500	1	RMS	26005	-50.25	-40	10.25	Pass	20003




1.10. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:10, Channel:55990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.86	-40	25.86	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-40	31.08	Pass	2986
30	1000	0.1	RMS	828.7	-63.38	-40	23.38	Pass	9701
1000	3000	1	RMS	2959	-48.72	-40	8.72	Pass	2001
3000	3500	1	RMS	3284	-46.48	-40	6.48	Pass	501
3500	3750	1	RMS	3620	21.07	60	38.93	Pass	401
3750	6500	1	RMS	6444	-49.69	-40	9.69	Pass	2751
6500	26500	1	RMS	25999	-50.29	-40	10.29	Pass	20003




1.11. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:11, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.77	-40	25.77	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-40	31.2	Pass	2986
30	1000	0.1	RMS	819	-63.44	-40	23.44	Pass	9701
1000	3000	1	RMS	2956	-48.65	-40	8.65	Pass	2001
3000	3500	1	RMS	3281	-46.47	-40	6.47	Pass	501
3500	3750	1	RMS	3690	21.59	60	38.41	Pass	401
3750	6500	1	RMS	6489	-49.77	-40	9.77	Pass	2751
6500	26500	1	RMS	26000	-50.27	-40	10.27	Pass	20003




1.12. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:12, Channel:56690, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.2	-40	26.2	Pass	401
0.15	30	0.01	RMS	0.15	-70.61	-40	30.61	Pass	2986
30	1000	0.1	RMS	846.7	-63.35	-40	23.35	Pass	9701
1000	3000	1	RMS	2957	-48.66	-40	8.66	Pass	2001
3000	3500	1	RMS	3285	-46.48	-40	6.48	Pass	501
3500	3750	1	RMS	3690	20.96	60	39.04	Pass	401
3750	6500	1	RMS	6451	-49.74	-40	9.74	Pass	2751
6500	26500	1	RMS	26008	-50.36	-40	10.36	Pass	20003




1.13. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:13, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.29	-40	25.29	Pass	401
0.15	30	0.01	RMS	0.15	-71.01	-40	31.01	Pass	2986
30	1000	0.1	RMS	846.8	-63.45	-40	23.45	Pass	9701
1000	3000	1	RMS	2963	-48.72	-40	8.72	Pass	2001
3000	3500	1	RMS	3288	-46.47	-40	6.47	Pass	501
3500	3750	1	RMS	3550	21.04	60	38.96	Pass	401
3750	6500	1	RMS	6425	-49.74	-40	9.74	Pass	2751
6500	26500	1	RMS	26002	-50.29	-40	10.29	Pass	20003




1.14. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:14, Channel:55315, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.32	-40	25.32	Pass	401
0.15	30	0.01	RMS	0.27	-72.3	-40	32.3	Pass	2986
30	1000	0.1	RMS	836	-63.41	-40	23.41	Pass	9701
1000	3000	1	RMS	2960	-48.72	-40	8.72	Pass	2001
3000	3500	1	RMS	3284	-46.47	-40	6.47	Pass	501
3500	3750	1	RMS	3550.625	20.37	60	39.63	Pass	401
3750	6500	1	RMS	6400	-49.71	-40	9.71	Pass	2751
6500	26500	1	RMS	25999	-50.26	-40	10.26	Pass	20003




1.15. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:15, Channel:55990, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-66.69	-40	26.69	Pass	401
0.15	30	0.01	RMS	0.23	-71.89	-40	31.89	Pass	2986
30	1000	0.1	RMS	852.202	-63.32	-40	23.32	Pass	9701
1000	3000	1	RMS	2960	-48.7	-40	8.7	Pass	2001
3000	3500	1	RMS	3286	-46.44	-40	6.44	Pass	501
3500	3750	1	RMS	3618.125	21.11	60	38.89	Pass	401
3750	6500	1	RMS	6394	-49.7	-40	9.7	Pass	2751
6500	26500	1	RMS	26009	-50.32	-40	10.32	Pass	20003




1.16. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:16, Channel:55990, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.11	-40	25.11	Pass	401
0.15	30	0.01	RMS	0.15	-70.86	-40	30.86	Pass	2986
30	1000	0.1	RMS	858.306	-63.31	-40	23.31	Pass	9701
1000	3000	1	RMS	2959	-48.68	-40	8.68	Pass	2001
3000	3500	1	RMS	3284	-46.48	-40	6.48	Pass	501
3500	3750	1	RMS	3617.5	20.47	60	39.53	Pass	401
3750	6500	1	RMS	6398	-49.72	-40	9.72	Pass	2751
6500	26500	1	RMS	25999	-50.34	-40	10.34	Pass	20003




1.17. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:17, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.93	-40	24.93	Pass	401
0.15	30	0.01	RMS	0.16	-71.13	-40	31.13	Pass	2986
30	1000	0.1	RMS	875.317	-63.43	-40	23.43	Pass	9701
1000	3000	1	RMS	2956	-48.64	-40	8.64	Pass	2001
3000	3500	1	RMS	3287	-46.47	-40	6.47	Pass	501
3500	3750	1	RMS	3685.625	21.07	60	38.93	Pass	401
3750	6500	1	RMS	6427	-49.71	-40	9.71	Pass	2751
6500	26500	1	RMS	25999	-50.31	-40	10.31	Pass	20003




1.18. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:18, Channel:56665, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.52	-40	26.52	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-40	31.57	Pass	2986
30	1000	0.1	RMS	861.408	-63.42	-40	23.42	Pass	9701
1000	3000	1	RMS	2958	-48.65	-40	8.65	Pass	2001
3000	3500	1	RMS	3291	-46.46	-40	6.46	Pass	501
3500	3750	1	RMS	3685	20.11	60	39.89	Pass	401
3750	6500	1	RMS	6414	-49.74	-40	9.74	Pass	2751
6500	26500	1	RMS	25986	-50.29	-40	10.29	Pass	20003




1.19. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:19, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.91	-40	24.91	Pass	401
0.15	30	0.01	RMS	0.37	-71.19	-40	31.19	Pass	2986
30	1000	0.1	RMS	838.3	-63.38	-40	23.38	Pass	9701
1000	3000	1	RMS	2946	-48.71	-40	8.71	Pass	2001
3000	3500	1	RMS	3289	-46.48	-40	6.48	Pass	501
3500	3750	1	RMS	3550.625	21.95	60	38.05	Pass	401
3750	6500	1	RMS	6401	-49.72	-40	9.72	Pass	2751
6500	26500	1	RMS	25992	-50.39	-40	10.39	Pass	20003




1.20. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:20, Channel:55340, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-66.5	-40	26.5	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-40	31.33	Pass	2986
30	1000	0.1	RMS	848.3	-63.27	-40	23.27	Pass	9701
1000	3000	1	RMS	2957	-48.69	-40	8.69	Pass	2001
3000	3500	1	RMS	3284	-46.46	-40	6.46	Pass	501
3500	3750	1	RMS	3550.625	21.28	60	38.72	Pass	401
3750	6500	1	RMS	6396	-49.76	-40	9.76	Pass	2751
6500	26500	1	RMS	26006	-50.27	-40	10.27	Pass	20003




1.21. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:21, Channel:55990, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.96	-40	25.96	Pass	401
0.15	30	0.01	RMS	0.15	-71.13	-40	31.13	Pass	2986
30	1000	0.1	RMS	844.9	-63.35	-40	23.35	Pass	9701
1000	3000	1	RMS	2947	-48.7	-40	8.7	Pass	2001
3000	3500	1	RMS	3289	-46.46	-40	6.46	Pass	501
3500	3750	1	RMS	3615.625	22.15	60	37.85	Pass	401
3750	6500	1	RMS	6309	-49.75	-40	9.75	Pass	2751
6500	26500	1	RMS	25994	-50.3	-40	10.3	Pass	20003




1.22. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:22, Channel:55990, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.07	-40	26.07	Pass	401
0.15	30	0.01	RMS	0.18	-71.27	-40	31.27	Pass	2986
30	1000	0.1	RMS	864.21	-63.39	-40	23.39	Pass	9701
1000	3000	1	RMS	2944	-48.68	-40	8.68	Pass	2001
3000	3500	1	RMS	3292	-46.48	-40	6.48	Pass	501
3500	3750	1	RMS	3615.625	21.42	60	38.58	Pass	401
3750	6500	1	RMS	6367	-49.77	-40	9.77	Pass	2751
6500	26500	1	RMS	26010	-50.28	-40	10.28	Pass	20003




1.23. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:23, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.71	-40	25.71	Pass	401
0.15	30	0.01	RMS	0.18	-71.66	-40	31.66	Pass	2986
30	1000	0.1	RMS	844	-63.25	-40	23.25	Pass	9701
1000	3000	1	RMS	2961	-48.73	-40	8.73	Pass	2001
3000	3500	1	RMS	3290	-46.47	-40	6.47	Pass	501
3500	3750	1	RMS	3680.625	21.86	60	38.14	Pass	401
3750	6500	1	RMS	6437	-49.73	-40	9.73	Pass	2751
6500	26500	1	RMS	25997	-50.3	-40	10.3	Pass	20003



1.24. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:24, Channel:56640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.43	-40	25.43	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-40	31.51	Pass	2986
30	1000	0.1	RMS	842.6	-63.32	-40	23.32	Pass	9701
1000	3000	1	RMS	2956	-48.72	-40	8.72	Pass	2001
3000	3500	1	RMS	3278	-46.46	-40	6.46	Pass	501
3500	3750	1	RMS	3680.625	21.21	60	38.79	Pass	401
3750	6500	1	RMS	6407	-49.76	-40	9.76	Pass	2751
6500	26500	1	RMS	25988	-50.26	-40	10.26	Pass	20003



1. n48 30kHz


1.7. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-73.52	-40	33.52	Pass	401
0.15	30	0.01	RMS	2.05	-68.91	-40	28.91	Pass	2986
30	1000	0.1	RMS	832.5	-60.62	-40	20.62	Pass	9701
1000	3000	1	RMS	2976	-48.99	-40	8.99	Pass	2001
3000	3500	1	RMS	3404	-44.91	-40	4.91	Pass	501
3500	3750	1	RMS	3551.875	10.42	60	49.58	Pass	401
3750	7000	1	RMS	6977	-66.25	-40	26.25	Pass	3251
7000	26500	1	RMS	25082	-52.04	-40	12.04	Pass	19503




1.8. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-72.95	-40	32.95	Pass	401
0.15	30	0.01	RMS	20.73	-68.71	-40	28.71	Pass	2986
30	1000	0.1	RMS	829.2	-61.19	-40	21.19	Pass	9701
1000	3000	1	RMS	2411	-48.52	-40	8.52	Pass	2001
3000	3500	1	RMS	3404	-44.7	-40	4.7	Pass	501
3500	3750	1	RMS	3550.625	18.36	60	41.64	Pass	401
3750	7000	1	RMS	6925	-66.9	-40	26.9	Pass	3251
7000	26500	1	RMS	25970	-52.31	-40	12.31	Pass	19503




1.9. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.85	-40	32.85	Pass	401
0.15	30	0.01	RMS	27.11	-70.06	-40	30.06	Pass	2986
30	1000	0.1	RMS	806	-60.33	-40	20.33	Pass	9701
1000	3000	1	RMS	2928	-48.74	-40	8.74	Pass	2001
3000	3500	1	RMS	3126	-43.39	-40	3.39	Pass	501
3500	3750	1	RMS	3559.375	18.29	60	41.71	Pass	401
3750	7000	1	RMS	6974	-66.43	-40	26.43	Pass	3251
7000	26500	1	RMS	25483	-52.73	-40	12.73	Pass	19503




1.10. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-73.49	-40	33.49	Pass	401
0.15	30	0.01	RMS	0.46	-70.38	-40	30.38	Pass	2986
30	1000	0.1	RMS	906.538	-60.81	-40	20.81	Pass	9701
1000	3000	1	RMS	2966	-48.89	-40	8.89	Pass	2001
3000	3500	1	RMS	3418	-44.8	-40	4.8	Pass	501
3500	3750	1	RMS	3625.625	8.96	60	51.04	Pass	401
3750	7000	1	RMS	6997	-66.81	-40	26.81	Pass	3251
7000	26500	1	RMS	25029	-52.5	-40	12.5	Pass	19503




1.11. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-72.32	-40	32.32	Pass	401
0.15	30	0.01	RMS	5.85	-69.25	-40	29.25	Pass	2986
30	1000	0.1	RMS	517.8	-60.55	-40	20.55	Pass	9701
1000	3000	1	RMS	2410	-46.94	-40	6.94	Pass	2001
3000	3500	1	RMS	3395	-44.88	-40	4.88	Pass	501
3500	3750	1	RMS	3620.625	17.09	60	42.91	Pass	401
3750	7000	1	RMS	6900	-66.52	-40	26.52	Pass	3251
7000	26500	1	RMS	25842	-52.35	-40	12.35	Pass	19503




1.12. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-72.63	-40	32.63	Pass	401
0.15	30	0.01	RMS	27.23	-70.82	-40	30.82	Pass	2986
30	1000	0.1	RMS	825.5	-60.53	-40	20.53	Pass	9701
1000	3000	1	RMS	2974	-48.32	-40	8.32	Pass	2001
3000	3500	1	RMS	3425	-44.66	-40	4.66	Pass	501
3500	3750	1	RMS	3629.375	16.78	60	43.22	Pass	401
3750	7000	1	RMS	6981	-66.54	-40	26.54	Pass	3251
7000	26500	1	RMS	24097	-52.64	-40	12.64	Pass	19503




1.13. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.91	-40	32.91	Pass	401
0.15	30	0.01	RMS	27.22	-68.17	-40	28.17	Pass	2986
30	1000	0.1	RMS	852.402	-60.48	-40	20.48	Pass	9701
1000	3000	1	RMS	2603	-48.88	-40	8.88	Pass	2001
3000	3500	1	RMS	3406	-44.91	-40	4.91	Pass	501
3500	3750	1	RMS	3692.5	7.96	60	52.04	Pass	401
3750	7000	1	RMS	6976	-66.56	-40	26.56	Pass	3251
7000	26500	1	RMS	24397	-52.83	-40	12.83	Pass	19503




1.14. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.83	-40	31.83	Pass	401
0.15	30	0.01	RMS	28.85	-69.81	-40	29.81	Pass	2986
30	1000	0.1	RMS	685.6	-61.23	-40	21.23	Pass	9701
1000	3000	1	RMS	2415	-47.47	-40	7.47	Pass	2001
3000	3500	1	RMS	3426	-44.99	-40	4.99	Pass	501
3500	3750	1	RMS	3690.625	16.08	60	43.92	Pass	401
3750	7000	1	RMS	6978	-66.26	-40	26.26	Pass	3251
7000	26500	1	RMS	24381	-52.76	-40	12.76	Pass	19503




1.15. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.03	-40	32.03	Pass	401
0.15	30	0.01	RMS	14.68	-69.46	-40	29.46	Pass	2986
30	1000	0.1	RMS	898.433	-60.65	-40	20.65	Pass	9701
1000	3000	1	RMS	2982	-48.82	-40	8.82	Pass	2001
3000	3500	1	RMS	3417	-44.84	-40	4.84	Pass	501
3500	3750	1	RMS	3699.375	15.85	60	44.15	Pass	401
3750	7000	1	RMS	6985	-66.32	-40	26.32	Pass	3251
7000	26500	1	RMS	25374	-51.38	-40	11.38	Pass	19503




1.16. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.42	-40	32.42	Pass	401
0.15	30	0.01	RMS	14.92	-69.87	-40	29.87	Pass	2986
30	1000	0.1	RMS	984.089	-60.32	-40	20.32	Pass	9701
1000	3000	1	RMS	2970	-48.9	-40	8.9	Pass	2001
3000	3500	1	RMS	3401	-44.85	-40	4.85	Pass	501
3500	3750	1	RMS	3559.375	6.96	60	53.04	Pass	401
3750	7000	1	RMS	7000	-66.73	-40	26.73	Pass	3251
7000	26500	1	RMS	25120	-52.64	-40	12.64	Pass	19503




1.1. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.91	-40	31.91	Pass	401
0.15	30	0.01	RMS	0.17	-69.78	-40	29.78	Pass	2986
30	1000	0.1	RMS	771.7	-60.37	-40	20.37	Pass	9701
1000	3000	1	RMS	2965	-48.21	-40	8.21	Pass	2001
3000	3500	1	RMS	3408	-44.85	-40	4.85	Pass	501
3500	3750	1	RMS	3551.25	19.06	60	40.94	Pass	401
3750	7000	1	RMS	6926	-66.54	-40	26.54	Pass	3251
7000	26500	1	RMS	25122	-52.36	-40	12.36	Pass	19503




1.18. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-73.02	-40	33.02	Pass	401
0.15	30	0.01	RMS	24.24	-69.72	-40	29.72	Pass	2986
30	1000	0.1	RMS	475.2	-60.1	-40	20.1	Pass	9701
1000	3000	1	RMS	2984	-48.48	-40	8.48	Pass	2001
3000	3500	1	RMS	3418	-45.01	-40	5.01	Pass	501
3500	3750	1	RMS	3568.75	18.13	60	41.87	Pass	401
3750	7000	1	RMS	6985	-66.04	-40	26.04	Pass	3251
7000	26500	1	RMS	25111	-52.75	-40	12.75	Pass	19503




1.19. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.28	-40	31.28	Pass	401
0.15	30	0.01	RMS	24.23	-70.43	-40	30.43	Pass	2986
30	1000	0.1	RMS	957.172	-61	-40	21	Pass	9701
1000	3000	1	RMS	2978	-48.62	-40	8.62	Pass	2001
3000	3500	1	RMS	3423	-44.97	-40	4.97	Pass	501
3500	3750	1	RMS	3627.5	5.66	60	54.34	Pass	401
3750	7000	1	RMS	6978	-66.07	-40	26.07	Pass	3251
7000	26500	1	RMS	25841	-52.75	-40	12.75	Pass	19503




1.20. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.71	-40	32.71	Pass	401
0.15	30	0.01	RMS	22.49	-68.86	-40	28.86	Pass	2986
30	1000	0.1	RMS	896.131	-60.53	-40	20.53	Pass	9701
1000	3000	1	RMS	2415	-48.46	-40	8.46	Pass	2001
3000	3500	1	RMS	3415	-44.75	-40	4.75	Pass	501
3500	3750	1	RMS	3616.25	16.7	60	43.3	Pass	401
3750	7000	1	RMS	6996	-66.82	-40	26.82	Pass	3251
7000	26500	1	RMS	24096	-52.5	-40	12.5	Pass	19503




1.21. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.75	-40	32.75	Pass	401
0.15	30	0.01	RMS	0.99	-70.06	-40	30.06	Pass	2986
30	1000	0.1	RMS	907.138	-60.98	-40	20.98	Pass	9701
1000	3000	1	RMS	2931	-48.08	-40	8.08	Pass	2001
3000	3500	1	RMS	3401	-44.8	-40	4.8	Pass	501
3500	3750	1	RMS	3633.75	16.86	60	43.14	Pass	401
3750	7000	1	RMS	6975	-66.5	-40	26.5	Pass	3251
7000	26500	1	RMS	25838	-52.78	-40	12.78	Pass	19503




1.22. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-74.17	-40	34.17	Pass	401
0.15	30	0.01	RMS	18.78	-70.25	-40	30.25	Pass	2986
30	1000	0.1	RMS	818.9	-60.65	-40	20.65	Pass	9701
1000	3000	1	RMS	3000	-48.77	-40	8.77	Pass	2001
3000	3500	1	RMS	3433	-44.76	-40	4.76	Pass	501
3500	3750	1	RMS	3683.125	4.83	60	55.17	Pass	401
3750	7000	1	RMS	6965	-66.74	-40	26.74	Pass	3251
7000	26500	1	RMS	25931	-53.12	-40	13.12	Pass	19503




1.23. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.85	-40	31.85	Pass	401
0.15	30	0.01	RMS	26.37	-68.74	-40	28.74	Pass	2986
30	1000	0.1	RMS	884.223	-60.31	-40	20.31	Pass	9701
1000	3000	1	RMS	2969	-48.6	-40	8.6	Pass	2001
3000	3500	1	RMS	3396	-44.71	-40	4.71	Pass	501
3500	3750	1	RMS	3681.25	16.11	60	43.89	Pass	401
3750	7000	1	RMS	6987	-66.24	-40	26.24	Pass	3251
7000	26500	1	RMS	25101	-52.93	-40	12.93	Pass	19503




1.24. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-72.87	-40	32.87	Pass	401
0.15	30	0.01	RMS	26.05	-69.69	-40	29.69	Pass	2986
30	1000	0.1	RMS	399.9	-60.92	-40	20.92	Pass	9701
1000	3000	1	RMS	2410	-45.4	-40	5.4	Pass	2001
3000	3500	1	RMS	3407	-44.84	-40	4.84	Pass	501
3500	3750	1	RMS	3698.75	16.03	60	43.97	Pass	401
3750	7000	1	RMS	6907	-67.01	-40	27.01	Pass	3251
7000	26500	1	RMS	24178	-52.4	-40	12.4	Pass	19503




1.4. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-67.79	-40	27.79	Pass	401
0.15	30	0.01	RMS	28.46	-70.32	-40	30.32	Pass	2986
30	1000	0.1	RMS	915.844	-60.43	-40	20.43	Pass	9701
1000	3000	1	RMS	2573	-48.82	-40	8.82	Pass	2001
3000	3500	1	RMS	3395	-45.08	-40	5.08	Pass	501
3500	3750	1	RMS	3563.125	4.77	60	55.23	Pass	401
3750	7000	1	RMS	6968	-66.52	-40	26.52	Pass	3251
7000	26500	1	RMS	24089	-52.51	-40	12.51	Pass	19503




1.26. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-73.19	-40	33.19	Pass	401
0.15	30	0.01	RMS	18.97	-70.46	-40	30.46	Pass	2986
30	1000	0.1	RMS	902.435	-60	-40	20	Pass	9701
1000	3000	1	RMS	2415	-47.12	-40	7.12	Pass	2001
3000	3500	1	RMS	3431	-45.02	-40	5.02	Pass	501
3500	3750	1	RMS	3551.25	18.64	60	41.36	Pass	401
3750	7000	1	RMS	6948	-66.86	-40	26.86	Pass	3251
7000	26500	1	RMS	25553	-52.68	-40	12.68	Pass	19503




1.27. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-71.52	-40	31.52	Pass	401
0.15	30	0.01	RMS	0.45	-70.68	-40	30.68	Pass	2986
30	1000	0.1	RMS	961.374	-60.18	-40	20.18	Pass	9701
1000	3000	1	RMS	2963	-48.13	-40	8.13	Pass	2001
3000	3500	1	RMS	3407	-44.76	-40	4.76	Pass	501
3500	3750	1	RMS	3588.75	18.15	60	41.85	Pass	401
3750	7000	1	RMS	6990	-66.86	-40	26.86	Pass	3251
7000	26500	1	RMS	25917	-52.89	-40	12.89	Pass	19503




1.28. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-73.32	-40	33.32	Pass	401
0.15	30	0.01	RMS	0.17	-69.73	-40	29.73	Pass	2986
30	1000	0.1	RMS	968.379	-60.85	-40	20.85	Pass	9701
1000	3000	1	RMS	2970	-48.13	-40	8.13	Pass	2001
3000	3500	1	RMS	3432	-44.75	-40	4.75	Pass	501
3500	3750	1	RMS	3608.125	2.64	60	57.36	Pass	401
3750	7000	1	RMS	6978	-66.49	-40	26.49	Pass	3251
7000	26500	1	RMS	25413	-52.62	-40	12.62	Pass	19503




1.29. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.72	-40	32.72	Pass	401
0.15	30	0.01	RMS	19.67	-69.64	-40	29.64	Pass	2986
30	1000	0.1	RMS	991.494	-60.82	-40	20.82	Pass	9701
1000	3000	1	RMS	2900	-48.95	-40	8.95	Pass	2001
3000	3500	1	RMS	3426	-44.93	-40	4.93	Pass	501
3500	3750	1	RMS	3606.25	17.61	60	42.39	Pass	401
3750	7000	1	RMS	6973	-66.3	-40	26.3	Pass	3251
7000	26500	1	RMS	26135	-52.5	-40	12.5	Pass	19503




1.30. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.49	-40	32.49	Pass	401
0.15	30	0.01	RMS	16.27	-69.22	-40	29.22	Pass	2986
30	1000	0.1	RMS	461.5	-60.19	-40	20.19	Pass	9701
1000	3000	1	RMS	2915	-48.69	-40	8.69	Pass	2001
3000	3500	1	RMS	3403	-44.82	-40	4.82	Pass	501
3500	3750	1	RMS	3643.75	17.05	60	42.95	Pass	401
3750	7000	1	RMS	6971	-66.87	-40	26.87	Pass	3251
7000	26500	1	RMS	25183	-52.81	-40	12.81	Pass	19503




1.31. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.69	-40	31.69	Pass	401
0.15	30	0.01	RMS	9.47	-70.52	-40	30.52	Pass	2986
30	1000	0.1	RMS	646.2	-60.65	-40	20.65	Pass	9701
1000	3000	1	RMS	2928	-48.91	-40	8.91	Pass	2001
3000	3500	1	RMS	3418	-44.81	-40	4.81	Pass	501
3500	3750	1	RMS	3663.125	2.16	60	57.84	Pass	401
3750	7000	1	RMS	3750	-59.41	-40	19.41	Pass	3251
7000	26500	1	RMS	25086	-52.78	-40	12.78	Pass	19503




1.32. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.32	-40	33.32	Pass	401
0.15	30	0.01	RMS	20.32	-70.72	-40	30.72	Pass	2986
30	1000	0.1	RMS	763.9	-60.54	-40	20.54	Pass	9701
1000	3000	1	RMS	2922	-48.72	-40	8.72	Pass	2001
3000	3500	1	RMS	3409	-44.81	-40	4.81	Pass	501
3500	3750	1	RMS	3661.25	16.76	60	43.24	Pass	401
3750	7000	1	RMS	6921	-66.38	-40	26.38	Pass	3251
7000	26500	1	RMS	25448	-53.13	-40	13.13	Pass	19503



1.33. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.57	-40	32.57	Pass	401
0.15	30	0.01	RMS	0.81	-68.86	-40	28.86	Pass	2986
30	1000	0.1	RMS	909.24	-59.78	-40	19.78	Pass	9701
1000	3000	1	RMS	2915	-48.63	-40	8.63	Pass	2001
3000	3500	1	RMS	3393	-44.99	-40	4.99	Pass	501
3500	3750	1	RMS	3698.75	16.32	60	43.68	Pass	401
3750	7000	1	RMS	6905	-66.8	-40	26.8	Pass	3251
7000	26500	1	RMS	24404	-52.52	-40	12.52	Pass	19503



--BLANK BELOW--