





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,457.160	93.12			37.80	V	140.6	2.00
4	2,483.500	48.71	54.00	5.29	37.88	V	131	1.00
4	2,487.760	48.76	54.00	5.24	37.89	V	274.5	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2452MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.100	42.81	54.00	11.19	37.09	H	355	2.00
1	2,390.000	42.75	54.00	11.25	37.10	H	355	2.00
1	2,403.508	93.61			37.28	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.383	69.70	74.00	4.30	37.09	V	86.8	1.00
1	2,390.000	70.93	74.00	3.07	37.10	V	274.5	2.00
1	2,403.230	110.96			37.28	V	229.2	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,388.818	43.00	54.00	11.00	37.08	V	127.4	2.00
1	2,390.000	42.77	54.00	11.23	37.10	V	127.4	2.00
1	2,403.790	96.76			37.29	V	137	1.00



REMARKS:


- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
- Margin value = Limit value- Emission level.
- 2412MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	4,874.000	50.67	74.00	23.33	38.94	54.00	15.06	14.76	V	357.8	1.00
2	7,311.000	56.09	74.00	17.91	44.83	54.00	9.17	21.05	V	93.6	1.00



REMARKS:


10. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
11. Margin value = Limit value- Emission level.
12. 2437MHz: Fundamental frequency.



CHANNEL	TX Channel 11	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,470.240	113.85			37.85	H	43.7	1.00
2	2,483.500	67.04	74.00	6.96	37.88	H	316.3	2.00
2	2,484.640	67.57	74.00	6.43	37.88	H	316.3	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,470.120	98.30			37.85	H	98.8	1.00
2	2,483.500	43.64	54.00	10.36	37.88	H	197.9	1.00
2	2,487.400	43.66	54.00	10.34	37.89	H	197.9	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,470.360	113.29			37.85	V	189.5	1.00
2	2,483.500	66.82	74.00	7.18	37.88	V	1	1.00
2	2,487.760	68.27	74.00	5.73	37.89	V	141.7	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,470.720	96.74			37.86	V	45	1.00
2	2,483.500	43.47	54.00	10.53	37.88	V	143	1.00
2	2,486.560	43.57	54.00	10.43	37.89	V	359.1	1.00



REMARKS:


10. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
11. Margin value = Limit value- Emission level.
12. 2462MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.383	42.87	54.00	11.13	37.09	H	191.9	1.00
1	2,390.000	42.79	54.00	11.21	37.10	H	266.1	2.00
1	2,405.490	91.96			37.31	H	1	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,388.818	68.84	74.00	5.16	37.08	V	141.7	1.00
1	2,390.000	67.04	74.00	6.96	37.10	V	190.6	1.00
1	2,404.640	109.98			37.30	V	141.7	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.383	43.22	54.00	10.78	37.09	V	5.1	1.00
1	2,390.000	42.98	54.00	11.02	37.10	V	60.5	2.00
1	2,405.203	94.52			37.31	V	194.3	1.00



REMARKS:


13. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
14. Margin value = Limit value- Emission level.
15. 2412MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	4,874.000	49.19	74.00	24.81	38.86	54.00	15.14	14.76	V	108	1.00
2	7,311.000	55.53	74.00	18.47	44.74	54.00	9.26	21.05	V	359	2.00



REMARKS:


13. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
14. Margin value = Limit value- Emission level.
15. 2437MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,469.640	94.20			37.85	H	123.8	2.00
2	2,483.500	43.51	54.00	10.49	37.88	H	357.7	1.00
2	2,486.320	43.55	54.00	10.45	37.89	H	2.7	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,467.960	112.85			37.85	V	126.2	2.00
2	2,483.560	68.90	74.00	5.10	37.88	V	126.2	2.00
2	2,487.400	68.97	74.00	5.03	37.89	V	139.4	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,468.080	95.92			37.85	V	125	2.00
2	2,483.500	43.55	54.00	10.45	37.88	V	188.4	1.00
2	2,486.080	43.59	54.00	10.41	37.89	V	140.6	1.00



REMARKS:


13. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
14. Margin value = Limit value- Emission level.
15. 2462MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.383	42.71	54.00	11.29	37.09	H	193.1	1.00
1	2,390.000	42.57	54.00	11.43	37.10	H	267.3	2.00
1	2,408.593	87.66			37.35	H	316.3	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.665	67.40	74.00	6.60	37.09	V	316.3	2.00
1	2,390.000	69.20	74.00	4.80	37.10	V	5.1	1.00
1	2,409.720	107.41			37.37	V	70	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.383	42.69	54.00	11.31	37.09	V	194.3	1.00
1	2,390.000	42.60	54.00	11.40	37.10	V	95.2	1.00
1	2,410.005	89.84			37.37	V	67.7	2.00



REMARKS:


16. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
17. Margin value = Limit value- Emission level.
18. 2412MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	4,874.000	49.99	74.00	24.01	38.84	54.00	15.16	14.76	V	266.4	2.00
2	7,311.000	55.89	74.00	18.11	44.55	54.00	9.45	21.05	V	266.4	2.00



REMARKS:

16. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
17. Margin value = Limit value- Emission level.
18. 2437MHz: Fundamental frequency.

