




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,328.400	114.75			43.51	V	67.7	2.00
6	5,350.000	66.91	74.00	7.09	43.55	V	248.2	1.00
6	5,354.800	67.24	74.00	6.76	43.55	V	248.2	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,328.000	97.76			43.51	V	70.1	2.00
6	5,350.000	44.44	54.00	9.56	43.55	V	120.2	2.00
6	5,360.000	44.73	54.00	9.27	43.55	V	120.2	2.00






802.11AX (20M RU 52)

CHANNEL	TX Channel 52	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,252.730	109.01			43.67	H	303.1	1.00
4	5,350.000	58.20	74.00	15.80	43.55	H	201.4	1.00
4	5,357.225	59.18	74.00	14.82	43.55	H	303.1	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,253.200	90.32			43.67	H	359	2.00
4	5,350.000	44.08	54.00	9.92	43.55	H	358.4	1.00
4	5,362.450	44.21	54.00	9.79	43.55	H	144.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,252.250	116.35			43.67	V	261.3	1.00
4	5,350.000	58.48	74.00	15.52	43.55	V	46.1	1.00
4	5,390.000	59.18	74.00	14.82	43.55	V	164.5	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,252.250	95.93			43.67	V	76.1	2.00
4	5,350.000	44.16	54.00	9.84	43.55	V	2.3	2.00
4	5,352.000	44.29	54.00	9.71	43.55	V	123.9	2.00






CHANNEL	TX Channel 60	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,295.200	109.98			43.47	H	355	2.00
5	5,350.000	58.43	74.00	15.57	43.55	H	5.1	1.00
5	5,351.000	59.61	74.00	14.39	43.55	H	219.5	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,294.900	92.38			43.47	H	359	2.00
5	5,350.000	44.16	54.00	9.84	43.55	H	359.1	1.00
5	5,363.600	44.29	54.00	9.71	43.55	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,296.400	117.67			43.46	V	74.9	2.00
5	5,350.000	59.61	74.00	14.39	43.55	V	285.1	1.00
5	5,351.900	60.25	74.00	13.75	43.55	V	285.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,297.900	97.91			43.45	V	92.9	2.00
5	5,350.000	44.46	54.00	9.54	43.55	V	316.4	2.00
5	5,350.100	44.46	54.00	9.54	43.55	V	316.4	2.00






CHANNEL	TX Channel 64	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,325.600	108.46			43.50	H	359	2.00
6	5,350.000	62.91	74.00	11.09	43.55	H	42.5	1.00
6	5,351.600	66.24	74.00	7.76	43.55	H	42.5	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,326.800	93.91			43.51	H	109.5	2.00
6	5,350.000	44.22	54.00	9.78	43.55	H	1	1.00
6	5,364.000	44.25	54.00	9.75	43.55	H	1	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,326.800	117.62			43.51	V	71.2	2.00
6	5,350.000	69.56	74.00	4.44	43.55	V	316.3	2.00
6	5,350.800	70.33	74.00	3.67	43.55	V	316.3	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,327.200	98.38			43.51	V	169.3	2.00
6	5,350.000	44.53	54.00	9.47	43.55	V	316.3	2.00
6	5,353.200	44.54	54.00	9.46	43.55	V	316.3	2.00






802.11AX (20M RU 106)

CHANNEL	TX Channel 52	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,251.780	107.93			43.67	H	167	2.00
4	5,350.000	57.69	74.00	16.31	43.55	H	65.3	2.00
4	5,377.175	58.82	74.00	15.18	43.55	H	293.6	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,256.050	90.19			43.65	H	119.1	2.00
4	5,350.000	44.14	54.00	9.86	43.55	H	119.1	2.00
4	5,360.550	44.29	54.00	9.71	43.55	H	102.3	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,252.250	113.37			43.67	V	244.6	1.00
4	5,350.000	57.90	74.00	16.10	43.55	V	359	2.00
4	5,366.725	59.26	74.00	14.74	43.55	V	117.8	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,253.675	95.00			43.66	V	243.4	1.00
4	5,350.000	44.16	54.00	9.84	43.55	V	314	2.00
4	5,355.325	44.32	54.00	9.68	43.55	V	243.4	1.00






BUREAU VERITAS Test Report No.: PSU-QBJ2507100110RF03

CHANNEL	TX Channel 60	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,293.400	107.90			43.48	H	5	1.00
5	5,350.000	58.93	74.00	15.07	43.55	H	315.2	2.00
5	5,352.500	62.43	74.00	11.57	43.55	H	315.2	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,293.700	89.65			43.47	H	5.8	1.00
5	5,350.000	44.21	54.00	9.79	43.55	H	247	1.00
5	5,359.100	44.39	54.00	9.61	43.55	H	1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,291.900	114.21			43.48	V	248.2	1.00
5	5,350.000	64.26	74.00	9.74	43.55	V	248.2	1.00
5	5,352.200	67.10	74.00	6.90	43.55	V	312.8	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,291.300	96.74			43.49	V	248.2	1.00
5	5,350.000	44.39	54.00	9.61	43.55	V	248.2	1.00
5	5,357.900	44.49	54.00	9.51	43.55	V	314	2.00






CHANNEL	TX Channel 64	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,327.600	107.31			43.51	H	92.8	1.00
6	5,350.000	62.92	74.00	11.08	43.55	H	316.4	2.00
6	5,350.400	65.51	74.00	8.49	43.55	H	316.4	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,328.000	88.55			43.51	H	92.8	1.00
6	5,350.000	44.18	54.00	9.82	43.55	H	317.5	2.00
6	5,360.800	44.29	54.00	9.71	43.55	H	4.5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,327.600	112.28			43.51	V	121.4	2.00
6	5,350.000	70.79	74.00	3.21	43.55	V	121.4	2.00
6	5,352.400	70.68	74.00	3.32	43.55	V	121.4	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,324.000	94.61			43.50	V	261.2	1.00
6	5,350.000	44.35	54.00	9.65	43.55	V	119	2.00
6	5,359.200	44.37	54.00	9.63	43.55	V	315.1	2.00



REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5290MHz: Fundamental frequency.



Band 3

802.11a

CHANNEL	TX Channel 100	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,446.650	59.38	74.00	14.62	44.05	H	1.1	2.00
7	5,460.000	58.16	74.00	15.84	44.19	H	1	2.00
7	5,498.400	104.68			44.63	H	4.5	1.00

