




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,609.688	59.94	68.20	8.26	44.35	V	1	2.00
12	5,735.940	114.13			44.49	V	269.6	1.00
13	5,972.625	58.67	68.20	9.53	44.30	V	175.3	1.00






BUREAU VERITAS Test Report No.: PSU-QBJ2507100110RF03

CHANNEL	TX Channel 157	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,634.688	59.21	68.20	8.99	44.35	H	306.8	1.00
12	5,780.000	108.01			44.62	H	98.8	2.00
13	5,987.250	58.93	68.20	9.27	44.37	H	359.1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,615.313	59.07	68.20	9.13	44.33	V	5.8	1.00
12	5,780.000	113.19			44.62	V	267.2	1.00
13	5,937.000	59.08	68.20	9.12	44.35	V	174.1	1.00








ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,609.375	59.81	68.20	8.39	44.35	V	5.7	1.00
12	5,831.250	115.70			44.75	V	264.7	1.00
13	5,937.375	58.94	68.20	9.26	44.34	V	1	1.00



REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5530MHz: Fundamental frequency.
- 4 #: Out of restricted band.




802.11AX (20M RU106)

CHANNEL	TX Channel 149	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,647.188	59.32	68.20	8.88	44.37	H	5	1.00
12	5,741.560	106.05			44.50	H	262.4	1.00
13	5,976.750	59.44	68.20	8.76	44.32	H	359	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,644.688	59.85	68.20	8.35	44.37	V	353	1.00
12	5,736.875	110.45			44.49	V	94.1	2.00
13	5,964.750	59.64	68.20	8.56	44.26	V	46.2	2.00






BUREAU VERITAS Test Report No.: PSU-QBJ2507100110RF03

CHANNEL	TX Channel 157	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,638.750	59.20	68.20	9.00	44.36	H	359	2.00
12	5,776.250	107.84			44.61	H	1	2.00
13	5,949.375	59.01	68.20	9.19	44.28	H	1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,632.500	59.86	68.20	8.34	44.34	V	5.1	1.00
12	5,783.130	111.05			44.63	V	268.5	1.00
13	5,980.875	59.25	68.20	8.95	44.34	V	359	2.00






BUREAU VERITAS Test Report No.: PSU-QBJ2507100110RF03

CHANNEL	TX Channel 165	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,606.563	59.64	68.20	8.56	44.36	H	5.8	1.00
12	5,833.440	108.56			44.75	H	359	2.00
13	5,929.125	59.29	68.20	8.91	44.39	H	16.3	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,624.063	59.66	68.20	8.54	44.33	V	6.9	2.00
12	5,829.688	111.08			44.74	V	95.2	2.00
13	5,996.250	59.12	68.20	9.08	44.42	V	188.4	2.00



REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5530MHz: Fundamental frequency.
- 4 #: Out of restricted band.




BAND 4

802.11a

CHANNEL	TX Channel 149	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,602.188	59.28	68.20	8.92	44.38	H	345.1	1.00
12	5,746.563	105.41			44.51	H	358.1	1.00
13	5,945.625	58.86	68.20	9.34	44.30	H	167	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,610.000	59.39	68.20	8.81	44.35	V	359.1	1.00
12	5,744.060	106.70			44.50	V	105.9	2.00
13	5,931.375	58.63	68.20	9.57	44.38	V	1	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5745MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,612.188	59.66	68.20	8.54	44.34	V	5.1	1.00
12	5,784.063	110.18			44.64	V	256.5	1.00
13	5,953.500	59.10	68.20	9.10	44.26	V	1	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5785MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,610.938	59.33	68.20	8.87	44.35	V	359	2.00
12	5,826.560	105.06			44.74	V	1	1.00
13	5,984.250	59.08	68.20	9.12	44.36	V	359	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5825MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,603.125	59.58	68.20	8.62	44.37	V	148.9	2.00
12	5,747.190	107.80			44.51	V	257.8	1.00
13	5,942.625	59.85	68.20	8.35	44.32	V	1	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5745MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,637.500	59.54	68.20	8.66	44.35	V	359.1	1.00
12	5,786.560	107.38			44.65	V	257.7	1.00
13	5,999.250	58.79	68.20	9.41	44.43	V	168.1	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5785MHz: Fundamental frequency.



CHANNEL	TX Channel 165	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,643.750	59.07	68.20	9.13	44.37	H	297.2	1.00
12	5,825.940	104.11			44.74	H	37.8	2.00
13	5,925.375	59.29	68.20	8.91	44.41	H	3	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,647.813	59.39	68.20	8.81	44.37	V	5.1	1.00
12	5,823.438	107.79			44.73	V	257.7	1.00
13	5,983.125	59.05	68.20	9.15	44.35	V	168.1	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5825MHz: Fundamental frequency.

**802.11n (40MHz)**

CHANNEL	TX Channel 151	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,605.313	59.21	68.20	8.99	44.37	H	209.8	1.00
11	5,756.880	100.61			44.54	H	0.9	2.00
12	5,945.250	58.72	68.20	9.48	44.30	H	359.1	1.00

