



11AX40-2422-PASS



11AX40-2452-PASS



11BE20-2412-PASS



11BE20-2462-PASS




11BE40-2422-PASS




11BE40-2452-PASS


**Conducted Spurious Emission:**




11B-2412-30~1000-PASS




11B-2412-1000~25000-PASS




11B-2437-30~1000-PASS




11B-2437-1000~25000-PASS




11B-2462-30~1000-PASS




11B-2462-1000~25000-PASS




11G-2412-30~1000-PASS




11G-2412-1000~25000-PASS




11G-2437-30~1000-PASS




11G-2437-1000~25000-PASS




11G-2462-30~1000-PASS




11G-2462-1000~25000-PASS




11N20-2412-30~1000-PASS




11N20-2412-1000~25000-PASS




11N20-2437-30~1000-PASS




11N20-2437-1000~25000-PASS




11N20-2462-30~1000-PASS




11N20-2462-1000~25000-PASS




11N40-2422-30~1000-PASS




11N40-2422-1000~25000-PASS




11N40-2437-30~1000-PASS




11N40-2437-1000~25000-PASS




11N40-2452-30~1000-PASS




11N40-2452-1000~25000-PASS




11AX20-2412-30~1000-PASS




11AX20-2412-1000~25000-PASS




11AX20-2437-30~1000-PASS




11AX20-2437-1000~25000-PASS




11AX20-2462-30~1000-PASS




11AX20-2462-1000~25000-PASS




11AX40-2422-30~1000-PASS




11AX40-2422-1000~25000-PASS




11AX40-2437-30~1000-PASS




11AX40-2437-1000~25000-PASS




11AX40-2452-30~1000-PASS




11AX40-2452-1000~25000-PASS




11BE20-2412-30~1000-PASS




11BE20-2412-1000~25000-PASS




11BE20-2437-30~1000-PASS




11BE20-2437-1000~25000-PASS




11BE20-2462-30~1000-PASS




11BE20-2462-1000~25000-PASS




11BE40-2422-30~1000-PASS




11BE40-2422-1000~25000-PASS




11BE40-2437-30~1000-PASS



11BE40-2437-1000~25000-PASS




11BE40-2452-30~1000-PASS




11BE40-2452-1000~25000-PASS


### Appendix F: Test results of Duty cycle

TestMode	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor
11B	2412	30.00	30.00	100.00	0.00
11B	2437	30.00	30.00	100.00	0.00
11B	2462	30.00	30.00	100.00	0.00
11G	2412	30.00	30.00	100.00	0.00
11G	2437	30.00	30.00	100.00	0.00
11G	2462	25.00	25.00	100.00	0.00
11N20	2412	5.42	5.45	99.45	0.02
11N20	2437	5.43	5.45	99.63	0.02
11N20	2462	5.43	5.45	99.63	0.02
11N40	2422	5.43	5.45	99.63	0.02
11N40	2437	5.42	5.44	99.63	0.02
11N40	2452	5.43	5.45	99.63	0.02
11AX20	2412	30.00	30.00	100.00	0.00
11AX20	2437	5.44	5.46	99.63	0.02
11AX20	2462	30.00	30.00	100.00	0.00
11AX40	2422	5.44	5.46	99.63	0.02
11AX40	2437	5.44	5.46	99.63	0.02
11AX40	2452	30.00	30.00	100.00	0.00
11BE20	2412	5.45	5.47	99.63	0.02
11BE20	2437	5.45	5.47	99.63	0.02
11BE20	2462	30.00	30.00	100.00	0.00
11BE40	2422	5.45	5.47	99.63	0.02
11BE40	2437	5.45	5.47	99.63	0.02
11BE40	2452	30.00	30.00	100.00	0.00







NTNV-11N20-2437




NTNV-11N20-2462




NTNV-11N40-2422




NTNV-11N40-2437




NTNV-11N40-2452




NTNV-11AX20-2412




NTNV-11AX20-2437




NTNV-11AX20-2462




NTNV-11AX40-2422




NTNV-11AX40-2437




NTNV-11AX40-2452




NTNV-11BE20-2412




NTNV-11BE20-2437




NTNV-11BE20-2462



NTNV-11BE40-2422




NTNV-11BE40-2437



NTNV-11BE40-2452


## Appendix G: Test results of Emissions in Restricted Bands

Transmit at 2412MHz by 802.11b




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	42.34	37.63	-4.71	74.00	36.37	PK	Horizo	PASS
2	4824.38	37.81	33.10	-4.71	54.00	20.90	AV	Horizo	PASS
3	7236.00	29.61	32.96	3.35	54.00	21.04	AV	Horizo	PASS
4	7236.00	37.02	40.37	3.35	74.00	33.63	PK	Horizo	PASS
5	9648.00	35.44	42.73	7.29	74.00	31.27	PK	Horizo	PASS
6	9648.00	28.20	35.49	7.29	54.00	18.51	AV	Horizo	PASS

Transmit at 2412MHz by 802.11b




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	46.02	41.31	-4.71	74.00	32.69	PK	Vertic	PASS
2	4824.38	42.02	37.31	-4.71	54.00	16.69	AV	Vertic	PASS
3	7236.00	38.67	42.02	3.35	74.00	31.98	PK	Vertic	PASS
4	7236.00	31.09	34.44	3.35	54.00	19.56	AV	Vertic	PASS
5	9648.00	28.25	35.54	7.29	54.00	18.46	AV	Vertic	PASS
6	9648.00	35.30	42.59	7.29	74.00	31.41	PK	Vertic	PASS

Transmit at 2437MHz by 802.11b




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	40.01	35.22	-4.79	74.00	38.78	PK	Horizo	PASS
2	4874.00	33.78	28.99	-4.79	54.00	25.01	AV	Horizo	PASS
3	7311.00	29.24	32.59	3.35	54.00	21.41	AV	Horizo	PASS
4	7311.00	37.11	40.46	3.35	74.00	33.54	PK	Horizo	PASS
5	9748.00	34.31	41.75	7.44	74.00	32.25	PK	Horizo	PASS
6	9748.00	27.10	34.54	7.44	54.00	19.46	AV	Horizo	PASS

Transmit at 2437MHz by 802.11b




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	43.42	38.63	-4.79	74.00	35.37	PK	Vertic	PASS
2	4874.00	37.18	32.39	-4.79	54.00	21.61	AV	Vertic	PASS
3	7311.00	32.77	36.12	3.35	54.00	17.88	AV	Vertic	PASS
4	7311.00	38.65	42.00	3.35	74.00	32.00	PK	Vertic	PASS
5	9748.00	33.77	41.21	7.44	74.00	32.79	PK	Vertic	PASS
6	9748.00	27.30	34.74	7.44	54.00	19.26	AV	Vertic	PASS

Transmit at 2462MHz by 802.11b




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	40.25	35.47	-4.78	74.00	38.53	PK	Horizo	PASS
2	4924.00	33.10	28.32	-4.78	54.00	25.68	AV	Horizo	PASS
3	7386.00	37.10	40.57	3.47	74.00	33.43	PK	Horizo	PASS
4	7386.00	30.15	33.62	3.47	54.00	20.38	AV	Horizo	PASS
5	9848.00	33.18	40.07	6.89	74.00	33.93	PK	Horizo	PASS
6	9848.00	25.70	32.59	6.89	54.00	21.41	AV	Horizo	PASS

Transmit at 2462MHz by 802.11b




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	43.52	38.74	-4.78	74.00	35.26	PK	Vertic	PASS
2	4924.00	38.59	33.81	-4.78	54.00	20.19	AV	Vertic	PASS
3	7386.00	39.85	43.32	3.47	74.00	30.68	PK	Vertic	PASS
4	7387.50	35.58	39.05	3.47	54.00	14.95	AV	Vertic	PASS
5	9848.00	26.82	33.71	6.89	54.00	20.29	AV	Vertic	PASS
6	9848.00	34.32	41.21	6.89	74.00	32.79	PK	Vertic	PASS

Transmit at 2412MHz by 802.11g




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	32.26	27.55	-4.71	54.00	26.45	AV	Horizo	PASS
2	4824.00	39.81	35.10	-4.71	74.00	38.90	PK	Horizo	PASS
3	7236.00	28.37	31.72	3.35	54.00	22.28	AV	Horizo	PASS
4	7236.00	36.46	39.81	3.35	74.00	34.19	PK	Horizo	PASS
5	9648.00	27.29	34.58	7.29	54.00	19.42	AV	Horizo	PASS
6	9648.00	35.22	42.51	7.29	74.00	31.49	PK	Horizo	PASS

Transmit at 2412MHz by 802.11g




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	42.79	38.08	-4.71	74.00	35.92	PK	Vertic	PASS
2	4824.00	35.34	30.63	-4.71	54.00	23.37	AV	Vertic	PASS
3	7236.00	29.61	32.96	3.35	54.00	21.04	AV	Vertic	PASS
4	7236.00	37.04	40.39	3.35	74.00	33.61	PK	Vertic	PASS
5	9648.00	35.62	42.91	7.29	74.00	31.09	PK	Vertic	PASS
6	9648.00	29.15	36.44	7.29	54.00	17.56	AV	Vertic	PASS

Transmit at 2437MHz by 802.11g




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	39.10	34.31	-4.79	74.00	39.69	PK	Horizo	PASS
2	4874.00	31.14	26.35	-4.79	54.00	27.65	AV	Horizo	PASS
3	7311.00	37.42	40.77	3.35	74.00	33.23	PK	Horizo	PASS
4	7311.00	29.20	32.55	3.35	54.00	21.45	AV	Horizo	PASS
5	9748.00	33.62	41.06	7.44	74.00	32.94	PK	Horizo	PASS
6	9748.00	25.78	33.22	7.44	54.00	20.78	AV	Horizo	PASS

Transmit at 2437MHz by 802.11g




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	40.09	35.30	-4.79	74.00	38.70	PK	Vertic	PASS
2	4874.00	32.47	27.68	-4.79	54.00	26.32	AV	Vertic	PASS
3	7309.50	42.65	46.00	3.35	74.00	28.00	PK	Vertic	PASS
4	7311.00	32.45	35.80	3.35	54.00	18.20	AV	Vertic	PASS
5	9748.00	35.37	42.81	7.44	74.00	31.19	PK	Vertic	PASS
6	9748.00	26.94	34.38	7.44	54.00	19.62	AV	Vertic	PASS

Transmit at 2462MHz by 802.11g




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	39.12	34.41	-4.71	74.00	39.59	PK	Horizo	PASS
2	4824.00	32.01	27.30	-4.71	54.00	26.70	AV	Horizo	PASS
3	7236.00	34.77	38.12	3.35	74.00	35.88	PK	Horizo	PASS
4	7236.00	27.88	31.23	3.35	54.00	22.77	AV	Horizo	PASS
5	9648.00	34.56	41.85	7.29	74.00	32.15	PK	Horizo	PASS
6	9648.00	27.77	35.06	7.29	54.00	18.94	AV	Horizo	PASS

Transmit at 2462MHz by 802.11g




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	39.99	35.28	-4.71	74.00	38.72	PK	Vertic	PASS
2	4824.00	31.82	27.11	-4.71	54.00	26.89	AV	Vertic	PASS
3	7236.00	36.36	39.71	3.35	74.00	34.29	PK	Vertic	PASS
4	7236.00	28.33	31.68	3.35	54.00	22.32	AV	Vertic	PASS
5	9648.00	34.80	42.09	7.29	74.00	31.91	PK	Vertic	PASS
6	9648.00	27.45	34.74	7.29	54.00	19.26	AV	Vertic	PASS

Transmit at 2412MHz by 802.11n(20MHz)




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	39.77	35.06	-4.71	74.00	38.94	PK	Horizo	PASS
2	4824.00	32.01	27.30	-4.71	54.00	26.70	AV	Horizo	PASS
3	7236.00	35.47	38.82	3.35	74.00	35.18	PK	Horizo	PASS
4	7236.00	27.61	30.96	3.35	54.00	23.04	AV	Horizo	PASS
5	9648.00	34.64	41.93	7.29	74.00	32.07	PK	Horizo	PASS
6	9648.00	27.05	34.34	7.29	54.00	19.66	AV	Horizo	PASS

Transmit at 2412MHz by 802.11n(20MHz)




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	40.39	35.68	-4.71	74.00	38.32	PK	Vertic	PASS
2	4824.00	33.99	29.28	-4.71	54.00	24.72	AV	Vertic	PASS
3	7236.00	36.33	39.68	3.35	74.00	34.32	PK	Vertic	PASS
4	7236.00	29.07	32.42	3.35	54.00	21.58	AV	Vertic	PASS
5	9648.00	33.88	41.17	7.29	74.00	32.83	PK	Vertic	PASS
6	9648.00	27.75	35.04	7.29	54.00	18.96	AV	Vertic	PASS

**Transmit at 2437MHz by 802.11n(20MHz)**




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	38.94	34.23	-4.71	74.00	39.77	PK	Horizo	PASS
2	4824.00	31.44	26.73	-4.71	54.00	27.27	AV	Horizo	PASS
3	7236.00	27.79	31.14	3.35	54.00	22.86	AV	Horizo	PASS
4	7236.00	35.08	38.43	3.35	74.00	35.57	PK	Horizo	PASS
5	9648.00	35.23	42.52	7.29	74.00	31.48	PK	Horizo	PASS
6	9648.00	26.39	33.68	7.29	54.00	20.32	AV	Horizo	PASS

Transmit at 2437MHz by 802.11n(20MHz)




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	39.41	34.70	-4.71	74.00	39.30	PK	Vertic	PASS
2	4824.00	32.69	27.98	-4.71	54.00	26.02	AV	Vertic	PASS
3	7236.00	36.10	39.45	3.35	74.00	34.55	PK	Vertic	PASS
4	7236.00	27.69	31.04	3.35	54.00	22.96	AV	Vertic	PASS
5	9648.00	27.00	34.29	7.29	54.00	19.71	AV	Vertic	PASS
6	9648.00	34.92	42.21	7.29	74.00	31.79	PK	Vertic	PASS

Transmit at 2462MHz by 802.11n(20MHz)




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	38.54	33.76	-4.78	74.00	40.24	PK	Horizo	PASS
2	4924.00	30.42	25.64	-4.78	54.00	28.36	AV	Horizo	PASS
3	7386.00	29.04	32.51	3.47	54.00	21.49	AV	Horizo	PASS
4	7386.00	37.29	40.76	3.47	74.00	33.24	PK	Horizo	PASS
5	9848.00	34.04	40.93	6.89	74.00	33.07	PK	Horizo	PASS
6	9848.00	25.28	32.17	6.89	54.00	21.83	AV	Horizo	PASS

Transmit at 2462MHz by 802.11n(20MHz)




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	40.16	35.38	-4.78	74.00	38.62	PK	Vertic	PASS
2	4924.00	32.02	27.24	-4.78	54.00	26.76	AV	Vertic	PASS
3	7386.00	37.54	41.01	3.47	74.00	32.99	PK	Vertic	PASS
4	7386.00	31.90	35.37	3.47	54.00	18.63	AV	Vertic	PASS
5	9848.00	33.33	40.22	6.89	74.00	33.78	PK	Vertic	PASS
6	9848.00	27.31	34.20	6.89	54.00	19.80	AV	Vertic	PASS

**Transmit at 2422MHz by 802.11n(40MHz)**




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	39.22	34.47	-4.75	74.00	39.53	PK	Horizo	PASS
2	4844.00	30.26	25.51	-4.75	54.00	28.49	AV	Horizo	PASS
3	7266.00	28.70	32.04	3.34	54.00	21.96	AV	Horizo	PASS
4	7266.00	35.33	38.67	3.34	74.00	35.33	PK	Horizo	PASS
5	9688.00	25.80	33.57	7.77	54.00	20.43	AV	Horizo	PASS
6	9688.00	34.82	42.59	7.77	74.00	31.41	PK	Horizo	PASS

Transmit at 2422MHz by 802.11n(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	38.46	33.71	-4.75	74.00	40.29	PK	Vertic	PASS
2	4844.00	31.56	26.81	-4.75	54.00	27.19	AV	Vertic	PASS
3	7266.00	35.62	38.96	3.34	74.00	35.04	PK	Vertic	PASS
4	7266.00	28.82	32.16	3.34	54.00	21.84	AV	Vertic	PASS
5	9684.75	36.51	44.24	7.73	74.00	29.76	PK	Vertic	PASS
6	9688.00	26.13	33.90	7.77	54.00	20.10	AV	Vertic	PASS

Transmit at 2437MHz by 802.11n(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	38.35	33.56	-4.79	74.00	40.44	PK	Horizo	PASS
2	4874.00	31.19	26.40	-4.79	54.00	27.60	AV	Horizo	PASS
3	7311.00	28.19	31.54	3.35	54.00	22.46	AV	Horizo	PASS
4	7311.00	36.45	39.80	3.35	74.00	34.20	PK	Horizo	PASS
5	9748.00	34.10	41.54	7.44	74.00	32.46	PK	Horizo	PASS
6	9748.00	27.05	34.49	7.44	54.00	19.51	AV	Horizo	PASS

**Transmit at 2437MHz by 802.11n(40MHz)**




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	38.64	33.85	-4.79	74.00	40.15	PK	Vertic	PASS
2	4874.00	31.25	26.46	-4.79	54.00	27.54	AV	Vertic	PASS
3	7311.00	36.38	39.73	3.35	74.00	34.27	PK	Vertic	PASS
4	7311.00	29.83	33.18	3.35	54.00	20.82	AV	Vertic	PASS
5	9748.00	34.06	41.50	7.44	74.00	32.50	PK	Vertic	PASS
6	9748.00	26.88	34.32	7.44	54.00	19.68	AV	Vertic	PASS

Transmit at 2452MHz by 802.11n(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	38.80	33.98	-4.82	74.00	40.02	PK	Horizo	PASS
2	4904.00	31.45	26.63	-4.82	54.00	27.37	AV	Horizo	PASS
3	7356.00	28.37	31.79	3.42	54.00	22.21	AV	Horizo	PASS
4	7356.00	34.99	38.41	3.42	74.00	35.59	PK	Horizo	PASS
5	9808.00	32.74	39.67	6.93	74.00	34.33	PK	Horizo	PASS
6	9808.00	25.42	32.35	6.93	54.00	21.65	AV	Horizo	PASS

Transmit at 2452MHz by 802.11n(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	39.26	34.44	-4.82	74.00	39.56	PK	Vertic	PASS
2	4904.00	31.65	26.83	-4.82	54.00	27.17	AV	Vertic	PASS
3	7356.00	35.78	39.20	3.42	74.00	34.80	PK	Vertic	PASS
4	7356.00	29.25	32.67	3.42	54.00	21.33	AV	Vertic	PASS
5	9808.00	34.27	41.20	6.93	74.00	32.80	PK	Vertic	PASS
6	9808.00	25.73	32.66	6.93	54.00	21.34	AV	Vertic	PASS

**Transmit at 2412MHz by 802.11ax(20Mhz) with RU106-53**




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	36.75	32.04	-4.71	74.00	41.96	PK	Horizo	PASS
2	4824.00	31.05	26.34	-4.71	54.00	27.66	AV	Horizo	PASS
3	7236.00	36.66	40.01	3.35	74.00	33.99	PK	Horizo	PASS
4	7236.00	27.67	31.02	3.35	54.00	22.98	AV	Horizo	PASS
5	9648.00	26.68	33.97	7.29	54.00	20.03	AV	Horizo	PASS
6	9648.00	33.40	40.69	7.29	74.00	33.31	PK	Horizo	PASS

Transmit at 2412MHz by 802.11ax(20Mhz) with RU106-53




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	37.95	33.24	-4.71	74.00	40.76	PK	Vertic	PASS
2	4824.00	30.59	25.88	-4.71	54.00	28.12	AV	Vertic	PASS
3	7214.63	40.04	43.39	3.35	74.00	30.61	PK	Vertic	PASS
4	7236.00	28.42	31.77	3.35	54.00	22.23	AV	Vertic	PASS
5	9648.00	33.38	40.67	7.29	74.00	33.33	PK	Vertic	PASS
6	9648.00	26.86	34.15	7.29	54.00	19.85	AV	Vertic	PASS

**Transmit at 2462MHz by 802.11ax(20Mhz) with RU106-53**



Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	37.47	32.69	-4.78	74.00	41.31	PK	Horizo	PASS
2	4924.00	29.88	25.10	-4.78	54.00	28.90	AV	Horizo	PASS
3	7386.00	28.34	31.81	3.47	54.00	22.19	AV	Horizo	PASS
4	7386.00	35.38	38.85	3.47	74.00	35.15	PK	Horizo	PASS
5	9848.00	25.80	32.69	6.89	54.00	21.31	AV	Horizo	PASS
6	9848.00	33.32	40.21	6.89	74.00	33.79	PK	Horizo	PASS

**Transmit at 2462MHz by 802.11ax(20Mhz) with RU106-53**




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	39.14	34.36	-4.78	74.00	39.64	PK	Vertic	PASS
2	4924.00	30.15	25.37	-4.78	54.00	28.63	AV	Vertic	PASS
3	7366.88	33.53	36.97	3.44	54.00	17.03	AV	Vertic	PASS
4	7368.38	40.26	43.70	3.44	74.00	30.30	PK	Vertic	PASS
5	9848.00	25.98	32.87	6.89	54.00	21.13	AV	Vertic	PASS
6	9848.00	33.03	39.92	6.89	74.00	34.08	PK	Vertic	PASS

Note:

1. Level = Reading + Factor.
2. Margin = Limit – Level
3. All test data above 18GHz are noise base, so no data shown in this report.
4. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
5. For partial RU, only worst data of each mode shown in this report.


**Worst data of Emissions in Restricted Bands below 1GHz:**

Transmit at 2412MHz by 802.11b with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	36.79	13.6	27.03	13.430	40.00	12.97	QP	Horizo	PASS
2	65.65	13.3	24.68	11.360	40.00	15.32	QP	Horizo	PASS
3	102.75	14.6	27.12	12.530	43.50	16.38	QP	Horizo	PASS
4	183.50	14.1	24.93	10.790	43.50	18.57	QP	Horizo	PASS
5	285.60	14.2	28.00	13.820	46.00	18.00	QP	Horizo	PASS
6	683.78	14.8	35.05	20.280	46.00	10.95	QP	Horizo	PASS

**Transmit at 2412MHz by 802.11b with Ant1+2**




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	48.67	18.4	33.14	14.730	40.00	6.86	QP	Vertic	PASS
2	76.56	18.6	28.57	9.960	40.00	11.43	QP	Vertic	PASS
3	102.75	15.8	28.29	12.530	43.50	15.21	QP	Vertic	PASS
4	185.69	13.4	24.32	10.950	43.50	19.18	QP	Vertic	PASS
5	353.74	13.9	29.45	15.560	46.00	16.55	QP	Vertic	PASS
6	616.37	15.6	35.55	19.950	46.00	10.45	QP	Vertic	PASS

Note:

1. Level = Reading + Factor.
2. Margin = Limit – Level


### Appendix H: Test results of AC Power Line Conducted Emission

Profile: 2560639R	Page No.: 3
Engineer: Yu Liu	
Site: TR1	Time: 2025/07/28 - 15:30
Limit: FCC_Part 15.207_CE_AC Power	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Line
EUT: Tablet computer	Power: AC 120V/60Hz
Note: Transmit at 2412MHz by 802.11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.206	37.347	27.690	-26.036	63.383	9.657	QP
2		0.206	30.462	20.805	-22.921	53.383	9.657	AV
3	*	0.466	39.563	29.865	-17.022	56.585	9.698	QP
4		0.466	28.197	18.499	-18.388	46.585	9.698	AV
5		0.958	38.578	28.883	-17.422	56.000	9.695	QP
6		0.958	23.434	13.740	-22.566	46.000	9.695	AV
7		4.298	34.476	24.671	-21.524	56.000	9.805	QP
8		4.298	25.990	16.185	-20.010	46.000	9.805	AV
9		10.526	35.519	25.532	-24.481	60.000	9.987	QP
10		10.526	29.212	19.225	-20.788	50.000	9.987	AV
11		27.198	26.359	15.645	-33.641	60.000	10.714	QP
12		27.198	14.615	3.900	-35.385	50.000	10.714	AV

Profile: 2560639R	Page No.: 8
Engineer: Yu Liu	
Site: TR1	Time: 2025/07/28 - 15:44
Limit: FCC_Part 15.207_CE_AC Power	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Neutral
EUT: Tablet computer	Power: AC 120V/60Hz
Note: Transmit at 2412MHz by 802.11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.326	38.047	28.425	-21.506	59.552	9.623	QP
2		0.326	30.266	20.644	-19.286	49.552	9.623	AV
3		0.702	36.564	26.914	-19.436	56.000	9.650	QP
4		0.702	27.266	17.615	-18.734	46.000	9.650	AV
5		1.298	37.315	27.631	-18.685	56.000	9.684	QP
6	*	1.298	30.738	21.054	-15.262	46.000	9.684	AV
7		5.173	37.657	27.848	-22.343	60.000	9.809	QP
8		5.173	29.858	20.049	-20.142	50.000	9.809	AV
9		17.590	26.269	15.967	-33.731	60.000	10.302	QP
10		17.590	18.734	8.432	-31.266	50.000	10.302	AV
11		26.902	26.164	15.331	-33.836	60.000	10.833	QP
12		26.902	18.489	7.656	-31.511	50.000	10.833	AV

Note:

1. " \* ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

The End