




NTNV-11BE40-5190




NTNV-11BE40-5230




NTNV-11BE40-5270




NTNV-11BE40-5310




NTNV-11BE40-5510




NTNV-11BE40-5550




NTNV-11BE40-5670




NTNV-11BE40-5755




NTNV-11BE40-5795




NTNV-11BE80-5210




NTNV-11BE80-5290




NTNV-11BE80-5530




NTNV-11BE80-5610



NTNV-11BE80-5775



NTNV-11BE160-5250



NTNV-11BE160-5570

### Appendix E: Test result of Power Output

Mode	Channel	Frequency (MHz)	RU	Measure power (dBm)		Total power	Limit (dBm)	Verdict
				Ant0	Ant2			
11a	36	5180	N/A	13.40	15.23	N/A	≤24.00	Pass
	40	5200	N/A	13.53	15.53	N/A	≤24.00	Pass
	48	5240	N/A	13.52	15.71	N/A	≤24.00	Pass
	52	5260	N/A	13.40	15.56	N/A	≤24.00	Pass
	56	5280	N/A	13.71	15.85	N/A	≤24.00	Pass
	64	5320	N/A	13.59	15.49	N/A	≤24.00	Pass
	100	5500	N/A	13.79	14.08	N/A	≤24.00	Pass
	116	5580	N/A	13.82	14.11	N/A	≤24.00	Pass
	140	5700	N/A	13.98	14.23	N/A	≤24.00	Pass
	149	5745	N/A	13.12	14.81	N/A	≤30.00	Pass
	157	5785	N/A	13.01	15.01	N/A	≤30.00	Pass
11n (20MHz)	36	5180	N/A	13.32	14.92	17.20	≤24.00	Pass
	40	5200	N/A	13.38	15.48	17.57	≤24.00	Pass
	48	5240	N/A	12.94	15.41	17.36	≤24.00	Pass
	52	5260	N/A	13.52	15.44	17.60	≤24.00	Pass
	56	5280	N/A	13.56	15.80	17.83	≤24.00	Pass
	64	5320	N/A	13.02	15.85	17.67	≤24.00	Pass
	100	5500	N/A	13.76	13.78	16.78	≤24.00	Pass
	116	5580	N/A	13.56	13.92	16.75	≤24.00	Pass
	140	5700	N/A	13.12	13.35	16.25	≤24.00	Pass
	149	5745	N/A	12.56	14.87	16.88	≤30.00	Pass
	157	5785	N/A	12.82	14.90	16.99	≤30.00	Pass
11n (40MHz)	38	5190	N/A	13.54	14.69	17.16	≤24.00	Pass
	46	5230	N/A	12.84	15.18	17.18	≤24.00	Pass
	54	5270	N/A	12.78	15.48	17.35	≤24.00	Pass
	62	5310	N/A	12.71	15.78	17.52	≤24.00	Pass
	102	5510	N/A	13.03	13.36	16.21	≤24.00	Pass
	110	5550	N/A	13.11	13.40	16.27	≤24.00	Pass
	134	5670	N/A	13.45	13.79	16.63	≤24.00	Pass
	151	5755	N/A	12.91	15.15	17.18	≤30.00	Pass
11ac (20MHz)	36	5180	N/A	13.78	14.87	17.37	≤24.00	Pass
	40	5200	N/A	13.52	14.93	17.29	≤24.00	Pass
	48	5240	N/A	12.79	15.17	17.15	≤24.00	Pass
	52	5260	N/A	12.48	15.77	17.44	≤24.00	Pass
	56	5280	N/A	13.16	15.61	17.57	≤24.00	Pass
	64	5320	N/A	13.88	15.77	17.94	≤24.00	Pass
	100	5500	N/A	13.29	13.58	16.45	≤24.00	Pass
	116	5580	N/A	13.45	13.73	16.60	≤24.00	Pass

	140	5700	N/A	13.61	13.99	16.81	≤24.00	Pass
	149	5745	N/A	12.87	15.21	17.21	≤30.00	Pass
	157	5785	N/A	12.81	14.86	16.97	≤30.00	Pass
	165	5825	N/A	12.68	15.21	17.14	≤30.00	Pass
11ac (40MHz)	38	5190	N/A	13.73	14.58	17.19	≤24.00	Pass
	46	5230	N/A	13.39	14.88	17.21	≤24.00	Pass
	54	5270	N/A	12.77	15.60	17.42	≤24.00	Pass
	62	5310	N/A	12.75	16.03	17.70	≤24.00	Pass
	102	5510	N/A	13.18	13.47	16.34	≤24.00	Pass
	110	5550	N/A	13.29	13.54	16.43	≤24.00	Pass
	134	5670	N/A	13.31	13.64	16.49	≤24.00	Pass
	151	5755	N/A	12.53	14.95	16.92	≤30.00	Pass
11ac (80MHz)	159	5795	N/A	12.66	14.95	16.96	≤30.00	Pass
	42	5210	N/A	11.63	11.98	14.82	≤24.00	Pass
	58	5290	N/A	12.11	12.67	15.41	≤24.00	Pass
	106	5530	N/A	12.46	13.65	16.11	≤24.00	Pass
	122	5610	N/A	12.23	13.39	15.86	≤24.00	Pass
11ac (160MHz)	155	5775	N/A	12.56	15.12	17.04	≤30.00	Pass
	50	5250	N/A	11.60	11.72	14.67	≤24.00	Pass
11ax (20MHz)	114	5570	N/A	11.81	12.19	15.01	≤24.00	Pass
	36	5180	Full RU	13.71	14.38	17.07	≤24.00	Pass
	36	5180	RU26/0	12.48	12.54	16.73	≤24.00	Pass
	36	5180	RU52/37	14.21	14.68	18.69	≤24.00	Pass
	36	5180	RU106/53	16.25	15.72	20.19	≤24.00	Pass
	40	5200	Full RU	13.34	14.40	16.91	≤24.00	Pass
	48	5240	Full RU	12.86	15.16	17.17	≤24.00	Pass
	52	5260	Full RU	12.48	15.10	16.99	≤24.00	Pass
	52	5260	RU26/0	11.12	13.02	16.52	≤24.00	Pass
	52	5260	RU52/37	13.03	15.27	18.66	≤24.00	Pass
	52	5260	RU106/53	15.06	16.44	20.13	≤24.00	Pass
	56	5280	Full RU	12.50	15.72	17.41	≤24.00	Pass
	64	5320	Full RU	12.88	15.73	17.55	≤24.00	Pass
	100	5500	Full RU	13.22	13.49	16.37	≤24.00	Pass
	100	5500	RU26/0	12.67	11.80	16.93	≤24.00	Pass
	100	5500	RU52/37	14.70	13.84	18.97	≤24.00	Pass
	100	5500	RU106/53	15.83	15.29	20.25	≤24.00	Pass
	116	5580	Full RU	13.39	13.67	16.54	≤24.00	Pass
	140	5700	Full RU	13.45	13.80	16.64	≤24.00	Pass
	149	5745	Full RU	12.53	14.73	16.78	≤30.00	Pass
149	5745	RU26/0	14.69	14.21	18.79	≤30.00	Pass	
149	5745	RU52/37	14.84	14.35	18.94	≤30.00	Pass	
149	5745	RU106/53	15.54	15.18	19.70	≤30.00	Pass	
157	5785	Full RU	15.62	14.54	18.12	≤30.00	Pass	
165	5825	Full RU	12.89	14.97	17.06	≤30.00	Pass	
11ax	38	5190	Full RU	13.85	13.42	16.65	≤24.00	Pass

(40MHz)	46	5230	Full RU	12.54	14.16	16.44	≤24.00	Pass
	54	5270	Full RU	12.55	14.50	16.64	≤24.00	Pass
	62	5310	Full RU	12.59	14.94	16.93	≤24.00	Pass
	102	5510	Full RU	13.51	13.78	16.66	≤24.00	Pass
	110	5550	Full RU	13.19	13.46	16.34	≤24.00	Pass
	134	5670	Full RU	13.11	13.42	16.28	≤24.00	Pass
	151	5755	Full RU	12.54	13.99	16.34	≤30.00	Pass
	159	5795	Full RU	12.62	14.19	16.49	≤30.00	Pass
11ax (80MHz)	42	5210	Full RU	12.39	11.71	15.07	≤24.00	Pass
	58	5290	Full RU	11.70	12.67	15.22	≤24.00	Pass
	106	5530	Full RU	11.96	12.19	15.09	≤24.00	Pass
	122	5610	Full RU	12.05	12.33	15.20	≤24.00	Pass
	155	5775	Full RU	12.46	14.09	16.36	≤30.00	Pass
11ax (160MHz)	50	5250	Full RU	11.61	11.74	14.69	≤24.00	Pass
	114	5570	Full RU	11.66	12.02	14.85	≤24.00	Pass
11be (20MHz)	36	5180	Full RU	13.65	14.54	17.13	≤24.00	Pass
	36	5180	RU52+26	15.28	15.40	19.57	≤24.00	Pass
	36	5180	RU106+26	16.24	16.32	20.50	≤24.00	Pass
	40	5200	Full RU	13.30	14.61	17.01	≤24.00	Pass
	48	5240	Full RU	12.54	15.05	16.98	≤24.00	Pass
	52	5260	Full RU	12.44	15.43	17.20	≤24.00	Pass
	56	5280	Full RU	12.37	15.43	17.17	≤24.00	Pass
	64	5320	Full RU	12.77	15.79	17.55	≤24.00	Pass
	64	5320	RU52+26	14.33	16.93	20.21	≤24.00	Pass
	64	5320	RU106+26	13.42	16.24	19.45	≤24.00	Pass
	100	5500	Full RU	13.29	13.64	16.48	≤24.00	Pass
	100	5500	RU52+26	14.97	14.10	19.23	≤24.00	Pass
	100	5500	RU106+26	16.27	14.93	20.33	≤24.00	Pass
	116	5580	Full RU	13.26	13.51	16.40	≤24.00	Pass
	140	5700	Full RU	13.37	13.62	16.51	≤24.00	Pass
	149	5745	Full RU	12.67	14.60	16.75	≤30.00	Pass
	149	5745	RU52+26	17.51	16.16	21.56	≤30.00	Pass
	149	5745	RU106+26	16.03	15.16	20.29	≤30.00	Pass
	157	5785	Full RU	12.49	14.85	16.84	≤30.00	Pass
165	5825	Full RU	12.82	14.95	17.02	≤30.00	Pass	
11be (40MHz)	38	5190	Full RU	13.83	13.78	16.82	≤24.00	Pass
	46	5230	Full RU	12.86	13.89	16.42	≤24.00	Pass
	54	5270	Full RU	12.53	14.71	16.77	≤24.00	Pass
	62	5310	Full RU	12.33	14.59	16.62	≤24.00	Pass
	102	5510	Full RU	13.28	13.58	16.44	≤24.00	Pass
	110	5550	Full RU	13.29	13.63	16.47	≤24.00	Pass
	134	5670	Full RU	13.11	13.36	16.25	≤24.00	Pass
	151	5755	Full RU	12.42	13.81	16.18	≤30.00	Pass
	159	5795	Full RU	12.53	13.93	16.30	≤30.00	Pass
11be	42	5210	Full RU	11.99	12.02	15.02	≤24.00	Pass

(80MHz)	42	5210	Puncturing 20M	12.99	13.84	17.70	≤24.00	Pass
	42	5210	RU484+242	12.42	13.38	17.19	≤24.00	Pass
	58	5290	Full RU	11.50	12.80	15.21	≤24.00	Pass
	106	5530	Full RU	11.90	12.21	15.07	≤24.00	Pass
	106	5530	Puncturing 20M	12.95	12.34	17.33	≤24.00	Pass
	106	5530	RU484+242	12.63	11.98	17.00	≤24.00	Pass
	122	5610	Full RU	11.80	12.24	15.04	≤24.00	Pass
	155	5775	Full RU	12.47	14.25	16.46	≤30.00	Pass
	155	5775	Puncturing 20M	14.35	15.31	19.21	≤30.00	Pass
	155	5775	RU484+242	14.07	14.47	18.62	≤30.00	Pass
11be (160MHz)	50	5250	Full RU	11.50	12.05	14.79	≤24.00	Pass
	50	5250	Puncturing 20M	11.10	13.18	16.58	≤24.00	Pass
	50	5250	Puncturing 40M	11.23	12.73	16.33	≤24.00	Pass
	50	5250	Large RU996+484	10.54	12.36	15.85	≤24.00	Pass
	114	5570	Full RU	11.67	12.13	14.92	≤24.00	Pass
	114	5570	Puncturing 20M	12.98	12.49	17.42	≤24.00	Pass
	114	5570	Puncturing 40M	12.88	12.43	17.34	≤24.00	Pass
	114	5570	Large RU996+484	13.58	13.61	18.28	≤24.00	Pass

## Appendix F: Test result of Peak Power Spectral Density

### Full RU:


TestMode	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	5180	5.27	≤11.00	PASS
11A	5200	4.78	≤11.00	PASS
11A	5240	3.70	≤11.00	PASS
11A	5260	3.43	≤11.00	PASS
11A	5280	3.29	≤11.00	PASS
11A	5320	3.80	≤11.00	PASS
11A	5500	4.92	≤11.00	PASS
11A	5580	4.83	≤11.00	PASS
11A	5700	5.84	≤11.00	PASS
11A	5745	2.68	≤30.00	PASS
11A	5785	1.90	≤30.00	PASS
11A	5825	2.73	≤30.00	PASS
11N20	5180	3.90	≤11.00	PASS
11N20	5200	3.53	≤11.00	PASS
11N20	5240	2.75	≤11.00	PASS
11N20	5260	2.42	≤11.00	PASS
11N20	5280	2.21	≤11.00	PASS
11N20	5320	2.83	≤11.00	PASS
11N20	5500	3.63	≤11.00	PASS
11N20	5580	4.07	≤11.00	PASS
11N20	5700	4.97	≤11.00	PASS
11N20	5745	1.88	≤30.00	PASS
11N20	5785	0.84	≤30.00	PASS
11N20	5825	1.64	≤30.00	PASS
11N40	5190	0.96	≤11.00	PASS
11N40	5230	0.16	≤11.00	PASS
11N40	5270	-0.78	≤11.00	PASS
11N40	5310	-0.36	≤11.00	PASS
11N40	5510	0.84	≤11.00	PASS
11N40	5550	0.63	≤11.00	PASS
11N40	5670	2.37	≤11.00	PASS
11N40	5755	-1.43	≤30.00	PASS
11N40	5795	-1.86	≤30.00	PASS
11AC20	5180	4.03	≤11.00	PASS
11AC20	5200	3.41	≤11.00	PASS
11AC20	5240	2.78	≤11.00	PASS
11AC20	5260	2.40	≤11.00	PASS
11AC20	5280	2.32	≤11.00	PASS
11AC20	5320	2.62	≤11.00	PASS
11AC20	5500	3.84	≤11.00	PASS
11AC20	5580	4.04	≤11.00	PASS
11AC20	5700	4.79	≤11.00	PASS
11AC20	5745	1.47	≤30.00	PASS
11AC20	5785	0.80	≤30.00	PASS
11AC20	5825	1.55	≤30.00	PASS
11AC40	5190	0.87	≤11.00	PASS
11AC40	5230	0.15	≤11.00	PASS


11AC40	5270	-1.02	≤11.00	PASS
11AC40	5310	-0.41	≤11.00	PASS
11AC40	5510	0.58	≤11.00	PASS
11AC40	5550	0.30	≤11.00	PASS
11AC40	5670	2.04	≤11.00	PASS
11AC40	5755	-1.40	≤30.00	PASS
11AC40	5795	-2.01	≤30.00	PASS
11AC80	5210	-5.77	≤11.00	PASS
11AC80	5290	-3.80	≤11.00	PASS
11AC80	5530	-4.93	≤11.00	PASS
11AC80	5610	-2.13	≤11.00	PASS
11AC80	5775	-4.83	≤30.00	PASS
11AC160	5250_UNII-1	-9.47	≤11.00	PASS
11AC160	5250_UNII-2A	-10.33	≤11.00	PASS
11AC160	5570	-8.68	≤11.00	PASS
11AX20	5180	3.86	≤11.00	PASS
11AX20	5200	3.47	≤11.00	PASS
11AX20	5240	2.69	≤11.00	PASS
11AX20	5260	2.46	≤11.00	PASS
11AX20	5280	2.19	≤11.00	PASS
11AX20	5320	2.06	≤11.00	PASS
11AX20	5500	3.38	≤11.00	PASS
11AX20	5580	3.65	≤11.00	PASS
11AX20	5700	4.57	≤11.00	PASS
11AX20	5745	1.15	≤30.00	PASS
11AX20	5785	0.38	≤30.00	PASS
11AX20	5825	1.22	≤30.00	PASS
11AX40	5190	-0.21	≤11.00	PASS
11AX40	5230	-1.02	≤11.00	PASS
11AX40	5270	-2.03	≤11.00	PASS
11AX40	5310	-1.77	≤11.00	PASS
11AX40	5510	-0.15	≤11.00	PASS
11AX40	5550	-0.22	≤11.00	PASS
11AX40	5670	0.93	≤11.00	PASS
11AX40	5755	-3.00	≤30.00	PASS
11AX40	5795	-3.07	≤30.00	PASS
11AX80	5210	-6.06	≤11.00	PASS
11AX80	5290	-5.00	≤11.00	PASS
11AX80	5530	-5.08	≤11.00	PASS
11AX80	5610	-3.14	≤11.00	PASS
11AX80	5775	-5.20	≤30.00	PASS
11AX160	5250_UNII-1	-9.43	≤11.00	PASS
11AX160	5250_UNII-2A	-9.95	≤11.00	PASS
11AX160	5570	-8.49	≤11.00	PASS
11BE20	5180	3.53	≤11.00	PASS
11BE20	5200	3.31	≤11.00	PASS
11BE20	5240	2.72	≤11.00	PASS
11BE20	5260	1.99	≤11.00	PASS
11BE20	5280	2.16	≤11.00	PASS
11BE20	5320	2.44	≤11.00	PASS
11BE20	5500	3.27	≤11.00	PASS

11BE20	5580	3.89	≤11.00	PASS
11BE20	5700	4.81	≤11.00	PASS
11BE20	5745	1.09	≤30.00	PASS
11BE20	5785	0.51	≤30.00	PASS
11BE20	5825	1.41	≤30.00	PASS
11BE40	5190	-0.44	≤11.00	PASS
11BE40	5230	-0.90	≤11.00	PASS
11BE40	5270	-1.82	≤11.00	PASS
11BE40	5310	-1.74	≤11.00	PASS
11BE40	5510	-0.34	≤11.00	PASS
11BE40	5550	-0.28	≤11.00	PASS
11BE40	5670	0.80	≤11.00	PASS
11BE40	5755	-2.77	≤30.00	PASS
11BE40	5795	-3.12	≤30.00	PASS
11BE80	5210	-6.06	≤11.00	PASS
11BE80	5290	-4.70	≤11.00	PASS
11BE80	5530	-5.77	≤11.00	PASS
11BE80	5610	-3.32	≤11.00	PASS
11BE80	5775	-6.17	≤30.00	PASS
11BE160	5250_UNII-1	-9.62	≤11.00	PASS
11BE160	5250_UNII-2A	-10.08	≤11.00	PASS
11BE160	5570	-8.41	≤11.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725- 5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.







11A-5200-PASS




11A-5240-PASS




11A-5260-PASS




11A-5280-PASS




11A-5320-PASS




11A-5500-PASS




11A-5580-PASS




11A-5700-PASS




11A-5745-PASS




11A-5785-PASS




11A-5825-PASS




11N20-5180-PASS




11N20-5200-PASS




11N20-5240-PASS




11N20-5260-PASS




11N20-5280-PASS




11N20-5320-PASS




11N20-5500-PASS




11N20-5580-PASS




11N20-5700-PASS




11N20-5745-PASS




11N20-5785-PASS




11N20-5825-PASS




11N40-5190-PASS




11N40-5230-PASS




11N40-5270-PASS



11N40-5310-PASS




11N40-5510-PASS




11N40-5550-PASS




11N40-5670-PASS




11N40-5755-PASS




11N40-5795-PASS




11AC20-5180-PASS




11AC20-5200-PASS




11AC20-5240-PASS




11AC20-5260-PASS




11AC20-5280-PASS




11AC20-5320-PASS




11AC20-5500-PASS




11AC20-5580-PASS




11AC20-5700-PASS




11AC20-5745-PASS




11AC20-5785-PASS




11AC20-5825-PASS




11AC40-5190-PASS




11AC40-5230-PASS




11AC40-5270-PASS




11AC40-5310-PASS




11AC40-5510-PASS




11AC40-5550-PASS




11AC40-5670-PASS




11AC40-5755-PASS




11AC40-5795-PASS




11AC80-5210-PASS




11AC80-5290-PASS



11AC80-5530-PASS




11AC80-5610-PASS



11AC80-5775-PASS




11AC160-5250\_UNII-1-PASS




11AC160-5250\_UNII-2A-PASS




11AC160-5570-PASS




11AX20-5180-PASS




11AX20-5200-PASS




11AX20-5240-PASS




11AX20-5260-PASS




11AX20-5280-PASS




11AX20-5320-PASS




11AX20-5500-PASS




11AX20-5580-PASS




11AX20-5700-PASS




11AX20-5745-PASS




11AX20-5785-PASS




11AX20-5825-PASS




11AX40-5190-PASS




11AX40-5230-PASS




11AX40-5270-PASS




11AX40-5310-PASS




11AX40-5510-PASS




11AX40-5550-PASS




11AX40-5670-PASS




11AX40-5755-PASS




11AX40-5795-PASS




11AX80-5210-PASS




11AX80-5290-PASS



11AX80-5530-PASS




11AX80-5610-PASS




11AX80-5775-PASS




11AX160-5250\_UNII-1-PASS




11AX160-5250\_UNII-2A-PASS




11AX160-5570-PASS




11BE20-5180-PASS




11BE20-5200-PASS




11BE20-5240-PASS




11BE20-5260-PASS




11BE20-5280-PASS




11BE20-5320-PASS




11BE20-5500-PASS




11BE20-5580-PASS




11BE20-5700-PASS




11BE20-5745-PASS




11BE20-5785-PASS




11BE20-5825-PASS




11BE40-5190-PASS




11BE40-5230-PASS




11BE40-5270-PASS




11BE40-5310-PASS




11BE40-5510-PASS




11BE40-5550-PASS




11BE40-5670-PASS




11BE40-5755-PASS




11BE40-5795-PASS




11BE80-5210-PASS




11BE80-5290-PASS



11BE80-5530-PASS




11BE80-5610-PASS



11BE80-5775-PASS



11BE160-5250\_UNII-1-PASS



11BE160-5250\_UNII-2A-PASS




11BE160-5570-PASS


Single RU

Test Mode	Frequency[MHz]	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20	5180	26Tone	RU0	9.46	≤11.00	PASS
		52Tone	RU37	8.99	≤11.00	PASS
		106Tone	RU53	8.27	≤11.00	PASS
	5260	26Tone	RU0	10.31	≤11.00	PASS
		52Tone	RU37	9.83	≤11.00	PASS
		106Tone	RU53	9.00	≤11.00	PASS
	5320	26Tone	RU0	10.14	≤11.00	PASS
		52Tone	RU37	9.60	≤11.00	PASS
		106Tone	RU53	8.68	≤11.00	PASS
	5500	26Tone	RU0	9.51	≤11.00	PASS
		52Tone	RU37	8.44	≤11.00	PASS
		106Tone	RU53	6.22	≤11.00	PASS
	5700	26Tone	RU0	9.13	≤11.00	PASS
		52Tone	RU37	8.54	≤11.00	PASS
		106Tone	RU53	6.24	≤11.00	PASS
	5745	26Tone	RU0	10.41	≤30.00	PASS
		52Tone	RU37	7.48	≤30.00	PASS
		106Tone	RU53	5.42	≤30.00	PASS
	5825	26Tone	RU0	10.47	≤30.00	PASS
		52Tone	RU37	7.69	≤30.00	PASS
		106Tone	RU53	5.53	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725-5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.





11AX20\_Ant1\_5180\_106Tone\_RU53



11AX20\_Ant1\_5320\_26Tone\_RU0



11AX20\_Ant1\_5320\_52Tone\_RU37



11AX20\_Ant1\_5320\_106Tone\_RU53



11AX20\_Ant1\_5315\_106Tone\_RU53



11AX20\_Ant1\_5491\_26Tone\_RU53



11AX20\_Ant1\_5500\_106Tone\_RU53



11AX20\_Ant1\_5700\_26Tone\_RU0



11AX20\_Ant1\_5700\_52Tone\_RU37