



Transmit at 6985MHz by 802.11be(160Mhz) with Large RU996+484



Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	13970.00	32.96	47.73	14.77	88.30	40.57	PK	Vertic	PASS
2	13970.00	23.91	38.68	14.77	68.30	29.62	AV	Vertic	PASS

Transmit at 6105MHz by 802.11be(320Mhz) with Puncturing 40M


Test Graph



Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	12210.00	32.80	44.71	11.91	74.00	29.29	PK	Horizo	PASS
2	12210.00	24.63	36.54	11.91	54.00	17.46	AV	Horizo	PASS


Transmit at 6105MHz by 802.11be(320Mhz) with Puncturing 40M

Test Graph



Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	12210.00	33.24	45.15	11.91	74.00	28.85	PK	Vertic	PASS
2	12210.00	24.26	36.17	11.91	54.00	17.83	AV	Vertic	PASS


Transmit at 6905MHz by 802.11be(320Mhz) with Puncturing 40M



Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	13810.00	33.46	47.82	14.36	88.30	40.48	PK	Horizo	PASS
2	13810.00	25.32	39.68	14.36	68.30	28.62	AV	Horizo	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Puncturing 40M


Test Graph



Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	13810.00	32.52	46.88	14.36	88.30	41.42	PK	Vertic	PASS
2	13810.00	24.99	39.35	14.36	68.30	28.95	AV	Vertic	PASS


Transmit at 6105MHz by 802.11be(320Mhz) with Puncturing 80M

Test Graph




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	12210.00	32.23	44.14	11.91	74.00	29.86	PK	Horizo	PASS
2	12210.00	24.62	36.53	11.91	54.00	17.47	AV	Horizo	PASS

Transmit at 6105MHz by 802.11be(320Mhz) with Puncturing 80M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	12210.00	31.88	43.79	11.91	74.00	30.21	PK	Vertic	PASS
2	12210.00	24.38	36.29	11.91	54.00	17.71	AV	Vertic	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Puncturing 80M



Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	13810.00	32.90	47.26	14.36	88.30	41.04	PK	Horizo	PASS
2	13810.00	24.73	39.09	14.36	68.30	29.21	AV	Horizo	PASS


Transmit at 6905MHz by 802.11be(320Mhz) with Puncturing 80M



Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	13810.00	34.05	48.41	14.36	88.30	39.89	PK	Vertic	PASS
2	13810.00	25.17	39.53	14.36	68.30	28.77	AV	Vertic	PASS

Transmit at 6105MHz by 802.11be(320Mhz) with Puncturing 80+40M


Test Graph



Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	12210.00	33.00	44.91	11.91	74.00	29.09	PK	Horizo	PASS
2	12210.00	25.43	37.34	11.91	54.00	16.66	AV	Horizo	PASS

Transmit at 6105MHz by 802.11be(320Mhz) with Puncturing 80+40M


Test Graph



Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	12210.00	23.61	35.52	11.91	54.00	18.48	AV	Vertic	PASS
2	12210.00	32.17	44.08	11.91	74.00	29.92	PK	Vertic	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Puncturing 80+40M

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	13810.00	32.77	47.13	14.36	88.30	41.17	PK	Horizo	PASS
2	13810.00	25.02	39.38	14.36	68.30	28.92	AV	Horizo	PASS


Transmit at 6905MHz by 802.11be(320Mhz) with Puncturing 80+40M

Test Graph




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	13810.00	32.90	47.26	14.36	88.30	41.04	PK	Vertic	PASS
2	13810.00	24.96	39.32	14.36	68.30	28.98	AV	Vertic	PASS

Transmit at 6105MHz by 802.11be(320Mhz) with Large RU966*3



Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	12210.00	33.61	45.52	11.91	74.00	28.48	PK	Horizo	PASS
2	12210.00	24.32	36.23	11.91	54.00	17.77	AV	Horizo	PASS


Transmit at 6105MHz by 802.11be(320Mhz) with Large RU966*3



Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	12210.00	33.16	45.07	11.91	74.00	28.93	PK	Vertic	PASS
2	12210.00	25.12	37.03	11.91	54.00	16.97	AV	Vertic	PASS


Transmit at 6905MHz by 802.11be(320Mhz) with Large RU966*3

Test Graph



Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	13810.00	32.71	47.07	14.36	88.30	41.23	PK	Horizo	PASS
2	13810.00	24.86	39.22	14.36	68.30	29.08	AV	Horizo	PASS


Transmit at 6905MHz by 802.11be(320Mhz) with Large RU966*3



Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	13810.00	32.73	47.09	14.36	88.30	41.21	PK	Vertic	PASS
2	13810.00	25.53	39.89	14.36	68.30	28.41	AV	Vertic	PASS

Transmit at 6105MHz by 802.11be(320Mhz) with Large RU966*3+484


Test Graph



Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	12210.00	32.68	44.59	11.91	74.00	29.41	PK	Horizo	PASS
2	12210.00	23.97	35.88	11.91	54.00	18.12	AV	Horizo	PASS

Transmit at 6105MHz by 802.11be(320Mhz) with Large RU966*3+484


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	12210.00	32.65	44.56	11.91	74.00	29.44	PK	Vertic	PASS
2	12210.00	25.05	36.96	11.91	54.00	17.04	AV	Vertic	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Large RU966*3+484




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	13810.00	32.76	47.12	14.36	88.30	41.18	PK	Horizo	PASS
2	13810.00	25.95	40.31	14.36	68.30	27.99	AV	Horizo	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Large RU966*3+484




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	13810.00	33.08	47.44	14.36	88.30	40.86	PK	Vertic	PASS
2	13810.00	24.86	39.22	14.36	68.30	29.08	AV	Vertic	PASS

Transmit at 7095MHz by 802.11be(20Mhz) with RU106+26




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	36.72	60.24	23.52	88.30	28.06	PK	Horizo	PASS
2	7133.88	43.92	67.48	23.56	88.30	20.82	PK	Horizo	PASS

Transmit at 7095MHz by 802.11be(20Mhz) with RU106+26




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	28.33	51.85	23.52	68.30	16.45	PK	Horizo	PASS
2	7125.76	28.48	52.00	23.52	68.30	16.30	PK	Horizo	PASS

Transmit at 7095MHz by 802.11be(20Mhz) with RU106+26




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	41.75	65.27	23.52	88.30	23.03	PK	Vertic	PASS
2	7126.64	46.87	70.39	23.52	88.30	17.91	PK	Vertic	PASS

Transmit at 7095MHz by 802.11be(20Mhz) with RU106+26




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	31.02	54.54	23.52	68.30	13.76	PK	Vertic	PASS
2	7125.92	31.29	54.81	23.52	68.30	13.49	PK	Vertic	PASS

Transmit at 7115MHz by 802.11be(20Mhz) with RU106+26




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	40.50	64.02	23.52	88.30	24.28	PK	Horizo	PASS
2	7125.77	41.67	65.19	23.52	88.30	23.11	PK	Horizo	PASS

Transmit at 7115MHz by 802.11be(20Mhz) with RU106+26




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	36.96	60.48	23.52	68.30	7.82	PK	Horizo	PASS
2	7125.03	36.96	60.48	23.52	68.30	7.82	PK	Horizo	PASS

Transmit at 7115MHz by 802.11be(20Mhz) with RU106+26




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	50.15	73.67	23.52	88.30	14.63	PK	Vertic	PASS
2	7125.03	50.15	73.67	23.52	88.30	14.63	PK	Vertic	PASS

Transmit at 7115MHz by 802.11be(20Mhz) with RU106+26




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	40.10	63.62	23.52	68.30	4.68	PK	Vertic	PASS
2	7125.28	33.25	56.77	23.52	68.30	11.53	PK	Vertic	PASS

Transmit at 7025MHz by 802.11be(80Mhz) with Puncturing 20M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	33.41	56.93	23.52	88.30	31.37	PK	Horizo	PASS
2	7171.75	36.80	60.53	23.73	88.30	27.77	PK	Horizo	PASS

Transmit at 7025MHz by 802.11be(80Mhz) with Puncturing 20M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.25	47.77	23.52	68.30	20.53	PK	Horizo	PASS
2	7172.85	24.71	48.44	23.73	68.30	19.86	PK	Horizo	PASS

Transmit at 7025MHz by 802.11be(80Mhz) with Puncturing 20M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	34.57	58.09	23.52	88.30	30.21	PK	Vertic	PASS
2	7133.27	37.18	60.73	23.55	88.30	27.57	PK	Vertic	PASS

Transmit at 7025MHz by 802.11be(80Mhz) with Puncturing 20M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.86	48.38	23.52	68.30	19.92	PK	Vertic	PASS
2	7125.66	25.22	48.74	23.52	68.30	19.56	PK	Vertic	PASS

Transmit at 7025MHz by 802.11be(80Mhz) with Large RU484+242




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	32.19	55.71	23.52	88.30	32.59	PK	Horizo	PASS
2	7126.83	37.56	61.08	23.52	88.30	27.22	PK	Horizo	PASS

Transmit at 7025MHz by 802.11be(80Mhz) with Large RU484+242




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.35	47.87	23.52	68.30	20.43	PK	Horizo	PASS
2	7179.29	24.74	48.51	23.77	68.30	19.79	PK	Horizo	PASS

Transmit at 7025MHz by 802.11be(80Mhz) with Large RU484+242




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	33.30	56.82	23.52	88.30	31.48	PK	Vertic	PASS
2	7145.55	36.93	60.54	23.61	88.30	27.76	PK	Vertic	PASS

Transmit at 7025MHz by 802.11be(80Mhz) with Large RU484+242




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.79	48.31	23.52	68.30	19.99	PK	Vertic	PASS
2	7180.85	24.79	48.56	23.77	68.30	19.74	PK	Vertic	PASS

Transmit at 6985MHz by 802.11be(160Mhz) with Puncturing 20M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	32.65	56.17	23.52	88.30	32.13	PK	Horizo	PASS
2	7173.88	37.14	60.88	23.74	88.30	27.42	PK	Horizo	PASS

Transmit at 6985MHz by 802.11be(160Mhz) with Puncturing 20M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.19	47.71	23.52	68.30	20.59	PK	Horizo	PASS
2	7152.52	24.67	48.31	23.64	68.30	19.99	PK	Horizo	PASS

Transmit at 6985MHz by 802.11be(160Mhz) with Puncturing 20M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	35.31	58.83	23.52	88.30	29.47	PK	Vertic	PASS
2	7158.84	37.01	60.68	23.67	88.30	27.62	PK	Vertic	PASS

Transmit at 6985MHz by 802.11be(160Mhz) with Puncturing 20M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.71	48.23	23.52	68.30	20.07	PK	Vertic	PASS
2	7144.68	25.22	48.83	23.61	68.30	19.47	PK	Vertic	PASS

Transmit at 6985MHz by 802.11be(160Mhz) with Puncturing 40M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	34.49	58.01	23.52	88.30	30.29	PK	Horizo	PASS
2	7171.08	37.13	60.86	23.73	88.30	27.44	PK	Horizo	PASS

Transmit at 6985MHz by 802.11be(160Mhz) with Puncturing 40M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.09	47.61	23.52	68.30	20.69	PK	Horizo	PASS
2	7181.40	24.77	48.54	23.77	68.30	19.76	PK	Horizo	PASS

Transmit at 6985MHz by 802.11be(160Mhz) with Puncturing 40M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	34.43	57.95	23.52	88.30	30.35	PK	Vertic	PASS
2	7185.32	37.74	61.53	23.79	88.30	26.77	PK	Vertic	PASS

Transmit at 6985MHz by 802.11be(160Mhz) with Puncturing 40M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.22	47.74	23.52	68.30	20.56	PK	Vertic	PASS
2	7191.80	24.78	48.60	23.82	68.30	19.70	PK	Vertic	PASS

Transmit at 6985MHz by 802.11be(160Mhz) with Large RU996+484




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	34.61	58.13	23.52	88.30	30.17	PK	Horizo	PASS
2	7129.48	37.25	60.78	23.53	88.30	27.52	PK	Horizo	PASS

Transmit at 6985MHz by 802.11be(160Mhz) with Large RU996+484




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.27	47.79	23.52	68.30	20.51	PK	Horizo	PASS
2	7188.76	24.77	48.58	23.81	68.30	19.72	PK	Horizo	PASS

Transmit at 6985MHz by 802.11be(160Mhz) with Large RU996+484




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	33.24	56.76	23.52	88.30	31.54	PK	Vertic	PASS
2	7149.08	37.00	60.62	23.62	88.30	27.68	PK	Vertic	PASS

Transmit at 6985MHz by 802.11be(160Mhz) with Large RU996+484




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.14	47.66	23.52	68.30	20.64	PK	Vertic	PASS
2	7193.00	24.90	48.73	23.83	68.30	19.57	PK	Vertic	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Puncturing 40M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.26	47.78	23.52	88.30	40.52	PK	Horizo	PASS
2	7254.58	25.05	49.02	23.97	74.00	24.98	PK	Horizo	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Puncturing 40M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.23	47.75	23.52	68.30	20.55	PK	Horizo	PASS
2	7261.06	24.94	48.93	23.99	54.00	5.07	PK	Horizo	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Puncturing 40M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.34	47.86	23.52	88.30	40.44	PK	Vertic	PASS
2	7260.16	24.94	48.92	23.98	74.00	25.08	PK	Vertic	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Puncturing 40M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.36	47.88	23.52	68.30	20.42	PK	Vertic	PASS
2	7266.82	24.93	48.93	24.00	54.00	5.07	PK	Vertic	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Puncturing 80M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.13	47.65	23.52	68.30	20.65	PK	Horizo	PASS
2	7264.66	24.97	48.96	23.99	54.00	5.04	PK	Horizo	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Puncturing 80M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.34	47.86	23.52	88.30	40.44	PK	Vertic	PASS
2	7262.14	25.02	49.01	23.99	74.00	24.99	PK	Vertic	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Puncturing 80M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.29	47.81	23.52	68.30	20.49	PK	Vertic	PASS
2	7413.16	24.73	48.97	24.24	54.00	5.03	PK	Vertic	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Puncturing 80M+40M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.25	47.77	23.52	88.30	40.53	PK	Horizo	PASS
2	7411.36	24.75	48.98	24.23	74.00	25.02	PK	Horizo	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Puncturing 80M+40M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.29	47.81	23.52	68.30	20.49	PK	Horizo	PASS
2	7409.56	24.76	48.98	24.22	54.00	5.02	PK	Horizo	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Puncturing 80M+40M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.30	47.82	23.52	88.30	40.48	PK	Vertic	PASS
2	7270.78	25.03	49.03	24.00	74.00	24.97	PK	Vertic	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Puncturing 80M+40M




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.21	47.73	23.52	68.30	20.57	PK	Vertic	PASS
2	7401.10	24.78	48.95	24.17	54.00	5.05	PK	Vertic	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Large RU966*3




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.31	47.83	23.52	88.30	40.47	PK	Horizo	PASS
2	7272.76	24.89	48.90	24.01	74.00	25.10	PK	Horizo	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Large RU966*3




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.24	47.76	23.52	68.30	20.54	PK	Horizo	PASS
2	7260.52	24.94	48.92	23.98	54.00	5.08	PK	Horizo	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Large RU966*3




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.26	47.78	23.52	88.30	40.52	PK	Vertic	PASS
2	7271.68	24.83	48.84	24.01	74.00	25.16	PK	Vertic	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Large RU966*3




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.23	47.75	23.52	68.30	20.55	PK	Vertic	PASS
2	7252.24	24.98	48.95	23.97	54.00	5.05	PK	Vertic	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Large RU966*3+484




Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.20	47.72	23.52	88.30	40.58	PK	Horizo	PASS
2	7270.60	24.87	48.87	24.00	74.00	25.13	PK	Horizo	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Large RU966*3+484



Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.22	47.74	23.52	68.30	20.56	PK	Horizo	PASS
2	7258.18	24.94	48.92	23.98	54.00	5.08	PK	Horizo	PASS


Transmit at 6905MHz by 802.11be(320Mhz) with Large RU966*3+484



Data List									
NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.28	47.80	23.52	88.30	40.50	PK	Vertic	PASS
2	7260.88	24.90	48.89	23.99	74.00	25.11	PK	Vertic	PASS

Transmit at 6905MHz by 802.11be(320Mhz) with Large RU966*3+484

Test Graph



Data List

NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	7125.00	24.25	47.77	23.52	68.30	20.53	PK	Vertic	PASS
2	7259.08	24.95	48.93	23.98	54.00	5.07	PK	Vertic	PASS

Note:

1. Level = Reading + Factor.
2. Margin = Limit – Level
3. For partial RU, only worst data of each mode shown in this report.
4. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
5. All test data above 18GHz are noise base, so no data shown in this report.
6. In the report, below 1G, only the verification test is carried out for the worst channel of 1~18G worst mode.
7. The below 1G test data was measured on the worst-case configuration selected from each transmission mode on the low and high channel.

Appendix B: Test result of EIRP

Under control of low power indoor AP

Mode	Channel	Frequency (MHz)	RU	Measure power (dBm)		EIRP			EIRP Limit (dBm)	Verdict
				Ant0	Ant2	Ant0	Ant2	Total power		
11a	1	5955	N/A	6.28	7.23	7.03	8.63	N/A	≤24.00	Pass
	45	6175	N/A	7.20	7.36	7.95	8.76	N/A	≤24.00	Pass
	93	6415	N/A	7.32	6.94	8.07	8.34	N/A	≤24.00	Pass
	97	6435	N/A	6.97	6.14	7.77	6.94	N/A	≤24.00	Pass
	105	6475	N/A	7.12	6.68	7.92	7.48	N/A	≤24.00	Pass
	113	6515	N/A	7.33	6.56	8.13	7.36	N/A	≤24.00	Pass
	117	6535	N/A	7.24	6.08	8.16	6.98	N/A	≤24.00	Pass
	149	6695	N/A	7.12	6.28	8.04	7.18	N/A	≤24.00	Pass
	181	6855	N/A	6.76	6.81	7.68	7.71	N/A	≤24.00	Pass
	185	6875	N/A	7.52	7.67	6.43	8.67	N/A	≤24.00	Pass
	189	6895	N/A	6.71	7.92	5.62	8.92	N/A	≤24.00	Pass
	209	6995	N/A	7.20	7.38	6.11	8.38	N/A	≤24.00	Pass
233	7115	N/A	2.38	1.76	1.29	2.76	N/A	≤24.00	Pass	
11ax (20MHz)	1	5955	Full RU	6.13	7.43	6.88	8.83	10.97	≤24.00	Pass
	45	6175	Full RU	7.30	7.40	8.05	8.80	10.36	≤24.00	Pass
	93	6415	Full RU	7.48	6.91	8.23	8.31	10.21	≤24.00	Pass
	97	6435	Full RU	7.01	6.36	7.81	7.16	9.71	≤24.00	Pass
	105	6475	Full RU	7.18	6.65	7.98	7.45	9.93	≤24.00	Pass
	113	6515	Full RU	7.37	6.35	8.17	7.15	9.90	≤24.00	Pass
	117	6535	Full RU	7.47	6.32	8.39	7.22	9.94	≤24.00	Pass
	149	6695	Full RU	7.26	6.31	8.18	7.21	9.82	≤24.00	Pass
	181	6855	Full RU	6.60	7.15	7.52	8.05	9.89	≤24.00	Pass
	185	6875	Full RU	7.28	7.33	6.19	8.33	10.32	≤24.00	Pass
	189	6895	Full RU	7.85	7.87	6.76	8.87	10.87	≤24.00	Pass
	209	6995	Full RU	7.41	7.28	6.32	8.28	10.36	≤24.00	Pass
233	7115	Full RU	2.27	1.79	1.18	2.79	5.05	≤24.00	Pass	
11ax (40MHz)	3	5965	Full RU	9.55	9.27	10.30	10.67	12.42	≤24.00	Pass
	43	6165	Full RU	10.44	9.86	11.19	11.26	13.17	≤24.00	Pass

	91	6405	Full RU	10.05	10.27	10.80	11.67	13.17	≤24.00	Pass
	99	6445	Full RU	10.32	9.83	11.12	10.63	13.09	≤24.00	Pass
	107	6485	Full RU	10.12	9.94	10.92	10.74	13.04	≤24.00	Pass
	115	6525	Full RU	10.66	10.26	11.46	11.06	13.47	≤24.00	Pass
	123	6565	Full RU	10.63	10.18	11.55	11.08	13.42	≤24.00	Pass
	147	6685	Full RU	9.94	9.55	10.86	10.45	12.76	≤24.00	Pass
	179	6845	Full RU	9.90	9.56	10.82	10.46	12.74	≤24.00	Pass
	187	6885	Full RU	9.59	9.54	8.50	10.54	12.58	≤24.00	Pass
	195	6925	Full RU	10.87	11.31	9.78	12.31	14.11	≤24.00	Pass
	203	6965	Full RU	10.69	10.65	9.60	11.65	13.68	≤24.00	Pass
	227	7085	Full RU	11.82	11.73	10.73	12.73	14.79	≤24.00	Pass
11ax (80MHz)	7	5985	Full RU	12.92	13.04	13.67	14.44	15.99	≤24.00	Pass
	39	6145	Full RU	13.19	13.45	13.94	14.85	16.33	≤24.00	Pass
	87	6385	Full RU	13.39	13.57	14.14	14.97	16.49	≤24.00	Pass
	103	6465	Full RU	13.04	13.07	13.84	13.87	16.07	≤24.00	Pass
	119	6545	Full RU	13.46	13.13	14.38	14.03	16.31	≤24.00	Pass
	135	6625	Full RU	13.46	13.21	14.38	14.11	16.35	≤24.00	Pass
	151	6705	Full RU	13.94	13.63	14.86	14.53	16.80	≤24.00	Pass
	167	6785	Full RU	13.29	13.95	14.21	14.85	16.64	≤24.00	Pass
	183	6865	Full RU	13.48	13.89	14.40	14.79	16.70	≤24.00	Pass
	199	6945	Full RU	13.24	13.34	12.15	14.34	16.30	≤24.00	Pass
215	7025	Full RU	13.23	13.21	12.14	14.21	16.23	≤24.00	Pass	
11ax (160MHz)	15	6025	Full RU	13.40	13.33	14.15	14.73	16.38	≤24.00	Pass
	47	6185	Full RU	12.36	11.96	13.11	13.36	15.17	≤24.00	Pass
	79	6345	Full RU	13.40	13.51	14.15	14.91	16.47	≤24.00	Pass
	111	6505	Full RU	13.71	13.31	14.51	14.11	16.52	≤24.00	Pass
	143	6665	Full RU	12.90	13.22	13.82	14.12	16.07	≤24.00	Pass
	175	6825	Full RU	12.44	13.02	13.36	13.92	15.75	≤24.00	Pass
	207	6985	Full RU	11.51	11.57	10.42	12.57	14.55	≤24.00	Pass
11be (20MHz)	1	5955	Full RU	7.09	7.26	7.84	8.66	10.19	≤24.00	Pass
	45	6175	Full RU	7.23	7.47	7.98	8.87	10.36	≤24.00	Pass
	93	6415	Full RU	7.75	7.07	8.50	8.47	10.43	≤24.00	Pass
	97	6435	Full RU	6.93	6.21	7.73	7.01	9.60	≤24.00	Pass

	105	6475	Full RU	6.96	6.60	7.76	7.40	9.79	≤24.00	Pass
	113	6515	Full RU	7.20	6.57	8.00	7.37	9.91	≤24.00	Pass
	117	6535	Full RU	7.40	7.11	8.32	8.01	10.27	≤24.00	Pass
	149	6695	Full RU	7.32	6.33	8.24	7.23	9.86	≤24.00	Pass
	181	6855	Full RU	7.57	7.19	8.49	8.09	10.39	≤24.00	Pass
	185	6875	Full RU	7.35	7.42	6.26	8.42	10.40	≤24.00	Pass
	189	6895	Full RU	7.84	7.73	6.75	8.73	10.80	≤24.00	Pass
	209	6995	Full RU	7.42	7.38	6.33	8.38	10.41	≤24.00	Pass
	233	7115	Full RU	2.46	2.83	1.37	3.83	5.66	≤24.00	Pass
11be (40MHz)	3	5965	Full RU	8.56	8.91	9.31	10.31	11.75	≤24.00	Pass
	43	6165	Full RU	10.37	9.79	11.12	11.19	13.10	≤24.00	Pass
	91	6405	Full RU	10.27	10.17	11.02	11.57	13.23	≤24.00	Pass
	99	6445	Full RU	10.44	10.49	11.24	11.29	13.48	≤24.00	Pass
	107	6485	Full RU	10.06	9.77	10.86	10.57	12.93	≤24.00	Pass
	115	6525	Full RU	10.88	10.32	11.68	11.12	13.62	≤24.00	Pass
	123	6565	Full RU	10.65	10.32	11.57	11.22	13.50	≤24.00	Pass
	147	6685	Full RU	10.02	9.47	10.94	10.37	12.76	≤24.00	Pass
	179	6845	Full RU	9.01	9.57	9.93	10.47	12.31	≤24.00	Pass
	187	6885	Full RU	9.32	9.36	8.23	10.36	12.35	≤24.00	Pass
	195	6925	Full RU	10.93	11.31	9.84	12.31	14.13	≤24.00	Pass
	203	6965	Full RU	10.75	10.97	9.66	11.97	13.87	≤24.00	Pass
	227	7085	Full RU	11.71	11.68	10.62	12.68	14.71	≤24.00	Pass
11be (80MHz)	7	5985	Full RU	12.08	12.99	12.83	14.39	15.57	≤24.00	Pass
	39	6145	Full RU	13.23	13.64	13.98	15.04	16.45	≤24.00	Pass
	87	6385	Full RU	13.58	13.35	14.33	14.75	16.48	≤24.00	Pass
	103	6465	Full RU	13.07	13.09	13.87	13.89	16.09	≤24.00	Pass
	119	6545	Full RU	13.57	13.20	14.49	14.10	16.40	≤24.00	Pass
	135	6625	Full RU	13.41	13.45	14.33	14.35	16.44	≤24.00	Pass
	151	6705	Full RU	13.76	13.95	14.68	14.85	16.87	≤24.00	Pass
	167	6785	Full RU	13.29	13.96	14.21	14.86	16.65	≤24.00	Pass
	183	6865	Full RU	13.63	14.03	14.55	14.93	16.84	≤24.00	Pass
	199	6945	Full RU	13.17	13.23	12.08	14.23	16.21	≤24.00	Pass
215	7025	Full RU	13.06	13.41	11.97	14.41	16.25	≤24.00	Pass	

11be (160MHz)	15	6025	Full RU	12.54	13.41	13.29	14.81	16.01	≤24.00	Pass
	47	6185	Full RU	12.27	11.96	13.02	13.36	15.13	≤24.00	Pass
	79	6345	Full RU	13.26	13.25	14.01	14.65	16.27	≤24.00	Pass
	111	6505	Full RU	13.58	13.04	14.38	13.84	16.33	≤24.00	Pass
	143	6665	Full RU	12.71	12.96	13.63	13.86	15.85	≤24.00	Pass
	175	6825	Full RU	12.44	13.04	13.36	13.94	15.76	≤24.00	Pass
	207	6985	Full RU	12.18	12.80	11.09	13.80	15.51	≤24.00	Pass
11be (320MHz)	31	6105	Full RU	11.87	11.50	12.62	12.90	14.70	≤24.00	Pass
	63	6265	Full RU	11.21	11.07	11.96	12.47	14.15	≤24.00	Pass
	127	6585	Full RU	11.73	11.79	12.65	12.69	14.77	≤24.00	Pass
	159	6745	Full RU	11.42	11.52	12.34	12.42	14.48	≤24.00	Pass
	191	6905	Full RU	11.84	11.77	10.75	12.77	14.82	≤24.00	Pass

Under control of standard power AP

Mode	Channel	Frequency (MHz)	RU	Measure power (dBm)		EIRP			EIRP Limit (dBm)	Verdict
				Ant0	Ant2	Ant0	Ant2	Total power		
11a	1	5955	N/A	14.57	14.39	15.32	15.79	N/A	≤30.00	Pass
	45	6175	N/A	14.12	14.53	14.87	15.93	N/A	≤30.00	Pass
	93	6415	N/A	13.95	13.22	14.70	14.62	N/A	≤30.00	Pass
	117	6535	N/A	14.98	13.77	15.90	14.67	N/A	≤30.00	Pass
	149	6695	N/A	14.42	14.71	15.34	15.61	N/A	≤30.00	Pass
	181	6855	N/A	13.81	14.32	14.73	15.22	N/A	≤30.00	Pass
11ax (20MHz)	1	5955	Full RU	14.69	14.41	15.44	15.81	18.64	≤30.00	Pass
	45	6175	Full RU	14.18	14.43	14.93	15.83	18.41	≤30.00	Pass
	93	6415	Full RU	14.03	13.41	14.78	14.81	17.81	≤30.00	Pass
	117	6535	Full RU	14.77	14.72	15.69	15.62	18.67	≤30.00	Pass
	149	6695	Full RU	14.53	14.77	15.45	15.67	18.57	≤30.00	Pass
	181	6855	Full RU	13.69	14.32	14.61	15.22	17.94	≤30.00	Pass
11ax (40MHz)	3	5965	Full RU	14.78	14.76	15.53	16.16	18.87	≤30.00	Pass
	43	6165	Full RU	14.07	14.51	14.82	15.91	18.41	≤30.00	Pass
	91	6405	Full RU	13.78	13.45	14.53	14.85	17.70	≤30.00	Pass
	123	6565	Full RU	14.92	14.28	15.84	15.18	18.53	≤30.00	Pass
	147	6685	Full RU	14.20	14.72	15.12	15.62	18.39	≤30.00	Pass
	179	6845	Full RU	14.41	14.73	15.33	15.63	18.49	≤30.00	Pass
11ax (80MHz)	7	5985	Full RU	14.79	14.49	15.54	15.89	18.73	≤30.00	Pass
	39	6145	Full RU	14.59	14.81	15.34	16.21	18.81	≤30.00	Pass
	87	6385	Full RU	13.46	13.44	14.21	14.84	17.55	≤30.00	Pass
	135	6625	Full RU	14.35	14.49	15.27	15.39	18.34	≤30.00	Pass
	151	6705	Full RU	14.47	14.94	15.39	15.84	18.63	≤30.00	Pass
	167	6785	Full RU	14.68	14.55	15.60	15.45	18.54	≤30.00	Pass
11ax (160MHz)	15	6025	Full RU	13.14	13.18	13.89	14.58	17.26	≤30.00	Pass
	47	6185	Full RU	12.50	13.03	13.25	14.43	16.89	≤30.00	Pass
	79	6345	Full RU	12.12	12.74	12.87	14.14	16.56	≤30.00	Pass
	143	6665	Full RU	12.98	13.07	13.90	13.97	16.95	≤30.00	Pass
	175	6825	Full RU	12.98	13.58	13.90	14.48	17.21	≤30.00	Pass
11be (20MHz)	1	5955	Full RU	14.70	14.49	15.45	15.89	18.69	≤30.00	Pass

	45	6175	Full RU	14.36	14.43	15.11	15.83	18.50	≤30.00	Pass
	93	6415	Full RU	13.94	13.43	14.69	14.83	17.77	≤30.00	Pass
	117	6535	Full RU	14.84	14.75	15.76	15.65	18.72	≤30.00	Pass
	149	6695	Full RU	14.45	14.87	15.37	15.77	18.58	≤30.00	Pass
	181	6855	Full RU	14.71	14.52	15.63	15.42	18.54	≤30.00	Pass
11be (40MHz)	3	5965	Full RU	14.69	14.66	15.44	16.06	18.77	≤30.00	Pass
	43	6165	Full RU	14.26	14.38	15.01	15.78	18.42	≤30.00	Pass
	91	6405	Full RU	13.99	13.49	14.74	14.89	17.83	≤30.00	Pass
	123	6565	Full RU	14.66	14.41	15.58	15.31	18.46	≤30.00	Pass
	147	6685	Full RU	14.14	14.61	15.06	15.51	18.30	≤30.00	Pass
	179	6845	Full RU	14.65	14.98	15.57	15.88	18.74	≤30.00	Pass
11be (80MHz)	7	5985	Full RU	13.98	14.43	14.73	15.83	18.33	≤30.00	Pass
	39	6145	Full RU	14.10	14.71	14.85	16.11	18.54	≤30.00	Pass
	87	6385	Full RU	13.87	13.33	14.62	14.73	17.69	≤30.00	Pass
	135	6625	Full RU	14.32	14.56	15.24	15.46	18.36	≤30.00	Pass
	151	6705	Full RU	14.64	14.90	15.56	15.80	18.69	≤30.00	Pass
	167	6785	Full RU	13.83	14.34	14.75	15.24	18.01	≤30.00	Pass
11be (160MHz)	15	6025	Full RU	13.07	13.01	13.82	14.41	17.14	≤30.00	Pass
	47	6185	Full RU	13.38	13.16	14.13	14.56	17.36	≤30.00	Pass
	79	6345	Full RU	12.95	12.62	13.70	14.02	16.87	≤30.00	Pass
	143	6665	Full RU	12.98	13.24	13.90	14.14	17.03	≤30.00	Pass
	175	6825	Full RU	13.05	13.53	13.97	14.43	17.22	≤30.00	Pass
11be (320MHz)	31	6105	Full RU	11.11	11.24	11.86	12.64	15.28	≤30.00	Pass
	63	6265	Full RU	10.30	10.90	11.05	12.30	14.73	≤30.00	Pass
	127	6585	Full RU	11.78	11.68	12.70	12.58	15.65	≤30.00	Pass
	159	6745	Full RU	11.61	11.41	12.53	12.31	15.43	≤30.00	Pass

Partial RU

Mode	Channel	Frequency (MHz)	RU	Measure power (dBm)		EIRP			EIRP Limit (dBm)	Verdict
				Ant0	Ant2	Ant0	Ant2	Total power		
11ax (20MHz)	1	5955	RU26/0	-3.45	-2.95	-2.70	-1.55	0.92	≤24.00	Pass
	1	5955	RU52/37	-2.67	-4.60	-1.87	-3.80	0.28	≤24.00	Pass
	1	5955	RU106/53	-2.81	-4.18	-1.89	-3.28	0.48	≤24.00	Pass
	97	6435	RU26/0	-5.27	-2.75	-6.36	-1.75	-0.46	≤24.00	Pass
	97	6435	RU52/37	-0.83	0.39	-0.08	1.79	3.97	≤24.00	Pass
	97	6435	RU106/53	0.22	-0.98	1.02	-0.18	3.47	≤24.00	Pass
	117	6535	RU26/0	0.38	-0.93	1.30	-0.03	3.70	≤24.00	Pass
	117	6435	RU52/37	-2.33	-0.34	-3.42	0.66	2.09	≤24.00	Pass
	117	6435	RU106/53	2.07	2.87	2.82	4.27	6.62	≤24.00	Pass
	185	6875	RU26/0	2.94	0.84	3.74	1.64	5.83	≤24.00	Pass
	185	6875	RU52/37	2.99	2.29	3.91	3.19	6.58	≤24.00	Pass
185	6875	RU106/53	0.74	2.44	-0.35	3.44	4.96	≤24.00	Pass	
11be (20MHz)	1	5955	RU52+26	1.17	1.69	1.92	3.09	5.55	≤24.00	Pass
	1	5955	RU106+26	1.62	2.57	2.37	3.97	6.25	≤24.00	Pass
	97	6435	RU52+26	2.39	0.25	3.19	1.05	5.26	≤24.00	Pass
	97	6435	RU106+26	3.50	2.07	4.30	2.87	6.65	≤24.00	Pass
	117	6535	RU52+26	-0.11	-1.47	0.81	-0.57	3.18	≤24.00	Pass
	117	6535	RU106+26	3.90	2.89	4.82	3.79	7.35	≤24.00	Pass
	185	6875	RU52+26	0.44	2.05	-0.65	3.05	4.59	≤24.00	Pass
185	6875	RU106+26	0.95	2.56	-0.14	3.56	5.10	≤24.00	Pass	
11be (80MHz)	7	5985	Puncturing 20M	9.10	11.05	9.85	12.45	14.35	≤24.00	Pass
	7	5985	RU484+242	8.44	10.84	9.19	12.24	13.99	≤24.00	Pass
11be (160MHz)	15	6025	Puncturing 20M	10.86	12.86	11.61	14.26	16.14	≤24.00	Pass
	15	6025	Puncturing 40M	11.47	12.44	12.22	13.84	16.12	≤24.00	Pass
	15	6025	Large RU996+484	10.82	13.04	11.57	14.44	16.25	≤24.00	Pass
11be (320MHz)	31	6105	Puncturing 40M	8.75	10.76	9.50	12.16	14.04	≤24.00	Pass
	31	6105	Puncturing 80M	8.83	12.33	9.58	13.73	15.14	≤24.00	Pass
	31	6105	Puncturing 80+40M	8.57	11.11	9.32	12.51	14.21	≤24.00	Pass
	31	6105	Large RU996*2+484	9.13	11.73	9.88	13.13	14.81	≤24.00	Pass

	31	6105	Large RU996*3	9.42	11.46	10.17	12.86	14.73	≤24.00	Pass
--	----	------	---------------	------	-------	-------	-------	-------	--------	------

Appendix C: Test result of Dual Client Test, Demonstration of Proper Power Adjustment based on Associated AP

Companion Low Power Indoor AP: Brand name: ASUS, Model name: GT-AXE11000

Companion Standard Power AP: Brand name: ASUS, Model name: BQ16 Pro BE30000 Quad Band WiFi Router

Mode	Associate AP	Measure power (dBm)		EIRP			Limit (dBm)	Verdict
		Ant0	Ant2	Ant0	Ant2	Total Ant 0+2		
11ax(20MHz)	Low power indoor AP	6.23	6.49	6.98	7.89	10.47	24	Pass
	Standard power AP	14.51	14.42	15.26	15.82	17.48	30	Pass

Appendix D: Test result of Proper Power Adjustment, Client Devices Connected to a Standard Power Access Point (APC)

Companion Standard Power AP: Brand name: ASUS, Model name: BQ16 Pro BE30000 Quad Band WiFi Router

Mode	Channel	Frequency (MHz)	RU	Measure power (dBm)		EIRP			Access point AP power		Min Delta	Limit (dB)	Verdict
				Ant0	Ant2	Ant0	Ant2	Total Ant 0+2	Setting level	Output power (dBm)			
11be(20MHz)	1	5955	Full RU	14.40	14.35	15.15	15.75	18.47	Maximum power	32.87	14.40	≥6	Pass
				12.29	12.65	13.04	14.05	16.58	Middle power	27.77	11.19	≥6	Pass
				9.91	9.96	10.66	11.36	14.03	Lowest power	25.09	11.06	≥6	Pass
11be(40MHz)	3	5965	Full RU	14.59	14.17	15.34	15.57	18.47	Maximum power	32.00	13.53	≥6	Pass
				12.04	12.42	12.79	13.82	16.35	Middle power	26.78	10.43	≥6	Pass
				9.72	9.76	10.47	11.16	13.84	Lowest power	25.27	11.43	≥6	Pass
11be(80MHz)	7	6145	Full RU	14.66	14.09	15.41	15.49	18.46	Maximum power	32.34	13.88	≥6	Pass
				12.31	12.52	13.06	13.92	16.52	Middle power	26.99	10.47	≥6	Pass
				9.72	10.06	10.47	11.46	14.00	Lowest power	23.85	9.85	≥6	Pass
11be(160MHz)	15	6025	Full RU	12.80	13.32	13.55	14.72	17.18	Maximum power	32.76	15.58	≥6	Pass
				10.89	10.7	11.64	12.10	14.89	Middle power	27.74	12.85	≥6	Pass
				8.87	8.63	9.62	10.03	12.84	Lowest power	24.06	11.22	≥6	Pass
11be(320MHz)	31	6105	Full RU	11.77	11.58	12.52	12.98	15.77	Maximum power	33.09	17.32	≥6	Pass
				9.03	8.87	9.78	10.27	13.04	Middle power	28.05	15.01	≥6	Pass
				6.07	6.23	6.82	7.63	10.25	Lowest power	25.28	15.03	≥6	Pass


Appendix E: Test result of Maximum Power Spectral Density

Full RU- Under control of low power indoor device:

TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant1	5955	-6.50	≤-5.09	4.09	-2.41	≤-1.00	PASS
11A	Ant1	6175	-5.61	≤-5.09	4.09	-1.52	≤-1.00	PASS
11A	Ant1	6415	-6.13	≤-5.09	4.09	-2.04	≤-1.00	PASS
11A	Ant1	6435	-5.88	≤-4.81	3.81	-2.07	≤-1.00	PASS
11A	Ant1	6475	-5.94	≤-4.81	3.81	-2.13	≤-1.00	PASS
11A	Ant1	6515	-5.50	≤-4.81	3.81	-1.69	≤-1.00	PASS
11A	Ant1	6535	-5.57	≤-4.92	3.92	-1.65	≤-1.00	PASS
11A	Ant1	6695	-5.92	≤-4.92	3.92	-2.00	≤-1.00	PASS
11A	Ant1	6855	-5.53	≤-4.92	3.92	-1.61	≤-1.00	PASS
11A	Ant1	6875	-5.49	≤-4.92	3.92	-1.57	≤-1.00	PASS
11A	Ant1	6895	-5.60	≤-4.03	3.03	-2.57	≤-1.00	PASS
11A	Ant1	6995	-5.50	≤-4.03	3.03	-2.47	≤-1.00	PASS
11A	Ant1	7115	-8.47	≤-4.03	3.03	-5.44	≤-1.00	PASS
11AX20	Ant1	5955	-6.44	≤-5.09	4.09	-2.35	≤-1.00	PASS
11AX20	Ant1	6175	-5.85	≤-5.09	4.09	-1.76	≤-1.00	PASS
11AX20	Ant1	6415	-6.21	≤-5.09	4.09	-2.12	≤-1.00	PASS
11AX20	Ant1	6435	-6.00	≤-4.81	3.81	-2.19	≤-1.00	PASS
11AX20	Ant1	6475	-6.45	≤-4.81	3.81	-2.64	≤-1.00	PASS
11AX20	Ant1	6515	-5.68	≤-4.81	3.81	-1.87	≤-1.00	PASS
11AX20	Ant1	6535	-5.78	≤-4.92	3.92	-1.86	≤-1.00	PASS
11AX20	Ant1	6695	-6.06	≤-4.92	3.92	-2.14	≤-1.00	PASS
11AX20	Ant1	6855	-5.86	≤-4.92	3.92	-1.94	≤-1.00	PASS
11AX20	Ant1	6875	-5.70	≤-4.92	3.92	-1.78	≤-1.00	PASS
11AX20	Ant1	6895	-4.77	≤-4.03	3.03	-1.74	≤-1.00	PASS
11AX20	Ant1	6995	-5.78	≤-4.03	3.03	-2.75	≤-1.00	PASS
11AX20	Ant1	7115	-9.92	≤-4.03	3.03	-6.89	≤-1.00	PASS
11AX40	Ant1	5965	-6.92	≤-5.09	4.09	-2.83	≤-1.00	PASS
11AX40	Ant1	6165	-5.85	≤-5.09	4.09	-1.76	≤-1.00	PASS
11AX40	Ant1	6405	-6.12	≤-5.09	4.09	-2.03	≤-1.00	PASS
11AX40	Ant1	6445	-5.64	≤-4.81	3.81	-1.83	≤-1.00	PASS
11AX40	Ant1	6485	-6.01	≤-4.81	3.81	-2.20	≤-1.00	PASS
11AX40	Ant1	6525	-6.39	≤-4.92	3.92	-2.47	≤-1.00	PASS
11AX40	Ant1	6565	-5.47	≤-4.92	3.92	-1.55	≤-1.00	PASS
11AX40	Ant1	6685	-5.53	≤-4.92	3.92	-1.61	≤-1.00	PASS
11AX40	Ant1	6845	-6.22	≤-4.92	3.92	-2.30	≤-1.00	PASS
11AX40	Ant1	6885	-5.58	≤-4.92	3.92	-1.66	≤-1.00	PASS
11AX40	Ant1	6925	-5.33	≤-4.03	3.03	-2.30	≤-1.00	PASS
11AX40	Ant1	6965	-5.06	≤-4.03	3.03	-2.03	≤-1.00	PASS
11AX40	Ant1	7085	-4.57	≤-4.03	3.03	-1.54	≤-1.00	PASS
11AX80	Ant1	5985	-7.37	≤-5.09	4.09	-3.28	≤-1.00	PASS
11AX80	Ant1	6145	-6.40	≤-5.09	4.09	-2.31	≤-1.00	PASS
11AX80	Ant1	6385	-6.47	≤-5.09	4.09	-2.38	≤-1.00	PASS
11AX80	Ant1	6465	-6.72	≤-4.81	3.81	-2.91	≤-1.00	PASS
11AX80	Ant1	6545	-6.45	≤-4.92	3.92	-2.53	≤-1.00	PASS

11AX80	Ant1	6625	-5.77	≤-4.92	3.92	-1.85	≤-1.00	PASS
11AX80	Ant1	6705	-5.43	≤-4.92	3.92	-1.51	≤-1.00	PASS
11AX80	Ant1	6785	-6.68	≤-4.92	3.92	-2.76	≤-1.00	PASS
11AX80	Ant1	6865	-5.99	≤-4.92	3.92	-2.07	≤-1.00	PASS
11AX80	Ant1	6945	-6.34	≤-4.03	3.03	-3.31	≤-1.00	PASS
11AX80	Ant1	7025	-5.65	≤-4.03	3.03	-2.62	≤-1.00	PASS
11AX160	Ant1	6025	-9.66	≤-5.09	4.09	-5.57	≤-1.00	PASS
11AX160	Ant1	6185	-9.31	≤-5.09	4.09	-5.22	≤-1.00	PASS
11AX160	Ant1	6345	-9.26	≤-5.09	4.09	-5.17	≤-1.00	PASS
11AX160	Ant1	6505	-8.18	≤-4.92	3.92	-4.26	≤-1.00	PASS
11AX160	Ant1	6665	-9.00	≤-4.92	3.92	-5.08	≤-1.00	PASS
11AX160	Ant1	6825	-9.95	≤-4.92	3.92	-6.03	≤-1.00	PASS
11AX160	Ant1	6985	-10.06	≤-4.03	3.03	-7.03	≤-1.00	PASS
11BE20	Ant1	5955	-6.41	≤-5.09	4.09	-2.32	≤-1.00	PASS
11BE20	Ant1	6175	-5.74	≤-5.09	4.09	-1.65	≤-1.00	PASS
11BE20	Ant1	6415	-5.92	≤-5.09	4.09	-1.83	≤-1.00	PASS
11BE20	Ant1	6435	-6.46	≤-4.81	3.81	-2.65	≤-1.00	PASS
11BE20	Ant1	6475	-7.01	≤-4.81	3.81	-3.20	≤-1.00	PASS
11BE20	Ant1	6515	-6.23	≤-4.81	3.81	-2.42	≤-1.00	PASS
11BE20	Ant1	6535	-6.17	≤-4.92	3.92	-2.25	≤-1.00	PASS
11BE20	Ant1	6695	-6.08	≤-4.92	3.92	-2.16	≤-1.00	PASS
11BE20	Ant1	6855	-5.80	≤-4.92	3.92	-1.88	≤-1.00	PASS
11BE20	Ant1	6875	-5.73	≤-4.92	3.92	-1.81	≤-1.00	PASS
11BE20	Ant1	6895	-4.77	≤-4.03	3.03	-1.74	≤-1.00	PASS
11BE20	Ant1	6995	-5.79	≤-4.03	3.03	-2.76	≤-1.00	PASS
11BE20	Ant1	7115	-9.80	≤-4.03	3.03	-6.77	≤-1.00	PASS
11BE40	Ant1	5965	-6.80	≤-5.09	4.09	-2.71	≤-1.00	PASS
11BE40	Ant1	6165	-5.88	≤-5.09	4.09	-1.79	≤-1.00	PASS
11BE40	Ant1	6405	-6.23	≤-5.09	4.09	-2.14	≤-1.00	PASS
11BE40	Ant1	6445	-5.79	≤-4.81	3.81	-1.98	≤-1.00	PASS
11BE40	Ant1	6485	-6.21	≤-4.81	3.81	-2.40	≤-1.00	PASS
11BE40	Ant1	6525	-5.55	≤-4.92	3.92	-1.63	≤-1.00	PASS
11BE40	Ant1	6565	-5.59	≤-4.92	3.92	-1.67	≤-1.00	PASS
11BE40	Ant1	6685	-5.60	≤-4.92	3.92	-1.68	≤-1.00	PASS
11BE40	Ant1	6845	-6.14	≤-4.92	3.92	-2.22	≤-1.00	PASS
11BE40	Ant1	6885	-5.61	≤-4.92	3.92	-1.69	≤-1.00	PASS
11BE40	Ant1	6925	-5.36	≤-4.03	3.03	-2.33	≤-1.00	PASS
11BE40	Ant1	6965	-5.13	≤-4.03	3.03	-2.10	≤-1.00	PASS
11BE40	Ant1	7085	-4.60	≤-4.03	3.03	-1.57	≤-1.00	PASS
11BE80	Ant1	5985	-7.49	≤-5.09	4.09	-3.40	≤-1.00	PASS
11BE80	Ant1	6145	-6.42	≤-5.09	4.09	-2.33	≤-1.00	PASS
11BE80	Ant1	6385	-6.52	≤-5.09	4.09	-2.43	≤-1.00	PASS
11BE80	Ant1	6465	-6.81	≤-4.81	3.81	-3.00	≤-1.00	PASS
11BE80	Ant1	6545	-6.49	≤-4.92	3.92	-2.57	≤-1.00	PASS
11BE80	Ant1	6625	-5.86	≤-4.92	3.92	-1.94	≤-1.00	PASS
11BE80	Ant1	6705	-5.53	≤-4.92	3.92	-1.61	≤-1.00	PASS
11BE80	Ant1	6785	-6.76	≤-4.92	3.92	-2.84	≤-1.00	PASS
11BE80	Ant1	6865	-6.00	≤-4.92	3.92	-2.08	≤-1.00	PASS
11BE80	Ant1	6945	-6.36	≤-4.03	3.03	-3.33	≤-1.00	PASS
11BE80	Ant1	7025	-5.58	≤-4.03	3.03	-2.55	≤-1.00	PASS
11BE160	Ant1	6025	-9.63	≤-5.09	4.09	-5.54	≤-1.00	PASS


11BE160	Ant1	6185	-9.18	≤-5.09	4.09	-5.09	≤-1.00	PASS
11BE160	Ant1	6345	-9.26	≤-5.09	4.09	-5.17	≤-1.00	PASS
11BE160	Ant1	6505	-8.24	≤-4.92	3.92	-4.32	≤-1.00	PASS
11BE160	Ant1	6665	-9.08	≤-4.92	3.92	-5.16	≤-1.00	PASS
11BE160	Ant1	6825	-9.98	≤-4.92	3.92	-6.06	≤-1.00	PASS
11BE160	Ant1	6985	-10.11	≤-4.03	3.03	-7.08	≤-1.00	PASS
11BE320	Ant1	6105	-12.50	≤-5.09	4.09	-8.41	≤-1.00	PASS
11BE320	Ant1	6265	-13.26	≤-5.09	4.09	-9.17	≤-1.00	PASS
11BE320	Ant1	6585	-11.77	≤-4.92	3.92	-7.85	≤-1.00	PASS
11BE320	Ant1	6745	-12.01	≤-4.92	3.92	-8.09	≤-1.00	PASS
11BE320	Ant1	6905	-13.63	≤-4.92	3.92	-9.71	≤-1.00	PASS




11BE20-5955-PASS




11BE20-6175-PASS




11BE20-6415-PASS




11BE20-6435-PASS




11BE20-6475-PASS




11BE20-6515-PASS




11BE20-6535-PASS




11BE20-6695-PASS




11BE20-6855-PASS




11BE20-6875-PASS



11BE20-7115-PASS




11BE40-5965-PASS




11BE40-6165-PASS



11BE40-6405-PASS



11BE40-6445-PASS




11BE40-6485-PASS




11BE40-6525-PASS




11BE40-6565-PASS



11BE40-6685-PASS




11BE40-6845-PASS




11BE40-6885-PASS




11BE40-6925-PASS



11BE40-6965-PASS



11BE40-7085-PASS



11BE80-5985-PASS



11BE80-6145-PASS



11BE80-6385-PASS



11BE80-6465-PASS



11BE80-6545-PASS




11BE80-6625-PASS



11BE80-6705-PASS




11BE80-6785-PASS



11BE80-6865-PASS



11BE80-6945-PASS



11BE80-7025-PASS



11BE160-6025-PASS



11BE160-6185-PASS



11BE160-6345-PASS



11BE160-6505-PASS



11BE160-6665-PASS



11BE160-6825-PASS



11BE160-6985-PASS



11BE320-6105-PASS



11BE320-6265-PASS



11BE320-6585-PASS



11BE320-6745-PASS

Full RU- Under control of standard power access point:

TestMode	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	5955	0.18	≤12.91	4.09	4.27	≤17.00	PASS
11A	6175	1.08	≤12.91	4.09	5.17	≤17.00	PASS
11A	6415	1.37	≤12.91	4.09	5.46	≤17.00	PASS
11A	6535	2.16	≤13.08	3.92	6.08	≤17.00	PASS
11A	6695	1.89	≤13.08	3.92	5.81	≤17.00	PASS
11A	6855	0.21	≤13.08	3.92	4.13	≤17.00	PASS
11AX20	5955	-0.32	≤12.91	4.09	3.77	≤17.00	PASS
11AX20	6175	0.46	≤12.91	4.09	4.55	≤17.00	PASS
11AX20	6415	0.70	≤12.91	4.09	4.79	≤17.00	PASS
11AX20	6535	1.56	≤13.08	3.92	5.48	≤17.00	PASS
11AX20	6695	1.26	≤13.08	3.92	5.18	≤17.00	PASS
11AX20	6855	-0.50	≤13.08	3.92	3.42	≤17.00	PASS
11AX40	5965	-3.48	≤12.91	4.09	0.61	≤17.00	PASS
11AX40	6165	-2.62	≤12.91	4.09	1.47	≤17.00	PASS
11AX40	6405	-2.47	≤12.91	4.09	1.62	≤17.00	PASS
11AX40	6565	-1.51	≤13.08	3.92	2.41	≤17.00	PASS
11AX40	6685	-1.94	≤13.08	3.92	1.98	≤17.00	PASS
11AX40	6845	-3.53	≤13.08	3.92	0.39	≤17.00	PASS
11AX80	5985	-6.30	≤12.91	4.09	-2.21	≤17.00	PASS
11AX80	6145	-6.65	≤12.91	4.09	-2.56	≤17.00	PASS
11AX80	6385	-5.84	≤12.91	4.09	-1.75	≤17.00	PASS
11AX80	6625	-5.34	≤13.08	3.92	-1.42	≤17.00	PASS
11AX80	6705	-4.75	≤13.08	3.92	-0.83	≤17.00	PASS
11AX80	6785	-5.90	≤13.08	3.92	-1.98	≤17.00	PASS
11AX160	6025	-10.13	≤12.91	4.09	-6.04	≤17.00	PASS
11AX160	6185	-9.54	≤12.91	4.09	-5.45	≤17.00	PASS
11AX160	6345	-9.74	≤12.91	4.09	-5.65	≤17.00	PASS
11AX160	6665	-9.50	≤13.08	3.92	-5.58	≤17.00	PASS
11AX160	6825	-10.46	≤13.08	3.92	-6.54	≤17.00	PASS
11BE20	5955	-0.36	≤12.91	4.09	3.73	≤17.00	PASS
11BE20	6175	0.45	≤12.91	4.09	4.54	≤17.00	PASS
11BE20	6415	0.67	≤12.91	4.09	4.76	≤17.00	PASS
11BE20	6535	1.37	≤13.08	3.92	5.29	≤17.00	PASS
11BE20	6695	1.20	≤13.08	3.92	5.12	≤17.00	PASS
11BE20	6855	-0.55	≤13.08	3.92	3.37	≤17.00	PASS
11BE40	5965	-3.45	≤12.91	4.09	0.64	≤17.00	PASS
11BE40	6165	-2.80	≤12.91	4.09	1.29	≤17.00	PASS
11BE40	6405	-2.31	≤12.91	4.09	1.78	≤17.00	PASS
11BE40	6565	-1.46	≤13.08	3.92	2.46	≤17.00	PASS
11BE40	6685	-1.80	≤13.08	3.92	2.12	≤17.00	PASS
11BE40	6845	-3.40	≤13.08	3.92	0.52	≤17.00	PASS
11BE80	5985	-6.30	≤12.91	4.09	-2.21	≤17.00	PASS
11BE80	6145	-6.62	≤12.91	4.09	-2.53	≤17.00	PASS
11BE80	6385	-5.81	≤12.91	4.09	-1.72	≤17.00	PASS
11BE80	6625	-5.10	≤13.08	3.92	-1.18	≤17.00	PASS
11BE80	6705	-4.69	≤13.08	3.92	-0.77	≤17.00	PASS
11BE80	6785	-5.81	≤13.08	3.92	-1.89	≤17.00	PASS
11BE160	6025	-9.75	≤12.91	4.09	-5.66	≤17.00	PASS