

REMARKS:


4. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
5. Margin value = Limit value- Emission level.
6. 2412MHz: Fundamental frequency.




CHANNEL	TX Channel 6	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	4,874.000	50.34	74.00	23.66	38.58	54.00	15.42	14.76	H	0.9	2.00
2	7,311.000	55.65	74.00	18.35	44.83	54.00	9.17	21.05	H	22.6	2.00





REMARKS:


4. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
5. Margin value = Limit value- Emission level.
6. 2437MHz: Fundamental frequency.




CHANNEL	TX Channel 11	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,450.020	102.14			37.77	H	175.2	1.00
4	2,483.500	60.54	74.00	13.46	37.88	H	39	1.00
4	2,487.080	61.00	74.00	13.00	37.89	H	266	1.00









ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,457.500	105.70			37.80	V	139.4	2.00
4	2,483.500	62.24	74.00	11.76	37.88	V	131	1.00
4	2,488.100	64.54	74.00	9.46	37.89	V	274.5	2.00








REMARKS:

4. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
5. Margin value = Limit value- Emission level.
6. 2462MHz: Fundamental frequency.









REMARKS:


7. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
8. Margin value = Limit value- Emission level.
9. 2412MHz: Fundamental frequency.



CHANNEL	TX Channel 6	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	4,874.000	50.48	74.00	23.52	38.47	54.00	15.53	14.76	H	269.9	2.00
2	7,311.000	55.54	74.00	18.46	44.81	54.00	9.19	21.05	H	359.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	4,874.000	49.87	74.00	24.13	38.71	54.00	15.29	14.76	V	271.1	2.00
2	7,311.000	54.70	74.00	19.30	44.78	54.00	9.22	21.05	V	271.1	2.00



REMARKS:


7. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
8. Margin value = Limit value- Emission level.
9. 2437MHz: Fundamental frequency.




CHANNEL	TX Channel 11	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,462.800	108.22			37.83	H	355.8	1.00
2	2,483.500	60.18	74.00	13.82	37.88	H	320	2.00
2	2,484.880	62.03	74.00	11.97	37.88	H	233.8	1.00









ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,461.480	112.65			37.82	V	176.5	1.00
2	2,483.500	62.56	74.00	11.44	37.88	V	131	1.00
2	2,484.280	63.64	74.00	10.36	37.88	V	131	1.00






REMARKS:

7. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
8. Margin value = Limit value- Emission level.
9. 2462MHz: Fundamental frequency.









ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	2,389.650	66.43	74.00	7.57	37.09	V	175.3	1.00
3	2,390.000	63.76	74.00	10.24	37.10	V	175.3	1.00
3	2,421.040	107.52			37.50	V	131	1.00






REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2412MHz: Fundamental frequency.





REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2437MHz: Fundamental frequency.



CHANNEL	TX Channel 9	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	2,455.800	102.82			37.80	H	313.9	1.00
4	2,483.500	59.36	74.00	14.64	37.88	H	41.4	1.00
4	2,489.800	59.94	74.00	14.06	37.89	H	269.6	1.00

