



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 2452MHz: Fundamental frequency.









ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.383	69.70	74.00	4.30	37.09	V	86.8	1.00
1	2,390.000	70.93	74.00	3.07	37.10	V	274.5	2.00
1	2,403.230	110.96			37.28	V	229.2	2.00





REMARKS:


10. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
11. Margin value = Limit value- Emission level.
12. 2412MHz: Fundamental frequency.




CHANNEL	TX Channel 6	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	4,874.000	49.39	74.00	24.61	38.74	54.00	15.26	14.76	H	359.1	1.00
2	7,311.000	55.75	74.00	18.25	44.75	54.00	9.25	21.05	H	0.9	2.00





REMARKS:


- 10. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
- 11. Margin value = Limit value- Emission level.
- 12. 2437MHz: Fundamental frequency.




CHANNEL	TX Channel 11	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,470.240	113.85			37.85	H	43.7	1.00
2	2,483.500	67.04	74.00	6.96	37.88	H	316.3	2.00
2	2,484.640	67.57	74.00	6.43	37.88	H	316.3	2.00








ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,470.360	113.29			37.85	V	189.5	1.00
2	2,483.500	66.82	74.00	7.18	37.88	V	1	1.00
2	2,487.760	68.27	74.00	5.73	37.89	V	141.7	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,470.720	96.74			37.86	V	45	1.00
2	2,483.500	43.47	54.00	10.53	37.88	V	143	1.00
2	2,486.560	43.57	54.00	10.43	37.89	V	359.1	1.00



REMARKS:

- 10. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
- 11. Margin value = Limit value- Emission level.
- 12. 2462MHz: Fundamental frequency.









ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,388.818	68.84	74.00	5.16	37.08	V	141.7	1.00
1	2,390.000	67.04	74.00	6.96	37.10	V	190.6	1.00
1	2,404.640	109.98			37.30	V	141.7	1.00





REMARKS:


- 13. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
- 14. Margin value = Limit value- Emission level.
- 15. 2412MHz: Fundamental frequency.




CHANNEL	TX Channel 6	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	4,874.000	49.61	74.00	24.39	38.93	54.00	15.07	14.76	H	1.8	2.00
2	7,311.000	55.11	74.00	18.89	44.68	54.00	9.32	21.05	H	1.8	2.00





REMARKS:


- 13. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
- 14. Margin value = Limit value- Emission level.
- 15. 2437MHz: Fundamental frequency.




CHANNEL	TX Channel 11	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,469.880	112.77			37.85	H	42.5	1.00
2	2,483.500	66.86	74.00	7.14	37.88	H	316.3	2.00
2	2,484.040	67.40	74.00	6.60	37.88	H	316.3	2.00








ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,467.960	112.85			37.85	V	126.2	2.00
2	2,483.560	68.90	74.00	5.10	37.88	V	126.2	2.00
2	2,487.400	68.97	74.00	5.03	37.89	V	139.4	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,468.080	95.92			37.85	V	125	2.00
2	2,483.500	43.55	54.00	10.45	37.88	V	188.4	1.00
2	2,486.080	43.59	54.00	10.41	37.89	V	140.6	1.00



REMARKS:

- 13. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
- 14. Margin value = Limit value- Emission level.
- 15. 2462MHz: Fundamental frequency.








ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.665	67.40	74.00	6.60	37.09	V	316.3	2.00
1	2,390.000	69.20	74.00	4.80	37.10	V	5.1	1.00
1	2,409.720	107.41			37.37	V	70	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	2,389.383	42.69	54.00	11.31	37.09	V	194.3	1.00
1	2,390.000	42.60	54.00	11.40	37.10	V	95.2	1.00
1	2,410.005	89.84			37.37	V	67.7	2.00



REMARKS:


- 16. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
- 17. Margin value = Limit value- Emission level.
- 18. 2412MHz: Fundamental frequency.




CHANNEL	TX Channel 6	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	4,874.000	49.57	74.00	24.43	38.86	54.00	15.14	14.76	H	265.1	2.00
2	7,311.000	56.22	74.00	17.78	44.74	54.00	9.26	21.05	H	359.1	1.00





REMARKS:

- 16. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
- 17. Margin value = Limit value- Emission level.
- 18. 2437MHz: Fundamental frequency.



CHANNEL	TX Channel 11	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 25GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	2,470.360	107.40			37.85	H	43.8	1.00
2	2,483.500	64.32	74.00	9.68	37.88	H	315.1	2.00
2	2,483.920	65.62	74.00	8.38	37.88	H	315.1	2.00

