




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,147.000	62.27	74.00	11.73	43.82	V	86.8	2.00
1	5,150.000	62.13	74.00	11.87	43.83	V	86.8	2.00
1	5,193.000	105.36			44.02	V	273.2	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,148.000	45.94	54.00	8.06	43.82	V	86.8	2.00
1	5,150.000	46.25	54.00	7.75	43.83	V	272	1.00
1	5,193.000	93.68			44.02	V	272	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5190MHz: Fundamental frequency.



CHANNEL	TX Channel 48	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,124.000	57.76	74.00	16.24	43.76	H	359	1.00
2	5,150.000	56.83	74.00	17.17	43.83	H	227.9	1.00
2	5,228.650	97.16			43.83	H	274.4	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,137.300	43.12	54.00	10.88	43.80	H	180.2	2.00
2	5,150.000	42.95	54.00	11.05	43.83	H	271.9	1.00
2	5,231.450	87.36			43.81	H	271.9	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,141.850	57.94	74.00	16.06	43.81	V	359.1	1.00
2	5,150.000	57.38	74.00	16.62	43.83	V	359.1	1.00
2	5,232.150	103.14			43.80	V	273.1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,149.200	43.20	54.00	10.80	43.83	V	270.8	1.00
2	5,150.000	43.19	54.00	10.81	43.83	V	270.8	1.00
2	5,232.150	92.02			43.80	V	270.8	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5230MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,147.350	43.61	54.00	10.39	43.82	V	268.4	1.00
1	5,149.600	43.57	54.00	10.43	43.83	V	268.4	1.00
1	5,179.300	94.74			43.96	V	268.4	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,145.100	58.39	74.00	15.61	43.82	V	137	2.00
1	5,150.000	57.55	74.00	16.45	43.83	V	319.9	2.00
1	5,178.400	107.29			43.96	V	273.1	1.00





REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5180MHz: Fundamental frequency.



CHANNEL	TX Channel 40	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,144.500	57.86	74.00	16.14	43.82	H	182.5	2.00
2	5,150.000	57.66	74.00	16.34	43.83	H	134.6	2.00
2	5,201.500	103.85			44.01	H	41.4	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,143.300	42.94	54.00	11.06	43.81	H	1.4	2.00
2	5,150.000	43.05	54.00	10.95	43.83	H	1	1.00
2	5,200.900	91.38			44.02	H	41.4	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,134.600	57.93	74.00	16.07	43.79	V	42.6	2.00
2	5,150.000	57.44	74.00	16.56	43.83	V	269.6	1.00
2	5,202.400	106.50			44.01	V	269.6	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,140.600	43.31	54.00	10.69	43.81	V	318.7	2.00
2	5,150.000	43.16	54.00	10.84	43.83	V	272	1.00
2	5,201.200	93.90			44.02	V	272	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5200MHz: Fundamental frequency.



CHANNEL	TX Channel 48	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,147.125	57.76	74.00	16.24	43.82	H	41.4	1.00
3	5,149.375	56.45	74.00	17.55	43.83	H	41.4	1.00
3	5,240.875	102.83			43.74	H	41.4	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,138.875	43.17	54.00	10.83	43.80	H	134.6	2.00
3	5,150.000	42.96	54.00	11.04	43.83	H	134.6	1.00
3	5,239.000	91.54			43.76	H	42.6	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,111.875	58.72	74.00	15.28	43.73	V	33	2.00
3	5,149.375	56.34	74.00	17.66	43.83	V	247	1.00
3	5,241.630	105.01			43.74	V	247	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,144.500	43.11	54.00	10.89	43.82	V	80.9	2.00
3	5,150.000	43.07	54.00	10.93	43.83	V	274.3	1.00
3	5,242.000	92.39			43.74	V	274.3	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5240MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,148.500	43.54	54.00	10.46	43.83	H	275.6	1.00
1	5,150.000	43.51	54.00	10.49	43.83	H	275.6	1.00
1	5,185.000	87.69			43.99	H	355	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,144.500	61.49	74.00	12.51	43.82	V	274.4	1.00
1	5,150.000	61.08	74.00	12.92	43.83	V	89.3	2.00
1	5,192.500	104.49			44.02	V	274.4	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.500	46.28	54.00	7.72	43.83	V	279.1	1.00
1	5,150.000	46.29	54.00	7.71	43.83	V	279.1	1.00
1	5,197.000	90.89			44.03	V	232.6	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5190MHz: Fundamental frequency.



CHANNEL	TX Channel 46	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,144.650	57.66	74.00	16.34	43.82	H	231.4	1.00
2	5,150.000	56.55	74.00	17.45	43.83	H	42.5	1.00
2	5,226.550	96.04			43.84	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,137.300	43.13	54.00	10.87	43.80	H	52.2	2.00
2	5,150.000	42.95	54.00	11.05	43.83	H	256.5	1.00
2	5,231.450	87.20			43.81	H	256.5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,138.000	58.08	74.00	15.92	43.80	V	269.6	2.00
2	5,150.000	56.65	74.00	17.35	43.83	V	236.2	1.00
2	5,234.950	104.60			43.78	V	284	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,149.550	43.35	54.00	10.65	43.83	V	275.6	1.00
2	5,150.000	43.25	54.00	10.75	43.83	V	275.6	1.00
2	5,231.450	91.16			43.81	V	275.6	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5230MHz: Fundamental frequency.