




**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,144.425	44.67	54.00	9.33	43.82	H	89.2	1.00
10	5,150.000	44.52	54.00	9.48	43.83	H	89.2	1.00
10	5,206.475	84.50			43.98	H	39	2.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,149.525	63.01	74.00	10.99	43.83	V	84.5	2.00
10	5,150.000	62.55	74.00	11.45	43.83	V	84.5	2.00
10	5,208.600	103.20			43.96	V	273.2	1.00






**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,147.825	49.81	54.00	4.19	43.82	V	354.9	2.00
10	5,150.000	47.98	54.00	6.02	43.83	V	354.9	2.00
10	5,204.350	90.93			43.99	V	280.4	1.00







**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,115.250	43.95	54.00	10.05	43.74	H	354.9	2.00
8	5,150.000	43.35	54.00	10.65	43.83	H	88	1.00
8	5,263.125	80.21			43.62	H	41.3	1.00
8	5,350.000	44.52	54.00	9.48	43.55	H	126.2	2.00
8	5,393.500	44.89	54.00	9.11	43.55	H	126.2	2.00






**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,132.750	67.78	74.00	6.22	43.79	V	141.8	2.00
8	5,150.000	64.43	74.00	9.57	43.83	V	50.9	2.00
8	5,240.813	98.45			43.74	V	264.9	1.00
8	5,350.000	59.57	74.00	14.43	43.55	V	96.4	2.00
8	5,356.313	62.69	74.00	11.31	43.55	V	41.4	1.00





**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5210MHz: Fundamental frequency.



802.11AX (20MHz)			
<b>CHANNEL</b>	TX Channel 36	<b>DETECTOR</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		<b>FUNCTION</b>

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,144.200	57.68	74.00	16.32	43.82	H	135.8	1.00
1	5,150.000	57.07	74.00	16.93	43.83	H	1	1.00
1	5,181.100	107.54			43.97	H	132.2	2.00







**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,148.700	43.06	54.00	10.94	43.83	H	89.3	1.00
1	5,150.000	43.07	54.00	10.93	43.83	H	131	2.00
1	5,180.650	93.60			43.97	H	131	2.00







**REMARKS:**


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5180MHz: Fundamental frequency.



<b>CHANNEL</b>	TX Channel 40	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,124.700	57.52	74.00	16.48	43.77	H	0.9	2.00
2	5,150.000	56.95	74.00	17.05	43.83	H	223.1	2.00
2	5,200.600	107.67			44.02	H	127.4	2.00





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,149.600	43.04	54.00	10.96	43.83	H	43.7	1.00
2	5,150.000	43.02	54.00	10.98	43.83	H	137	1.00
2	5,201.800	89.40			44.01	H	355	2.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,131.600	57.75	74.00	16.25	43.78	V	4.5	1.00
2	5,150.000	57.25	74.00	16.75	43.83	V	359	1.00
2	5,203.600	111.95			44.00	V	129.8	2.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,148.700	43.32	54.00	10.68	43.83	V	80.9	2.00
2	5,150.000	43.26	54.00	10.74	43.83	V	80.9	2.00
2	5,202.400	98.81			44.01	V	129.8	2.00



**REMARKS:**


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5200MHz: Fundamental frequency.



<b>CHANNEL</b>	TX Channel 48	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,149.000	58.71	74.00	15.29	43.83	H	269.7	2.00
3	5,150.000	58.71	74.00	15.29	43.83	H	269.7	2.00
3	5,242.750	108.05			43.73	H	127.4	2.00





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,148.250	43.01	54.00	10.99	43.83	H	1	1.00
3	5,150.000	43.00	54.00	11.00	43.83	H	1	1.00
3	5,241.625	95.36			43.74	H	123.8	2.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,146.000	57.72	74.00	16.28	43.82	V	359.1	1.00
3	5,150.000	57.29	74.00	16.71	43.83	V	30.6	2.00
3	5,239.000	113.48			43.76	V	126.2	2.00






**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,148.625	43.11	54.00	10.89	43.83	V	316.4	2.00
3	5,150.000	43.10	54.00	10.90	43.83	V	316.4	2.00
3	5,241.250	95.85			43.74	V	90.5	2.00



**REMARKS:**


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5240MHz: Fundamental frequency.





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,146.000	44.13	54.00	9.87	43.82	H	42.6	1.00
1	5,150.000	44.03	54.00	9.97	43.83	H	1	2.00
1	5,194.000	87.14			44.03	H	279.2	1.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,146.000	60.74	74.00	13.26	43.82	V	131	2.00
1	5,150.000	60.94	74.00	13.06	43.83	V	131	2.00
1	5,188.500	106.24			44.00	V	317.5	2.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.500	45.91	54.00	8.09	43.83	V	62.9	2.00
1	5,150.000	46.07	54.00	7.93	43.83	V	62.9	2.00
1	5,194.000	94.34			44.03	V	110.7	2.00



**REMARKS:**


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5190MHz: Fundamental frequency.




<b>CHANNEL</b>	TX Channel 46	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,120.850	57.83	74.00	16.17	43.76	H	1	1.00
2	5,150.000	57.09	74.00	16.91	43.83	H	317.5	2.00
2	5,227.250	100.37			43.84	H	41.3	1.00







**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,148.150	57.77	74.00	16.23	43.83	V	4.6	2.00
2	5,150.000	57.08	74.00	16.92	43.83	V	278	1.00
2	5,234.250	105.47			43.79	V	230.2	1.00

