


**REMARKS:**


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5230MHz: Fundamental frequency.





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,144.425	44.43	54.00	9.57	43.82	H	3.8	2.00
10	5,150.000	44.48	54.00	9.52	43.83	H	269.7	2.00
10	5,214.550	84.20			43.92	H	316.4	2.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,132.950	61.43	74.00	12.57	43.79	V	111.9	2.00
10	5,150.000	61.40	74.00	12.60	43.83	V	111.9	2.00
10	5,205.630	104.59			43.98	V	111.9	2.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,149.525	47.26	54.00	6.74	43.83	V	82	2.00
10	5,150.000	47.40	54.00	6.60	43.83	V	82	2.00
10	5,205.625	90.60			43.98	V	82	2.00






802.11AX (160MHz)			
<b>CHANNEL</b>	TX Channel 50	<b>DETECTOR</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		<b>FUNCTION</b>

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,134.500	58.68	74.00	15.32	43.79	H	359	2.00
8	5,150.000	56.59	74.00	17.41	43.83	H	34.3	2.00
8	5,253.500	93.86			43.67	H	3.8	2.00
8	5,350.000	57.74	74.00	16.26	43.55	H	84.5	2.00
8	5,416.688	58.66	74.00	15.34	43.71	H	84.5	2.00





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,142.813	43.62	54.00	10.38	43.81	H	2.2	2.00
8	5,150.000	43.34	54.00	10.66	43.83	H	169.4	2.00
8	5,253.063	80.16			43.67	H	2.2	2.00
8	5,350.000	44.22	54.00	9.78	43.55	H	191.9	1.00
8	5,353.688	44.53	54.00	9.47	43.55	H	95.2	1.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,114.813	60.71	74.00	13.29	43.74	V	74.8	2.00
8	5,150.000	57.32	74.00	16.68	43.83	V	74.8	2.00
8	5,263.130	100.02			43.62	V	74.8	2.00
8	5,350.000	57.87	74.00	16.13	43.55	V	44.9	1.00
8	5,380.375	59.47	74.00	14.53	43.55	V	122.6	2.00






**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,116.125	46.29	54.00	7.71	43.75	V	66.6	2.00
8	5,150.000	45.35	54.00	8.65	43.83	V	66.6	2.00
8	5,263.125	84.34			43.62	V	266.2	2.00
8	5,350.000	46.00	54.00	8.00	43.55	V	117.9	2.00
8	5,358.063	46.15	54.00	7.85	43.55	V	117.9	2.00



**REMARKS:**


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5210MHz: Fundamental frequency.





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,148.700	43.11	54.00	10.89	43.83	H	126.2	2.00
1	5,150.000	43.01	54.00	10.99	43.83	H	126.2	2.00
1	5,171.650	92.28			43.93	H	317.5	2.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.600	67.25	74.00	6.75	43.83	V	74.9	2.00
1	5,150.000	67.25	74.00	6.75	43.83	V	74.9	2.00
1	5,171.650	117.79			43.93	V	122.7	2.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,136.100	43.49	54.00	10.51	43.80	V	125	2.00
1	5,150.000	43.35	54.00	10.65	43.83	V	220.6	2.00
1	5,170.750	100.91			43.92	V	125	2.00






<b>CHANNEL</b>	TX Channel 40	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,114.500	58.40	74.00	15.60	43.74	H	141.7	1.00
2	5,150.000	56.62	74.00	17.38	43.83	H	359	2.00
2	5,199.100	110.96			44.03	H	317.5	2.00





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,149.300	43.09	54.00	10.91	43.83	H	122.6	2.00
2	5,150.000	43.07	54.00	10.93	43.83	H	170.5	2.00
2	5,200.600	95.04			44.02	H	316.3	2.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,135.800	60.86	74.00	13.14	43.79	V	117.8	2.00
2	5,150.000	59.28	74.00	14.72	43.83	V	333	1.00
2	5,200.900	116.00			44.02	V	282.8	1.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,143.900	43.50	54.00	10.50	43.81	V	125	2.00
2	5,150.000	43.31	54.00	10.69	43.83	V	125	2.00
2	5,200.600	100.29			44.02	V	317.5	2.00






<b>CHANNEL</b>	TX Channel 48	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,149.375	57.97	74.00	16.03	43.83	H	121.4	2.00
3	5,150.000	56.81	74.00	17.19	43.83	H	2.4	2.00
3	5,249.130	109.39			43.69	H	238.6	1.00





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,148.625	43.06	54.00	10.94	43.83	H	1	1.00
3	5,150.000	43.01	54.00	10.99	43.83	H	189.5	1.00
3	5,248.750	93.52			43.69	H	237.4	1.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,147.500	57.59	74.00	16.41	43.82	V	23.6	2.00
3	5,150.000	57.33	74.00	16.67	43.83	V	5.1	1.00
3	5,248.380	117.23			43.69	V	316.4	2.00






**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,147.125	43.06	54.00	10.94	43.82	V	42.5	1.00
3	5,150.000	43.05	54.00	10.95	43.83	V	1	1.00
3	5,248.000	100.68			43.70	V	316.3	2.00








**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,148.250	43.11	54.00	10.89	43.83	H	117.8	2.00
1	5,150.000	43.08	54.00	10.92	43.83	H	263.7	2.00
1	5,173.900	91.73			43.94	H	117.8	2.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,146.450	70.24	74.00	3.76	43.82	V	316.3	2.00
1	5,149.600	68.80	74.00	5.20	43.83	V	316.3	2.00
1	5,171.650	116.95			43.93	V	316.3	2.00





**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,146.900	43.83	54.00	10.17	43.82	V	120.2	2.00
1	5,150.000	43.74	54.00	10.26	43.83	V	120.2	2.00
1	5,172.550	97.67			43.93	V	247	1.00






<b>CHANNEL</b>	TX Channel 40	<b>DETECTOR FUNCTION</b>	Peak (PK)
<b>FREQUENCY RANGE</b>	1GHz ~ 40GHz		Average (AV)

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,149.300	60.12	74.00	13.88	43.83	H	110.7	2.00
2	5,150.000	59.91	74.00	14.09	43.83	H	110.7	2.00
2	5,196.100	109.32			44.03	H	355.5	2.00





**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,149.600	43.09	54.00	10.91	43.83	H	114.2	2.00
2	5,150.000	43.01	54.00	10.99	43.83	H	263.7	2.00
2	5,197.000	92.44			44.03	H	355.5	2.00

