




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,149.600	66.58	74.00	7.42	43.83	V	110.6	2.00
2	5,150.000	66.04	74.00	7.96	43.83	V	58	2.00
2	5,196.100	116.64			44.03	V	256.6	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,146.300	43.40	54.00	10.60	43.82	V	291.2	2.00
2	5,150.000	43.16	54.00	10.84	43.83	V	291.2	2.00
2	5,195.800	99.66			44.04	V	255.3	1.00






CHANNEL	TX Channel 48	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,141.500	57.79	74.00	16.21	43.81	H	144.2	1.00
3	5,150.000	56.29	74.00	17.71	43.83	H	359.1	1.00
3	5,249.130	108.04			43.69	H	116.6	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,148.625	43.01	54.00	10.99	43.83	H	146.5	1.00
3	5,150.000	42.96	54.00	11.04	43.83	H	12.9	2.00
3	5,247.625	92.50			43.70	H	110.8	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,137.375	58.28	74.00	15.72	43.80	V	137	2.00
3	5,150.000	57.32	74.00	16.68	43.83	V	150.1	1.00
3	5,247.630	114.30			43.70	V	137	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,149.375	43.06	54.00	10.94	43.83	V	116.6	2.00
3	5,150.000	43.10	54.00	10.90	43.83	V	116.6	2.00
3	5,248.000	98.89			43.70	V	315.1	2.00







802.11AX (20M RU 106)

CHANNEL	TX Channel 36	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,138.800	62.32	74.00	11.68	43.80	H	139.4	2.00
1	5,150.000	61.95	74.00	12.05	43.83	H	352.8	2.00
1	5,173.450	107.65			43.94	H	243.4	1.00








ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.600	67.22	74.00	6.78	43.83	V	122.6	2.00
1	5,150.000	67.18	74.00	6.82	43.83	V	122.6	2.00
1	5,177.050	115.03			43.95	V	122.6	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,149.600	43.57	54.00	10.43	43.83	V	120.3	2.00
1	5,150.000	43.29	54.00	10.71	43.83	V	120.3	2.00
1	5,177.050	97.30			43.95	V	120.3	2.00






CHANNEL	TX Channel 40	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,149.000	62.42	74.00	11.58	43.83	H	120.3	2.00
2	5,150.000	60.40	74.00	13.60	43.83	H	248.2	1.00
2	5,196.700	109.41			44.03	H	248.2	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,149.000	43.07	54.00	10.93	43.83	H	1	1.00
2	5,150.000	43.02	54.00	10.98	43.83	H	224.2	1.00
2	5,191.900	92.60			44.02	H	316.3	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,147.800	68.87	74.00	5.13	43.82	V	71.3	2.00
2	5,150.000	64.24	74.00	9.76	43.83	V	71.3	2.00
2	5,197.000	115.60			44.03	V	121.4	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,148.100	43.24	54.00	10.76	43.83	V	43.7	1.00
2	5,150.000	43.12	54.00	10.88	43.83	V	134.6	2.00
2	5,191.900	97.12			44.02	V	43.7	1.00







CHANNEL	TX Channel 48	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,144.500	58.00	74.00	16.00	43.82	H	1	1.00
3	5,150.000	56.93	74.00	17.07	43.83	H	218.3	2.00
3	5,247.250	107.82			43.70	H	316.4	2.00








ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,146.375	57.88	74.00	16.12	43.82	V	41.4	2.00
3	5,150.000	56.88	74.00	17.12	43.83	V	358.2	1.00
3	5,247.630	113.35			43.70	V	121.4	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,147.500	43.04	54.00	10.96	43.82	V	1	1.00
3	5,150.000	42.99	54.00	11.01	43.83	V	196.6	1.00
3	5,245.000	95.80			43.72	V	249.4	1.00



REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5210MHz: Fundamental frequency.




Band 2			
802.11a			
CHANNEL	TX Channel 52	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,261.750	104.57			43.63	H	178.9	1.00
4	5,350.000	58.89	74.00	15.11	43.55	H	317.5	2.00
4	5,380.500	58.95	74.00	15.05	43.55	H	355.5	2.00








ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,261.750	110.81			43.63	V	270.8	1.00
4	5,350.000	58.05	74.00	15.95	43.55	V	133.4	1.00
4	5,361.975	59.48	74.00	14.52	43.55	V	133.4	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,260.800	96.85			43.63	V	291.2	1.00
4	5,350.000	44.27	54.00	9.73	43.55	V	318.7	2.00
4	5,359.600	44.48	54.00	9.52	43.55	V	318.7	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.



CHANNEL	TX Channel 60	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,303.000	100.99			43.46	H	88.1	1.00
5	5,350.000	58.21	74.00	15.79	43.55	H	182.5	2.00
5	5,352.800	58.83	74.00	15.17	43.55	H	135.8	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,304.500	89.76			43.46	H	311.5	1.00
5	5,350.000	44.42	54.00	9.58	43.55	H	40.2	2.00
5	5,353.400	44.32	54.00	9.68	43.55	H	140.6	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,299.100	108.84			43.45	V	269.6	1.00
5	5,350.000	57.97	74.00	16.03	43.55	V	352.2	1.00
5	5,357.900	59.03	74.00	14.97	43.55	V	89.2	2.00





REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5300MHz: Fundamental frequency.



CHANNEL	TX Channel 64	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,320.700	105.27			43.49	H	41.3	1.00
5	5,350.000	58.46	74.00	15.54	43.55	H	1.4	2.00
5	5,351.000	59.16	74.00	14.84	43.55	H	269.5	1.00

