





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,321.000	97.83			43.49	V	269.6	1.00
5	5,350.000	45.07	54.00	8.93	43.55	V	269.6	1.00
5	5,352.800	45.12	54.00	8.88	43.55	V	269.6	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,260.800	90.89			43.63	H	42.5	1.00
4	5,350.000	44.43	54.00	9.57	43.55	H	129.8	2.00
4	5,355.800	44.30	54.00	9.70	43.55	H	129.8	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.900	108.39			43.64	V	275.6	1.00
4	5,350.000	58.32	74.00	15.68	43.55	V	359	2.00
4	5,352.000	59.00	74.00	15.00	43.55	V	317.5	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.425	95.58			43.64	V	275.6	1.00
4	5,350.000	44.40	54.00	9.60	43.55	V	355.5	2.00
4	5,356.275	44.39	54.00	9.61	43.55	V	0.9	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.



CHANNEL	TX Channel 60	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,301.800	100.93			43.46	H	43.7	1.00
5	5,350.000	58.28	74.00	15.72	43.55	H	272.2	2.00
5	5,357.000	59.67	74.00	14.33	43.55	H	91.6	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,300.900	87.74			43.45	H	337.5	1.00
5	5,350.000	44.48	54.00	9.52	43.55	H	40.2	2.00
5	5,356.100	44.24	54.00	9.76	43.55	H	40.2	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,301.200	105.88			43.45	V	274.4	1.00
5	5,350.400	58.15	74.00	15.85	43.55	V	180	1.00
5	5,352.500	59.43	74.00	14.57	43.55	V	274.4	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,300.600	95.50			43.45	V	280.3	1.00
5	5,350.000	44.39	54.00	9.61	43.55	V	176.6	2.00
5	5,354.600	44.37	54.00	9.63	43.55	V	129.8	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5300MHz: Fundamental frequency.



CHANNEL	TX Channel 64	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

=ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,321.200	101.89			43.49	H	40.2	1.00
6	5,350.000	58.38	74.00	15.62	43.55	H	273.3	2.00
6	5,359.200	59.24	74.00	14.76	43.55	H	355	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,320.800	86.95			43.49	H	182.4	1.00
6	5,350.000	44.42	54.00	9.58	43.55	H	138.2	2.00
6	5,354.000	44.41	54.00	9.59	43.55	H	92.8	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,321.600	106.80			43.50	V	268.4	1.00
6	5,350.000	59.22	74.00	14.78	43.55	V	359.1	1.00
6	5,359.200	59.57	74.00	14.43	43.55	V	0.9	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,320.800	94.32			43.49	V	266	1.00
6	5,350.000	44.46	54.00	9.54	43.55	V	92.9	2.00
6	5,354.800	44.44	54.00	9.56	43.55	V	92.9	2.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.








ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,268.230	104.19			43.60	V	271.9	1.00
3	5,350.000	57.95	74.00	16.05	43.55	V	355.6	2.00
3	5,445.700	58.95	74.00	15.05	44.04	V	319.8	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,268.600	92.61			43.59	V	273.1	1.00
3	5,350.000	44.54	54.00	9.46	43.55	V	85.8	2.00
3	5,350.733	44.47	54.00	9.53	43.55	V	85.8	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5270MHz: Fundamental frequency.





CHANNEL	TX Channel 62	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,308.000	98.45			43.47	H	131	2.00
4	5,350.000	58.99	74.00	15.01	43.55	H	5.1	1.00
4	5,363.500	59.20	74.00	14.80	43.55	H	224.3	2.00











ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,306.500	91.20			43.47	V	275.6	1.00
4	5,350.000	45.97	54.00	8.03	43.55	V	41.4	1.00
4	5,350.500	45.78	54.00	8.22	43.55	V	318.7	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5310MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,260.800	89.66			43.63	H	42.6	1.00
4	5,350.100	44.35	54.00	9.65	43.55	H	0.9	2.00
4	5,352.000	44.30	54.00	9.70	43.55	H	131	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,257.480	108.23			43.65	V	276.8	1.00
4	5,350.000	58.76	74.00	15.24	43.55	V	355	2.00
4	5,355.325	59.84	74.00	14.16	43.55	V	137	1.00





REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.