




CHANNEL	TX Channel 60	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,297.900	99.71			43.45	H	181.2	1.00
5	5,350.000	58.69	74.00	15.31	43.55	H	5.3	2.00
5	5,351.600	59.07	74.00	14.93	43.55	H	226.7	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,300.900	86.58			43.45	H	128.6	2.00
5	5,350.400	44.37	54.00	9.63	43.55	H	1	2.00
5	5,352.800	44.33	54.00	9.67	43.55	H	1	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,298.500	107.71			43.45	V	279.1	1.00
5	5,350.000	58.78	74.00	15.22	43.55	V	36.6	2.00
5	5,363.900	59.39	74.00	14.61	43.55	V	5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,302.100	95.38			43.46	V	282.8	1.00
5	5,350.000	44.50	54.00	9.50	43.55	V	269.8	2.00
5	5,353.400	44.38	54.00	9.62	43.55	V	128.7	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5300MHz: Fundamental frequency.



CHANNEL	TX Channel 64	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,318.400	101.95			43.49	H	88	1.00
6	5,350.000	58.19	74.00	15.81	43.55	H	273.2	2.00
6	5,368.400	59.87	74.00	14.13	43.55	H	7.4	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,318.400	89.29			43.49	H	86.8	1.00
6	5,350.000	44.38	54.00	9.62	43.55	H	0.9	2.00
6	5,351.200	44.32	54.00	9.68	43.55	H	137	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,320.800	108.05			43.49	V	269.5	1.00
6	5,350.000	58.42	74.00	15.58	43.55	V	89.3	2.00
6	5,379.600	60.00	74.00	14.00	43.55	V	0.9	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,319.200	97.03			43.49	V	270.8	1.00
6	5,350.000	44.56	54.00	9.44	43.55	V	270.8	1.00
6	5,350.800	44.52	54.00	9.48	43.55	V	90.4	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,268.600	87.39			43.59	H	90.4	1.00
3	5,350.000	44.17	54.00	9.83	43.55	H	90.4	1.00
3	5,356.600	44.24	54.00	9.76	43.55	H	42.5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,268.230	103.08			43.60	V	325.8	1.00
3	5,350.000	57.83	74.00	16.17	43.55	V	272.1	2.00
3	5,428.467	59.51	74.00	14.49	43.84	V	5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,268.233	95.47			43.60	V	80.9	2.00
3	5,350.000	44.33	54.00	9.67	43.55	V	317.6	2.00
3	5,394.000	44.47	54.00	9.53	43.55	V	127.4	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5270MHz: Fundamental frequency.



CHANNEL	TX Channel 62	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,317.500	100.80			43.49	H	178.9	1.00
4	5,350.000	60.38	74.00	13.62	43.55	H	269.6	1.00
4	5,350.500	60.50	74.00	13.50	43.55	H	269.6	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,312.500	90.50			43.48	H	103.6	2.00
4	5,350.000	45.11	54.00	8.89	43.55	H	355	2.00
4	5,350.500	44.94	54.00	9.06	43.55	H	355	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,307.000	103.34			43.47	V	261.3	1.00
4	5,350.000	65.41	74.00	8.59	43.55	V	141.8	2.00
4	5,352.000	64.89	74.00	9.11	43.55	V	40.2	1.00





REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5310MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,291.700	87.23			43.48	H	83.3	2.00
1	5,350.000	44.85	54.00	9.15	43.55	H	89.2	1.00
1	5,351.100	44.80	54.00	9.20	43.55	H	89.2	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,295.367	102.48			43.47	V	79.6	2.00
1	5,350.000	58.68	74.00	15.32	43.55	V	317.5	2.00
1	5,355.500	60.72	74.00	13.28	43.55	V	127.4	2.00





REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5290MHz: Fundamental frequency.




802.11AX (20MHz)

CHANNEL	TX Channel 52	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,261.280	103.88			43.63	H	70.1	2.00
4	5,350.000	58.40	74.00	15.60	43.55	H	70.1	2.00
4	5,360.075	59.64	74.00	14.36	43.55	H	70.1	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,262.225	90.33			43.62	H	43.7	1.00
4	5,350.000	44.17	54.00	9.83	43.55	H	220.7	2.00
4	5,364.350	44.29	54.00	9.71	43.55	H	1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,259.380	110.11			43.64	V	284	1.00
4	5,350.000	58.20	74.00	15.80	43.55	V	2.4	2.00
4	5,352.000	59.13	74.00	14.87	43.55	V	5.1	1.00





REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5260MHz: Fundamental frequency.



CHANNEL	TX Channel 60	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,294.600	102.78			43.47	H	27	2.00
5	5,350.000	58.27	74.00	15.73	43.55	H	268.5	2.00
5	5,375.300	59.09	74.00	14.91	43.55	H	5.1	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,294.900	87.92			43.47	H	28.2	2.00
5	5,350.000	44.29	54.00	9.71	43.55	H	90.5	1.00
5	5,364.500	44.27	54.00	9.73	43.55	H	5.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,296.400	109.57			43.46	V	288.7	1.00
5	5,350.000	58.48	74.00	15.52	43.55	V	73.7	2.00
5	5,354.600	59.18	74.00	14.82	43.55	V	5.8	1.00

