




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,299.100	96.02			43.45	V	284	1.00
5	5,350.000	44.41	54.00	9.59	43.55	V	126.2	2.00
5	5,350.400	44.58	54.00	9.42	43.55	V	126.2	2.00



REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5300MHz: Fundamental frequency.



CHANNEL	TX Channel 64	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,318.800	103.71			43.49	H	270.9	2.00
6	5,350.000	58.38	74.00	15.62	43.55	H	1	1.00
6	5,353.200	59.81	74.00	14.19	43.55	H	37.8	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,322.000	90.26			43.50	H	35.4	2.00
6	5,350.000	44.28	54.00	9.72	43.55	H	88	1.00
6	5,350.400	44.29	54.00	9.71	43.55	H	177.7	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,323.200	110.52			43.50	V	113.2	2.00
6	5,350.000	58.93	74.00	15.07	43.55	V	113.2	2.00
6	5,362.400	59.47	74.00	14.53	43.55	V	113.2	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,316.000	96.02			43.48	V	79.7	2.00
6	5,350.000	44.59	54.00	9.41	43.55	V	79.7	2.00
6	5,350.800	44.58	54.00	9.42	43.55	V	255.4	1.00



REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5320MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,272.633	86.75			43.57	H	82.1	2.00
3	5,350.000	44.12	54.00	9.88	43.55	H	1	2.00
3	5,358.433	44.24	54.00	9.76	43.55	H	89.2	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,267.500	106.48			43.60	V	296	2.00
3	5,350.000	58.21	74.00	15.79	43.55	V	1	2.00
3	5,429.200	58.96	74.00	15.04	43.85	V	191.9	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,270.800	93.18			43.58	V	278.1	1.00
3	5,350.000	44.31	54.00	9.69	43.55	V	128.6	2.00
3	5,351.467	44.36	54.00	9.64	43.55	V	82	2.00



REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5270MHz: Fundamental frequency.



CHANNEL	TX Channel 62	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,313.500	100.16			43.48	H	184.8	1.00
4	5,350.000	58.54	74.00	15.46	43.55	H	42.6	1.00
4	5,354.500	59.36	74.00	14.64	43.55	H	324.7	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,311.000	86.53			43.47	H	42.5	1.00
4	5,350.000	44.62	54.00	9.38	43.55	H	42.5	1.00
4	5,350.500	44.60	54.00	9.40	43.55	H	90.4	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,305.500	105.54			43.46	V	270.9	2.00
4	5,350.000	61.24	74.00	12.76	43.55	V	41.4	1.00
4	5,352.000	60.80	74.00	13.20	43.55	V	83.3	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,309.000	92.53			43.47	V	276.7	1.00
4	5,350.000	47.45	54.00	6.55	43.55	V	82.1	2.00
4	5,350.500	47.49	54.00	6.51	43.55	V	82.1	2.00



REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5310MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,292.800	84.84			43.48	H	2.2	2.00
1	5,350.000	44.51	54.00	9.49	43.55	H	327	1.00
1	5,355.867	44.55	54.00	9.45	43.55	H	355.6	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,291.330	103.08			43.48	V	126.2	2.00
1	5,350.000	58.89	74.00	15.11	43.55	V	77.3	2.00
1	5,351.833	60.26	74.00	13.74	43.55	V	77.3	2.00





REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5290MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,251.775	95.50			43.67	H	299.7	2.00
4	5,350.000	44.20	54.00	9.80	43.55	H	42.6	1.00
4	5,358.650	44.30	54.00	9.70	43.55	H	4.5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,251.300	115.33			43.68	V	73.6	2.00
4	5,350.000	57.82	74.00	16.18	43.55	V	1	2.00
4	5,372.425	59.37	74.00	14.63	43.55	V	91.6	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,251.300	98.97			43.68	V	121.4	2.00
4	5,350.000	44.31	54.00	9.69	43.55	V	315.2	2.00
4	5,352.475	44.35	54.00	9.65	43.55	V	238.6	1.00






CHANNEL	TX Channel 60	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,299.400	109.88			43.45	H	73.7	2.00
5	5,350.000	58.41	74.00	15.59	43.55	H	140.6	1.00
5	5,355.800	60.00	74.00	14.00	43.55	H	355	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,298.800	92.77			43.45	H	188.3	1.00
5	5,350.000	44.20	54.00	9.80	43.55	H	355.5	2.00
5	5,362.400	44.34	54.00	9.66	43.55	H	140.5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,300.600	113.83			43.45	V	316.3	2.00
5	5,350.000	57.68	74.00	16.32	43.55	V	42.6	1.00
5	5,352.200	60.40	74.00	13.60	43.55	V	102.3	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,300.600	97.93			43.45	V	269.8	2.00
5	5,350.000	44.49	54.00	9.51	43.55	V	122.6	2.00
5	5,354.900	44.50	54.00	9.50	43.55	V	122.6	2.00






CHANNEL	TX Channel 64	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,328.400	110.90			43.51	H	358.6	1.00
6	5,350.000	60.45	74.00	13.55	43.55	H	5.1	1.00
6	5,352.000	64.16	74.00	9.84	43.55	H	5.1	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,328.000	94.20			43.51	H	359	1.00
6	5,350.000	44.13	54.00	9.87	43.55	H	337.5	1.00
6	5,363.200	44.27	54.00	9.73	43.55	H	1	1.00

