






ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,452.500	44.10	54.00	9.90	44.11	H	41.3	1.00
7	5,460.000	43.95	54.00	10.05	44.19	H	225.4	1.00
7	5,497.050	92.13			44.61	H	42.6	2.00







REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.



CHANNEL	TX Channel 116	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,448.700	58.91	74.00	15.09	44.07	H	358.9	1.00
8	5,460.000	57.66	74.00	16.34	44.19	H	41.4	1.00
8	5,581.730	107.92			44.45	H	0.9	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,452.525	44.07	54.00	9.93	44.11	H	1	1.00
8	5,460.000	43.87	54.00	10.13	44.19	H	359.1	1.00
8	5,581.725	96.03			44.45	H	1	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,435.100	59.20	74.00	14.80	43.92	V	6.9	2.00
8	5,460.000	57.89	74.00	16.11	44.18	V	359.1	1.00
8	5,581.300	113.35			44.45	V	134.6	2.00





REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5580MHz: Fundamental frequency.
4. #: Out of restricted band.




CHANNEL	TX Channel 140	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,701.580	105.01			44.48	H	107.2	2.00
10	5,725.000	59.00	68.20	9.20	44.48	H	16.4	2.00
10	5,726.275	59.32	68.20	8.88	44.48	H	1	1.00





REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5700MHz: Fundamental frequency.
4. #: Out of restricted band.




CHANNEL	TX Channel 144	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,721.500	106.24			44.48	H	4.2	2.00
9	5,850.000	59.12	68.20	9.08	44.73	H	230.2	1.00
9	5,883.500	59.27	68.20	8.93	44.61	H	46.1	1.00





REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5720MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,451.150	44.01	54.00	9.99	44.10	H	1	1.00
7	5,460.000	43.88	54.00	10.12	44.19	H	89.2	1.00
7	5,499.300	90.34			44.64	H	82	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,452.950	59.28	74.00	14.72	44.12	V	359.1	1.00
7	5,460.000	57.93	74.00	16.07	44.19	V	183.6	1.00
7	5,501.100	111.12			44.66	V	129.8	2.00





REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5500MHz: Fundamental frequency.
4. #: Out of restricted band.



CHANNEL	TX Channel 116	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,442.750	58.79	74.00	15.21	44.00	H	359.1	1.00
8	5,460.000	57.80	74.00	16.20	44.19	H	254.1	1.00
8	5,583.000	105.98			44.44	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,453.375	44.02	54.00	9.98	44.12	H	279.2	1.00
8	5,460.000	43.84	54.00	10.16	44.18	H	1	1.00
8	5,582.575	94.20			44.44	H	359	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,449.975	59.04	74.00	14.96	44.08	V	5.8	1.00
8	5,460.000	57.52	74.00	16.48	44.18	V	271	2.00
8	5,579.180	110.72			44.45	V	129.8	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,450.400	44.01	54.00	9.99	44.09	V	186	1.00
8	5,460.000	43.84	54.00	10.16	44.18	V	1	1.00
8	5,584.275	98.43			44.44	V	128.6	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5580MHz: Fundamental frequency.
4. #: Out of restricted band.




CHANNEL	TX Channel 140	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,700.930	103.47			44.48	H	1	2.00
10	5,725.000	58.60	68.20	9.60	44.48	H	7.3	2.00
10	5,728.875	59.29	68.20	8.91	44.48	H	273.3	2.00





REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5700MHz: Fundamental frequency.
4. #: Out of restricted band.




CHANNEL	TX Channel 144	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,722.500	104.49			44.48	H	7.8	2.00
9	5,850.000	58.63	68.20	9.57	44.71	H	318.8	2.00
9	5,880.000	59.20	68.20	9.00	44.62	H	43.8	2.00





REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5720MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,457.000	44.18	54.00	9.82	44.16	H	90.4	1.00
5	5,460.000	44.11	54.00	9.89	44.20	H	90.4	1.00
5	5,521.000	87.51			44.71	H	127.4	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,458.500	60.15	74.00	13.85	44.18	V	108.3	2.00
5	5,460.000	59.93	74.00	14.07	44.20	V	108.3	2.00
5	5,508.500	107.56			44.74	V	108.3	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,452.500	44.74	54.00	9.26	44.11	V	79.6	2.00
5	5,460.000	44.94	54.00	9.06	44.20	V	79.6	2.00
5	5,509.000	95.84			44.75	V	127.4	2.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5510MHz: Fundamental frequency.
4. #: Out of restricted band.



CHANNEL	TX Channel 110	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,456.463	59.35	74.00	14.65	44.16	H	269.7	2.00
6	5,460.000	57.37	74.00	16.63	44.19	H	305.6	1.00
6	5,552.160	101.01			44.55	H	359	2.00

