




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,667.500	105.66			44.41	V	84.5	2.00
8	5,725.000	58.69	68.20	9.51	44.48	V	275.6	1.00
8	5,738.000	59.39	68.20	8.81	44.49	V	317.6	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5670MHz: Fundamental frequency.
4. #: Out of restricted band.



CHANNEL	TX Channel 142	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,722.900	99.09			44.48	H	6.1	2.00
9	5,850.000	58.60	68.20	9.60	44.73	H	354.5	1.00
9	5,858.933	58.88	68.20	9.32	44.70	H	5.1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,708.230	105.41			44.48	V	82.1	2.00
9	5,850.000	58.73	68.20	9.47	44.73	V	41.4	1.00
9	5,873.233	59.09	68.20	9.11	44.65	V	359	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5710MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,457.333	44.56	54.00	9.44	44.17	H	91.6	1.00
2	5,460.000	44.41	54.00	9.59	44.19	H	91.6	1.00
2	5,532.083	84.82			44.65	H	126.2	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,428.583	59.26	74.00	14.74	43.84	V	42.6	1.00
2	5,460.000	57.69	74.00	16.31	44.19	V	82	2.00
2	5,531.700	104.68			44.65	V	129.8	2.00





REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5530MHz: Fundamental frequency.
4. #: Out of restricted band.




CHANNEL	TX Channel 122	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,428.583	59.26	74.00	14.74	43.84	V	42.6	1.00
2	5,460.000	57.69	74.00	16.31	44.19	V	82	2.00
2	5,531.700	104.68			44.65	V	129.8	2.00





REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5610MHz: Fundamental frequency.
4. #: Out of restricted band.




CHANNEL	TX Channel 138	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,692.867	98.50			44.47	H	1	2.00
4	5,850.000	58.32	68.20	9.88	44.73	H	359	2.00
4	5,874.433	59.97	68.20	8.23	44.64	H	359	2.00





REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5690MHz: Fundamental frequency.
4. #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,421.313	44.80	54.00	9.20	43.76	H	84.5	2.00
9	5,460.000	44.40	54.00	9.60	44.19	H	89.3	1.00
9	5,573.125	84.87			44.47	H	84.5	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,428.313	61.87	74.00	12.13	43.84	V	84.4	2.00
9	5,460.000	58.90	74.00	15.10	44.19	V	131	2.00
9	5,572.688	99.24			44.48	V	274.5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,425.250	47.34	54.00	6.66	43.80	V	79.7	2.00
9	5,460.000	44.82	54.00	9.18	44.19	V	79.7	2.00
9	5,572.688	89.45			44.48	V	129.8	2.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5530MHz: Fundamental frequency.
4. #: Out of restricted band.




802.11AX (20MHz)

CHANNEL	TX Channel 100	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,454.300	59.25	74.00	14.75	44.13	H	88.1	1.00
7	5,460.000	58.61	74.00	15.39	44.19	H	40.2	2.00
7	5,498.850	106.65			44.63	H	41.4	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,452.500	44.22	54.00	9.78	44.11	H	1	1.00
7	5,460.000	44.07	54.00	9.93	44.19	H	135.8	1.00
7	5,499.300	91.58			44.64	H	41.3	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,457.900	59.50	74.00	14.50	44.17	V	89.2	1.00
7	5,460.000	58.06	74.00	15.94	44.19	V	89.2	1.00
7	5,498.850	109.31			44.63	V	128.6	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
7	5,454.750	44.43	54.00	9.57	44.14	V	88	2.00
7	5,460.000	44.44	54.00	9.56	44.19	V	88	2.00
7	5,501.100	97.10			44.66	V	147.8	2.00



REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5500MHz: Fundamental frequency.
- 4 #: Out of restricted band.



CHANNEL	TX Channel 116	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,455.500	59.25	74.00	14.75	44.15	H	263.8	2.00
8	5,460.000	57.73	74.00	16.27	44.18	H	1	1.00
8	5,581.300	102.83			44.45	H	5.1	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,453.800	44.11	54.00	9.89	44.13	H	1	1.00
8	5,460.000	43.89	54.00	10.11	44.19	H	1	1.00
8	5,583.425	91.54			44.44	H	35.4	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,446.575	59.10	74.00	14.90	44.05	V	280.4	1.00
8	5,460.000	57.94	74.00	16.06	44.19	V	359	2.00
8	5,581.730	109.89			44.45	V	355.5	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,451.675	44.09	54.00	9.91	44.10	V	1	1.00
8	5,460.000	43.95	54.00	10.05	44.19	V	132.2	2.00
8	5,580.875	97.07			44.45	V	355.6	2.00



REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5580MHz: Fundamental frequency.
- 4 #: Out of restricted band.




CHANNEL	TX Channel 140	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,700.280	105.42			44.48	H	85.7	2.00
10	5,725.000	59.30	68.20	8.90	44.48	H	1	2.00
10	5,729.850	59.51	68.20	8.69	44.48	H	276.8	1.00





REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5700MHz: Fundamental frequency.
- 4 #: Out of restricted band.



CHANNEL	TX Channel 144	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,721.500	104.24			44.48	H	359	2.00
9	5,850.000	57.95	68.20	10.25	44.73	H	1	1.00
9	5,875.500	59.20	68.20	9.00	44.64	H	359.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,720.000	111.37			44.48	V	85.7	2.00
9	5,850.000	58.40	68.20	9.80	44.73	V	181.2	1.00
9	5,881.500	59.03	68.20	9.17	44.62	V	131	2.00



REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5720MHz: Fundamental frequency.
- 4 #: Out of restricted band.

