




ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,450.000	44.21	54.00	9.79	44.08	H	90.4	1.00
5	5,460.000	44.08	54.00	9.92	44.20	H	172.9	2.00
5	5,514.000	85.13			44.75	H	31.8	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,438.000	59.85	74.00	14.15	43.95	V	2	2.00
5	5,460.000	58.91	74.00	15.09	44.20	V	67.7	2.00
5	5,507.500	106.66			44.73	V	121.4	2.00





REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5510MHz: Fundamental frequency.
- 4 #: Out of restricted band.



CHANNEL	TX Channel 110	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,455.738	59.71	74.00	14.29	44.15	H	359	2.00
6	5,460.000	57.45	74.00	16.55	44.19	H	1	1.00
6	5,523.530	100.49			44.70	H	78.4	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,452.475	44.23	54.00	9.77	44.11	H	92.8	1.00
6	5,460.000	44.10	54.00	9.90	44.19	H	43.7	1.00
6	5,514.100	85.52			44.75	H	207.4	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,453.563	59.51	74.00	14.49	44.12	V	43.8	1.00
6	5,460.000	58.76	74.00	15.24	44.19	V	317.5	2.00
6	5,501.410	105.80			44.66	V	78.4	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,458.638	45.28	54.00	8.72	44.18	V	121.4	2.00
6	5,460.000	45.36	54.00	8.64	44.19	V	121.4	2.00
6	5,510.838	91.86			44.77	V	44.9	1.00



REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5500MHz: Fundamental frequency.
- 4 #: Out of restricted band.



CHANNEL	TX Channel 134	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,674.000	100.96			44.43	H	25.9	2.00
8	5,725.000	58.52	68.20	9.68	44.48	H	94	1.00
8	5,736.000	59.09	68.20	9.11	44.49	H	94	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
8	5,669.000	105.97			44.42	V	121.4	2.00
8	5,725.000	58.51	68.20	9.69	44.48	V	141.8	1.00
8	5,731.000	59.39	68.20	8.81	44.48	V	354.9	2.00



REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5670MHz: Fundamental frequency.
- 4 #: Out of restricted band.



CHANNEL	TX Channel 142	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,705.300	100.65			44.48	H	357.8	1.00
9	5,850.000	57.85	68.20	10.35	44.73	H	339.5	1.00
9	5,892.667	59.05	68.20	9.15	44.58	H	0.9	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
9	5,703.830	106.23			44.48	V	110.7	2.00
9	5,850.000	58.83	68.20	9.37	44.73	V	91.6	1.00
9	5,859.667	58.97	68.20	9.23	44.70	V	158.6	2.00



REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5710MHz: Fundamental frequency.
- 4 #: Out of restricted band.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,361.883	44.20	54.00	9.80	43.55	H	359	1.00
2	5,460.000	44.02	54.00	9.98	44.19	H	30.6	2.00
2	5,533.233	84.95			44.64	H	30.6	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,351.917	59.43	74.00	14.57	43.55	V	269.8	2.00
2	5,460.000	58.49	74.00	15.51	44.19	V	317.6	2.00
2	5,531.700	102.43			44.65	V	123.8	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBµV/m]	AVG Limit [dBµV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	5,459.250	45.59	54.00	8.41	44.19	V	132.2	2.00
2	5,460.000	45.66	54.00	8.34	44.19	V	132.2	2.00
2	5,532.850	87.36			44.65	V	132.2	2.00



REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5530MHz: Fundamental frequency.
- 4 #: Out of restricted band.



CHANNEL	TX Channel 122	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,604.650	99.57			44.37	H	24.7	2.00
3	5,725.000	57.75	68.20	10.45	44.48	H	1	1.00
3	5,730.525	60.19	68.20	8.01	44.48	H	1	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,611.300	104.41			44.35	V	73.6	2.00
3	5,725.000	57.74	68.20	10.46	44.48	V	220.6	2.00
3	5,732.425	60.02	68.20	8.18	44.48	V	0.9	2.00



REMARKS:


- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5610MHz: Fundamental frequency.
- 4 #: Out of restricted band.




CHANNEL	TX Channel 138	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,692.000	98.01			44.46	H	355	2.00
4	5,850.000	58.35	68.20	9.85	44.73	H	359	2.00
4	5,858.833	59.26	68.20	8.94	44.70	H	0.9	2.00





REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5690MHz: Fundamental frequency.
- 4 #: Out of restricted band.




802.11AX (20M RU26)

CHANNEL	TX Channel 149	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,635.000	59.91	68.20	8.29	44.35	H	0.9	2.00
12	5,735.940	114.06			44.49	H	0.9	2.00
13	5,966.625	59.31	68.20	8.89	44.27	H	359.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,614.688	59.67	68.20	8.53	44.34	V	212.2	1.00
12	5,736.880	111.29			44.49	V	257.7	1.00
13	5,951.625	59.37	68.20	8.83	44.27	V	0.9	2.00






CHANNEL	TX Channel 157	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,615.938	59.27	68.20	8.93	44.33	H	354.9	2.00
12	5,784.060	111.32			44.64	H	0.9	2.00
13	5,980.500	59.09	68.20	9.11	44.34	H	178.8	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,634.063	59.29	68.20	8.91	44.35	V	359	2.00
12	5,785.625	112.04			44.64	V	297.1	1.00
13	5,943.000	58.72	68.20	9.48	44.31	V	342.1	1.00






CHANNEL	TX Channel 165	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,638.125	59.32	68.20	8.88	44.35	H	355.6	2.00
12	5,834.060	114.90			44.75	H	1	1.00
13	5,983.500	59.38	68.20	8.82	44.35	H	311.5	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,614.375	59.43	68.20	8.77	44.34	V	358.2	1.00
12	5,833.438	114.44			44.75	V	102.4	2.00
13	5,984.625	59.45	68.20	8.75	44.36	V	359	2.00



REMARKS:

- 1 Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
- 2 Margin value = Limit value- Emission level.
- 3 5530MHz: Fundamental frequency.
- 4 #: Out of restricted band.



802.11AX (20M RU52)

CHANNEL	TX Channel 149	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,642.500	60.00	68.20	8.20	44.36	H	348.6	1.00
12	5,736.880	108.17			44.49	H	100	2.00
13	5,999.625	59.02	68.20	9.18	44.43	H	168.1	1.00

