




ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,612.188	59.33	68.20	8.87	44.34	V	359	2.00
11	5,756.880	106.29			44.54	V	252.9	1.00
12	5,949.000	59.00	68.20	9.20	44.28	V	359	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5755MHz: Fundamental frequency.



CHANNEL	TX Channel 159	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,638.125	59.81	68.20	8.39	44.35	H	1	2.00
11	5,797.188	98.75			44.69	H	316.3	1.00
12	5,967.000	58.85	68.20	9.35	44.27	H	1	2.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,613.750	59.82	68.20	8.38	44.34	V	355.5	2.00
11	5,791.250	103.17			44.66	V	253	1.00
12	5,991.000	59.22	68.20	8.98	44.39	V	298.4	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5795MHz: Fundamental frequency.





REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5745MHz: Fundamental frequency.




CHANNEL	TX Channel 157	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,607.813	59.37	68.20	8.83	44.36	H	350	1.00
12	5,786.563	101.88			44.65	H	359	2.00
13	5,941.875	59.01	68.20	9.19	44.32	H	170.5	1.00





REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5785MHz: Fundamental frequency.



CHANNEL	TX Channel 165	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,645.313	59.44	68.20	8.76	44.37	H	359	2.00
12	5,823.750	102.82			44.74	H	359	1.00
13	5,940.375	59.24	68.20	8.96	44.33	H	1	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,605.313	59.77	68.20	8.43	44.37	V	244.6	1.00
12	5,823.125	103.43			44.73	V	291.1	1.00
13	5,969.625	59.18	68.20	9.02	44.28	V	335.4	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5825MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,606.250	60.04	68.20	8.16	44.36	V	1	1.00
11	5,756.250	106.17			44.54	V	255.4	1.00
12	5,976.000	58.97	68.20	9.23	44.31	V	0.9	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5755MHz: Fundamental frequency.



CHANNEL	TX Channel 159	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,601.250	59.47	68.20	8.73	44.38	H	359	2.00
11	5,788.438	97.86			44.65	H	359	2.00
12	5,975.250	58.64	68.20	9.56	44.31	H	359.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,623.750	59.20	68.20	9.00	44.33	V	152.6	2.00
11	5,788.438	104.45			44.65	V	257.7	1.00
12	5,998.875	59.06	68.20	9.14	44.43	V	60.6	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5795MHz: Fundamental frequency.



802.11ac (80MHz)			
CHANNEL	TX Channel 155	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,634.063	59.17	68.20	9.03	44.35	H	211.1	1.00
6	5,777.188	96.54			44.61	H	0.9	2.00
7	5,944.500	58.94	68.20	9.26	44.30	H	58	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,603.750	59.29	68.20	8.91	44.37	V	276.8	1.00
6	5,773.130	100.24			44.60	V	103.5	2.00
7	5,939.625	59.02	68.20	9.18	44.33	V	233.8	1.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5775MHz: Fundamental frequency.





802.11AX (20MHz)

CHANNEL	TX Channel 149	DETECTOR FUNCTION	Peak (PK) Average (AV)
FREQUENCY RANGE	1GHz ~ 40GHz		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,627.188	60.26	68.20	7.94	44.33	H	4.4	1.00
12	5,746.560	105.37			44.51	H	1	2.00
13	5,976.750	58.74	68.20	9.46	44.32	H	359.1	1.00





REMARKS:


1. Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
2. Margin value = Limit value- Emission level.
3. 5745MHz: Fundamental frequency.




CHANNEL	TX Channel 157	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,611.563	59.43	68.20	8.77	44.35	H	8.2	2.00
12	5,785.940	104.93			44.64	H	0.9	2.00
13	5,970.750	58.97	68.20	9.23	44.29	H	48.5	2.00





REMARKS:


1. Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
2. Margin value = Limit value- Emission level.
3. 5785MHz: Fundamental frequency.




CHANNEL	TX Channel 165	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,633.125	59.42	68.20	8.78	44.34	H	355.6	2.00
12	5,824.060	104.61			44.74	H	359.1	1.00
13	5,926.125	59.44	68.20	8.76	44.41	H	49.8	2.00






REMARKS:

1. Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
2. Margin value = Limit value- Emission level.
3. 5825MHz: Fundamental frequency.





REMARKS:

1. Emission Level = Read Level+ Antenna FAXtor + Cable Loss- Preamp FAXtor
2. Margin value = Limit value- Emission level.
3. 5755MHz: Fundamental frequency.



CHANNEL	TX Channel 159	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBµV/m]	PK+ Limit [dBµV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,607.813	59.61	68.20	8.59	44.36	H	1	1.00
11	5,796.875	99.27			44.68	H	359	2.00
12	5,975.625	58.90	68.20	9.30	44.31	H	12.8	2.00

