





NTNV-11AX40MIMO-Ant10-5510

NTNV-11AX40MIMO-Ant7-5510





NTNV-11AX40MIMO-Ant10-5550

NTNV-11AX40MIMO-Ant7-5550





NTNV-11AX40MIMO-Ant10-5670

NTNV-11AX40MIMO-Ant7-5670





NTNV-11AX40MIMO-Ant10-5710

NTNV-11AX40MIMO-Ant7-5710




NTNV-11AX40MIMO-Ant10-5755

NTNV-11AX40MIMO-Ant7-5755




NTNV-11AX40MIMO-Ant10-5795


NTNV-11AX40MIMO-Ant7-5795




NTNV-11AX80MIMO-Ant10-5210




NTNV-11AX80MIMO-Ant7-5210




NTNV-11AX80MIMO-Ant10-5290




NTNV-11AX80MIMO-Ant7-5290




NTNV-11AX80MIMO-Ant10-5530




NTNV-11AX80MIMO-Ant7-5530




NTVN-11AX80MIMO-Ant10-5610




NTVN-11AX80MIMO-Ant7-5610




NTVN-11AX80MIMO-Ant10-5690





NTVN-11AX80MIMO-Ant7-5690



NTVN-11AX80MIMO-Ant10-5775





NTVN-11AX80MIMO-Ant7-5775





NTNV-11AX160MIMO-Ant10-5250

NTNV-11AX160MIMO-Ant7-5250



NTNV-11AX160MIMO-Ant10-5570

NTNV-11AX160MIMO-Ant7-5570





**MAXIMUM CONDUCTED OUTPUT POWER**

**TEST RESULT CHANNEL POWER**

BV Power Table For_U-NII-1								
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	EIRP (dBm)	Verdict	Power Setting
11A	CDD	5180	Ant10	16.62	≤24.00	19.68	Pass	17
			Ant7	16.05	≤24.00	19.11	Pass	17
			Total	19.35	≤24.00	22.41	Pass	17
		5200	Ant10	16.66	≤24.00	19.72	Pass	17
			Ant7	16.11	≤24.00	19.17	Pass	17
			Total	19.40	≤24.00	22.46	Pass	17
		5240	Ant10	16.61	≤24.00	19.67	Pass	17
			Ant7	16.37	≤24.00	19.43	Pass	17
			Total	19.40	≤24.00	22.46	Pass	17
11N20	MIMO	5180	Ant10	15.31	≤24.00	18.37	Pass	16
			Ant7	14.76	≤24.00	17.82	Pass	16
			Total	18.05	≤24.00	21.11	Pass	16
		5200	Ant10	15.40	≤24.00	18.46	Pass	16
			Ant7	14.84	≤24.00	17.90	Pass	16
			Total	18.14	≤24.00	21.20	Pass	16
		5240	Ant10	15.23	≤24.00	18.29	Pass	16
			Ant7	14.87	≤24.00	17.93	Pass	16
			Total	18.06	≤24.00	21.12	Pass	16
11N40	MIMO	5190	Ant10	15.13	≤24.00	18.19	Pass	15
			Ant7	14.43	≤24.00	17.49	Pass	15
			Total	17.80	≤24.00	20.86	Pass	15
		5230	Ant10	14.91	≤24.00	17.97	Pass	15
			Ant7	14.41	≤24.00	17.47	Pass	15
			Total	17.68	≤24.00	20.74	Pass	15
11AC80	MIMO	5210	Ant10	14.49	≤24.00	17.55	Pass	14
			Ant7	13.57	≤24.00	16.63	Pass	14
			Total	17.06	≤24.00	20.12	Pass	14
11AC160	MIMO	5250	Ant10	13.16	≤24.00	16.22	Pass	13



**BUREAU VERITAS** Test Report No.: PSU-QBJ2507100210RF03

			Ant7	12.56	≤24.00	15.62	Pass	13
			Total	15.88	≤24.00	18.94	Pass	13
11AX20	MIMO	5180	Ant10	15.62	≤24.00	18.68	Pass	16
			Ant7	15.00	≤24.00	18.06	Pass	16
			Total	18.33	≤24.00	21.39	Pass	16
		5200	Ant10	15.64	≤24.00	18.70	Pass	16
			Ant7	15.12	≤24.00	18.18	Pass	16
			Total	18.40	≤24.00	21.46	Pass	16
		5240	Ant10	15.51	≤24.00	18.57	Pass	16
			Ant7	15.18	≤24.00	18.24	Pass	16
			Total	18.36	≤24.00	21.42	Pass	16
11AX40	MIMO	5190	Ant10	14.89	≤24.00	17.95	Pass	15
			Ant7	14.20	≤24.00	17.26	Pass	15
			Total	17.57	≤24.00	20.63	Pass	15
		5230	Ant10	14.75	≤24.00	17.81	Pass	15
			Ant7	14.22	≤24.00	17.28	Pass	15
			Total	17.50	≤24.00	20.56	Pass	15
11AX80	MIMO	5210	Ant10	14.07	≤24.00	17.13	Pass	14
			Ant7	13.13	≤24.00	16.19	Pass	14
			Total	16.64	≤24.00	19.70	Pass	14
11AX160	MIMO	5250	Ant10	13.26	≤24.00	16.32	Pass	13
			Ant7	12.67	≤24.00	15.73	Pass	13
			Total	15.99	≤24.00	19.05	Pass	13

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For_U-NII-2A									
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	Verdict	Power Setting
11A	CDD	5260	Ant10	16.57	≤23.73	19.38	≤29.73	Pass	17
			Ant7	16.03	≤23.73	18.84	≤29.73	Pass	17
			Total	19.32	≤23.73	22.13	≤29.73	Pass	17
		5280	Ant10	16.00	≤23.70	18.81	≤29.70	Pass	17
			Ant7	16.32	≤23.70	19.13	≤29.70	Pass	17
			Total	19.17	≤23.70	21.98	≤29.70	Pass	17



**BUREAU VERITAS** Test Report No.: PSU-QBJ2507100210RF03

		5320	Ant10	16.64	≤23.81	19.45	≤29.81	Pass	17
			Ant7	16.15	≤23.81	18.96	≤29.81	Pass	17
			Total	19.46	≤23.81	22.27	≤29.81	Pass	17
11N20	MIMO	5260	Ant10	15.22	≤23.98	18.03	≤29.98	Pass	16
			Ant7	14.74	≤23.98	17.55	≤29.98	Pass	16
			Total	18.00	≤23.98	20.81	≤29.98	Pass	16
		5280	Ant10	15.16	≤23.98	17.97	≤29.98	Pass	16
			Ant7	15.03	≤23.98	17.84	≤29.98	Pass	16
			Total	18.11	≤23.98	20.92	≤29.98	Pass	16
		5320	Ant10	15.28	≤23.97	18.09	≤29.97	Pass	16
			Ant7	15.09	≤23.97	17.90	≤29.97	Pass	16
			Total	18.20	≤23.97	21.01	≤29.97	Pass	16
11N40	MIMO	5270	Ant10	15.15	≤24.00	17.96	≤30.00	Pass	15
			Ant7	14.63	≤24.00	17.44	≤30.00	Pass	15
			Total	17.91	≤24.00	20.72	≤30.00	Pass	15
		5310	Ant10	15.04	≤24.00	17.85	≤30.00	Pass	15
			Ant7	14.63	≤24.00	17.44	≤30.00	Pass	15
			Total	17.85	≤24.00	20.66	≤30.00	Pass	15
11AC80	MIMO	5210	Ant10	13.82	≤24.00	16.63	≤30.00	Pass	14
			Ant7	13.67	≤24.00	16.48	≤30.00	Pass	14
			Total	16.76	≤24.00	19.57	≤30.00	Pass	14
11AX20	MIMO	5260	Ant10	15.47	≤24.00	18.28	≤30.00	Pass	16
			Ant7	15.11	≤24.00	17.92	≤30.00	Pass	16
			Total	18.30	≤24.00	21.11	≤30.00	Pass	16
		5280	Ant10	15.41	≤24.00	18.22	≤30.00	Pass	16
			Ant7	15.38	≤24.00	18.19	≤30.00	Pass	16
			Total	18.41	≤24.00	21.22	≤30.00	Pass	16
		5320	Ant10	15.55	≤24.00	18.36	≤30.00	Pass	16
			Ant7	15.34	≤24.00	18.15	≤30.00	Pass	16
			Total	18.46	≤24.00	21.27	≤30.00	Pass	16
11AX40	MIMO	5270	Ant10	14.95	≤24.00	17.76	≤30.00	Pass	15
			Ant7	14.43	≤24.00	17.24	≤30.00	Pass	15
			Total	17.71	≤24.00	20.52	≤30.00	Pass	15
		5310	Ant10	14.95	≤24.00	17.76	≤30.00	Pass	15
			Ant7	14.43	≤24.00	17.24	≤30.00	Pass	15
			Total	17.71	≤24.00	20.52	≤30.00	Pass	15
11AX80	MIMO	5290	Ant10	13.79	≤24.00	16.60	≤30.00	Pass	14



			Ant7	13.64	≤24.00	16.45	≤30.00	Pass	14
			Total	16.73	≤24.00	19.54	≤30.00	Pass	14

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For_U-NII-2C									
Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	Verdict	Power Setting
11A	CDD	5500	Ant10	16.23	≤23.77	19.11	≤29.77	Pass	17
			Ant7	16.25	≤23.77	19.13	≤29.77	Pass	17
			Total	19.07	≤23.77	21.95	≤29.77	Pass	17
		5580	Ant10	16.72	≤23.82	19.60	≤29.82	Pass	17
			Ant7	16.11	≤23.82	18.99	≤29.82	Pass	17
			Total	19.16	≤23.82	22.04	≤29.82	Pass	17
		5700	Ant10	16.34	≤23.65	19.22	≤29.65	Pass	17
			Ant7	16.29	≤23.65	19.17	≤29.65	Pass	17
			Total	18.59	≤23.65	21.47	≤29.65	Pass	17
		5720	Ant10	16.46	≤23.81	19.34	≤29.81	Pass	17
			Ant7	16.38	≤23.81	19.26	≤29.81	Pass	17
			Total	18.45	≤23.81	21.33	≤29.81	Pass	17
11N20	MIMO	5500	Ant10	14.32	≤23.99	17.20	≤29.99	Pass	16
			Ant7	15.00	≤23.99	17.88	≤29.99	Pass	16
			Total	17.68	≤23.99	20.56	≤29.99	Pass	16
		5580	Ant10	15.32	≤23.96	18.20	≤29.96	Pass	16
			Ant7	14.28	≤23.96	17.16	≤29.96	Pass	16
			Total	17.84	≤23.96	20.72	≤29.96	Pass	16
		5700	Ant10	14.03	≤23.96	16.91	≤29.96	Pass	16
			Ant7	14.28	≤23.96	17.16	≤29.96	Pass	16
			Total	17.17	≤23.96	20.05	≤29.96	Pass	16
		5720	Ant10	13.92	≤24.00	16.80	≤30.00	Pass	16
			Ant7	14.09	≤24.00	16.97	≤30.00	Pass	16
			Total	17.02	≤24.00	19.90	≤30.00	Pass	16
11N40	MIMO	5510	Ant10	14.37	≤24.00	17.25	≤30.00	Pass	15
			Ant7	14.65	≤24.00	17.53	≤30.00	Pass	15



**BUREAU VERITAS** Test Report No.: PSU-QBJ2507100210RF03

		5550	Total	17.52	≤24.00	20.40	≤30.00	Pass	15
			Ant10	14.67	≤24.00	17.55	≤30.00	Pass	15
			Ant7	14.21	≤24.00	17.09	≤30.00	Pass	15
		5670	Total	17.46	≤24.00	20.34	≤30.00	Pass	15
			Ant10	14.14	≤24.00	17.02	≤30.00	Pass	15
			Ant7	13.91	≤24.00	16.79	≤30.00	Pass	15
		5710	Total	17.04	≤24.00	19.92	≤30.00	Pass	15
			Ant10	13.84	≤24.00	16.72	≤30.00	Pass	15
			Ant7	13.97	≤24.00	16.85	≤30.00	Pass	15
11AC80	MIMO	5530	Ant10	13.43	≤24.00	16.31	≤30.00	Pass	14
			Ant7	13.23	≤24.00	16.11	≤30.00	Pass	14
			Total	16.34	≤24.00	19.22	≤30.00	Pass	14
		5690	Ant10	13.99	≤24.00	16.87	≤30.00	Pass	14
			Ant7	12.80	≤24.00	15.68	≤30.00	Pass	14
			Total	16.45	≤24.00	19.33	≤30.00	Pass	14
11AC160	MIMO	5570	Ant10	13.13	≤24.00	16.01	≤30.00	Pass	13
			Ant7	12.10	≤24.00	14.98	≤30.00	Pass	13
			Total	15.66	≤24.00	18.54	≤30.00	Pass	13
11AX20	MIMO	5500	Ant10	14.59	≤24.00	17.47	≤30.00	Pass	16
			Ant7	15.35	≤24.00	18.23	≤30.00	Pass	16
			Total	18.00	≤24.00	20.88	≤30.00	Pass	16
		5580	Ant10	15.59	≤24.00	18.47	≤30.00	Pass	16
			Ant7	14.54	≤24.00	17.42	≤30.00	Pass	16
			Total	18.11	≤24.00	20.99	≤30.00	Pass	16
		5700	Ant10	14.24	≤24.00	17.12	≤30.00	Pass	16
			Ant7	14.57	≤24.00	17.45	≤30.00	Pass	16
			Total	17.42	≤24.00	20.30	≤30.00	Pass	16
		5720	Ant10	14.14	≤24.00	17.02	≤30.00	Pass	16
			Ant7	14.33	≤24.00	17.21	≤30.00	Pass	16
			Total	17.25	≤24.00	20.13	≤30.00	Pass	16
11AX40	MIMO	5510	Ant10	14.15	≤24.00	17.03	≤30.00	Pass	15
			Ant7	14.44	≤24.00	17.32	≤30.00	Pass	15
			Total	17.31	≤24.00	20.19	≤30.00	Pass	15
		5550	Ant10	14.48	≤24.00	17.36	≤30.00	Pass	15
			Ant7	13.97	≤24.00	16.85	≤30.00	Pass	15
			Total	17.24	≤24.00	20.12	≤30.00	Pass	15



**BUREAU VERITAS** Test Report No.: PSU-QBJ2507100210RF03

		5670	Ant10	13.88	≤24.00	16.76	≤30.00	Pass	15
			Ant7	13.71	≤24.00	16.59	≤30.00	Pass	15
			Total	16.81	≤24.00	19.69	≤30.00	Pass	15
		5710	Ant10	13.66	≤24.00	16.54	≤30.00	Pass	15
			Ant7	13.76	≤24.00	16.64	≤30.00	Pass	15
			Total	16.72	≤24.00	19.60	≤30.00	Pass	15
11AX80	MIMO	5530	Ant10	13.39	≤24.00	16.27	≤30.00	Pass	14
			Ant7	13.21	≤24.00	16.09	≤30.00	Pass	14
			Total	16.31	≤24.00	19.19	≤30.00	Pass	14
		5690	Ant10	13.93	≤24.00	16.81	≤30.00	Pass	14
			Ant7	12.75	≤24.00	15.63	≤30.00	Pass	14
			Total	16.39	≤24.00	19.27	≤30.00	Pass	14
11AX160	MIMO	5570	Ant10	13.18	≤24.00	16.06	≤30.00	Pass	13
			Ant7	12.15	≤24.00	15.03	≤30.00	Pass	13
			Total	15.71	≤24.00	18.59	≤30.00	Pass	13

Note: The Maximum Conducted Power with duty cycle factor.

BV Power Table For\_U-NII-3

Test Mode	TX Mod.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	Verdict	Power Setting
11A	CDD	5745	Ant10	16.12	≤30.00	16.14	≤36.00	Pass	17
			Ant7	16.25	≤30.00	16.27	≤36.00	Pass	17
			Total	19.20	≤30.00	19.22	≤36.00	Pass	17
		5785	Ant10	16.19	≤30.00	16.21	≤36.00	Pass	17
			Ant7	16.42	≤30.00	16.44	≤36.00	Pass	17
			Total	19.32	≤30.00	19.34	≤36.00	Pass	17
		5825	Ant10	16.21	≤30.00	16.23	≤36.00	Pass	17
			Ant7	16.45	≤30.00	16.47	≤36.00	Pass	17
			Total	19.34	≤30.00	19.36	≤36.00	Pass	17
11N20	MIMO	5745	Ant10	13.86	≤30.00	13.88	≤36.00	Pass	16
			Ant7	14.71	≤30.00	14.73	≤36.00	Pass	16
			Total	17.32	≤30.00	17.34	≤36.00	Pass	16
		5785	Ant10	14.40	≤30.00	14.42	≤36.00	Pass	16
			Ant7	15.05	≤30.00	15.07	≤36.00	Pass	16



**BUREAU VERITAS** Test Report No.: PSU-QBJ2507100210RF03

			Total	17.75	≤30.00	17.77	≤36.00	Pass	16
		5825	Ant10	14.48	≤30.00	14.50	≤36.00	Pass	16
			Ant7	15.03	≤30.00	15.05	≤36.00	Pass	16
			Total	17.77	≤30.00	17.79	≤36.00	Pass	16
11N40	MIMO	5755	Ant10	14.45	≤30.00	14.47	≤36.00	Pass	15
			Ant7	14.56	≤30.00	14.58	≤36.00	Pass	15
			Total	17.52	≤30.00	17.54	≤36.00	Pass	15
		5795	Ant10	14.36	≤30.00	14.38	≤36.00	Pass	15
			Ant7	14.85	≤30.00	14.87	≤36.00	Pass	15
			Total	17.62	≤30.00	17.64	≤36.00	Pass	15
11AC80	MIMO	5775	Ant10	13.12	≤30.00	13.14	≤36.00	Pass	14
			Ant7	13.72	≤30.00	13.74	≤36.00	Pass	14
			Total	16.44	≤30.00	16.46	≤36.00	Pass	14
11AX20	MIMO	5745	Ant10	10.15	≤30.00	10.17	≤36.00	Pass	16
			Ant7	9.83	≤30.00	9.85	≤36.00	Pass	16
			Total	13.00	≤30.00	13.02	≤36.00	Pass	16
		5785	Ant10	14.09	≤30.00	14.11	≤36.00	Pass	16
			Ant7	14.86	≤30.00	14.88	≤36.00	Pass	16
			Total	17.50	≤30.00	17.52	≤36.00	Pass	16
		5825	Ant10	14.65	≤30.00	14.67	≤36.00	Pass	16
			Ant7	15.17	≤30.00	15.19	≤36.00	Pass	16
			Total	17.93	≤30.00	17.95	≤36.00	Pass	16
11AX40	MIMO	5755	Ant10	14.21	≤30.00	14.23	≤36.00	Pass	15
			Ant7	14.35	≤30.00	14.37	≤36.00	Pass	15
			Total	17.29	≤30.00	17.31	≤36.00	Pass	15
		5795	Ant10	14.15	≤30.00	14.17	≤36.00	Pass	15
			Ant7	14.63	≤30.00	14.65	≤36.00	Pass	15
			Total	17.41	≤30.00	17.43	≤36.00	Pass	15
11AX80	MIMO	5775	Ant10	13.17	≤30.00	13.19	≤36.00	Pass	14
			Ant7	13.68	≤30.00	13.70	≤36.00	Pass	14
			Total	16.44	≤30.00	16.46	≤36.00	Pass	14

Note: The Maximum Conducted Power with duty cycle factor.

Note: The Duty Cycle Factor is compensated in the graph.



## MAXIMUM POWER SPECTRAL DENSITY

### TEST RESULT

TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A-CDD	Ant10	5180	4.29	≤11.00	PASS
11A-CDD	Ant7	5180	4.20	≤11.00	PASS
11A-CDD	total	5180	7.26	≤11.00	PASS
11A-CDD	Ant10	5200	4.81	≤11.00	PASS
11A-CDD	Ant7	5200	4.75	≤11.00	PASS
11A-CDD	total	5200	7.79	≤11.00	PASS
11A-CDD	Ant10	5240	4.86	≤11.00	PASS
11A-CDD	Ant7	5240	4.87	≤11.00	PASS
11A-CDD	total	5240	7.88	≤11.00	PASS
11A-CDD	Ant10	5260	5.66	≤11.00	PASS
11A-CDD	Ant7	5260	6.22	≤11.00	PASS
11A-CDD	total	5260	8.96	≤11.00	PASS
11A-CDD	Ant10	5280	6.05	≤11.00	PASS
11A-CDD	Ant7	5280	5.98	≤11.00	PASS
11A-CDD	total	5280	9.03	≤11.00	PASS
11A-CDD	Ant10	5320	5.81	≤11.00	PASS
11A-CDD	Ant7	5320	5.98	≤11.00	PASS
11A-CDD	total	5320	8.91	≤11.00	PASS
11A-CDD	Ant10	5500	5.32	≤11.00	PASS
11A-CDD	Ant7	5500	6.26	≤11.00	PASS
11A-CDD	total	5500	8.83	≤11.00	PASS
11A-CDD	Ant10	5580	6.50	≤11.00	PASS
11A-CDD	Ant7	5580	5.25	≤11.00	PASS
11A-CDD	total	5580	8.93	≤11.00	PASS
11A-CDD	Ant10	5700	5.31	≤11.00	PASS
11A-CDD	Ant7	5700	6.22	≤11.00	PASS
11A-CDD	total	5700	8.80	≤11.00	PASS
11A-CDD	Ant10	5720_UNII-2C	5.58	≤11.00	PASS
11A-CDD	Ant7	5720_UNII-2C	6.09	≤11.00	PASS
11A-CDD	total	5720_UNII-2C	8.85	≤11.00	PASS
11A-CDD	Ant10	5720_UNII-3	-0.07	≤30.00	PASS
11A-CDD	Ant7	5720_UNII-3	0.19	≤30.00	PASS
11A-CDD	total	5720_UNII-3	3.07	≤30.00	PASS

**BUREAU VERITAS** Test Report No.: PSU-QBJ2507100210RF03

11A-CDD	Ant10	5745	2.19	≤30.00	PASS
11A-CDD	Ant7	5745	3.24	≤30.00	PASS
11A-CDD	total	5745	5.76	≤30.00	PASS
11A-CDD	Ant10	5785	2.12	≤30.00	PASS
11A-CDD	Ant7	5785	3.07	≤30.00	PASS
11A-CDD	total	5785	5.63	≤30.00	PASS
11A-CDD	Ant10	5825	2.43	≤30.00	PASS
11A-CDD	Ant7	5825	3.57	≤30.00	PASS
11A-CDD	total	5825	6.05	≤30.00	PASS
11N20MIMO	Ant10	5180	4.17	≤11.00	PASS
11N20MIMO	Ant7	5180	4.57	≤11.00	PASS
11N20MIMO	total	5180	7.38	≤11.00	PASS
11N20MIMO	Ant10	5200	4.62	≤11.00	PASS
11N20MIMO	Ant7	5200	5.03	≤11.00	PASS
11N20MIMO	total	5200	7.84	≤11.00	PASS
11N20MIMO	Ant10	5240	4.56	≤11.00	PASS
11N20MIMO	Ant7	5240	4.85	≤11.00	PASS
11N20MIMO	total	5240	7.72	≤11.00	PASS
11N20MIMO	Ant10	5260	4.53	≤11.00	PASS
11N20MIMO	Ant7	5260	4.43	≤11.00	PASS
11N20MIMO	total	5260	7.49	≤11.00	PASS
11N20MIMO	Ant10	5280	4.61	≤11.00	PASS
11N20MIMO	Ant7	5280	4.99	≤11.00	PASS
11N20MIMO	total	5280	7.81	≤11.00	PASS
11N20MIMO	Ant10	5320	4.32	≤11.00	PASS
11N20MIMO	Ant7	5320	4.56	≤11.00	PASS
11N20MIMO	total	5320	7.45	≤11.00	PASS
11N20MIMO	Ant10	5500	3.57	≤11.00	PASS
11N20MIMO	Ant7	5500	4.44	≤11.00	PASS
11N20MIMO	total	5500	7.04	≤11.00	PASS
11N20MIMO	Ant10	5580	4.92	≤11.00	PASS
11N20MIMO	Ant7	5580	3.79	≤11.00	PASS
11N20MIMO	total	5580	7.40	≤11.00	PASS
11N20MIMO	Ant10	5700	3.52	≤11.00	PASS
11N20MIMO	Ant7	5700	4.36	≤11.00	PASS
11N20MIMO	total	5700	6.97	≤11.00	PASS
11N20MIMO	Ant10	5720_UNII-2C	3.94	≤11.00	PASS

**BUREAU VERITAS** Test Report No.: PSU-QBJ2507100210RF03

11N20MIMO	Ant7	5720_UNII-2C	4.54	≤11.00	PASS
11N20MIMO	total	5720_UNII-2C	7.26	≤11.00	PASS
11N20MIMO	Ant10	5720_UNII-3	-2.12	≤30.00	PASS
11N20MIMO	Ant7	5720_UNII-3	-1.31	≤30.00	PASS
11N20MIMO	total	5720_UNII-3	1.31	≤30.00	PASS
11N20MIMO	Ant10	5745	0.25	≤30.00	PASS
11N20MIMO	Ant7	5745	1.64	≤30.00	PASS
11N20MIMO	total	5745	4.01	≤30.00	PASS
11N20MIMO	Ant10	5785	0.40	≤30.00	PASS
11N20MIMO	Ant7	5785	1.88	≤30.00	PASS
11N20MIMO	total	5785	4.21	≤30.00	PASS
11N20MIMO	Ant10	5825	0.81	≤30.00	PASS
11N20MIMO	Ant7	5825	1.80	≤30.00	PASS
11N20MIMO	total	5825	4.34	≤30.00	PASS
11N40MIMO	Ant10	5190	1.44	≤11.00	PASS
11N40MIMO	Ant7	5190	1.44	≤11.00	PASS
11N40MIMO	total	5190	4.45	≤11.00	PASS
11N40MIMO	Ant10	5230	1.24	≤11.00	PASS
11N40MIMO	Ant7	5230	1.41	≤11.00	PASS
11N40MIMO	total	5230	4.34	≤11.00	PASS
11N40MIMO	Ant10	5270	1.53	≤11.00	PASS
11N40MIMO	Ant7	5270	1.41	≤11.00	PASS
11N40MIMO	total	5270	4.48	≤11.00	PASS
11N40MIMO	Ant10	5310	1.06	≤11.00	PASS
11N40MIMO	Ant7	5310	1.13	≤11.00	PASS
11N40MIMO	total	5310	4.11	≤11.00	PASS
11N40MIMO	Ant10	5510	0.43	≤11.00	PASS
11N40MIMO	Ant7	5510	1.02	≤11.00	PASS
11N40MIMO	total	5510	3.75	≤11.00	PASS
11N40MIMO	Ant10	5550	1.41	≤11.00	PASS
11N40MIMO	Ant7	5550	1.10	≤11.00	PASS
11N40MIMO	total	5550	4.27	≤11.00	PASS
11N40MIMO	Ant10	5670	0.52	≤11.00	PASS
11N40MIMO	Ant7	5670	0.84	≤11.00	PASS
11N40MIMO	total	5670	3.69	≤11.00	PASS
11N40MIMO	Ant10	5710_UNII-2C	1.58	≤11.00	PASS
11N40MIMO	Ant7	5710_UNII-2C	1.81	≤11.00	PASS

**BUREAU VERITAS** Test Report No.: PSU-QBJ2507100210RF03

11N40MIMO	total	5710_UNII-2C	4.71	≤11.00	PASS
11N40MIMO	Ant10	5710_UNII-3	-4.99	≤30.00	PASS
11N40MIMO	Ant7	5710_UNII-3	-5.30	≤30.00	PASS
11N40MIMO	total	5710_UNII-3	-2.13	≤30.00	PASS
11N40MIMO	Ant10	5755	-1.96	≤30.00	PASS
11N40MIMO	Ant7	5755	-1.06	≤30.00	PASS
11N40MIMO	total	5755	1.52	≤30.00	PASS
11N40MIMO	Ant10	5795	-2.58	≤30.00	PASS
11N40MIMO	Ant7	5795	-1.56	≤30.00	PASS
11N40MIMO	total	5795	0.97	≤30.00	PASS
11AC80MIMO	Ant10	5210	-1.53	≤11.00	PASS
11AC80MIMO	Ant7	5210	-2.36	≤11.00	PASS
11AC80MIMO	total	5210	1.09	≤11.00	PASS
11AC80MIMO	Ant10	5290	-2.17	≤11.00	PASS
11AC80MIMO	Ant7	5290	-2.23	≤11.00	PASS
11AC80MIMO	total	5290	0.81	≤11.00	PASS
11AC80MIMO	Ant10	5530	-1.93	≤11.00	PASS
11AC80MIMO	Ant7	5530	-2.19	≤11.00	PASS
11AC80MIMO	total	5530	0.95	≤11.00	PASS
11AC80MIMO	Ant10	5610	-1.35	≤11.00	PASS
11AC80MIMO	Ant7	5610	-2.97	≤11.00	PASS
11AC80MIMO	total	5610	0.93	≤11.00	PASS
11AC80MIMO	Ant10	5690_UNII-2C	-2.54	≤11.00	PASS
11AC80MIMO	Ant7	5690_UNII-2C	-1.89	≤11.00	PASS
11AC80MIMO	total	5690_UNII-2C	0.81	≤11.00	PASS
11AC80MIMO	Ant10	5690_UNII-3	-11.30	≤30.00	PASS
11AC80MIMO	Ant7	5690_UNII-3	-10.95	≤30.00	PASS
11AC80MIMO	total	5690_UNII-3	-8.11	≤30.00	PASS
11AC80MIMO	Ant10	5775	-6.05	≤30.00	PASS
11AC80MIMO	Ant7	5775	-5.39	≤30.00	PASS
11AC80MIMO	total	5775	-2.70	≤30.00	PASS
11AC160MIMO	Ant10	5250_UNII-1	-7.13	≤11.00	PASS
11AC160MIMO	Ant7	5250_UNII-1	-7.29	≤11.00	PASS
11AC160MIMO	total	5250_UNII-1	-4.20	≤11.00	PASS
11AC160MIMO	Ant10	5250_UNII-2A	-7.29	≤11.00	PASS
11AC160MIMO	Ant7	5250_UNII-2A	-7.55	≤11.00	PASS
11AC160MIMO	total	5250_UNII-2A	-4.41	≤11.00	PASS

Huarui 7layers High Technology  
(Suzhou) Co., Ltd.Tower N, Innovation Center, 88 Zuyi Road, High-tech  
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008

**BUREAU VERITAS** Test Report No.: PSU-QBJ2507100210RF03

11AC160MIMO	Ant10	5570	-5.99	≤11.00	PASS
11AC160MIMO	Ant7	5570	-7.21	≤11.00	PASS
11AC160MIMO	total	5570	-3.55	≤11.00	PASS
11AX20MIMO	Ant10	5180	4.54	≤11.00	PASS
11AX20MIMO	Ant7	5180	4.46	≤11.00	PASS
11AX20MIMO	total	5180	7.51	≤11.00	PASS
11AX20MIMO	Ant10	5200	5.13	≤11.00	PASS
11AX20MIMO	Ant7	5200	4.96	≤11.00	PASS
11AX20MIMO	total	5200	8.06	≤11.00	PASS
11AX20MIMO	Ant10	5240	4.96	≤11.00	PASS
11AX20MIMO	Ant7	5240	4.94	≤11.00	PASS
11AX20MIMO	total	5240	7.96	≤11.00	PASS
11AX20MIMO	Ant7	5260	3.72	≤11.00	PASS
11AX20MIMO	total	5260	6.80	≤11.00	PASS
11AX20MIMO	Ant10	5260	3.85	≤11.00	PASS
11AX20MIMO	Ant10	5300	4.33	≤11.00	PASS
11AX20MIMO	Ant7	5300	4.37	≤11.00	PASS
11AX20MIMO	total	5300	7.36	≤11.00	PASS
11AX20MIMO	Ant10	5320	4.64	≤11.00	PASS
11AX20MIMO	Ant7	5320	4.37	≤11.00	PASS
11AX20MIMO	total	5320	7.52	≤11.00	PASS
11AX20MIMO	Ant10	5500	4.15	≤11.00	PASS
11AX20MIMO	Ant7	5500	4.48	≤11.00	PASS
11AX20MIMO	total	5500	7.33	≤11.00	PASS
11AX20MIMO	Ant10	5580	5.25	≤11.00	PASS
11AX20MIMO	Ant7	5580	4.21	≤11.00	PASS
11AX20MIMO	total	5580	7.77	≤11.00	PASS
11AX20MIMO	Ant10	5700	3.96	≤11.00	PASS
11AX20MIMO	Ant7	5700	4.28	≤11.00	PASS
11AX20MIMO	total	5700	7.13	≤11.00	PASS
11AX20MIMO	Ant10	5720_UNII-2C	4.37	≤11.00	PASS
11AX20MIMO	Ant7	5720_UNII-2C	4.62	≤11.00	PASS
11AX20MIMO	total	5720_UNII-2C	7.51	≤11.00	PASS
11AX20MIMO	Ant10	5720_UNII-3	-1.68	≤30.00	PASS
11AX20MIMO	Ant7	5720_UNII-3	-1.38	≤30.00	PASS
11AX20MIMO	total	5720_UNII-3	1.48	≤30.00	PASS
11AX20MIMO	Ant10	5745	0.47	≤30.00	PASS

**BUREAU VERITAS** Test Report No.: PSU-QBJ2507100210RF03

11AX20MIMO	Ant7	5745	1.59	≤30.00	PASS
11AX20MIMO	total	5745	4.08	≤30.00	PASS
11AX20MIMO	Ant10	5785	0.82	≤30.00	PASS
11AX20MIMO	Ant7	5785	1.17	≤30.00	PASS
11AX20MIMO	total	5785	4.01	≤30.00	PASS
11AX20MIMO	Ant10	5825	1.00	≤30.00	PASS
11AX20MIMO	Ant7	5825	1.80	≤30.00	PASS
11AX20MIMO	total	5825	4.43	≤30.00	PASS
11AX40MIMO	Ant10	5190	1.32	≤11.00	PASS
11AX40MIMO	Ant7	5190	0.95	≤11.00	PASS
11AX40MIMO	total	5190	4.15	≤11.00	PASS
11AX40MIMO	Ant10	5230	1.30	≤11.00	PASS
11AX40MIMO	Ant7	5230	0.88	≤11.00	PASS
11AX40MIMO	total	5230	4.11	≤11.00	PASS
11AX40MIMO	Ant10	5270	1.36	≤11.00	PASS
11AX40MIMO	Ant7	5270	1.13	≤11.00	PASS
11AX40MIMO	total	5270	4.26	≤11.00	PASS
11AX40MIMO	Ant10	5310	0.91	≤11.00	PASS
11AX40MIMO	Ant7	5310	0.48	≤11.00	PASS
11AX40MIMO	total	5310	3.71	≤11.00	PASS
11AX40MIMO	Ant10	5510	0.55	≤11.00	PASS
11AX40MIMO	Ant7	5510	0.28	≤11.00	PASS
11AX40MIMO	total	5510	3.43	≤11.00	PASS
11AX40MIMO	Ant10	5550	1.51	≤11.00	PASS
11AX40MIMO	Ant7	5550	0.78	≤11.00	PASS
11AX40MIMO	total	5550	4.17	≤11.00	PASS
11AX40MIMO	Ant10	5670	0.40	≤11.00	PASS
11AX40MIMO	Ant7	5670	0.48	≤11.00	PASS
11AX40MIMO	total	5670	3.45	≤11.00	PASS
11AX40MIMO	Ant10	5710_UNII-2C	1.00	≤11.00	PASS
11AX40MIMO	Ant7	5710_UNII-2C	1.74	≤11.00	PASS
11AX40MIMO	total	5710_UNII-2C	4.40	≤11.00	PASS
11AX40MIMO	Ant10	5710_UNII-3	-6.02	≤30.00	PASS
11AX40MIMO	Ant7	5710_UNII-3	-5.98	≤30.00	PASS
11AX40MIMO	total	5710_UNII-3	-2.99	≤30.00	PASS
11AX40MIMO	Ant10	5755	-1.66	≤30.00	PASS
11AX40MIMO	Ant7	5755	-1.56	≤30.00	PASS

**BUREAU VERITAS** Test Report No.: PSU-QBJ2507100210RF03


11AX40MIMO	total	5755	1.40	≤30.00	PASS
11AX40MIMO	Ant10	5795	-2.60	≤30.00	PASS
11AX40MIMO	Ant7	5795	-1.78	≤30.00	PASS
11AX40MIMO	total	5795	0.84	≤30.00	PASS
11AX80MIMO	Ant10	5210	-1.53	≤11.00	PASS
11AX80MIMO	Ant7	5210	-2.30	≤11.00	PASS
11AX80MIMO	total	5210	1.11	≤11.00	PASS
11AX80MIMO	Ant10	5290	-2.30	≤11.00	PASS
11AX80MIMO	Ant7	5290	-2.23	≤11.00	PASS
11AX80MIMO	total	5290	0.75	≤11.00	PASS
11AX80MIMO	Ant10	5530	-2.00	≤11.00	PASS
11AX80MIMO	Ant7	5530	-2.42	≤11.00	PASS
11AX80MIMO	total	5530	0.81	≤11.00	PASS
11AX80MIMO	Ant10	5610	-1.48	≤11.00	PASS
11AX80MIMO	Ant7	5610	-2.79	≤11.00	PASS
11AX80MIMO	total	5610	0.92	≤11.00	PASS
11AX80MIMO	Ant10	5690_UNII-2C	-2.25	≤11.00	PASS
11AX80MIMO	Ant7	5690_UNII-2C	-2.34	≤11.00	PASS
11AX80MIMO	total	5690_UNII-2C	0.72	≤11.00	PASS
11AX80MIMO	Ant10	5690_UNII-3	-11.40	≤30.00	PASS
11AX80MIMO	Ant7	5690_UNII-3	-11.02	≤30.00	PASS
11AX80MIMO	total	5690_UNII-3	-8.20	≤30.00	PASS
11AX80MIMO	Ant10	5775	-6.01	≤30.00	PASS
11AX80MIMO	Ant7	5775	-5.55	≤30.00	PASS
11AX80MIMO	total	5775	-2.76	≤30.00	PASS
11AX160MIMO	Ant10	5250_UNII-1	-6.85	≤11.00	PASS
11AX160MIMO	Ant7	5250_UNII-1	-7.16	≤11.00	PASS
11AX160MIMO	total	5250_UNII-1	-3.99	≤11.00	PASS
11AX160MIMO	Ant10	5250_UNII-2A	-7.24	≤11.00	PASS
11AX160MIMO	Ant7	5250_UNII-2A	-7.53	≤11.00	PASS
11AX160MIMO	total	5250_UNII-2A	-4.37	≤11.00	PASS
11AX160MIMO	Ant10	5570	-5.84	≤11.00	PASS
11AX160MIMO	Ant7	5570	-7.23	≤11.00	PASS
11AX160MIMO	total	5570	-3.47	≤11.00	PASS


Note: 1. The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.




2. The Duty Cycle Factor and RBW Factor is compensated in the graph.

### TEST GRAPHS







11A-CDD-Ant10-5260-PASS




11A-CDD-Ant7-5260-PASS




11A-CDD-Ant10-5280-PASS




11A-CDD-Ant7-5280-PASS



11A-CDD-Ant10-5320-PASS




11A-CDD-Ant7-5320-PASS



11A-CDD-Ant10-5500-PASS



11A-CDD-Ant7-5500-PASS



11A-CDD-Ant10-5580-PASS




11A-CDD-Ant7-5580-PASS




11A-CDD-Ant10-5700-PASS



11A-CDD-Ant7-5700-PASS




11A-CDD-Ant10-5720\_UNII-2C-PASS



11A-CDD-Ant7-5720\_UNII-2C-PASS




11A-CDD-Ant10-5720\_UNII-3-PASS




11A-CDD-Ant7-5720\_UNII-3-PASS



11A-CDD-Ant10-5745-PASS




11A-CDD-Ant7-5745-PASS




11A-CDD-Ant10-5785-PASS



11A-CDD-Ant7-5785-PASS




11A-CDD-Ant10-5825-PASS



11A-CDD-Ant7-5825-PASS



11N20MIMO-Ant10-5180-PASS



11N20MIMO-Ant7-5180-PASS



11N20MIMO-Ant10-5200-PASS



11N20MIMO-Ant7-5200-PASS




11N20MIMO-Ant10-5240-PASS



11N20MIMO-Ant7-5240-PASS




11N20MIMO-Ant10-5260-PASS



11N20MIMO-Ant7-5260-PASS




11N20MIMO-Ant10-5280-PASS



11N20MIMO-Ant7-5280-PASS



11N20MIMO-Ant10-5320-PASS




11N20MIMO-Ant7-5320-PASS



11N20MIMO-Ant10-5500-PASS



11N20MIMO-Ant7-5500-PASS



11N20MIMO-Ant10-5580-PASS




11N20MIMO-Ant7-5580-PASS



11N20MIMO-Ant10-5700-PASS




11N20MIMO-Ant7-5700-PASS



11N20MIMO-Ant10-5720\_UNII-2C-PASS



11N20MIMO-Ant7-5720\_UNII-2C-PASS




11N20MIMO-Ant10-5720\_UNII-3-PASS



11N20MIMO-Ant7-5720\_UNII-3-PASS



11N20MIMO-Ant10-5745-PASS



11N20MIMO-Ant7-5745-PASS



11N20MIMO-Ant10-5785-PASS



11N20MIMO-Ant7-5785-PASS