



11AX20MIMO-Ant10-5785-26Tone-RU4-PASS



11AX20MIMO-Ant7-5785-26Tone-RU4-PASS



11AX20MIMO-Ant10-5785-52Tone-RU38-PASS




11AX20MIMO-Ant7-5785-52Tone-RU38-PASS



11AX20MIMO-Ant10-5785-106Tone-RU53-PASS



11AX20MIMO-Ant7-5785-106Tone-RU53-PASS



11AX20MIMO-Ant10-5825-26Tone-RU8-PASS



11AX20MIMO-Ant7-5825-26Tone-RU8-PASS





11AX20MIMO-Ant10-5825-52Tone-RU40-PASS

11AX20MIMO-Ant7-5825-52Tone-RU40-PASS



11AX20MIMO-Ant10-5825-106Tone-RU54-PASS

11AX20MIMO-Ant7-5825-106Tone-RU54-PASS





**MAXIMUM CONDUCTED OUTPUT POWER**

**TEST RESULT**

BV Power Table For_U-NII-1											
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	Verdict	Power Setting
11AX20	MIMO	26/0	5180	Ant10	12.52	≤24.00	----	15.58	≤22.74	Pass	12
				Ant7	11.75	≤24.00	----	14.81	≤22.74	Pass	12
				Total	14.96	≤24.00	----	18.02	≤22.74	Pass	12
		26/4	5200	Ant10	12.79	≤24.00	----	15.85	≤22.28	Pass	13
				Ant7	12.46	≤24.00	----	15.52	≤22.28	Pass	13
				Total	15.43	≤24.00	----	18.49	≤22.28	Pass	13
		26/8	5240	Ant10	11.77	≤24.00	----	14.83	≤22.70	Pass	12
				Ant7	11.96	≤24.00	----	15.02	≤22.70	Pass	12
				Total	14.67	≤24.00	----	17.73	≤22.70	Pass	12
	MIMO	52/37	5180	Ant10	15.24	≤24.00	----	18.30	≤22.61	Pass	15
				Ant7	14.43	≤24.00	----	17.49	≤22.61	Pass	15
				Total	17.70	≤24.00	----	20.76	≤22.61	Pass	15
		52/38	5200	Ant10	14.63	≤24.00	----	17.69	≤22.32	Pass	15
				Ant7	14.40	≤24.00	----	17.46	≤22.32	Pass	15
				Total	17.36	≤24.00	----	20.42	≤22.32	Pass	15
		52/40	5240	Ant10	14.60	≤24.00	----	17.66	≤22.66	Pass	15
				Ant7	14.63	≤24.00	----	17.69	≤22.66	Pass	15
				Total	17.46	≤24.00	----	20.52	≤22.66	Pass	15
	MIMO	106/53	5180	Ant10	16.36	≤24.00	----	19.42	≤22.65	Pass	15
				Ant7	15.72	≤24.00	----	18.78	≤22.65	Pass	15
				Total	18.90	≤24.00	----	21.96	≤22.65	Pass	15
		106/53	5200	Ant10	16.34	≤24.00	----	19.40	≤22.67	Pass	16
				Ant7	15.80	≤24.00	----	18.86	≤22.67	Pass	16
				Total	18.93	≤24.00	----	21.99	≤22.67	Pass	16
106/54		5240	Ant10	16.15	≤24.00	----	19.21	≤22.79	Pass	16	
			Ant7	15.89	≤24.00	----	18.95	≤22.79	Pass	16	
			Total	18.87	≤24.00	----	21.93	≤22.79	Pass	16	

Note: The Maximum Conducted Power with duty cycle factor.





BV Power Table For_U-NII-2A													
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict	Power Setting	
11AX20	MIMO	26/0	5260	Ant10	12.42	≤24.00	≤23.71	15.23	≤30.00	≤29.71	Pass	12	
				Ant7	11.96	≤24.00	≤23.71	14.77	≤30.00	≤29.71	Pass	12	
				Total	15.00	≤24.00	≤23.71	17.81	≤30.00	≤29.71	Pass	12	
		26/4	5300	Ant10	12.88	≤23.63	≤23.35	15.69	≤29.63	≤29.35	Pass	13	
				Ant7	12.83	≤23.63	≤23.35	15.64	≤29.63	≤29.35	Pass	13	
				Total	15.65	≤23.63	≤23.35	18.47	≤29.63	≤29.35	Pass	13	
		26/8	5320	Ant10	11.95	≤24.00	≤23.70	14.76	≤30.00	≤29.70	Pass	12	
				Ant7	12.07	≤24.00	≤23.70	14.88	≤30.00	≤29.70	Pass	12	
				Total	14.82	≤24.00	≤23.70	17.63	≤30.00	≤29.70	Pass	12	
		MIMO	52/37	5260	Ant10	15.22	≤24.00	≤23.65	18.03	≤30.00	≤29.65	Pass	15
					Ant7	14.46	≤24.00	≤23.65	17.27	≤30.00	≤29.65	Pass	15
					Total	17.70	≤24.00	≤23.65	20.51	≤30.00	≤29.65	Pass	15
	52/38		5300	Ant10	14.54	≤23.63	≤23.34	17.35	≤29.63	≤29.34	Pass	15	
				Ant4	14.69	≤23.63	≤23.34	17.50	≤29.63	≤29.34	Pass	15	
				Total	17.46	≤23.63	≤23.34	20.27	≤29.63	≤29.34	Pass	15	
	52/40		5320	Ant10	14.79	≤24.00	≤23.61	17.60	≤30.00	≤29.61	Pass	15	
				Ant7	14.87	≤24.00	≤23.61	17.68	≤30.00	≤29.61	Pass	15	
				Total	17.67	≤24.00	≤23.61	20.49	≤30.00	≤29.61	Pass	15	
	MIMO	106/53	5260	Ant10	16.23	≤24.00	≤23.64	19.04	≤30.00	≤29.64	Pass	16	
				Ant7	15.78	≤24.00	≤23.64	18.59	≤30.00	≤29.64	Pass	16	
				Total	18.86	≤24.00	≤23.64	21.67	≤30.00	≤29.64	Pass	16	
		106/53	5300	Ant10	16.19	≤24.00	≤23.66	19.00	≤30.00	≤29.66	Pass	16	
				Ant7	16.06	≤24.00	≤23.66	18.87	≤30.00	≤29.66	Pass	16	
				Total	18.98	≤24.00	≤23.66	21.79	≤30.00	≤29.66	Pass	16	
106/54		5320	Ant10	16.21	≤24.00	≤23.60	19.02	≤30.00	≤29.60	Pass	15		
			Ant7	15.98	≤24.00	≤23.60	18.79	≤30.00	≤29.60	Pass	15		
			Total	18.95	≤24.00	≤23.60	21.76	≤30.00	≤29.60	Pass	15		

Note: The Maximum Conducted Power with duty cycle factor.



BV Power Table For_U-NII-2C												
Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	FCC Conducted Power Limit (dBm)	IC Conducted Power Limit (dBm)	EIRP (dBm)	FCC EIRP Limit	IC EIRP Limit	Verdict	Power Setting
11AX20	MIMO	26/0	5500	Ant10	10.95	≤24.00	≤23.72	13.83	≤30.00	≤29.72	Pass	11
				Ant7	11.19	≤24.00	≤23.72	14.07	≤30.00	≤29.72	Pass	11
				Total	13.88	≤24.00	≤23.72	16.77	≤30.00	≤29.72	Pass	11
		26/4	5580	Ant10	13.13	≤23.66	≤23.29	16.01	≤29.66	≤29.29	Pass	13
				Ant7	12.01	≤23.66	≤23.29	14.89	≤29.66	≤29.29	Pass	13
				Total	15.41	≤23.66	≤23.29	18.29	≤29.66	≤29.29	Pass	13
		26/8	5700	Ant10	11.46	≤24.00	≤23.71	14.34	≤30.00	≤29.71	Pass	12.5
				Ant7	12.26	≤24.00	≤23.71	16.76	≤30.00	≤29.71	Pass	12.5
				Total	14.68	≤24.00	≤23.71	19.68	≤30.00	≤29.71	Pass	12.5
		26/8	5720	Ant10	14.60	≤24.00	≤23.74	19.10	≤30.00	≤29.74	Pass	16
				Ant7	15.11	≤24.00	≤23.74	19.61	≤30.00	≤29.74	Pass	16
				Total	17.65	≤24.00	≤23.74	22.15	≤30.00	≤29.74	Pass	16
	MIMO	52/37	5500	Ant10	13.74	≤24.00	≤23.60	16.62	≤30.00	≤29.60	Pass	14
				Ant7	13.97	≤24.00	≤23.60	16.85	≤30.00	≤29.60	Pass	14
				Total	16.70	≤24.00	≤23.60	19.58	≤30.00	≤29.60	Pass	14
		52/38	5580	Ant10	15.03	≤23.73	≤23.32	17.91	≤29.73	≤29.32	Pass	15
				Ant7	13.97	≤23.73	≤23.32	16.85	≤29.73	≤29.32	Pass	15
				Total	17.38	≤23.73	≤23.32	20.26	≤29.73	≤29.32	Pass	15
		52/40	5700	Ant10	14.57	≤24.00	≤23.66	17.45	≤30.00	≤29.66	Pass	12.5
				Ant7	15.05	≤24.00	≤23.66	17.93	≤30.00	≤29.66	Pass	12.5
				Total	17.66	≤24.00	≤23.66	20.54	≤30.00	≤29.66	Pass	12.5
52/40		5720	Ant10	14.53	≤24.00	≤23.64	17.41	≤30.00	≤29.64	Pass	16	
			Ant7	14.85	≤24.00	≤23.64	17.73	≤30.00	≤29.64	Pass	16	
			Total	17.54	≤24.00	≤23.64	20.42	≤30.00	≤29.64	Pass	16	
MIMO	106/53	5500	Ant10	16.19	≤24.00	≤23.66	19.07	≤30.00	≤29.66	Pass	16	



**BUREAU VERITAS** Test Report No.: PSU-QBJ2507100210RF03

			Ant7	16.06	≤24.00	≤23.66	18.94	≤30.00	≤29.66	Pass	16
			Total	18.98	≤24.00	≤23.66	21.86	≤30.00	≤29.66	Pass	16
	106/53	5580	Ant10	16.41	≤24.00	≤23.68	19.29	≤30.00	≤29.68	Pass	16
			Ant7	15.26	≤24.00	≤23.68	18.14	≤30.00	≤29.68	Pass	16
			Total	18.72	≤24.00	≤23.68	21.60	≤30.00	≤29.68	Pass	16
	106/54	5700	Ant10	15.01	≤24.00	≤23.61	17.89	≤30.00	≤29.61	Pass	12.5
			Ant7	15.10	≤24.00	≤23.61	17.98	≤30.00	≤29.61	Pass	12.5
			Total	17.91	≤24.00	≤23.61	20.79	≤30.00	≤29.61	Pass	12.5
	106/54	5720	Ant10	14.90	≤24.00	≤23.66	17.78	≤30.00	≤29.66	Pass	16
			Ant7	14.93	≤24.00	≤23.66	17.81	≤30.00	≤29.66	Pass	16
			Total	17.77	≤24.00	≤23.66	20.65	≤30.00	≤29.66	Pass	16

Note: The Maximum Conducted Power with duty cycle factor.

**BV Power Table For\_U-NII-3**

Test Mode	TX Mod.	RU Config.	Freq. (MHz)	Ant.	Maximum Conducted Power (dBm)	Conducted Power Limit (dBm)	EIRP (dBm)	IC EIRP Limit	Verdict	Power Setting
11AX20	MIMO	26/0	5745	Ant10	15.36	≤30.00	17.14	≤36.00	Pass	16
				Ant7	15.92	≤30.00	17.70	≤36.00	Pass	16
				Total	18.42	≤30.00	20.20	≤36.00	Pass	16
		26/4	5785	Ant10	14.90	≤30.00	16.68	≤36.00	Pass	16
				Ant7	15.77	≤30.00	17.55	≤36.00	Pass	16
				Total	18.13	≤30.00	19.91	≤36.00	Pass	16
		26/8	5825	Ant10	15.03	≤30.00	16.81	≤36.00	Pass	16
				Ant7	15.99	≤30.00	17.77	≤36.00	Pass	16
				Total	18.31	≤30.00	20.09	≤36.00	Pass	16
	MIMO	52/37	5745	Ant10	15.24	≤30.00	17.02	≤36.00	Pass	16
				Ant7	15.65	≤30.00	17.43	≤36.00	Pass	16
				Total	18.28	≤30.00	20.06	≤36.00	Pass	16
		52/38	5785	Ant10	15.00	≤30.00	16.78	≤36.00	Pass	16
				Ant4	0.18	≤30.00	1.96	≤36.00	Pass	16
				Total	18.17	≤30.00	19.95	≤36.00	Pass	16
		52/40	5825	Ant10	15.11	≤30.00	16.89	≤36.00	Pass	16
				Ant7	15.85	≤30.00	17.63	≤36.00	Pass	16
				Total	18.33	≤30.00	20.11	≤36.00	Pass	16



MIMO	106/53	5745	Ant10	15.00	≤30.00	16.78	≤36.00	Pass	16
			Ant7	15.54	≤30.00	17.32	≤36.00	Pass	16
			Total	18.12	≤30.00	19.90	≤36.00	Pass	16
	106/53	5785	Ant10	15.53	≤30.00	17.31	≤36.00	Pass	16
			Ant7	15.90	≤30.00	17.68	≤36.00	Pass	16
			Total	18.56	≤30.00	20.34	≤36.00	Pass	16
	106/54	5825	Ant10	15.45	≤30.00	17.23	≤36.00	Pass	16
			Ant7	15.88	≤30.00	17.66	≤36.00	Pass	16
			Total	18.51	≤30.00	20.29	≤36.00	Pass	16
Note: The Maximum Conducted Power with duty cycle factor.									

Note: The Duty Cycle Factor is compensated in the graph.



## MAXIMUM POWER SPECTRAL DENSITY

### TEST RESULT

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant10	5180	26Tone	RU0	6.47	≤11.00	PASS
11AX20MIMO	Ant7	5180	26Tone	RU0	6.05	≤11.00	PASS
11AX20MIMO	total	5180	26Tone	RU0	9.28	≤11.00	PASS
11AX20MIMO	Ant10	5180	52Tone	RU37	7.16	≤11.00	PASS
11AX20MIMO	Ant7	5180	52Tone	RU37	7.25	≤11.00	PASS
11AX20MIMO	total	5180	52Tone	RU37	10.22	≤11.00	PASS
11AX20MIMO	Ant10	5180	106Tone	RU53	5.24	≤11.00	PASS
11AX20MIMO	Ant7	5180	106Tone	RU53	5.37	≤11.00	PASS
11AX20MIMO	total	5180	106Tone	RU53	8.32	≤11.00	PASS
11AX20MIMO	Ant10	5200	26Tone	RU4	7.43	≤11.00	PASS
11AX20MIMO	Ant7	5200	26Tone	RU4	7.24	≤11.00	PASS
11AX20MIMO	total	5200	26Tone	RU4	10.35	≤11.00	PASS
11AX20MIMO	Ant10	5200	52Tone	RU38	7.20	≤11.00	PASS
11AX20MIMO	Ant7	5200	52Tone	RU38	7.51	≤11.00	PASS
11AX20MIMO	total	5200	52Tone	RU38	10.37	≤11.00	PASS
11AX20MIMO	Ant10	5200	106Tone	RU53	5.78	≤11.00	PASS
11AX20MIMO	Ant7	5200	106Tone	RU53	5.67	≤11.00	PASS
11AX20MIMO	total	5200	106Tone	RU53	8.74	≤11.00	PASS
11AX20MIMO	Ant10	5240	26Tone	RU8	7.04	≤11.00	PASS
11AX20MIMO	Ant7	5240	26Tone	RU8	7.66	≤11.00	PASS
11AX20MIMO	total	5240	26Tone	RU8	10.37	≤11.00	PASS
11AX20MIMO	Ant10	5240	52Tone	RU40	6.97	≤11.00	PASS
11AX20MIMO	Ant7	5240	52Tone	RU40	7.61	≤11.00	PASS
11AX20MIMO	total	5240	52Tone	RU40	10.31	≤11.00	PASS
11AX20MIMO	Ant10	5240	106Tone	RU54	5.29	≤11.00	PASS
11AX20MIMO	Ant7	5240	106Tone	RU54	5.70	≤11.00	PASS
11AX20MIMO	total	5240	106Tone	RU54	8.51	≤11.00	PASS
11AX20MIMO	Ant10	5260	26Tone	RU0	7.78	≤11.00	PASS
11AX20MIMO	Ant7	5260	26Tone	RU0	7.32	≤11.00	PASS
11AX20MIMO	total	5260	26Tone	RU0	10.57	≤11.00	PASS
11AX20MIMO	Ant10	5260	52Tone	RU37	7.92	≤11.00	PASS
11AX20MIMO	Ant7	5260	52Tone	RU37	7.07	≤11.00	PASS

**BUREAU VERITAS** Test Report No.: PSU-QBJ2507100210RF03

11AX20MIMO	total	5260	52Tone	RU37	10.53	≤11.00	PASS
11AX20MIMO	Ant10	5260	106Tone	RU53	5.79	≤11.00	PASS
11AX20MIMO	Ant7	5260	106Tone	RU53	5.64	≤11.00	PASS
11AX20MIMO	total	5260	106Tone	RU53	8.73	≤11.00	PASS
11AX20MIMO	Ant10	5300	26Tone	RU4	6.90	≤11.00	PASS
11AX20MIMO	Ant7	5300	26Tone	RU4	7.54	≤11.00	PASS
11AX20MIMO	total	5300	26Tone	RU4	10.24	≤11.00	PASS
11AX20MIMO	Ant10	5300	52Tone	RU38	6.92	≤11.00	PASS
11AX20MIMO	Ant7	5300	52Tone	RU38	7.82	≤11.00	PASS
11AX20MIMO	total	5300	52Tone	RU38	10.40	≤11.00	PASS
11AX20MIMO	Ant10	5300	106Tone	RU53	5.96	≤11.00	PASS
11AX20MIMO	Ant7	5300	106Tone	RU53	6.02	≤11.00	PASS
11AX20MIMO	total	5300	106Tone	RU53	9.00	≤11.00	PASS
11AX20MIMO	Ant10	5320	26Tone	RU8	7.18	≤11.00	PASS
11AX20MIMO	Ant7	5320	26Tone	RU8	7.76	≤11.00	PASS
11AX20MIMO	total	5320	26Tone	RU8	10.49	≤11.00	PASS
11AX20MIMO	Ant10	5320	52Tone	RU40	7.49	≤11.00	PASS
11AX20MIMO	Ant7	5320	52Tone	RU40	8.17	≤11.00	PASS
11AX20MIMO	total	5320	52Tone	RU40	10.85	≤11.00	PASS
11AX20MIMO	Ant10	5320	106Tone	RU54	6.02	≤11.00	PASS
11AX20MIMO	Ant7	5320	106Tone	RU54	5.76	≤11.00	PASS
11AX20MIMO	total	5320	106Tone	RU54	8.90	≤11.00	PASS
11AX20MIMO	Ant10	5500	26Tone	RU0	7.32	≤11.00	PASS
11AX20MIMO	Ant7	5500	26Tone	RU0	7.71	≤11.00	PASS
11AX20MIMO	total	5500	26Tone	RU0	10.53	≤11.00	PASS
11AX20MIMO	Ant10	5500	52Tone	RU37	7.47	≤11.00	PASS
11AX20MIMO	Ant7	5500	52Tone	RU37	8.08	≤11.00	PASS
11AX20MIMO	total	5500	52Tone	RU37	10.80	≤11.00	PASS
11AX20MIMO	Ant10	5500	106Tone	RU53	6.64	≤11.00	PASS
11AX20MIMO	Ant7	5500	106Tone	RU53	7.14	≤11.00	PASS
11AX20MIMO	total	5500	106Tone	RU53	9.91	≤11.00	PASS
11AX20MIMO	Ant10	5580	26Tone	RU4	7.96	≤11.00	PASS
11AX20MIMO	Ant7	5580	26Tone	RU4	7.15	≤11.00	PASS
11AX20MIMO	total	5580	26Tone	RU4	10.58	≤11.00	PASS
11AX20MIMO	Ant10	5580	52Tone	RU38	8.04	≤11.00	PASS
11AX20MIMO	Ant7	5580	52Tone	RU38	7.32	≤11.00	PASS
11AX20MIMO	total	5580	52Tone	RU38	10.71	≤11.00	PASS

**BUREAU VERITAS** Test Report No.: PSU-QBJ2507100210RF03

11AX20MIMO	Ant10	5580	106Tone	RU53	7.20	≤11.00	PASS
11AX20MIMO	Ant7	5580	106Tone	RU53	5.71	≤11.00	PASS
11AX20MIMO	total	5580	106Tone	RU53	9.53	≤11.00	PASS
11AX20MIMO	Ant10	5700	26Tone	RU8	6.73	≤11.00	PASS
11AX20MIMO	Ant7	5700	26Tone	RU8	7.95	≤11.00	PASS
11AX20MIMO	total	5700	26Tone	RU8	10.39	≤11.00	PASS
11AX20MIMO	Ant10	5700	52Tone	RU40	6.82	≤11.00	PASS
11AX20MIMO	Ant7	5700	52Tone	RU40	8.18	≤11.00	PASS
11AX20MIMO	total	5700	52Tone	RU40	10.56	≤11.00	PASS
11AX20MIMO	Ant10	5700	106Tone	RU54	4.73	≤11.00	PASS
11AX20MIMO	Ant7	5700	106Tone	RU54	5.25	≤11.00	PASS
11AX20MIMO	total	5700	106Tone	RU54	8.01	≤11.00	PASS
11AX20MIMO	Ant10	5720_UNII-2C	26Tone	RU8	-12.56	≤11.00	PASS
11AX20MIMO	Ant7	5720_UNII-2C	26Tone	RU8	-10.07	≤11.00	PASS
11AX20MIMO	total	5720_UNII-2C	26Tone	RU8	-8.13	≤11.00	PASS
11AX20MIMO	Ant10	5720_UNII-2C	52Tone	RU40	1.43	≤11.00	PASS
11AX20MIMO	Ant7	5720_UNII-2C	52Tone	RU40	1.41	≤11.00	PASS
11AX20MIMO	total	5720_UNII-2C	52Tone	RU40	4.43	≤11.00	PASS
11AX20MIMO	Ant10	5720_UNII-2C	106Tone	RU54	5.69	≤11.00	PASS
11AX20MIMO	Ant7	5720_UNII-2C	106Tone	RU54	5.80	≤11.00	PASS
11AX20MIMO	total	5720_UNII-2C	106Tone	RU54	8.76	≤11.00	PASS
11AX20MIMO	Ant10	5720_UNII-3	26Tone	RU8	6.98	≤30.00	PASS
11AX20MIMO	Ant7	5720_UNII-3	26Tone	RU8	8.24	≤30.00	PASS
11AX20MIMO	total	5720_UNII-3	26Tone	RU8	10.67	≤30.00	PASS
11AX20MIMO	Ant10	5720_UNII-3	52Tone	RU40	5.27	≤30.00	PASS
11AX20MIMO	Ant7	5720_UNII-3	52Tone	RU40	5.83	≤30.00	PASS
11AX20MIMO	total	5720_UNII-3	52Tone	RU40	8.57	≤30.00	PASS
11AX20MIMO	Ant10	5720_UNII-3	106Tone	RU54	2.47	≤30.00	PASS
11AX20MIMO	Ant7	5720_UNII-3	106Tone	RU54	2.99	≤30.00	PASS
11AX20MIMO	total	5720_UNII-3	106Tone	RU54	5.75	≤30.00	PASS
11AX20MIMO	Ant10	5745	26Tone	RU0	8.43	≤30.00	PASS
11AX20MIMO	Ant7	5745	26Tone	RU0	8.97	≤30.00	PASS
11AX20MIMO	total	5745	26Tone	RU0	11.72	≤30.00	PASS
11AX20MIMO	Ant10	5745	52Tone	RU37	5.19	≤30.00	PASS
11AX20MIMO	Ant7	5745	52Tone	RU37	5.64	≤30.00	PASS
11AX20MIMO	total	5745	52Tone	RU37	8.43	≤30.00	PASS
11AX20MIMO	Ant10	5745	106Tone	RU53	2.72	≤30.00	PASS




**BUREAU VERITAS** Test Report No.: PSU-QBJ2507100210RF03

11AX20MIMO	Ant7	5745	106Tone	RU53	3.05	≤30.00	PASS
11AX20MIMO	total	5745	106Tone	RU53	5.90	≤30.00	PASS
11AX20MIMO	Ant10	5785	26Tone	RU4	7.34	≤30.00	PASS
11AX20MIMO	Ant7	5785	26Tone	RU4	8.28	≤30.00	PASS
11AX20MIMO	total	5785	26Tone	RU4	10.85	≤30.00	PASS
11AX20MIMO	Ant10	5785	52Tone	RU38	4.66	≤30.00	PASS
11AX20MIMO	Ant7	5785	52Tone	RU38	5.49	≤30.00	PASS
11AX20MIMO	total	5785	52Tone	RU38	8.11	≤30.00	PASS
11AX20MIMO	Ant10	5785	106Tone	RU53	2.39	≤30.00	PASS
11AX20MIMO	Ant7	5785	106Tone	RU53	2.71	≤30.00	PASS
11AX20MIMO	total	5785	106Tone	RU53	5.56	≤30.00	PASS
11AX20MIMO	Ant10	5825	26Tone	RU8	8.11	≤30.00	PASS
11AX20MIMO	Ant7	5825	26Tone	RU8	9.11	≤30.00	PASS
11AX20MIMO	total	5825	26Tone	RU8	11.65	≤30.00	PASS
11AX20MIMO	Ant10	5825	52Tone	RU40	5.29	≤30.00	PASS
11AX20MIMO	Ant7	5825	52Tone	RU40	6.52	≤30.00	PASS
11AX20MIMO	total	5825	52Tone	RU40	8.96	≤30.00	PASS
11AX20MIMO	Ant10	5825	106Tone	RU54	2.82	≤30.00	PASS
11AX20MIMO	Ant7	5825	106Tone	RU54	3.40	≤30.00	PASS
11AX20MIMO	total	5825	106Tone	RU54	6.13	≤30.00	PASS

Note: 1. The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2. The Duty Cycle Factor and RBW Factor is compensated in the graph.





11AX20MIMO-Ant10-5200-26Tone-RU4-PASS




11AX20MIMO-Ant7-5200-26Tone-RU4-PASS



11AX20MIMO-Ant10-5200-52Tone-RU38-PASS



11AX20MIMO-Ant7-5200-52Tone-RU38-PASS



11AX20MIMO-Ant10-5200-106Tone-RU53-PASS



11AX20MIMO-Ant7-5200-106Tone-RU53-PASS



11AX20MIMO-Ant10-5240-26Tone-RU8-PASS



11AX20MIMO-Ant7-5240-26Tone-RU8-PASS




Huarui 7layers High Technology (Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District, Suzhou City, Anhui Province, China


Tel: +86 (0557) 368 1008




11AX20MIMO-Ant10-5240-52Tone-RU40-PASS



11AX20MIMO-Ant7-5240-52Tone-RU40-PASS



11AX20MIMO-Ant10-5240-106Tone-RU54-PASS




11AX20MIMO-Ant7-5240-106Tone-RU54-PASS




11AX20MIMO-Ant10-5260-26Tone-RU0-PASS



11AX20MIMO-Ant7-5260-26Tone-RU0-PASS



11AX20MIMO-Ant10-5260-52Tone-RU37-PASS



11AX20MIMO-Ant7-5260-52Tone-RU37-PASS



11AX20MIMO-Ant10-5260-106Tone-RU53-PASS



11AX20MIMO-Ant7-5260-106Tone-RU53-PASS



11AX20MIMO-Ant10-5300-26Tone-RU4-PASS



11AX20MIMO-Ant7-5300-26Tone-RU4-PASS



11AX20MIMO-Ant10-5300-52Tone-RU38-PASS



11AX20MIMO-Ant7-5300-52Tone-RU38-PASS



11AX20MIMO-Ant10-5300-106Tone-RU53-PASS




11AX20MIMO-Ant7-5300-106Tone-RU53-PASS



11AX20MIMO-Ant10-5320-26Tone-RU8-PASS




11AX20MIMO-Ant7-5320-26Tone-RU8-PASS



11AX20MIMO-Ant10-5320-52Tone-RU40-PASS



11AX20MIMO-Ant7-5320-52Tone-RU40-PASS



11AX20MIMO-Ant10-5320-106Tone-RU54-PASS



11AX20MIMO-Ant7-5320-106Tone-RU54-PASS



11AX20MIMO-Ant10-5500-26Tone-RU0-PASS



11AX20MIMO-Ant7-5500-26Tone-RU0-PASS



11AX20MIMO-Ant10-5500-52Tone-RU37-PASS




11AX20MIMO-Ant7-5500-52Tone-RU37-PASS



11AX20MIMO-Ant10-5500-106Tone-RU53-PASS




11AX20MIMO-Ant7-5500-106Tone-RU53-PASS



11AX20MIMO-Ant10-5580-26Tone-RU4-PASS



11AX20MIMO-Ant7-5580-26Tone-RU4-PASS



11AX20MIMO-Ant10-5580-52Tone-RU38-PASS



11AX20MIMO-Ant7-5580-52Tone-RU38-PASS



11AX20MIMO-Ant10-5580-106Tone-RU53-PASS




11AX20MIMO-Ant7-5580-106Tone-RU53-PASS



11AX20MIMO-Ant10-5700-26Tone-RU8-PASS




11AX20MIMO-Ant7-5700-26Tone-RU8-PASS




11AX20MIMO-Ant10-5700-52Tone-RU40-PASS



11AX20MIMO-Ant7-5700-52Tone-RU40-PASS



11AX20MIMO-Ant10-5700-106Tone-RU54-PASS




11AX20MIMO-Ant7-5700-106Tone-RU54-PASS



11AX20MIMO-Ant10-5720\_UNII-2C-26Tone-RU8-PASS




11AX20MIMO-Ant7-5720\_UNII-2C-26Tone-RU8-PASS



11AX20MIMO-Ant10-5720\_UNII-2C-52Tone-RU40-

PASS



11AX20MIMO-Ant7-5720\_UNII-2C-52Tone-RU40-

PASS



11AX20MIMO-Ant10-5720\_UNII-2C-106Tone-RU54-

PASS



11AX20MIMO-Ant7-5720\_UNII-2C-106Tone-RU54-

PASS





11AX20MIMO-Ant10-5720\_UNII-3-26Tone-RU8-

PASS




11AX20MIMO-Ant7-5720\_UNII-3-26Tone-RU8-PASS



11AX20MIMO-Ant10-5720\_UNII-3-52Tone-RU40-

PASS



11AX20MIMO-Ant7-5720\_UNII-3-52Tone-RU40-

PASS



11AX20MIMO-Ant10-5720\_UNII-3-106Tone-RU54-

PASS

11AX20MIMO-Ant7-5720\_UNII-3-106Tone-RU54-

PASS




11AX20MIMO-Ant10-5745-26Tone-RU0-PASS




11AX20MIMO-Ant7-5745-26Tone-RU0-PASS



11AX20MIMO-Ant10-5745-52Tone-RU37-PASS



11AX20MIMO-Ant7-5745-52Tone-RU37-PASS



11AX20MIMO-Ant10-5745-106Tone-RU53-PASS



11AX20MIMO-Ant7-5745-106Tone-RU53-PASS



11AX20MIMO-Ant10-5785-26Tone-RU4-PASS



11AX20MIMO-Ant7-5785-26Tone-RU4-PASS



11AX20MIMO-Ant10-5785-52Tone-RU38-PASS



11AX20MIMO-Ant7-5785-52Tone-RU38-PASS



11AX20MIMO-Ant10-5785-106Tone-RU53-PASS



11AX20MIMO-Ant7-5785-106Tone-RU53-PASS