

1. Duty Cycle



1.1 Test Result



1.1.1 30_Single_Ant1



Band n48 Single NTN Ant1							
BW (MHz)	DL Frequency (MHz)	Test Mode	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
CC1:10	CC1:3555	NR-FR1-TM1.1	3.723	5.003	74.42	1.28	0.08
		NR-FR1-TM3.1	3.723	5.003	74.42	1.28	0.08
		NR-FR1-TM3.1a	3.717	4.997	74.38	1.29	0.11
	CC1:3624.99	NR-FR1-TM1.1	3.717	5.002	74.31	1.29	0.08
		NR-FR1-TM3.1	3.712	4.997	74.28	1.29	0.11
		NR-FR1-TM3.1a	3.712	4.997	74.28	1.29	0.08
	CC1:3694.98	NR-FR1-TM1.1	3.712	4.997	74.28	1.29	0.11
		NR-FR1-TM3.1	3.718	5.003	74.32	1.29	0.11
		NR-FR1-TM3.1a	3.718	5.003	74.32	1.29	0.11
CC1:20	CC1:3560.01	NR-FR1-TM1.1	3.717	4.997	74.38	1.29	0.03
		NR-FR1-TM3.1	3.717	4.997	74.38	1.29	0.03
		NR-FR1-TM3.1a	3.718	4.998	74.39	1.28	0.03
	CC1:3624.99	NR-FR1-TM1.1	3.718	5.003	74.32	1.29	0.08
		NR-FR1-TM3.1	3.717	5.002	74.31	1.29	0.11
		NR-FR1-TM3.1a	3.718	5.003	74.32	1.29	0.11
	CC1:3690	NR-FR1-TM1.1	3.712	4.997	74.28	1.29	0.13
		NR-FR1-TM3.1	3.717	5.002	74.31	1.29	0.11
		NR-FR1-TM3.1a	3.717	5.003	74.30	1.29	0.11
CC1:30	CC1:3565.02	NR-FR1-TM1.1	3.717	4.997	74.38	1.29	0.03
		NR-FR1-TM3.1	3.718	4.998	74.39	1.28	0.03
		NR-FR1-TM3.1a	3.717	4.997	74.38	1.29	0.03
	CC1:3624.99	NR-FR1-TM1.1	3.717	5.003	74.30	1.29	0.11
		NR-FR1-TM3.1	3.717	4.997	74.38	1.29	0.03
		NR-FR1-TM3.1a	3.216	4.501	71.45	1.46	15.67
	CC1:3684.99	NR-FR1-TM1.1	3.717	5.003	74.30	1.29	0.08
		NR-FR1-TM3.1	3.718	4.998	74.39	1.28	0.03
		NR-FR1-TM3.1a	3.718	4.998	74.39	1.28	0.03
CC1:40	CC1:3570	NR-FR1-TM1.1	3.717	4.997	74.38	1.29	0.03
		NR-FR1-TM3.1	3.717	4.997	74.38	1.29	0.03
		NR-FR1-TM3.1a	3.717	5.002	74.31	1.29	0.11
	CC1:3624.99	NR-FR1-TM1.1	3.717	5.003	74.30	1.29	0.08
		NR-FR1-TM3.1	3.717	5.003	74.30	1.29	0.11
		NR-FR1-TM3.1a	3.770	4.997	75.45	1.22	0.13
	CC1:3679.98	NR-FR1-TM1.1	3.717	5.002	74.31	1.29	0.08
		NR-FR1-TM3.1	3.717	5.003	74.30	1.29	0.08
		NR-FR1-TM3.1a	3.717	5.003	74.30	1.29	0.08



1.2 Test Graph



1.2.1 30_Single_Ant1































































2. Effective (Isotropic) Radiated Power Output Data

2.1 Test Result

2.1.1 30_Single_Power

Band n48 Single NTN								
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Conducted Power (dBm)	EIRP (dBm)			Verdict
				CC1	Total	Limit		
CC1:10	CC1:3555	NR-FR1-TM1.1	1	21.66	25.16	25.16	/	Pass
			2	21.12	24.62	24.62	/	Pass
			Sum	24.41	27.91	27.91	/	Pass
		NR-FR1-TM3.1	1	21.65	25.15	25.15	/	Pass
			2	21.21	24.71	24.71	/	Pass
			Sum	24.45	27.95	27.95	/	Pass
		NR-FR1-TM3.1a	1	21.41	24.91	24.91	/	Pass
			2	21.17	24.67	24.67	/	Pass
			Sum	24.30	27.80	27.80	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	22.5	26	26	/	Pass
			2	22.86	26.36	26.36	/	Pass
			Sum	25.69	29.19	29.19	/	Pass
		NR-FR1-TM3.1	1	22.68	25.18	25.18	/	Pass
			2	22.84	25.34	25.34	/	Pass
			Sum	25.77	29.27	29.27	/	Pass
		NR-FR1-TM3.1a	1	22.5	25.18	25.18	/	Pass
			2	22.67	25.34	25.34	/	Pass
			Sum	25.60	29.10	29.10	/	Pass
	CC1:3694.98	NR-FR1-TM1.1	1	21.19	24.69	24.69	/	Pass
			2	21.70	25.20	25.20	/	Pass
			Sum	24.46	27.96	27.96	/	Pass
		NR-FR1-TM3.1	1	21.08	24.58	24.58	/	Pass
			2	21.65	25.15	25.15	/	Pass
			Sum	24.38	27.88	27.88	/	Pass
		NR-FR1-TM3.1a	1	21.04	24.54	24.54	/	Pass
			2	21.55	25.05	25.05	/	Pass
			Sum	24.31	27.81	27.81	/	Pass
CC1:20	CC1:3560.01	NR-FR1-TM1.1	1	24.19	27.69	27.69	/	Pass
			2	24.64	28.14	28.14	/	Pass
			Sum	27.43	30.93	30.93	/	Pass
		NR-FR1-TM3.1	1	24.09	27.59	27.59	/	Pass
			2	24.72	28.22	28.22	/	Pass
			Sum	27.43	30.93	30.93	/	Pass
		NR-FR1-TM3.1a	1	24.18	27.68	27.68	/	Pass
			2	24.30	27.80	27.80	/	Pass
			Sum	27.25	30.75	30.75	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	24.82	28.32	28.32	/	Pass
			2	24.86	28.36	28.36	/	Pass
			Sum	27.85	31.35	31.35	/	Pass
		NR-FR1-TM3.1	1	24.85	28.35	28.35	/	Pass
			2	24.46	27.96	27.96	/	Pass
			Sum	27.67	31.17	31.17	/	Pass
		NR-FR1-TM3.1a	1	24.59	28.09	28.09	/	Pass
			2	24.75	28.25	28.25	/	Pass
			Sum	27.68	31.18	31.18	/	Pass
CC1:3690	NR-FR1-TM1.1	1	24.86	28.36	28.36	/	Pass	

			2	24.85	28.35	28.35	/	Pass
			Sum	27.87	31.37	31.37	/	Pass
		NR-FR1-TM3.1	1	24.96	28.46	28.46	/	Pass
			2	24.93	28.43	28.43	/	Pass
			Sum	27.96	31.46	31.46	/	Pass
		NR-FR1-TM3.1a	1	24.86	28.36	28.36	/	Pass
			2	24.82	28.32	28.32	/	Pass
			Sum	27.85	31.35	31.35	/	Pass
CC1:30	CC1:3565.02	NR-FR1-TM1.1	1	22.41	25.91	25.91	/	Pass
			2	22.74	26.24	26.24	/	Pass
			Sum	25.59	29.09	29.09	/	Pass
		NR-FR1-TM3.1	1	22.32	25.82	25.82	/	Pass
			2	22.47	25.97	25.97	/	Pass
			Sum	25.41	28.91	28.91	/	Pass
		NR-FR1-TM3.1a	1	22.39	25.89	25.89	/	Pass
			2	22.67	26.17	26.17	/	Pass
			Sum	25.54	29.04	29.04	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	24.70	28.20	28.20	/	Pass
			2	25.55	29.05	29.05	/	Pass
			Sum	28.16	31.66	31.66	/	Pass
		NR-FR1-TM3.1	1	24.88	28.38	28.38	/	Pass
			2	25.92	29.42	29.42	/	Pass
			Sum	28.44	31.94	31.94	/	Pass
		NR-FR1-TM3.1a	1	24.85	28.35	28.35	/	Pass
			2	26.02	29.52	29.52	/	Pass
			Sum	28.48	31.98	31.98	/	Pass
	CC1:3684.99	NR-FR1-TM1.1	1	23.99	27.49	27.49	/	Pass
			2	24.40	27.90	27.90	/	Pass
			Sum	27.21	30.71	30.71	/	Pass
		NR-FR1-TM3.1	1	23.97	27.47	27.47	/	Pass
			2	24.05	27.55	27.55	/	Pass
			Sum	27.02	30.52	30.52	/	Pass
		NR-FR1-TM3.1a	1	24.04	27.54	27.54	/	Pass
			2	24.03	27.53	27.53	/	Pass
			Sum	27.05	30.55	30.55	/	Pass
CC1:40	CC1:3570	NR-FR1-TM1.1	1	26.20	29.70	29.70	/	Pass
			2	26.44	29.94	29.94	/	Pass
			Sum	29.33	32.83	32.83	/	Pass
		NR-FR1-TM3.1	1	26.18	29.68	29.68	/	Pass
			2	26.37	29.87	29.87	/	Pass
			Sum	29.29	32.79	32.79	/	Pass
		NR-FR1-TM3.1a	1	26.25	29.75	29.75	/	Pass
			2	26.27	29.77	29.77	/	Pass
			Sum	29.27	32.77	32.77	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	27.23	30.73	30.73	/	Pass
			2	26.24	29.74	29.74	/	Pass
			Sum	29.77	33.27	33.27	/	Pass
		NR-FR1-TM3.1	1	27.20	30.70	30.70	/	Pass
			2	26.74	30.24	30.24	/	Pass
			Sum	29.99	33.49	33.49	/	Pass
		NR-FR1-TM3.1a	1	27.20	30.70	30.70	/	Pass
			2	26.59	30.09	30.09	/	Pass
			Sum	29.92	33.42	33.42	/	Pass
	CC1:3679.98	NR-FR1-TM1.1	1	26.09	29.59	29.59	/	Pass
			2	25.65	29.15	29.15	/	Pass
			Sum	28.89	32.39	32.39	/	Pass
		NR-FR1-TM3.1	1	26.05	29.55	29.55	/	Pass
			2	25.46	28.96	28.96	/	Pass
			Sum	28.78	32.28	32.28	/	Pass

		NR-FR1-TM3.1a	1	26.05	29.55	29.55	/	Pass
			2	25.46	28.96	28.96	/	Pass
			Sum	28.78	32.28	32.28	/	Pass

2.1.2 30_Single_Power2

Band n48 Single NTN								
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Conducted Power (dBm/MHz)	EIRP (dBm/MHz)			Verdict
				CC1		Total	Limit	
CC1:10	CC1:3555	NR-FR1-TM1.1	1	13.20	16.70	/	/	Pass
			2	12.75	16.25	/	/	Pass
			Sum	15.99	19.49	/	<=20	Pass
		NR-FR1-TM3.1	1	13.45	16.95	/	/	Pass
			2	13.05	16.55	/	/	Pass
			Sum	16.26	19.76	/	<=20	Pass
		NR-FR1-TM3.1a	1	13.13	16.63	/	/	Pass
			2	13.49	16.99	/	/	Pass
			Sum	16.32	19.82	/	<=20	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	13.00	16.50	/	/	Pass
			2	13.33	16.83	/	/	Pass
			Sum	16.18	19.68	/	<=20	Pass
		NR-FR1-TM3.1	1	13.25	16.75	/	/	Pass
			2	13.29	16.79	/	/	Pass
			Sum	16.28	19.78	/	<=20	Pass
		NR-FR1-TM3.1a	1	13.11	16.61	/	/	Pass
			2	13.23	16.73	/	/	Pass
			Sum	16.18	19.68	/	<=20	Pass
	CC1:3694.98	NR-FR1-TM1.1	1	12.69	16.19	/	/	Pass
			2	13.12	16.62	/	/	Pass
			Sum	15.92	19.42	/	<=20	Pass
		NR-FR1-TM3.1	1	12.69	16.19	/	/	Pass
			2	13.17	16.67	/	/	Pass
			Sum	15.95	19.45	/	<=20	Pass
		NR-FR1-TM3.1a	1	12.56	16.06	/	/	Pass
			2	12.95	16.45	/	/	Pass
			Sum	15.77	19.27	/	<=20	Pass
CC1:20	CC1:3560.01	NR-FR1-TM1.1	1	12.76	16.26	/	/	Pass
			2	13.24	16.74	/	/	Pass
			Sum	16.02	19.52	/	<=20	Pass
		NR-FR1-TM3.1	1	12.57	16.07	/	/	Pass
			2	13.12	16.62	/	/	Pass
			Sum	15.86	19.36	/	<=20	Pass
		NR-FR1-TM3.1a	1	12.76	16.26	/	/	Pass
			2	13.12	16.62	/	/	Pass
			Sum	15.95	19.45	/	<=20	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	12.99	16.49	/	/	Pass
			2	13.02	16.52	/	/	Pass
			Sum	16.02	19.52	/	<=20	Pass
		NR-FR1-TM3.1	1	13.02	16.52	/	/	Pass
			2	12.79	16.29	/	/	Pass
			Sum	15.92	19.42	/	<=20	Pass
		NR-FR1-TM3.1a	1	12.77	16.27	/	/	Pass
			2	12.85	16.35	/	/	Pass
			Sum	15.82	19.32	/	<=20	Pass
CC1:3690	NR-FR1-TM1.1	1	12.99	16.49	/	/	Pass	
		2	13.04	16.54	/	/	Pass	
		Sum	16.03	19.53	/	<=20	Pass	

CC1:30	CC1:3565.02	NR-FR1-TM3.1	1	13.11	16.61	/	/	Pass
			2	13.08	16.58	/	/	Pass
			Sum	16.11	19.61	/	<=20	Pass
		NR-FR1-TM3.1a	1	12.97	16.47	/	/	Pass
			2	12.91	16.41	/	/	Pass
			Sum	15.95	19.45	/	<=20	Pass
		NR-FR1-TM1.1	1	8.68	12.18	/	/	Pass
			2	9.21	12.71	/	/	Pass
			Sum	11.96	15.46	/	<=20	Pass
CC1:40	CC1:3570	NR-FR1-TM3.1	1	8.74	12.24	/	/	Pass
			2	8.93	12.43	/	/	Pass
			Sum	11.85	15.35	/	<=20	Pass
		NR-FR1-TM3.1a	1	8.82	12.32	/	/	Pass
			2	9.03	12.53	/	/	Pass
			Sum	11.94	15.44	/	<=20	Pass
		NR-FR1-TM1.1	1	11.00	14.50	/	/	Pass
			2	11.86	15.36	/	/	Pass
			Sum	14.46	17.96	/	<=20	Pass
	CC1:3624.99	NR-FR1-TM3.1	1	11.28	14.78	/	/	Pass
			2	12.00	15.50	/	/	Pass
			Sum	14.67	18.17	/	<=20	Pass
		NR-FR1-TM3.1a	1	11.27	14.77	/	/	Pass
			2	12.21	15.71	/	/	Pass
			Sum	14.78	18.28	/	<=20	Pass
		NR-FR1-TM1.1	1	10.28	13.78	/	/	Pass
			2	10.61	14.11	/	/	Pass
			Sum	13.46	16.96	/	<=20	Pass
	CC1:3684.99	NR-FR1-TM3.1	1	10.27	13.77	/	/	Pass
			2	10.44	13.94	/	/	Pass
			Sum	13.37	16.87	/	<=20	Pass
		NR-FR1-TM3.1a	1	10.50	14.00	/	/	Pass
			2	10.39	13.89	/	/	Pass
			Sum	13.46	16.96	/	<=20	Pass
CC1:30	CC1:3570	NR-FR1-TM1.1	1	11.04	14.54	/	/	Pass
			2	11.49	14.99	/	/	Pass
			Sum	14.28	17.78	/	<=20	Pass
		NR-FR1-TM3.1	1	11.22	14.72	/	/	Pass
			2	11.34	14.84	/	/	Pass
			Sum	14.29	17.79	/	<=20	Pass
		NR-FR1-TM3.1a	1	11.28	14.78	/	/	Pass
			2	11.28	14.78	/	/	Pass
			Sum	14.29	17.79	/	<=20	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	12.14	15.64	/	/	Pass
			2	11.24	14.74	/	/	Pass
			Sum	14.72	18.22	/	<=20	Pass
		NR-FR1-TM3.1	1	12.38	15.88	/	/	Pass
			2	11.81	15.31	/	/	Pass
			Sum	15.11	18.61	/	<=20	Pass
		NR-FR1-TM3.1a	1	12.09	15.59	/	/	Pass
			2	11.58	15.08	/	/	Pass
			Sum	14.85	18.35	/	<=20	Pass
	CC1:3679.98	NR-FR1-TM1.1	1	10.98	14.48	/	/	Pass
			2	10.70	14.20	/	/	Pass
			Sum	13.85	17.35	/	<=20	Pass
		NR-FR1-TM3.1	1	11.05	14.55	/	/	Pass
			2	10.49	13.99	/	/	Pass
			Sum	13.79	17.29	/	<=20	Pass
		NR-FR1-TM3.1a	1	11.14	14.64	/	/	Pass
			2	10.41	13.91	/	/	Pass

			Sum	13.80	17.30	/	<=20	Pass
--	--	--	-----	-------	-------	---	------	------

2.1.3 30_Single_Power3

Band n48 Single NTNV									
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Conducted Power (dBm/10MHz)	EIRP (dBm/10MHz)			Verdict	
				CC1		Total	Limit		
CC1:10	CC1:3555	NR-FR1-TM1.1	1	21.63	25.13	/	/	Pass	
			2	21.13	24.63	/	/	Pass	
			Sum	24.40	27.90	/	<=30	Pass	
		NR-FR1-TM3.1	1	21.57	25.07	/	/	Pass	
			2	21.36	24.86	/	/	Pass	
			Sum	24.48	27.98	/	<=30	Pass	
		NR-FR1-TM3.1a	1	21.44	24.94	/	/	Pass	
			2	21.26	24.76	/	/	Pass	
			Sum	24.36	27.86	/	<=30	Pass	
	CC1:3624.99	NR-FR1-TM1.1	1	22.6	26.1	/	/	Pass	
			2	22.94	26.44	/	/	Pass	
			Sum	25.78	29.28	/	<=30	Pass	
		NR-FR1-TM3.1	1	22.68	25.18	/	/	Pass	
			2	22.87	25.34	/	/	Pass	
			Sum	25.79	29.29	/	<=30	Pass	
		NR-FR1-TM3.1a	1	22.49	25.18	/	/	Pass	
			2	22.75	25.34	/	/	Pass	
			Sum	25.63	29.13	/	<=30	Pass	
	CC1:3694.98	NR-FR1-TM1.1	1	22.25	24.69	/	/	Pass	
			2	22.76	25.2	/	/	Pass	
			Sum	25.52	29.02	/	<=30	Pass	
		NR-FR1-TM3.1	1	21.15	24.65	/	/	Pass	
			2	21.69	25.19	/	/	Pass	
			Sum	24.44	27.94	/	<=30	Pass	
		NR-FR1-TM3.1a	1	21.14	24.64	/	/	Pass	
			2	21.61	25.11	/	/	Pass	
			Sum	24.39	27.89	/	<=30	Pass	
	CC1:20	CC1:3560.01	NR-FR1-TM1.1	1	21.62	25.12	/	/	Pass
				2	22.03	25.53	/	/	Pass
				Sum	24.84	28.34	/	<=30	Pass
			NR-FR1-TM3.1	1	21.61	25.11	/	/	Pass
				2	22.06	25.56	/	/	Pass
				Sum	24.85	28.35	/	<=30	Pass
			NR-FR1-TM3.1a	1	21.53	25.03	/	/	Pass
				2	21.75	25.25	/	/	Pass
				Sum	24.65	28.15	/	<=30	Pass
CC1:3624.99		NR-FR1-TM1.1	1	22.22	25.72	/	/	Pass	
			2	22.26	25.76	/	/	Pass	
			Sum	25.25	28.75	/	<=30	Pass	
		NR-FR1-TM3.1	1	22.29	25.79	/	/	Pass	
			2	21.92	25.42	/	/	Pass	
			Sum	25.12	28.62	/	<=30	Pass	
		NR-FR1-TM3.1a	1	22.09	25.59	/	/	Pass	
			2	22.17	25.67	/	/	Pass	
			Sum	25.14	28.64	/	<=30	Pass	
CC1:3690		NR-FR1-TM1.1	1	22.27	25.77	/	/	Pass	
			2	22.29	25.79	/	/	Pass	
			Sum	25.29	28.79	/	<=30	Pass	
		NR-FR1-TM3.1	1	22.48	25.98	/	/	Pass	
			2	22.33	25.83	/	/	Pass	

		NR-FR1-TM3.1a	Sum	25.42	28.92	/	<=30	Pass
			1	22.35	25.85	/	/	Pass
			2	22.25	25.75	/	/	Pass
			Sum	25.31	28.81	/	<=30	Pass
CC1:30	CC1:3565.02	NR-FR1-TM1.1	1	17.92	21.42	/	/	Pass
			2	18.23	21.73	/	/	Pass
			Sum	21.09	24.59	/	<=30	Pass
		NR-FR1-TM3.1	1	17.81	21.31	/	/	Pass
			2	17.86	21.36	/	/	Pass
			Sum	20.85	24.35	/	<=30	Pass
		NR-FR1-TM3.1a	1	17.86	21.36	/	/	Pass
			2	18.16	21.66	/	/	Pass
			Sum	21.02	24.52	/	<=30	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	20.21	23.71	/	/	Pass
			2	21.03	24.53	/	/	Pass
			Sum	23.65	27.15	/	<=30	Pass
		NR-FR1-TM3.1	1	20.33	23.83	/	/	Pass
			2	20.97	24.47	/	/	Pass
			Sum	23.67	27.17	/	<=30	Pass
		NR-FR1-TM3.1a	1	20.79	24.29	/	/	Pass
			2	21.49	24.99	/	/	Pass
			Sum	24.16	27.66	/	<=30	Pass
	CC1:3684.99	NR-FR1-TM1.1	1	19.49	22.99	/	/	Pass
			2	19.93	23.43	/	/	Pass
			Sum	22.73	26.23	/	<=30	Pass
		NR-FR1-TM3.1	1	19.45	22.95	/	/	Pass
			2	19.87	23.37	/	/	Pass
			Sum	22.68	26.18	/	<=30	Pass
		NR-FR1-TM3.1a	1	19.55	23.05	/	/	Pass
			2	19.85	23.35	/	/	Pass
			Sum	22.71	26.21	/	<=30	Pass
CC1:40	CC1:3570	NR-FR1-TM1.1	1	20.43	23.93	/	/	Pass
			2	20.62	24.12	/	/	Pass
			Sum	23.54	27.04	/	<=30	Pass
		NR-FR1-TM3.1	1	20.32	23.82	/	/	Pass
			2	20.56	24.06	/	/	Pass
			Sum	23.45	26.95	/	<=30	Pass
		NR-FR1-TM3.1a	1	20.45	23.95	/	/	Pass
			2	20.45	23.95	/	/	Pass
			Sum	23.46	26.96	/	<=30	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	21.44	24.94	/	/	Pass
			2	20.41	23.91	/	/	Pass
			Sum	23.97	27.47	/	<=30	Pass
		NR-FR1-TM3.1	1	21.39	24.89	/	/	Pass
			2	20.85	24.35	/	/	Pass
			Sum	24.14	27.64	/	<=30	Pass
		NR-FR1-TM3.1a	1	21.35	24.85	/	/	Pass
			2	20.66	24.16	/	/	Pass
			Sum	24.03	27.53	/	<=30	Pass
	CC1:3679.98	NR-FR1-TM1.1	1	20.25	23.75	/	/	Pass
			2	19.93	23.43	/	/	Pass
			Sum	23.10	26.60	/	<=30	Pass
		NR-FR1-TM3.1	1	20.21	23.71	/	/	Pass
			2	19.65	23.15	/	/	Pass
			Sum	22.95	26.45	/	<=30	Pass
		NR-FR1-TM3.1a	1	20.26	23.76	/	/	Pass
			2	19.65	23.15	/	/	Pass
			Sum	22.98	26.48	/	<=30	Pass

3. Frequency Stability

3.1 Test Result

3.1.1 30_Single_Ant1

Band n48 Single Ant1								
BW (MHz)	DL Frequency (MHz)	Test Mode	Temp. (°C)	Voltage (VDC)	Frequency Deviation (Hz)	Freq. vs. Rated (ppm)		Verdict
						Result	Limit	
CC1:10	CC1:3555	NR-FR1-TM1.1	20	40.8	-66	-0.0186	/	Pass
				48	-84	-0.0236	/	Pass
				55.2	-26	-0.0073	/	Pass
			-30	48	35	0.0098	/	Pass
			-20	48	7	0.002	/	Pass
			-10	48	67	0.0188	/	Pass
			0	48	71	0.02	/	Pass
			10	48	-56	-0.0158	/	Pass
			30	48	-16	-0.0045	/	Pass
			40	48	-41	-0.0115	/	Pass
			50	48	-37	-0.0104	/	Pass
		NR-FR1-TM3.1	20	40.8	94	0.0264	/	Pass
				48	-7	-0.002	/	Pass
				55.2	34	0.0096	/	Pass
			-30	48	52	0.0146	/	Pass
			-20	48	-39	-0.011	/	Pass
			-10	48	-72	-0.0203	/	Pass
			0	48	-4	-0.0011	/	Pass
			10	48	58	0.0163	/	Pass
			30	48	61	0.0172	/	Pass
			40	48	71	0.02	/	Pass
			50	48	83	0.0233	/	Pass
		NR-FR1-TM3.1a	20	40.8	93	0.0262	/	Pass
				48	12	0.0034	/	Pass
				55.2	83	0.0233	/	Pass
			-30	48	53	0.0149	/	Pass
			-20	48	22	0.0062	/	Pass
			-10	48	55	0.0155	/	Pass
			0	48	-15	-0.0042	/	Pass
			10	48	6	0.0017	/	Pass
			30	48	-86	-0.0242	/	Pass
			40	48	47	0.0132	/	Pass
			50	48	-85	-0.0239	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	20	40.8	25	0.0069	/	Pass
				48	87	0.024	/	Pass
				55.2	-2	-0.0006	/	Pass
			-30	48	-48	-0.0132	/	Pass
			-20	48	81	0.0223	/	Pass
			-10	48	85	0.0234	/	Pass
			0	48	53	0.0146	/	Pass
			10	48	-93	-0.0257	/	Pass
			30	48	-34	-0.0094	/	Pass
			40	48	0	0	/	Pass
			50	48	3	0.0008	/	Pass
		NR-FR1-TM3.1	20	40.8	-81	-0.0223	/	Pass
				48	88	0.0243	/	Pass

				55.2	87	0.024	/	Pass
			-30	48	44	0.0121	/	Pass
			-20	48	34	0.0094	/	Pass
			-10	48	-39	-0.0108	/	Pass
			0	48	57	0.0157	/	Pass
			10	48	-17	-0.0047	/	Pass
			30	48	87	0.024	/	Pass
			40	48	-27	-0.0074	/	Pass
			50	48	17	0.0047	/	Pass
		NR-FR1-TM3.1a	20	40.8	67	0.0185	/	Pass
				48	-14	-0.0039	/	Pass
				55.2	90	0.0248	/	Pass
			-30	48	-8	-0.0022	/	Pass
			-20	48	-95	-0.0262	/	Pass
			-10	48	82	0.0226	/	Pass
			0	48	33	0.0091	/	Pass
			10	48	-91	-0.0251	/	Pass
			30	48	78	0.0215	/	Pass
			40	48	-59	-0.0163	/	Pass
			50	48	-58	-0.016	/	Pass
	CC1:3694.98	NR-FR1-TM1.1	20	40.8	-91	-0.0246	/	Pass
				48	78	0.0211	/	Pass
				55.2	43	0.0116	/	Pass
			-30	48	-20	-0.0054	/	Pass
			-20	48	-81	-0.0219	/	Pass
			-10	48	76	0.0206	/	Pass
			0	48	61	0.0165	/	Pass
			10	48	-63	-0.0171	/	Pass
			30	48	-35	-0.0095	/	Pass
			40	48	-20	-0.0054	/	Pass
			50	48	-85	-0.023	/	Pass
		NR-FR1-TM3.1	20	40.8	78	0.0211	/	Pass
				48	72	0.0195	/	Pass
				55.2	-23	-0.0062	/	Pass
			-30	48	58	0.0157	/	Pass
			-20	48	-46	-0.0124	/	Pass
			-10	48	50	0.0135	/	Pass
			0	48	-81	-0.0219	/	Pass
			10	48	-30	-0.0081	/	Pass
			30	48	92	0.0249	/	Pass
			40	48	3	0.0008	/	Pass
			50	48	-79	-0.0214	/	Pass
		NR-FR1-TM3.1a	20	40.8	92	0.0249	/	Pass
				48	-6	-0.0016	/	Pass
				55.2	-26	-0.007	/	Pass
			-30	48	77	0.0208	/	Pass
			-20	48	41	0.0111	/	Pass
			-10	48	-37	-0.01	/	Pass
			0	48	47	0.0127	/	Pass
			10	48	-94	-0.0254	/	Pass
			30	48	14	0.0038	/	Pass
			40	48	-25	-0.0068	/	Pass
			50	48	-3	-0.0008	/	Pass
CC1:20	CC1:3560.01	NR-FR1-TM1.1	20	40.8	93	0.0261	/	Pass
				48	18	0.0051	/	Pass
				55.2	-73	-0.0205	/	Pass
			-30	48	-55	-0.0154	/	Pass
			-20	48	45	0.0126	/	Pass
			-10	48	93	0.0261	/	Pass

			0	48	92	0.0258	/	Pass
			10	48	49	0.0138	/	Pass
			30	48	-87	-0.0244	/	Pass
			40	48	-71	-0.0199	/	Pass
			50	48	-2	-0.0006	/	Pass
		NR-FR1-TM3.1	20	40.8	0	0	/	Pass
				48	67	0.0188	/	Pass
				55.2	-21	-0.0059	/	Pass
			-30	48	27	0.0076	/	Pass
			-20	48	-37	-0.0104	/	Pass
			-10	48	-13	-0.0037	/	Pass
			0	48	-40	-0.0112	/	Pass
			10	48	-93	-0.0261	/	Pass
			30	48	24	0.0067	/	Pass
			40	48	-7	-0.002	/	Pass
			50	48	84	0.0236	/	Pass
		NR-FR1-TM3.1a	20	40.8	-14	-0.0039	/	Pass
				48	91	0.0256	/	Pass
				55.2	75	0.0211	/	Pass
			-30	48	-51	-0.0143	/	Pass
			-20	48	59	0.0166	/	Pass
			-10	48	4	0.0011	/	Pass
			0	48	-30	-0.0084	/	Pass
			10	48	-26	-0.0073	/	Pass
			30	48	-8	-0.0022	/	Pass
			40	48	1	0.0003	/	Pass
			50	48	27	0.0076	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	20	40.8	-66	-0.0182	/	Pass
				48	-47	-0.013	/	Pass
				55.2	-79	-0.0218	/	Pass
			-30	48	-49	-0.0135	/	Pass
			-20	48	85	0.0234	/	Pass
			-10	48	-65	-0.0179	/	Pass
			0	48	89	0.0246	/	Pass
			10	48	-64	-0.0177	/	Pass
			30	48	-85	-0.0234	/	Pass
			40	48	4	0.0011	/	Pass
			50	48	-12	-0.0033	/	Pass
		NR-FR1-TM3.1	20	40.8	19	0.0052	/	Pass
				48	59	0.0163	/	Pass
				55.2	-46	-0.0127	/	Pass
			-30	48	69	0.019	/	Pass
			-20	48	-83	-0.0229	/	Pass
			-10	48	36	0.0099	/	Pass
			0	48	-18	-0.005	/	Pass
			10	48	-10	-0.0028	/	Pass
			30	48	85	0.0234	/	Pass
			40	48	-8	-0.0022	/	Pass
			50	48	-78	-0.0215	/	Pass
		NR-FR1-TM3.1a	20	40.8	-69	-0.019	/	Pass
				48	44	0.0121	/	Pass
				55.2	0	0	/	Pass
			-30	48	-81	-0.0223	/	Pass
			-20	48	-40	-0.011	/	Pass
			-10	48	22	0.0061	/	Pass
			0	48	56	0.0154	/	Pass
			10	48	68	0.0188	/	Pass
			30	48	58	0.016	/	Pass
			40	48	2	0.0006	/	Pass

			50	48	-74	-0.0204	/	Pass
	CC1:3690	NR-FR1-TM1.1	20	40.8	-66	-0.0179	/	Pass
				48	94	0.0255	/	Pass
				55.2	74	0.0201	/	Pass
				-30	48	-4	-0.0011	/
			-20	48	11	0.003	/	Pass
			-10	48	2	0.0005	/	Pass
			0	48	-83	-0.0225	/	Pass
			10	48	93	0.0252	/	Pass
			30	48	36	0.0098	/	Pass
			40	48	-47	-0.0127	/	Pass
		50	48	40	0.0108	/	Pass	
		NR-FR1-TM3.1	20	40.8	25	0.0068	/	Pass
				48	83	0.0225	/	Pass
				55.2	37	0.01	/	Pass
				-30	48	-30	-0.0081	/
			-20	48	17	0.0046	/	Pass
			-10	48	11	0.003	/	Pass
			0	48	40	0.0108	/	Pass
			10	48	-74	-0.0201	/	Pass
			30	48	76	0.0206	/	Pass
			40	48	24	0.0065	/	Pass
		50	48	-17	-0.0046	/	Pass	
		NR-FR1-TM3.1a	20	40.8	78	0.0211	/	Pass
				48	-35	-0.0095	/	Pass
				55.2	-25	-0.0068	/	Pass
				-30	48	-37	-0.01	/
			-20	48	1	0.0003	/	Pass
			-10	48	-44	-0.0119	/	Pass
			0	48	19	0.0051	/	Pass
10			48	33	0.0089	/	Pass	
30	48		-63	-0.0171	/	Pass		
40	48		-85	-0.023	/	Pass		
50	48	-45	-0.0122	/	Pass			
CC1:30	CC1:3565.02	NR-FR1-TM1.1	20	40.8	60	0.0168	/	Pass
				48	-57	-0.016	/	Pass
				55.2	22	0.0062	/	Pass
				-30	48	-4	-0.0011	/
			-20	48	-83	-0.0233	/	Pass
			-10	48	-16	-0.0045	/	Pass
			0	48	62	0.0174	/	Pass
			10	48	42	0.0118	/	Pass
			30	48	44	0.0123	/	Pass
			40	48	-23	-0.0065	/	Pass
		50	48	38	0.0107	/	Pass	
		NR-FR1-TM3.1	20	40.8	29	0.0081	/	Pass
				48	72	0.0202	/	Pass
				55.2	-39	-0.0109	/	Pass
				-30	48	-64	-0.018	/
			-20	48	-45	-0.0126	/	Pass
			-10	48	30	0.0084	/	Pass
			0	48	82	0.023	/	Pass
			10	48	-47	-0.0132	/	Pass
			30	48	-50	-0.014	/	Pass
			40	48	7	0.002	/	Pass
		50	48	59	0.0165	/	Pass	
		NR-FR1-TM3.1a	20	40.8	81	0.0227	/	Pass
				48	26	0.0073	/	Pass
				55.2	-67	-0.0188	/	Pass

			-30	48	-61	-0.0171	/	Pass
			-20	48	-3	-0.0008	/	Pass
			-10	48	65	0.0182	/	Pass
			0	48	-61	-0.0171	/	Pass
			10	48	48	0.0135	/	Pass
			30	48	53	0.0149	/	Pass
			40	48	-2	-0.0006	/	Pass
			50	48	-66	-0.0185	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	20	40.8	-22	-0.0061	/	Pass
				48	-25	-0.0069	/	Pass
				55.2	-36	-0.0099	/	Pass
			-30	48	74	0.0204	/	Pass
			-20	48	-44	-0.0121	/	Pass
			-10	48	-62	-0.0171	/	Pass
			0	48	-81	-0.0223	/	Pass
			10	48	-64	-0.0177	/	Pass
			30	48	10	0.0028	/	Pass
			40	48	-18	-0.005	/	Pass
			50	48	-22	-0.0061	/	Pass
		NR-FR1-TM3.1	20	40.8	95	0.0262	/	Pass
				48	50	0.0138	/	Pass
				55.2	-20	-0.0055	/	Pass
			-30	48	58	0.016	/	Pass
			-20	48	-82	-0.0226	/	Pass
			-10	48	40	0.011	/	Pass
			0	48	5	0.0014	/	Pass
			10	48	12	0.0033	/	Pass
			30	48	84	0.0232	/	Pass
			40	48	33	0.0091	/	Pass
			50	48	65	0.0179	/	Pass
		NR-FR1-TM3.1a	20	40.8	-22	-0.0061	/	Pass
				48	-23	-0.0063	/	Pass
				55.2	-9	-0.0025	/	Pass
			-30	48	-77	-0.0212	/	Pass
			-20	48	89	0.0246	/	Pass
			-10	48	24	0.0066	/	Pass
			0	48	11	0.003	/	Pass
			10	48	-52	-0.0143	/	Pass
			30	48	-1	-0.0003	/	Pass
			40	48	51	0.0141	/	Pass
			50	48	-73	-0.0201	/	Pass
	CC1:3684.99	NR-FR1-TM1.1	20	40.8	37	0.01	/	Pass
				48	54	0.0147	/	Pass
				55.2	77	0.0209	/	Pass
			-30	48	89	0.0242	/	Pass
			-20	48	-47	-0.0128	/	Pass
			-10	48	-46	-0.0125	/	Pass
			0	48	22	0.006	/	Pass
			10	48	12	0.0033	/	Pass
			30	48	31	0.0084	/	Pass
			40	48	86	0.0233	/	Pass
			50	48	-80	-0.0217	/	Pass
		NR-FR1-TM3.1	20	40.8	-34	-0.0092	/	Pass
				48	50	0.0136	/	Pass
				55.2	-12	-0.0033	/	Pass
			-30	48	2	0.0005	/	Pass
			-20	48	80	0.0217	/	Pass
			-10	48	14	0.0038	/	Pass
			0	48	37	0.01	/	Pass

			10	48	-8	-0.0022	/	Pass
			30	48	58	0.0157	/	Pass
			40	48	14	0.0038	/	Pass
			50	48	-57	-0.0155	/	Pass
		NR-FR1-TM3.1a	20	40.8	-79	-0.0214	/	Pass
				48	-85	-0.0231	/	Pass
				55.2	-70	-0.019	/	Pass
			-30	48	-64	-0.0174	/	Pass
			-20	48	94	0.0255	/	Pass
			-10	48	83	0.0225	/	Pass
			0	48	-90	-0.0244	/	Pass
			10	48	25	0.0068	/	Pass
			30	48	55	0.0149	/	Pass
			40	48	-68	-0.0185	/	Pass
			50	48	92	0.025	/	Pass
CC1:40	CC1:3570	NR-FR1-TM1.1	20	40.8	51	0.0143	/	Pass
				48	73	0.0204	/	Pass
				55.2	-61	-0.0171	/	Pass
			-30	48	60	0.0168	/	Pass
			-20	48	92	0.0258	/	Pass
			-10	48	80	0.0224	/	Pass
			0	48	-80	-0.0224	/	Pass
			10	48	-36	-0.0101	/	Pass
			30	48	66	0.0185	/	Pass
			40	48	25	0.007	/	Pass
			50	48	-81	-0.0227	/	Pass
		NR-FR1-TM3.1	20	40.8	-90	-0.0252	/	Pass
				48	-66	-0.0185	/	Pass
				55.2	-2	-0.0006	/	Pass
			-30	48	18	0.005	/	Pass
			-20	48	33	0.0092	/	Pass
			-10	48	78	0.0218	/	Pass
			0	48	5	0.0014	/	Pass
			10	48	-22	-0.0062	/	Pass
			30	48	-91	-0.0255	/	Pass
			40	48	-22	-0.0062	/	Pass
			50	48	14	0.0039	/	Pass
		NR-FR1-TM3.1a	20	40.8	15	0.0042	/	Pass
				48	75	0.021	/	Pass
				55.2	63	0.0176	/	Pass
			-30	48	-7	-0.002	/	Pass
			-20	48	-39	-0.0109	/	Pass
			-10	48	33	0.0092	/	Pass
			0	48	-46	-0.0129	/	Pass
			10	48	-4	-0.0011	/	Pass
			30	48	-83	-0.0232	/	Pass
			40	48	61	0.0171	/	Pass
			50	48	-81	-0.0227	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	20	40.8	-5	-0.0014	/	Pass
				48	-19	-0.0052	/	Pass
				55.2	-27	-0.0074	/	Pass
			-30	48	12	0.0033	/	Pass
			-20	48	58	0.016	/	Pass
			-10	48	-8	-0.0022	/	Pass
			0	48	44	0.0121	/	Pass
			10	48	-85	-0.0234	/	Pass
			30	48	-63	-0.0174	/	Pass
			40	48	12	0.0033	/	Pass
			50	48	-45	-0.0124	/	Pass

		NR-FR1-TM3.1	20	40.8	35	0.0097	/	Pass
				48	10	0.0028	/	Pass
				55.2	-76	-0.021	/	Pass
			-30	48	-60	-0.0166	/	Pass
			-20	48	-83	-0.0229	/	Pass
			-10	48	-59	-0.0163	/	Pass
			0	48	92	0.0254	/	Pass
			10	48	69	0.019	/	Pass
			30	48	56	0.0154	/	Pass
			40	48	54	0.0149	/	Pass
			50	48	17	0.0047	/	Pass
		NR-FR1-TM3.1a	20	40.8	26	0.0072	/	Pass
				48	-80	-0.0221	/	Pass
				55.2	-5	-0.0014	/	Pass
			-30	48	68	0.0188	/	Pass
			-20	48	88	0.0243	/	Pass
			-10	48	-30	-0.0083	/	Pass
			0	48	-72	-0.0199	/	Pass
			10	48	2	0.0006	/	Pass
			30	48	32	0.0088	/	Pass
			40	48	80	0.0221	/	Pass
			50	48	37	0.0102	/	Pass
	CC1:3679.98	NR-FR1-TM1.1	20	40.8	60	0.0163	/	Pass
				48	52	0.0141	/	Pass
				55.2	72	0.0196	/	Pass
			-30	48	54	0.0147	/	Pass
			-20	48	9	0.0024	/	Pass
			-10	48	12	0.0033	/	Pass
			0	48	26	0.0071	/	Pass
			10	48	80	0.0217	/	Pass
			30	48	75	0.0204	/	Pass
			40	48	65	0.0177	/	Pass
			50	48	-87	-0.0236	/	Pass
		NR-FR1-TM3.1	20	40.8	-44	-0.012	/	Pass
				48	86	0.0234	/	Pass
				55.2	-53	-0.0144	/	Pass
			-30	48	-71	-0.0193	/	Pass
			-20	48	94	0.0255	/	Pass
			-10	48	-13	-0.0035	/	Pass
			0	48	-26	-0.0071	/	Pass
			10	48	80	0.0217	/	Pass
			30	48	-10	-0.0027	/	Pass
			40	48	10	0.0027	/	Pass
			50	48	-41	-0.0111	/	Pass
		NR-FR1-TM3.1a	20	40.8	40	0.0109	/	Pass
				48	-42	-0.0114	/	Pass
				55.2	37	0.0101	/	Pass
			-30	48	69	0.0188	/	Pass
			-20	48	-47	-0.0128	/	Pass
			-10	48	-27	-0.0073	/	Pass
			0	48	-83	-0.0226	/	Pass
			10	48	-89	-0.0242	/	Pass
			30	48	-50	-0.0136	/	Pass
			40	48	-87	-0.0236	/	Pass
			50	48	-85	-0.0231	/	Pass

4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 30_Single_OBW

Band n48 Single NTN						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
CC1:10	CC1:3555	NR-FR1-TM1.1	1	8.71	/	Pass
			2	8.72	/	Pass
		NR-FR1-TM3.1	1	8.71	/	Pass
			2	8.72	/	Pass
		NR-FR1-TM3.1a	1	8.66	/	Pass
			2	8.67	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	8.70	/	Pass
			2	8.72	/	Pass
		NR-FR1-TM3.1	1	8.70	/	Pass
			2	8.70	/	Pass
		NR-FR1-TM3.1a	1	8.65	/	Pass
			2	8.64	/	Pass
	CC1:3694.98	NR-FR1-TM1.1	1	8.65	/	Pass
			2	8.67	/	Pass
		NR-FR1-TM3.1	1	8.65	/	Pass
			2	8.70	/	Pass
		NR-FR1-TM3.1a	1	8.64	/	Pass
			2	8.65	/	Pass
CC1:20	CC1:3560.01	NR-FR1-TM1.1	1	18.40	/	Pass
			2	18.40	/	Pass
		NR-FR1-TM3.1	1	18.49	/	Pass
			2	18.51	/	Pass
		NR-FR1-TM3.1a	1	18.39	/	Pass
			2	18.38	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	18.32	/	Pass
			2	18.41	/	Pass
		NR-FR1-TM3.1	1	18.22	/	Pass
			2	18.43	/	Pass
		NR-FR1-TM3.1a	1	18.30	/	Pass
			2	18.41	/	Pass
	CC1:3690	NR-FR1-TM1.1	1	18.47	/	Pass
			2	18.50	/	Pass
		NR-FR1-TM3.1	1	18.33	/	Pass
			2	18.32	/	Pass
		NR-FR1-TM3.1a	1	18.32	/	Pass
			2	18.35	/	Pass
CC1:30	CC1:3565.02	NR-FR1-TM1.1	1	28.18	/	Pass
			2	28.19	/	Pass
		NR-FR1-TM3.1	1	28.10	/	Pass
			2	27.98	/	Pass
		NR-FR1-TM3.1a	1	28.05	/	Pass
			2	28.06	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	28.00	/	Pass
			2	28.14	/	Pass
		NR-FR1-TM3.1	1	28.02	/	Pass
			2	27.99	/	Pass
		NR-FR1-TM3.1a	1	28.06	/	Pass
			2	28.13	/	Pass
	CC1:3684.99	NR-FR1-TM1.1	1	28.05	/	Pass

			2	28.12	/	Pass
			1	28.11	/	Pass
		NR-FR1-TM3.1	2	28.11	/	Pass
		NR-FR1-TM3.1a	1	28.09	/	Pass
			2	27.96	/	Pass
CC1:40	CC1:3570	NR-FR1-TM1.1	1	38.10	/	Pass
			2	38.17	/	Pass
		NR-FR1-TM3.1	1	38.14	/	Pass
			2	38.19	/	Pass
		NR-FR1-TM3.1a	1	38.04	/	Pass
			2	38.14	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	38.11	/	Pass
			2	38.14	/	Pass
		NR-FR1-TM3.1	1	38.14	/	Pass
			2	38.15	/	Pass
		NR-FR1-TM3.1a	1	38.18	/	Pass
			2	38.14	/	Pass
	CC1:3679.98	NR-FR1-TM1.1	1	38.18	/	Pass
			2	38.18	/	Pass
		NR-FR1-TM3.1	1	38.08	/	Pass
			2	38.48	/	Pass
		NR-FR1-TM3.1a	1	38.15	/	Pass
			2	38.20	/	Pass

4.1.2 30_Single_XDB

Band n48 Single NTN						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	26dB Bandwidth (MHz)		Verdict
				Result	Limit	
CC1:10	CC1:3555	NR-FR1-TM1.1	1	9.81	/	Pass
			2	9.88	/	Pass
		NR-FR1-TM3.1	1	9.82	/	Pass
			2	10.05	/	Pass
		NR-FR1-TM3.1a	1	10.25	/	Pass
			2	10.37	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	9.69	/	Pass
			2	9.44	/	Pass
		NR-FR1-TM3.1	1	9.74	/	Pass
			2	9.46	/	Pass
		NR-FR1-TM3.1a	1	9.44	/	Pass
			2	9.62	/	Pass
	CC1:3694.98	NR-FR1-TM1.1	1	9.45	/	Pass
			2	9.92	/	Pass
		NR-FR1-TM3.1	1	9.66	/	Pass
			2	9.61	/	Pass
		NR-FR1-TM3.1a	1	9.60	/	Pass
			2	9.55	/	Pass
CC1:20	CC1:3560.01	NR-FR1-TM1.1	1	21.66	/	Pass
			2	22.43	/	Pass
		NR-FR1-TM3.1	1	21.35	/	Pass
			2	21.12	/	Pass
		NR-FR1-TM3.1a	1	20.28	/	Pass
			2	20.34	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	22.51	/	Pass
			2	19.76	/	Pass
		NR-FR1-TM3.1	1	19.77	/	Pass
			2	19.98	/	Pass

		NR-FR1-TM3.1a	1	19.69	/	Pass
			2	19.71	/	Pass
	CC1:3690	NR-FR1-TM1.1	1	20.05	/	Pass
			2	19.71	/	Pass
		NR-FR1-TM3.1	1	20.11	/	Pass
			2	20.68	/	Pass
		NR-FR1-TM3.1a	1	20.02	/	Pass
			2	20.03	/	Pass
CC1:30	CC1:3565.02	NR-FR1-TM1.1	1	29.95	/	Pass
			2	30.23	/	Pass
		NR-FR1-TM3.1	1	30.10	/	Pass
			2	30.13	/	Pass
		NR-FR1-TM3.1a	1	30.21	/	Pass
			2	30.16	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	29.87	/	Pass
			2	30.07	/	Pass
		NR-FR1-TM3.1	1	30.06	/	Pass
			2	30.10	/	Pass
		NR-FR1-TM3.1a	1	30.25	/	Pass
			2	30.01	/	Pass
	CC1:3684.99	NR-FR1-TM1.1	1	30.03	/	Pass
			2	29.87	/	Pass
		NR-FR1-TM3.1	1	30.19	/	Pass
			2	30.02	/	Pass
		NR-FR1-TM3.1a	1	30.15	/	Pass
			2	30.26	/	Pass
CC1:40	CC1:3570	NR-FR1-TM1.1	1	40.81	/	Pass
			2	40.77	/	Pass
		NR-FR1-TM3.1	1	40.88	/	Pass
			2	40.73	/	Pass
		NR-FR1-TM3.1a	1	40.67	/	Pass
			2	40.75	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	40.61	/	Pass
			2	40.67	/	Pass
		NR-FR1-TM3.1	1	40.68	/	Pass
			2	40.66	/	Pass
		NR-FR1-TM3.1a	1	40.70	/	Pass
			2	40.77	/	Pass
	CC1:3679.98	NR-FR1-TM1.1	1	40.92	/	Pass
			2	40.80	/	Pass
		NR-FR1-TM3.1	1	40.70	/	Pass
			2	40.03	/	Pass
		NR-FR1-TM3.1a	1	40.59	/	Pass
			2	41.10	/	Pass

4.2 Test Graph

4.2.1 30_Single_OBW

