








2024-07-24 15:48:56




2024-07-26 09:50:01

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3522.190	-48.18	-40	Pass
3530	3540	1	CHP	2	3539.740	-47.77	-25	Pass
3540	3610.258	1	CHP	3	3608.447	-38.72	-25	Pass
3610.258	3620.258	0.13	/	4	3620.212	-27.26	-13	Pass
3620.258	3629.722	0.13	/	/	/	/	/	/
3629.722	3639.722	1	CHP	5	3629.768	-22.87	-13	Pass
3639.722	3720	1	CHP	6	3640.948	-39.38	-25	Pass
3720	3720	1	CHP	7	3714.465	-46.91	-25	Pass
3720	3730	1	CHP	8	3722.590	-46.92	-40	Pass








2024-07-26 09:50:09




2024-07-26 09:50:16






2024-07-29 16:42:28




2024-07-29 16:42:35


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3525.180	-54.74	-40	Pass
3530	3540	1	CHP	2	3533.045	-54.59	-25	Pass
3540	3610.268	1	CHP	3	3604.547	-42.46	-25	Pass
3610.268	3620.268	0.13	/	4	3620.147	-24.61	-13	Pass
3620.268	3629.712	0.13	/	/	/	/	/	/
3629.712	3639.712	1	CHP	5	3629.833	-27.36	-13	Pass
3639.712	3720	1	CHP	6	3644.458	-43.16	-25	Pass
3720	3720	1	CHP	7	3719.145	-53.32	-25	Pass
3720	3730	1	CHP	8	3724.475	-51.60	-40	Pass




2024-07-29 16:42:42




2024-07-29 16:42:47




2024-07-29 16:42:48




2024-07-29 16:42:56




2024-07-29 16:43:07



2024-07-29 16:43:22




2024-07-29 16:49:43




2024-07-29 16:49:51



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3529.210	-54.29	-40	Pass
3530	3540	1	CHP	2	3532.655	-52.75	-25	Pass
3540	3610.258	1	CHP	3	3604.157	-39.00	-25	Pass
3610.258	3620.258	0.13	/	4	3620.212	-24.23	-13	Pass
3620.258	3629.722	0.13	/	/	/	/	/	/
3629.722	3639.722	1	CHP	5	3629.768	-27.47	-13	Pass
3639.722	3720	1	CHP	6	3642.898	-40.33	-25	Pass
3720	3720	1	CHP	7	3710.890	-53.07	-25	Pass
3720	3730	1	CHP	8	3724.410	-51.89	-40	Pass




2024-07-29 16:49:58




2024-07-29 16:50:02







2024-07-29 16:50:23



2024-07-29 16:50:38




2024-07-29 16:42:28




2024-07-29 16:49:51


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3521.800	-51.68	-40	Pass
3530	3540	1	CHP	2	3533.045	-50.61	-25	Pass
3540	3610.272	1	CHP	3	3604.157	-37.49	-25	Pass
3610.272	3620.272	0.13	/	4	3620.147	-21.67	-13	Pass
3620.272	3629.708	0.13	/	/	/	/	/	/
3629.708	3639.708	1	CHP	5	3629.768	-24.83	-13	Pass
3639.708	3720	1	CHP	6	3643.158	-38.80	-25	Pass
3720	3720	1	CHP	7	3719.145	-50.46	-25	Pass
3720	3730	1	CHP	8	3724.410	-48.75	-40	Pass




2024-07-29 16:49:58





2024-07-29 16:50:02




2024-07-29 16:50:04




2024-07-29 16:50:11








2024-07-24 16:02:52




2024-07-24 16:02:59

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3520.500	-49.95	-40	Pass
3530	3540	1	CHP	2	3530.510	-51.74	-25	Pass
3540	3610.268	1	CHP	3	3608.382	-40.75	-25	Pass
3610.268	3620.268	0.13	/	4	3620.212	-26.79	-13	Pass
3620.268	3629.712	0.13	/	/	/	/	/	/
3629.712	3639.712	1	CHP	5	3629.768	-26.06	-13	Pass
3639.712	3720	1	CHP	6	3643.743	-41.59	-25	Pass
3720	3720	1	CHP	7	3715.765	-48.46	-25	Pass
3720	3730	1	CHP	8	3729.220	-48.89	-40	Pass








2024-07-24 16:03:07




2024-07-24 16:03:15









2024-07-26 10:14:47




2024-07-26 10:14:53


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3528.170	-50.99	-40	Pass
3530	3540	1	CHP	2	3539.610	-49.95	-25	Pass
3540	3610.258	1	CHP	3	3604.937	-41.50	-25	Pass
3610.258	3620.258	0.13	/	4	3620.082	-33.05	-13	Pass
3620.258	3629.722	0.13	/	/	/	/	/	/
3629.722	3639.722	1	CHP	5	3629.833	-33.76	-13	Pass
3639.722	3720	1	CHP	6	3645.628	-41.21	-25	Pass
3720	3720	1	CHP	7	3714.920	-49.42	-25	Pass
3720	3730	1	CHP	8	3725.190	-48.78	-40	Pass









2024-07-29 10:33:18



2024-07-29 10:33:33






2024-07-24 16:02:52




2024-07-26 10:14:53

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3520.500	-47.87	-40	Pass
3530	3540	1	CHP	2	3539.610	-48.22	-25	Pass
3540	3610.272	1	CHP	3	3608.317	-38.78	-25	Pass
3610.272	3620.272	0.13	/	4	3620.212	-26.42	-13	Pass
3620.272	3629.708	0.13	/	/	/	/	/	/
3629.708	3639.708	1	CHP	5	3629.768	-25.49	-13	Pass
3639.708	3720	1	CHP	6	3645.758	-38.83	-25	Pass
3720	3720	1	CHP	7	3715.765	-46.33	-25	Pass
3720	3730	1	CHP	8	3724.800	-46.25	-40	Pass








2024-07-26 10:15:02




2024-07-29 17:04:39








2024-07-24 16:09:17




2024-07-24 16:09:24

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.551	-50.70	-40	Pass
3530	3540	1	CHP	2	3530.727	-51.52	-25	Pass
3540	3680.255	1	CHP	3	3676.419	-40.98	-25	Pass
3680.255	3690.255	0.13	/	4	3690.072	-32.88	-13	Pass
3690.255	3699.705	0.13	/	/	/	/	/	/
3699.705	3709.705	1	CHP	5	3699.758	-24.91	-13	Pass
3709.705	3720	1	CHP	6	3709.705	-50.75	-25	Pass
3720	3720	1	CHP	7	3714.841	-40.46	-25	Pass
3720	3869.96	1	CHP	8	3720.562	-46.28	-40	Pass







2024-07-24 16:09:32




2024-07-24 16:09:39




2024-07-29 10:27:35



2024-07-29 10:27:50




2024-07-26 10:18:52




2024-07-26 10:18:59


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.866	-50.73	-40	Pass
3530	3540	1	CHP	2	3535.603	-51.33	-25	Pass
3540	3680.019	1	CHP	3	3675.119	-42.58	-25	Pass
3680.019	3690.019	0.13	/	4	3688.511	-37.99	-13	Pass
3690.019	3699.942	0.13	/	/	/	/	/	/
3699.942	3709.942	1	CHP	5	3699.953	-30.32	-13	Pass
3709.942	3720	1	CHP	6	3709.965	-50.84	-25	Pass
3720	3720	1	CHP	7	3713.346	-42.14	-25	Pass
3720	3869.96	1	CHP	8	3724.918	-47.55	-40	Pass




2024-07-26 10:19:03




2024-07-26 10:19:07




2024-07-26 10:19:08





2024-07-26 10:19:15




2024-07-29 10:34:44




2024-07-29 10:34:59




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.876	-47.97	-40	Pass
3530	3540	1	CHP	2	3531.052	-48.75	-25	Pass
3540	3680.151	1	CHP	3	3675.184	-38.94	-25	Pass
3680.151	3690.151	0.13	/	4	3690.137	-28.73	-13	Pass
3690.151	3699.81	0.13	/	/	/	/	/	/
3699.81	3709.81	1	CHP	5	3699.823	-23.71	-13	Pass
3709.81	3720	1	CHP	6	3709.900	-47.97	-25	Pass
3720	3720	1	CHP	7	3716.597	-38.32	-25	Pass
3720	3869.96	1	CHP	8	3720.562	-44.17	-40	Pass




2024-07-26 10:19:03




2024-07-26 10:19:07




2024-07-26 10:19:08




2024-07-26 10:19:15




2024-07-29 10:34:44



2024-07-29 10:34:59




2024-07-24 16:13:35




2024-07-24 16:13:42


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.266	-51.30	-40	Pass
3530	3540	1	CHP	2	3530.532	-50.40	-25	Pass
3540	3680.255	1	CHP	3	3677.264	-42.23	-25	Pass
3680.255	3690.255	0.13	/	4	3690.137	-29.01	-13	Pass
3690.255	3699.705	0.13	/	/	/	/	/	/
3699.705	3709.705	1	CHP	5	3699.758	-32.62	-13	Pass
3709.705	3720	1	CHP	6	3709.965	-52.75	-25	Pass
3720	3720	1	CHP	7	3712.566	-42.04	-25	Pass
3720	3869.96	1	CHP	8	3720.562	-47.13	-40	Pass




2024-07-24 16:13:46




2024-07-24 16:13:50




2024-07-24 16:13:51




2024-07-24 16:13:57




2024-07-29 10:28:07



2024-07-29 10:28:22




2024-07-26 10:29:38




2024-07-26 10:29:45


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.551	-50.24	-40	Pass
3530	3540	1	CHP	2	3533.067	-51.04	-25	Pass
3540	3680.203	1	CHP	3	3677.589	-40.54	-25	Pass
3680.203	3690.203	0.13	/	4	3690.202	-26.16	-13	Pass
3690.203	3699.757	0.13	/	/	/	/	/	/
3699.757	3709.757	1	CHP	5	3699.758	-26.07	-13	Pass
3709.757	3720	1	CHP	6	3709.770	-49.32	-25	Pass
3720	3720	1	CHP	7	3715.946	-41.58	-25	Pass
3720	3869.96	1	CHP	8	3763.535	-47.45	-40	Pass




2024-07-26 10:29:48




2024-07-26 10:29:52




2024-07-26 10:29:54



2024-07-26 10:30:01



2024-07-29 10:36:13



2024-07-29 10:36:28