








2024-07-24 16:13:35




2024-07-26 10:29:45

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.421	-47.84	-40	Pass
3530	3540	1	CHP	2	3530.532	-48.06	-25	Pass
3540	3680.18	1	CHP	3	3677.849	-38.40	-25	Pass
3680.18	3690.18	0.13	/	4	3690.137	-25.13	-13	Pass
3690.18	3699.78	0.13	/	/	/	/	/	/
3699.78	3709.78	1	CHP	5	3699.823	-28.37	-13	Pass
3709.78	3720	1	CHP	6	3709.835	-48.30	-25	Pass
3720	3720	1	CHP	7	3716.076	-39.04	-25	Pass
3720	3869.96	1	CHP	8	3720.562	-44.41	-40	Pass







2024-07-26 10:29:54




2024-07-26 10:30:01




2024-07-29 10:36:13



2024-07-29 10:36:28




2024-07-24 16:23:47




2024-07-24 16:23:54



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.511	-51.31	-40	Pass
3530	3540	1	CHP	2	3532.742	-51.07	-25	Pass
3540	3680.255	1	CHP	3	3676.484	-41.23	-25	Pass
3680.255	3690.255	0.13	/	4	3690.202	-29.61	-13	Pass
3690.255	3699.705	0.13	/	/	/	/	/	/
3699.705	3709.705	1	CHP	5	3699.758	-26.62	-13	Pass
3709.705	3720	1	CHP	6	3709.965	-52.12	-25	Pass
3720	3720	1	CHP	7	3716.401	-42.61	-25	Pass
3720	3869.96	1	CHP	8	3720.562	-47.77	-40	Pass




2024-07-24 16:23:57




2024-07-24 16:24:01







2024-07-29 10:28:37



2024-07-29 10:28:52




2024-07-26 10:33:12




2024-07-26 10:33:19


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3520.520	-50.90	-40	Pass
3530	3540	1	CHP	2	3539.439	-50.37	-25	Pass
3540	3680.203	1	CHP	3	3679.345	-41.90	-25	Pass
3680.203	3690.203	0.13	/	4	3690.202	-27.78	-13	Pass
3690.203	3699.757	0.13	/	/	/	/	/	/
3699.757	3709.757	1	CHP	5	3699.823	-24.10	-13	Pass
3709.757	3720	1	CHP	6	3709.770	-49.39	-25	Pass
3720	3720	1	CHP	7	3714.711	-41.76	-25	Pass
3720	3869.96	1	CHP	8	3720.627	-46.29	-40	Pass




2024-07-26 10:33:23




2024-07-26 10:33:27




2024-07-26 10:33:28




2024-07-29 17:17:33




2024-07-29 10:36:45



2024-07-29 10:37:00




2024-07-24 16:23:47




2024-07-26 10:33:19


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3520.715	-48.32	-40	Pass
3530	3540	1	CHP	2	3532.742	-48.17	-25	Pass
3540	3680.18	1	CHP	3	3676.549	-38.84	-25	Pass
3680.18	3690.18	0.13	/	4	3690.137	-27.36	-13	Pass
3690.18	3699.78	0.13	/	/	/	/	/	/
3699.78	3709.78	1	CHP	5	3699.823	-23.21	-13	Pass
3709.78	3720	1	CHP	6	3709.835	-48.68	-25	Pass
3720	3720	1	CHP	7	3714.711	-39.55	-25	Pass
3720	3869.96	1	CHP	8	3720.562	-43.97	-40	Pass




2024-07-26 10:33:23





2024-07-26 10:33:27




2024-07-26 10:33:28




2024-07-29 17:17:33








2024-07-24 16:30:55




2024-08-08 10:38:23

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3390.02	3530	1	CHP	1	3521.751	-45.56	-40	Pass
3530	3540	1	CHP	2	3539.905	-44.12	-25	Pass
3540	3549.336	0.3	/	3	3547.407	-40.15	-13	Pass
3549.336	3570.685	0.3	/	/	/	/	/	/
3570.685	3580.685	1	CHP	4	3572.463	-40.88	-13	Pass
3580.685	3720	1	CHP	5	3596.769	-43.77	-25	Pass
3720	3720	1	CHP	6	3712.146	-60.79	-25	Pass
3720	3730	1	CHP	7	3724.899	-56.31	-40	Pass







2024-07-24 16:31:08




2024-08-07 15:24:42




2024-07-29 10:29:14



2024-07-29 10:29:29




2024-07-26 10:57:21




2024-08-08 10:45:55


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3390.02	3530	1	CHP	1	3521.451	-43.75	-40	Pass
3530	3540	1	CHP	2	3538.855	-45.59	-25	Pass
3540	3549.448	0.3	/	3	3547.857	-41.65	-13	Pass
3549.448	3570.572	0.3	/	/	/	/	/	/
3570.572	3580.572	1	CHP	4	3572.163	-41.30	-13	Pass
3580.572	3720	1	CHP	5	3581.165	-43.22	-25	Pass
3720	3720	1	CHP	6	3716.197	-55.91	-25	Pass
3720	3730	1	CHP	7	3724.599	-53.69	-40	Pass




2024-07-26 10:57:29




2024-07-26 10:57:35




2024-07-26 10:57:35




2024-08-07 15:24:53




2024-07-29 10:37:22



2024-07-29 10:37:37






2024-07-24 16:30:55




2024-08-08 10:45:55

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3390.02	3530	1	CHP	1	3521.601	-41.64	-40	Pass
3530	3540	1	CHP	2	3539.305	-41.70	-25	Pass
3540	3549.872	0.3	/	3	3549.808	-33.26	-13	Pass
3549.872	3570.149	0.3	/	/	/	/	/	/
3570.149	3580.149	1	CHP	4	3570.362	-32.31	-13	Pass
3580.149	3720	1	CHP	5	3580.865	-40.16	-25	Pass
3720	3720	1	CHP	6	3716.197	-54.70	-25	Pass
3720	3730	1	CHP	7	3724.899	-51.79	-40	Pass








2024-07-26 10:57:35




2024-08-07 15:24:53






2024-07-24 16:39:42




2024-08-08 11:14:55



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3390.02	3530	1	CHP	1	3517.850	-42.89	-40	Pass
3530	3540	1	CHP	2	3539.905	-45.48	-25	Pass
3540	3549.336	0.3	/	3	3545.907	-35.24	-13	Pass
3549.336	3570.685	0.3	/	/	/	/	/	/
3570.685	3580.685	1	CHP	4	3570.813	-41.40	-13	Pass
3580.685	3720	1	CHP	5	3602.320	-43.38	-25	Pass
3720	3720	1	CHP	6	3713.796	-56.09	-25	Pass
3720	3730	1	CHP	7	3724.599	-53.25	-40	Pass




2024-07-24 16:39:50




2024-07-24 16:39:55







2024-07-29 10:29:55



2024-07-29 10:30:10




2024-07-26 11:07:39




2024-08-08 11:15:56


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3390.02	3530	1	CHP	1	3521.151	-42.84	-40	Pass
3530	3540	1	CHP	2	3532.854	-45.19	-25	Pass
3540	3549.843	0.3	/	3	3549.808	-34.10	-13	Pass
3549.843	3570.178	0.3	/	/	/	/	/	/
3570.178	3580.178	1	CHP	4	3572.763	-33.12	-13	Pass
3580.178	3720	1	CHP	5	3601.720	-43.00	-25	Pass
3720	3720	1	CHP	6	3717.247	-55.94	-25	Pass
3720	3730	1	CHP	7	3724.449	-53.19	-40	Pass




2024-07-26 11:07:47




2024-07-26 11:07:53




2024-07-26 11:07:53




2024-08-07 15:55:59




2024-07-29 10:37:53



2024-07-29 10:38:08




2024-07-24 16:39:42




2024-08-08 11:15:56



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3390.02	3530	1	CHP	1	3521.151	-40.11	-40	Pass
3530	3540	1	CHP	2	3539.905	-42.46	-25	Pass
3540	3549.336	0.3	/	3	3545.907	-34.70	-13	Pass
3549.336	3570.685	0.3	/	/	/	/	/	/
3570.685	3580.685	1	CHP	4	3572.763	-32.71	-13	Pass
3580.685	3720	1	CHP	5	3601.720	-40.24	-25	Pass
3720	3720	1	CHP	6	3713.796	-53.11	-25	Pass
3720	3730	1	CHP	7	3724.449	-50.22	-40	Pass




2024-07-26 11:07:47




2024-07-26 11:07:52







2024-07-29 10:37:53



2024-07-29 10:38:08




2024-07-24 16:46:00




2024-08-08 13:40:06


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3390.02	3530	1	CHP	1	3519.050	-45.60	-40	Pass
3530	3540	1	CHP	2	3539.905	-44.67	-25	Pass
3540	3549.181	0.3	/	3	3546.507	-41.47	-13	Pass
3549.181	3570.84	0.3	/	/	/	/	/	/
3570.84	3580.84	1	CHP	4	3572.463	-42.03	-13	Pass
3580.84	3720	1	CHP	5	3581.915	-45.17	-25	Pass
3720	3720	1	CHP	6	3717.997	-55.32	-25	Pass
3720	3730	1	CHP	7	3724.749	-54.17	-40	Pass




2024-07-24 16:46:09




2024-07-24 16:46:13




2024-07-24 16:46:14




2024-08-07 15:45:42




2024-07-29 10:30:25



2024-07-29 10:30:40




2024-07-26 11:13:03




2024-08-07 11:35:31


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3390.02	3530	1	CHP	1	3517.550	-43.19	-40	Pass
3530	3540	1	CHP	2	3531.503	-45.09	-25	Pass
3540	3549.448	0.3	/	3	3549.357	-41.42	-13	Pass
3549.448	3570.572	0.3	/	/	/	/	/	/
3570.572	3580.572	1	CHP	4	3573.963	-40.14	-13	Pass
3580.572	3720	1	CHP	5	3602.770	-41.30	-25	Pass
3720	3720	1	CHP	6	3713.346	-57.25	-25	Pass
3720	3730	1	CHP	7	3725.049	-53.74	-40	Pass




2024-07-26 11:13:12




2024-07-26 11:13:16




2024-08-07 15:56:10




2024-08-07 15:56:10




2024-07-29 10:38:36



2024-07-29 10:38:51




2024-07-24 16:46:00




2024-08-07 11:35:31

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3390.02	3530	1	CHP	1	3517.550	-41.53	-40	Pass
3530	3540	1	CHP	2	3539.905	-41.95	-25	Pass
3540	3549.336	0.3	/	3	3547.707	-38.58	-13	Pass
3549.336	3570.685	0.3	/	/	/	/	/	/
3570.685	3580.685	1	CHP	4	3572.313	-38.12	-13	Pass
3580.685	3720	1	CHP	5	3602.770	-40.29	-25	Pass
3720	3720	1	CHP	6	3718.297	-53.47	-25	Pass
3720	3730	1	CHP	7	3724.899	-50.97	-40	Pass



2024-07-26 11:13:12



2024-07-26 11:13:16