









2024-07-26 11:13:17






2024-08-07 15:56:10






Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3522.980	-50.74	-40	Pass
3530	3540	1	CHP	2	3538.432	-51.86	-25	Pass
3540	3605.145	1	CHP	3	3588.837	-38.90	-25	Pass
3605.145	3615.145	0.3	/	4	3615.089	-30.02	-13	Pass
3615.145	3634.835	0.3	/	/	/	/	/	/
3634.835	3644.835	1	CHP	5	3634.891	-26.60	-13	Pass
3644.835	3720	1	CHP	6	3658.893	-38.23	-25	Pass
3720	3720	1	CHP	7	3711.098	-50.26	-25	Pass
3720	3730	1	CHP	8	3723.249	-49.83	-40	Pass







2024-07-24 16:55:56




2024-08-07 15:47:19




2024-07-29 10:45:38



2024-07-29 10:45:53






2024-07-26 11:30:13




2024-07-26 11:30:19

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3524.030	-50.43	-40	Pass
3530	3540	1	CHP	2	3531.381	-50.98	-25	Pass
3540	3605.136	1	CHP	3	3604.588	-35.99	-25	Pass
3605.136	3615.136	0.3	/	4	3614.939	-23.41	-13	Pass
3615.136	3634.844	0.3	/	/	/	/	/	/
3634.844	3644.844	1	CHP	5	3634.891	-23.32	-13	Pass
3644.844	3720	1	CHP	6	3646.142	-33.02	-25	Pass
3720	3720	1	CHP	7	3719.349	-48.72	-25	Pass
3720	3730	1	CHP	8	3729.400	-48.95	-40	Pass







2024-07-26 11:30:28




2024-08-07 15:56:25




2024-07-29 10:54:24



2024-07-29 10:54:39






2024-07-24 16:55:42




2024-07-26 11:30:19

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3524.030	-48.00	-40	Pass
3530	3540	1	CHP	2	3539.782	-48.56	-25	Pass
3540	3605	1	CHP	3	3604.438	-34.76	-25	Pass
3605	3615	0.3	/	4	3614.939	-23.22	-13	Pass
3615	3634.98	0.3	/	/	/	/	/	/
3634.98	3644.98	1	CHP	5	3635.041	-25.31	-13	Pass
3644.98	3720	1	CHP	6	3646.142	-32.24	-25	Pass
3720	3720	1	CHP	7	3719.499	-46.61	-25	Pass
3720	3730	1	CHP	8	3729.400	-46.98	-40	Pass








2024-07-26 11:30:28




2024-08-07 15:56:25






2024-07-24 17:35:40




2024-07-24 17:35:47


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3527.931	-50.60	-40	Pass
3530	3540	1	CHP	2	3530.781	-51.56	-25	Pass
3540	3605.105	1	CHP	3	3601.888	-32.89	-25	Pass
3605.105	3615.105	0.3	/	4	3615.089	-23.61	-13	Pass
3615.105	3634.875	0.3	/	/	/	/	/	/
3634.875	3644.875	1	CHP	5	3634.891	-23.15	-13	Pass
3644.875	3720	1	CHP	6	3645.692	-32.30	-25	Pass
3720	3720	1	CHP	7	3719.499	-48.43	-25	Pass
3720	3730	1	CHP	8	3727.150	-49.88	-40	Pass




2024-07-24 17:35:50




2024-07-24 17:35:54




2024-07-24 17:35:55




2024-08-07 15:47:32




2024-07-29 10:46:08



2024-07-29 10:46:23




2024-07-26 11:43:01




2024-07-26 11:43:08


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3524.180	-50.56	-40	Pass
3530	3540	1	CHP	2	3539.932	-49.89	-25	Pass
3540	3605.136	1	CHP	3	3604.288	-34.58	-25	Pass
3605.136	3615.136	0.3	/	4	3615.089	-28.58	-13	Pass
3615.136	3634.844	0.3	/	/	/	/	/	/
3634.844	3644.844	1	CHP	5	3635.041	-27.87	-13	Pass
3644.844	3720	1	CHP	6	3646.592	-32.75	-25	Pass
3720	3720	1	CHP	7	3713.648	-48.81	-25	Pass
3720	3730	1	CHP	8	3723.099	-49.56	-40	Pass




2024-07-26 11:43:11




2024-07-26 11:43:16




2024-07-26 11:43:17




2024-08-07 15:57:21




2024-07-29 10:56:56



2024-07-29 10:57:11




2024-07-24 17:35:40




2024-07-26 11:43:08


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3527.931	-47.78	-40	Pass
3530	3540	1	CHP	2	3539.782	-48.15	-25	Pass
3540	3605	1	CHP	3	3604.288	-30.65	-25	Pass
3605	3615	0.3	/	4	3614.939	-26.63	-13	Pass
3615	3634.98	0.3	/	/	/	/	/	/
3634.98	3644.98	1	CHP	5	3635.041	-23.79	-13	Pass
3644.98	3720	1	CHP	6	3647.342	-29.62	-25	Pass
3720	3720	1	CHP	7	3719.499	-46.42	-25	Pass
3720	3730	1	CHP	8	3723.249	-47.10	-40	Pass




2024-07-26 11:43:11





2024-07-26 11:43:16




2024-07-26 11:43:17




2024-08-07 15:57:21






2024-07-24 17:41:54




2024-07-24 17:42:00



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3523.430	-49.01	-40	Pass
3530	3540	1	CHP	2	3532.731	-50.96	-25	Pass
3540	3603.735	1	CHP	3	3601.438	-32.96	-25	Pass
3603.735	3613.735	0.3	/	4	3612.089	-30.55	-13	Pass
3613.735	3636.245	0.3	/	/	/	/	/	/
3636.245	3646.245	1	CHP	5	3637.891	-30.90	-13	Pass
3646.245	3720	1	CHP	6	3654.843	-33.48	-25	Pass
3720	3720	1	CHP	7	3710.498	-49.66	-25	Pass
3720	3730	1	CHP	8	3721.149	-48.49	-40	Pass




2024-07-24 17:42:03




2024-07-24 17:42:07







2024-07-29 10:47:29



2024-07-29 10:47:44






2024-07-26 11:49:26




2024-07-26 11:49:33

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3521.330	-50.06	-40	Pass
3530	3540	1	CHP	2	3532.281	-49.60	-25	Pass
3540	3605	1	CHP	3	3603.238	-31.34	-25	Pass
3605	3615	0.3	/	4	3611.489	-28.70	-13	Pass
3615	3634.98	0.3	/	/	/	/	/	/
3634.98	3644.98	1	CHP	5	3635.341	-27.17	-13	Pass
3644.98	3720	1	CHP	6	3647.792	-32.59	-25	Pass
3720	3720	1	CHP	7	3719.499	-49.42	-25	Pass
3720	3730	1	CHP	8	3721.449	-49.31	-40	Pass







2024-07-26 11:49:41




2024-08-07 15:57:54




2024-07-29 10:57:31



2024-07-29 10:57:46




2024-07-24 17:41:54




2024-07-26 11:49:33


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3523.580	-47.28	-40	Pass
3530	3540	1	CHP	2	3532.281	-47.30	-25	Pass
3540	3605	1	CHP	3	3603.388	-29.17	-25	Pass
3605	3615	0.3	/	4	3611.939	-26.67	-13	Pass
3615	3634.98	0.3	/	/	/	/	/	/
3634.98	3644.98	1	CHP	5	3637.291	-25.82	-13	Pass
3644.98	3720	1	CHP	6	3647.642	-30.16	-25	Pass
3720	3720	1	CHP	7	3710.498	-46.83	-25	Pass
3720	3730	1	CHP	8	3721.149	-45.97	-40	Pass




2024-07-26 11:49:36





2024-07-26 11:49:40




2024-07-26 11:49:41




2024-08-07 15:57:54






2024-07-25 12:03:15




2024-08-07 14:14:47


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.003	-54.69	-40	Pass
3530	3540	1	CHP	2	3539.956	-49.06	-25	Pass
3540	3669.975	1	CHP	3	3669.444	-42.49	-25	Pass
3669.975	3679.975	0.3	/	4	3678.447	-39.05	-13	Pass
3679.975	3700.025	0.3	/	/	/	/	/	/
3700.025	3710.025	1	CHP	5	3700.203	-25.98	-13	Pass
3710.025	3720	1	CHP	6	3710.556	-43.67	-25	Pass
3720	3860	1	CHP	7	3732.312	-42.66	-40	Pass




2024-07-25 12:03:25




2024-07-25 12:03:29




2024-08-07 15:47:52




2024-08-07 15:47:52




2024-07-29 10:50:12



2024-07-29 10:50:27




2024-07-26 11:57:48




2024-08-07 11:48:11


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.801	-54.48	-40	Pass
3530	3540	1	CHP	2	3539.956	-48.55	-25	Pass
3540	3669.658	1	CHP	3	3669.144	-43.27	-25	Pass
3669.658	3679.658	0.3	/	4	3677.246	-30.44	-13	Pass
3679.658	3700.342	0.3	/	/	/	/	/	/
3700.342	3710.342	1	CHP	5	3700.353	-33.35	-13	Pass
3710.342	3720	1	CHP	6	3710.856	-42.87	-25	Pass
3720	3860	1	CHP	7	3720.909	-43.46	-40	Pass




2024-07-26 11:57:57




2024-07-26 11:58:02




2024-08-07 15:58:49




2024-08-07 15:58:49




2024-07-29 11:00:16



2024-07-29 11:00:31



2024-07-25 12:03:15



2024-08-07 11:48:11

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3520.900	-51.70	-40	Pass
3530	3540	1	CHP	2	3539.956	-45.78	-25	Pass
3540	3669.985	1	CHP	3	3669.444	-39.77	-25	Pass
3669.985	3679.985	0.3	/	4	3677.246	-30.01	-13	Pass
3679.985	3700.015	0.3	/	/	/	/	/	/
3700.015	3710.015	1	CHP	5	3700.053	-24.17	-13	Pass
3710.015	3720	1	CHP	6	3710.556	-39.91	-25	Pass
3720	3860	1	CHP	7	3721.659	-40.41	-40	Pass

