








2024-07-26 11:58:03




2024-08-07 15:58:49









2024-07-25 12:08:37




2024-08-07 14:29:44


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3522.401	-52.95	-40	Pass
3530	3540	1	CHP	2	3539.656	-49.11	-25	Pass
3540	3669.975	1	CHP	3	3646.337	-43.72	-25	Pass
3669.975	3679.975	0.3	/	4	3679.947	-34.91	-13	Pass
3679.975	3700.025	0.3	/	/	/	/	/	/
3700.025	3710.025	1	CHP	5	3700.053	-30.57	-13	Pass
3710.025	3720	1	CHP	6	3714.007	-42.90	-25	Pass
3720	3860	1	CHP	7	3731.712	-42.93	-40	Pass









2024-07-29 10:52:14



2024-07-29 10:52:29







2024-07-26 13:41:19




2024-08-07 11:49:19


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.153	-53.70	-40	Pass
3530	3540	1	CHP	2	3539.956	-49.88	-25	Pass
3540	3669.985	1	CHP	3	3665.543	-43.52	-25	Pass
3669.985	3679.985	0.3	/	4	3679.947	-32.71	-13	Pass
3679.985	3700.015	0.3	/	/	/	/	/	/
3700.015	3710.015	1	CHP	5	3700.053	-31.75	-13	Pass
3710.015	3720	1	CHP	6	3710.706	-43.53	-25	Pass
3720	3860	1	CHP	7	3721.209	-44.42	-40	Pass









2024-07-29 11:00:52



2024-07-29 11:01:07




2024-07-25 12:08:37




2024-08-07 11:49:19


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.153	-50.93	-40	Pass
3530	3540	1	CHP	2	3539.956	-46.50	-25	Pass
3540	3669.985	1	CHP	3	3665.543	-41.25	-25	Pass
3669.985	3679.985	0.3	/	4	3679.947	-30.66	-13	Pass
3679.985	3700.015	0.3	/	/	/	/	/	/
3700.015	3710.015	1	CHP	5	3700.053	-28.11	-13	Pass
3710.015	3720	1	CHP	6	3713.857	-40.87	-25	Pass
3720	3860	1	CHP	7	3721.209	-40.93	-40	Pass




2024-07-26 13:41:29




2024-07-26 13:41:33




2024-07-26 13:41:35




2024-08-07 15:59:55




2024-07-29 11:00:52



2024-07-29 11:01:07







2024-07-25 13:44:16




2024-08-07 14:33:32


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.252	-53.49	-40	Pass
3530	3540	1	CHP	2	3539.806	-49.46	-25	Pass
3540	3669.975	1	CHP	3	3669.444	-42.56	-25	Pass
3669.975	3679.975	0.3	/	4	3679.947	-31.38	-13	Pass
3679.975	3700.025	0.3	/	/	/	/	/	/
3700.025	3710.025	1	CHP	5	3700.353	-33.41	-13	Pass
3710.025	3720	1	CHP	6	3711.906	-40.26	-25	Pass
3720	3860	1	CHP	7	3721.059	-43.74	-40	Pass









2024-07-29 10:53:21



2024-07-29 10:53:36







2024-07-26 13:46:34




2024-08-07 11:51:15


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.500	-53.75	-40	Pass
3530	3540	1	CHP	2	3539.956	-49.80	-25	Pass
3540	3669.985	1	CHP	3	3669.444	-44.67	-25	Pass
3669.985	3679.985	0.3	/	4	3679.947	-36.35	-13	Pass
3679.985	3700.015	0.3	/	/	/	/	/	/
3700.015	3710.015	1	CHP	5	3700.053	-28.04	-13	Pass
3710.015	3720	1	CHP	6	3710.556	-41.73	-25	Pass
3720	3860	1	CHP	7	3721.359	-44.61	-40	Pass









2024-07-29 11:06:13



2024-07-29 11:06:28




2024-07-25 13:44:16




2024-08-07 11:51:15


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.252	-51.01	-40	Pass
3530	3540	1	CHP	2	3539.956	-46.64	-25	Pass
3540	3669.985	1	CHP	3	3669.444	-40.48	-25	Pass
3669.985	3679.985	0.3	/	4	3679.947	-30.18	-13	Pass
3679.985	3700.015	0.3	/	/	/	/	/	/
3700.015	3710.015	1	CHP	5	3700.053	-27.24	-13	Pass
3710.015	3720	1	CHP	6	3711.756	-38.44	-25	Pass
3720	3860	1	CHP	7	3721.359	-41.28	-40	Pass




2024-07-26 13:46:44




2024-07-26 13:46:48




2024-07-26 13:46:49




2024-08-07 16:00:07




2024-07-29 11:06:13



2024-07-29 11:06:28






2024-07-25 14:11:06




2024-08-08 13:45:57

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3400.04	3530	1	CHP	1	3496.189	-44.55	-40	Pass
3530	3540	1	CHP	2	3539.423	-41.82	-25	Pass
3540	3549.969	0.43	/	3	3549.963	-28.89	-13	Pass
3549.969	3580.072	0.43	/	/	/	/	/	/
3580.072	3590.072	1	CHP	4	3580.077	-28.05	-13	Pass
3590.072	3720	1	CHP	5	3590.617	-40.74	-25	Pass
3720	3720	1	CHP	6	3715.158	-55.72	-25	Pass
3720	3730	1	CHP	7	3721.181	-51.23	-40	Pass







2024-07-25 14:11:20




2024-08-07 15:48:23




2024-07-29 11:51:59



2024-07-29 11:52:14




2024-07-26 14:09:54




2024-08-08 11:33:43


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3400.04	3530	1	CHP	1	3529.314	-45.33	-40	Pass
3530	3540	1	CHP	2	3539.423	-43.85	-25	Pass
3540	3549.953	0.43	/	3	3548.242	-39.90	-13	Pass
3549.953	3580.087	0.43	/	/	/	/	/	/
3580.087	3590.087	1	CHP	4	3580.292	-34.04	-13	Pass
3590.087	3720	1	CHP	5	3590.617	-44.66	-25	Pass
3720	3720	1	CHP	6	3719.460	-59.22	-25	Pass
3720	3730	1	CHP	7	3721.181	-51.60	-40	Pass




2024-07-26 14:10:03




2024-07-26 14:10:08




2024-07-26 14:10:08




2024-08-07 16:00:17




2024-07-29 12:32:06



2024-07-29 12:32:21




2024-07-25 14:11:06




2024-08-08 11:33:43


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3400.04	3530	1	CHP	1	3529.314	-42.68	-40	Pass
3530	3540	1	CHP	2	3539.208	-39.91	-25	Pass
3540	3549.908	0.43	/	3	3549.748	-32.34	-13	Pass
3549.908	3580.133	0.43	/	/	/	/	/	/
3580.133	3590.133	1	CHP	4	3580.292	-31.47	-13	Pass
3590.133	3720	1	CHP	5	3590.832	-39.50	-25	Pass
3720	3720	1	CHP	6	3719.460	-54.37	-25	Pass
3720	3730	1	CHP	7	3721.181	-48.40	-40	Pass




2024-07-26 14:10:03





2024-07-26 14:10:07




2024-07-26 14:10:08




2024-08-07 16:00:17








2024-07-25 14:19:49




2024-08-08 14:06:50

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3400.04	3530	1	CHP	1	3528.023	-45.48	-40	Pass
3530	3540	1	CHP	2	3539.208	-43.26	-25	Pass
3540	3549.969	0.43	/	3	3549.963	-36.76	-13	Pass
3549.969	3580.072	0.43	/	/	/	/	/	/
3580.072	3590.072	1	CHP	4	3580.077	-28.81	-13	Pass
3590.072	3720	1	CHP	5	3591.047	-41.86	-25	Pass
3720	3720	1	CHP	6	3711.071	-54.90	-25	Pass
3720	3730	1	CHP	7	3721.181	-50.92	-40	Pass







2024-07-25 14:20:03




2024-08-07 15:48:33




2024-07-29 11:53:36



2024-07-29 11:53:51




2024-07-26 14:17:35




2024-08-07 11:58:40



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3400.04	3530	1	CHP	1	3527.378	-43.49	-40	Pass
3530	3540	1	CHP	2	3539.423	-42.54	-25	Pass
3540	3549.953	0.43	/	3	3549.533	-39.70	-13	Pass
3549.953	3580.087	0.43	/	/	/	/	/	/
3580.087	3590.087	1	CHP	4	3580.292	-27.25	-13	Pass
3590.087	3720	1	CHP	5	3591.047	-41.31	-25	Pass
3720	3720	1	CHP	6	3713.868	-56.53	-25	Pass
3720	3730	1	CHP	7	3721.396	-48.72	-40	Pass




2024-07-26 14:17:44




2024-07-26 14:17:48







2024-07-29 12:33:25



2024-07-29 12:33:40




2024-07-25 14:19:49




2024-08-07 11:58:40


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3400.04	3530	1	CHP	1	3528.023	-41.54	-40	Pass
3530	3540	1	CHP	2	3539.423	-39.94	-25	Pass
3540	3549.969	0.43	/	3	3549.963	-35.51	-13	Pass
3549.969	3580.072	0.43	/	/	/	/	/	/
3580.072	3590.072	1	CHP	4	3580.077	-19.12	-13	Pass
3590.072	3720	1	CHP	5	3591.047	-38.57	-25	Pass
3720	3720	1	CHP	6	3716.879	-52.88	-25	Pass
3720	3730	1	CHP	7	3721.396	-46.67	-40	Pass




2024-07-26 14:17:44





2024-07-26 14:17:48




2024-07-26 14:17:49




2024-08-07 16:00:48





2024-07-25 14:27:57



2024-08-07 10:53:05

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3400.04	3530	1	CHP	1	3528.884	-42.54	-40	Pass
3530	3540	1	CHP	2	3537.487	-38.91	-25	Pass
3540	3550.046	0.43	/	3	3549.963	-29.02	-13	Pass
3550.046	3579.995	0.43	/	/	/	/	/	/
3579.995	3589.995	1	CHP	4	3580.077	-20.85	-13	Pass
3589.995	3720	1	CHP	5	3590.617	-38.48	-25	Pass
3720	3720	1	CHP	6	3710.211	-54.18	-25	Pass
3720	3730	1	CHP	7	3721.396	-50.99	-40	Pass