















2024-07-29 11:58:24



2024-07-29 11:58:39




2024-07-26 14:22:39




2024-08-07 12:01:30



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3400.04	3530	1	CHP	1	3499.415	-46.29	-40	Pass
3530	3540	1	CHP	2	3539.423	-41.80	-25	Pass
3540	3549.953	0.43	/	3	3549.748	-38.71	-13	Pass
3549.953	3580.087	0.43	/	/	/	/	/	/
3580.087	3590.087	1	CHP	4	3580.292	-28.36	-13	Pass
3590.087	3720	1	CHP	5	3591.477	-41.29	-25	Pass
3720	3720	1	CHP	6	3718.170	-55.46	-25	Pass
3720	3730	1	CHP	7	3721.396	-48.85	-40	Pass




2024-07-26 14:22:47




2024-07-26 14:22:51







2024-07-29 12:34:49



2024-07-29 12:35:04




2024-07-25 14:27:57




2024-08-07 12:01:30


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3400.04	3530	1	CHP	1	3528.884	-41.12	-40	Pass
3530	3540	1	CHP	2	3539.423	-37.29	-25	Pass
3540	3549.942	0.43	/	3	3549.748	-34.86	-13	Pass
3549.942	3580.099	0.43	/	/	/	/	/	/
3580.099	3590.099	1	CHP	4	3580.292	-25.59	-13	Pass
3590.099	3720	1	CHP	5	3590.617	-36.89	-25	Pass
3720	3720	1	CHP	6	3716.879	-52.33	-25	Pass
3720	3730	1	CHP	7	3721.396	-46.77	-40	Pass




2024-07-26 14:22:47





2024-07-26 14:22:51




2024-07-26 14:22:52




2024-08-07 16:01:01








2024-07-25 14:36:45




2024-07-25 14:36:51

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3525.020	-46.59	-40	Pass
3530	3540	1	CHP	2	3539.932	-43.11	-25	Pass
3540	3599.959	1	CHP	3	3576.055	-34.87	-25	Pass
3599.959	3609.959	0.43	/	4	3609.659	-32.69	-13	Pass
3609.959	3640.021	0.43	/	/	/	/	/	/
3640.021	3650.021	1	CHP	5	3640.111	-31.44	-13	Pass
3650.021	3720	1	CHP	6	3651.873	-35.00	-25	Pass
3720	3720	1	CHP	7	3710.258	-39.59	-25	Pass
3720	3730	1	CHP	8	3722.439	-44.39	-40	Pass







2024-07-25 14:37:00




2024-08-07 15:48:53




2024-07-29 11:59:15



2024-07-29 11:59:30




2024-07-26 14:58:30




2024-07-26 14:58:36



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3529.431	-41.88	-40	Pass
3530	3540	1	CHP	2	3537.622	-38.74	-25	Pass
3540	3599.953	1	CHP	3	3575.005	-26.89	-25	Pass
3599.953	3609.953	0.43	/	4	3609.659	-28.34	-13	Pass
3609.953	3640.027	0.43	/	/	/	/	/	/
3640.027	3650.027	1	CHP	5	3640.111	-23.08	-13	Pass
3650.027	3720	1	CHP	6	3670.984	-29.36	-25	Pass
3720	3720	1	CHP	7	3710.888	-40.53	-25	Pass
3720	3730	1	CHP	8	3722.649	-43.14	-40	Pass




2024-07-26 14:58:43




2024-07-26 14:58:48







2024-07-29 12:35:30



2024-07-29 12:35:45




2024-07-25 14:36:45




2024-07-26 14:58:36



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3529.431	-40.77	-40	Pass
3530	3540	1	CHP	2	3537.622	-37.71	-25	Pass
3540	3600.056	1	CHP	3	3575.425	-26.39	-25	Pass
3600.056	3610.056	0.43	/	4	3609.659	-26.99	-13	Pass
3610.056	3639.924	0.43	/	/	/	/	/	/
3639.924	3649.924	1	CHP	5	3640.111	-22.50	-13	Pass
3649.924	3720	1	CHP	6	3670.984	-28.48	-25	Pass
3720	3720	1	CHP	7	3710.888	-37.04	-25	Pass
3720	3730	1	CHP	8	3722.439	-40.86	-40	Pass






2024-07-26 14:58:43




2024-07-26 14:58:48










2024-07-25 14:45:28




2024-07-25 14:45:34

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3527.541	-47.60	-40	Pass
3530	3540	1	CHP	2	3538.042	-44.49	-25	Pass
3540	3599.959	1	CHP	3	3577.315	-36.87	-25	Pass
3599.959	3609.959	0.43	/	4	3609.869	-27.22	-13	Pass
3609.959	3640.021	0.43	/	/	/	/	/	/
3640.021	3650.021	1	CHP	5	3640.111	-27.89	-13	Pass
3650.021	3720	1	CHP	6	3652.083	-33.59	-25	Pass
3720	3720	1	CHP	7	3710.048	-40.19	-25	Pass
3720	3730	1	CHP	8	3721.389	-44.34	-40	Pass







2024-07-25 14:45:44




2024-08-07 15:49:05




2024-07-29 11:59:51



2024-07-29 12:00:06




2024-07-26 15:05:38




2024-07-26 15:07:46


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3525.651	-42.90	-40	Pass
3530	3540	1	CHP	2	3539.512	-39.93	-25	Pass
3540	3599.984	1	CHP	3	3577.315	-27.57	-25	Pass
3599.984	3609.984	0.43	/	4	3607.348	-29.01	-13	Pass
3609.984	3639.996	0.43	/	/	/	/	/	/
3639.996	3649.996	1	CHP	5	3640.111	-24.74	-13	Pass
3649.996	3720	1	CHP	6	3671.404	-29.01	-25	Pass
3720	3720	1	CHP	7	3710.048	-39.34	-25	Pass
3720	3730	1	CHP	8	3726.220	-43.94	-40	Pass




2024-07-26 15:07:53




2024-07-26 15:07:58




2024-07-26 15:07:59




2024-08-07 16:02:14




2024-07-29 12:37:13



2024-07-29 12:37:28




2024-07-25 14:45:28




2024-07-26 15:07:46



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3525.441	-41.89	-40	Pass
3530	3540	1	CHP	2	3539.512	-38.76	-25	Pass
3540	3600.056	1	CHP	3	3577.315	-27.10	-25	Pass
3600.056	3610.056	0.43	/	4	3609.869	-26.00	-13	Pass
3610.056	3639.924	0.43	/	/	/	/	/	/
3639.924	3649.924	1	CHP	5	3640.111	-23.03	-13	Pass
3649.924	3720	1	CHP	6	3671.614	-28.29	-25	Pass
3720	3720	1	CHP	7	3710.048	-36.74	-25	Pass
3720	3730	1	CHP	8	3721.599	-41.29	-40	Pass






2024-07-26 15:07:53




2024-07-26 15:07:58








2024-07-25 14:49:51




2024-07-25 14:49:58



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3529.431	-45.77	-40	Pass
3530	3540	1	CHP	2	3539.932	-43.49	-25	Pass
3540	3599.862	1	CHP	3	3578.996	-38.30	-25	Pass
3599.862	3609.862	0.43	/	4	3609.659	-35.28	-13	Pass
3609.862	3640.118	0.43	/	/	/	/	/	/
3640.118	3650.118	1	CHP	5	3640.321	-35.67	-13	Pass
3650.118	3720	1	CHP	6	3676.235	-36.36	-25	Pass
3720	3720	1	CHP	7	3711.938	-41.30	-25	Pass
3720	3730	1	CHP	8	3721.599	-44.92	-40	Pass




2024-07-25 14:50:01




2024-07-25 14:50:05







2024-07-29 12:00:23



2024-07-29 12:00:38




2024-07-26 15:15:07




2024-07-26 15:15:13


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3526.491	-43.38	-40	Pass
3530	3540	1	CHP	2	3539.932	-39.17	-25	Pass
3540	3599.942	1	CHP	3	3578.156	-28.10	-25	Pass
3599.942	3609.942	0.43	/	4	3609.869	-27.55	-13	Pass
3609.942	3640.038	0.43	/	/	/	/	/	/
3640.038	3650.038	1	CHP	5	3640.111	-24.61	-13	Pass
3650.038	3720	1	CHP	6	3671.824	-29.71	-25	Pass
3720	3720	1	CHP	7	3710.048	-40.50	-25	Pass
3720	3730	1	CHP	8	3720.549	-43.25	-40	Pass




2024-07-26 15:15:20




2024-07-26 15:15:25




2024-07-26 15:15:26




2024-08-07 16:02:49




2024-07-29 12:41:37



2024-07-29 12:41:52




2024-07-25 14:49:51




2024-07-26 15:15:13


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3529.431	-41.57	-40	Pass
3530	3540	1	CHP	2	3539.932	-37.80	-25	Pass
3540	3600.056	1	CHP	3	3575.005	-27.77	-25	Pass
3600.056	3610.056	0.43	/	4	3609.869	-26.51	-13	Pass
3610.056	3639.924	0.43	/	/	/	/	/	/
3639.924	3649.924	1	CHP	5	3640.111	-23.72	-13	Pass
3649.924	3720	1	CHP	6	3676.235	-28.95	-25	Pass
3720	3720	1	CHP	7	3711.728	-38.18	-25	Pass
3720	3730	1	CHP	8	3720.549	-41.37	-40	Pass




2024-07-26 15:15:20





2024-07-26 15:15:25




2024-07-26 15:15:26




2024-08-07 16:02:49






2024-07-25 15:04:06




2024-09-05 11:11:15

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.378	-55.23	-40	Pass
3530	3540	1	CHP	2	3536.994	-54.82	-25	Pass
3540	3659.975	1	CHP	3	3659.177	-45.56	-25	Pass
3659.975	3669.975	0.43	/	4	3669.932	-32.36	-13	Pass
3669.975	3700.005	0.43	/	/	/	/	/	/
3700.005	3710.005	1	CHP	5	3700.048	-28.99	-13	Pass
3710.005	3720	1	CHP	6	3712.309	-45.93	-25	Pass
3720	3849.98	1	CHP	7	3721.129	-48.40	-40	Pass



2024-07-25 15:04:16



2024-07-25 15:04:20