







2024-07-25 15:04:21




2024-08-07 15:49:34




2024-07-29 12:00:56



2024-07-29 12:01:11




2024-07-26 15:28:19




2024-09-05 11:06:37


| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3530       | 1         | CHP    | 1          | 3521.721   | -54.21      | -40         | Pass   |
| 3530        | 3540       | 1         | CHP    | 2          | 3539.790   | -52.78      | -25         | Pass   |
| 3540        | 3660.054   | 1         | CHP    | 3          | 3657.241   | -48.30      | -25         | Pass   |
| 3660.054    | 3670.054   | 0.43      | /      | 4          | 3669.072   | -36.25      | -13         | Pass   |
| 3670.054    | 3699.926   | 0.43      | /      | /          | /          | /           | /           | /      |
| 3699.926    | 3709.926   | 1         | CHP    | 5          | 3700.048   | -33.74      | -13         | Pass   |
| 3709.926    | 3720       | 1         | CHP    | 6          | 3709.943   | -51.13      | -25         | Pass   |
| 3720        | 3720       | 1         | CHP    | 7          | 3714.460   | -47.51      | -25         | Pass   |
| 3720        | 3849.98    | 1         | CHP    | 8          | 3721.129   | -48.29      | -40         | Pass   |




2024-07-26 15:28:32




2024-07-26 15:28:37




2024-07-26 15:28:38




2024-08-07 16:03:47




2024-07-29 12:43:47



2024-07-29 12:44:02




2024-07-25 15:04:06




2024-09-05 11:06:37



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3530       | 1         | CHP    | 1          | 3521.721   | -52.04      | -40         | Pass   |
| 3530        | 3540       | 1         | CHP    | 2          | 3539.360   | -51.20      | -25         | Pass   |
| 3540        | 3659.861   | 1         | CHP    | 3          | 3657.241   | -43.91      | -25         | Pass   |
| 3659.861    | 3669.861   | 0.43      | /      | 4          | 3669.072   | -36.09      | -13         | Pass   |
| 3669.861    | 3700.119   | 0.43      | /      | /          | /          | /           | /           | /      |
| 3700.119    | 3710.119   | 1         | CHP    | 5          | 3700.263   | -32.31      | -13         | Pass   |
| 3710.119    | 3720       | 1         | CHP    | 6          | 3712.309   | -43.70      | -25         | Pass   |
| 3720        | 3849.98    | 1         | CHP    | 7          | 3721.129   | -45.34      | -40         | Pass   |






2024-07-26 15:28:32




2024-07-26 15:28:37










2024-07-25 15:17:16




2024-09-05 14:13:47

| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3530       | 1         | CHP    | 1          | 3527.099   | -53.23      | -40         | Pass   |
| 3530        | 3540       | 1         | CHP    | 2          | 3536.779   | -54.16      | -25         | Pass   |
| 3540        | 3659.897   | 1         | CHP    | 3          | 3658.316   | -42.75      | -25         | Pass   |
| 3659.897    | 3669.897   | 0.43      | /      | 4          | 3669.717   | -37.89      | -13         | Pass   |
| 3669.897    | 3700.083   | 0.43      | /      | /          | /          | /           | /           | /      |
| 3700.083    | 3710.083   | 1         | CHP    | 5          | 3700.263   | -33.31      | -13         | Pass   |
| 3710.083    | 3720       | 1         | CHP    | 6          | 3711.234   | -42.53      | -25         | Pass   |
| 3720        | 3849.98    | 1         | CHP    | 7          | 3721.559   | -46.78      | -40         | Pass   |







2024-07-25 15:17:31




2024-08-07 15:49:44




2024-07-29 12:01:29



2024-07-29 12:01:44






2024-07-26 15:36:16




2024-09-05 14:47:42

| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3530       | 1         | CHP    | 1          | 3521.936   | -51.34      | -40         | Pass   |
| 3530        | 3540       | 1         | CHP    | 2          | 3539.575   | -49.20      | -25         | Pass   |
| 3540        | 3660.054   | 1         | CHP    | 3          | 3659.392   | -44.80      | -25         | Pass   |
| 3660.054    | 3670.054   | 0.43      | /      | 4          | 3669.932   | -36.26      | -13         | Pass   |
| 3670.054    | 3699.926   | 0.43      | /      | /          | /          | /           | /           | /      |
| 3699.926    | 3709.926   | 1         | CHP    | 5          | 3700.048   | -30.44      | -13         | Pass   |
| 3709.926    | 3720       | 1         | CHP    | 6          | 3709.943   | -49.26      | -25         | Pass   |
| 3720        | 3720       | 1         | CHP    | 7          | 3712.739   | -44.56      | -25         | Pass   |
| 3720        | 3849.98    | 1         | CHP    | 8          | 3721.344   | -44.76      | -40         | Pass   |







2024-07-26 15:36:35




2024-08-07 16:04:05




2024-07-29 12:46:17



2024-07-29 12:46:32




2024-07-25 15:17:16




2024-09-05 14:47:42


| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3530       | 1         | CHP    | 1          | 3521.936   | -49.66      | -40         | Pass   |
| 3530        | 3540       | 1         | CHP    | 2          | 3539.575   | -48.20      | -25         | Pass   |
| 3540        | 3659.897   | 1         | CHP    | 3          | 3659.392   | -40.92      | -25         | Pass   |
| 3659.897    | 3669.897   | 0.43      | /      | 4          | 3669.717   | -34.51      | -13         | Pass   |
| 3669.897    | 3700.083   | 0.43      | /      | /          | /          | /           | /           | /      |
| 3700.083    | 3710.083   | 1         | CHP    | 5          | 3700.263   | -31.13      | -13         | Pass   |
| 3710.083    | 3720       | 1         | CHP    | 6          | 3711.234   | -40.63      | -25         | Pass   |
| 3720        | 3849.98    | 1         | CHP    | 7          | 3721.344   | -42.69      | -40         | Pass   |




2024-07-26 15:36:30





2024-07-26 15:36:34




2024-07-26 15:36:35




2024-08-07 16:04:05






2024-07-25 15:23:58




2024-09-05 14:14:12


| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3530       | 1         | CHP    | 1          | 3520.215   | -52.75      | -40         | Pass   |
| 3530        | 3540       | 1         | CHP    | 2          | 3530.756   | -52.96      | -25         | Pass   |
| 3540        | 3659.975   | 1         | CHP    | 3          | 3658.962   | -43.69      | -25         | Pass   |
| 3659.975    | 3669.975   | 0.43      | /      | 4          | 3669.932   | -33.75      | -13         | Pass   |
| 3669.975    | 3700.005   | 0.43      | /      | /          | /          | /           | /           | /      |
| 3700.005    | 3710.005   | 1         | CHP    | 5          | 3700.048   | -27.77      | -13         | Pass   |
| 3710.005    | 3720       | 1         | CHP    | 6          | 3711.879   | -45.49      | -25         | Pass   |
| 3720        | 3849.98    | 1         | CHP    | 7          | 3723.495   | -47.70      | -40         | Pass   |




2024-07-25 15:24:12




2024-07-25 15:24:12




2024-07-25 15:24:13




2024-08-07 15:51:09




2024-07-29 12:08:58



2024-07-29 12:09:13






2024-07-26 15:46:12




2024-09-05 14:50:39

| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3530       | 1         | CHP    | 1          | 3523.657   | -51.80      | -40         | Pass   |
| 3530        | 3540       | 1         | CHP    | 2          | 3539.790   | -48.56      | -25         | Pass   |
| 3540        | 3660.054   | 1         | CHP    | 3          | 3656.810   | -45.06      | -25         | Pass   |
| 3660.054    | 3670.054   | 0.43      | /      | 4          | 3669.932   | -29.32      | -13         | Pass   |
| 3670.054    | 3699.926   | 0.43      | /      | /          | /          | /           | /           | /      |
| 3699.926    | 3709.926   | 1         | CHP    | 5          | 3700.048   | -29.06      | -13         | Pass   |
| 3709.926    | 3720       | 1         | CHP    | 6          | 3709.943   | -47.27      | -25         | Pass   |
| 3720        | 3720       | 1         | CHP    | 7          | 3710.588   | -44.35      | -25         | Pass   |
| 3720        | 3849.98    | 1         | CHP    | 8          | 3721.344   | -44.90      | -40         | Pass   |








2024-07-26 15:46:31




2024-08-07 16:04:21






2024-07-25 15:23:58




2024-09-05 14:50:39



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3520        | 3530       | 1         | CHP    | 1          | 3523.657   | -49.50      | -40         | Pass   |
| 3530        | 3540       | 1         | CHP    | 2          | 3539.575   | -47.86      | -25         | Pass   |
| 3540        | 3659.897   | 1         | CHP    | 3          | 3658.962   | -41.49      | -25         | Pass   |
| 3659.897    | 3669.897   | 0.43      | /      | 4          | 3669.717   | -31.03      | -13         | Pass   |
| 3669.897    | 3700.083   | 0.43      | /      | /          | /          | /           | /           | /      |
| 3700.083    | 3710.083   | 1         | CHP    | 5          | 3700.263   | -33.19      | -13         | Pass   |
| 3710.083    | 3720       | 1         | CHP    | 6          | 3710.588   | -42.04      | -25         | Pass   |
| 3720        | 3849.98    | 1         | CHP    | 7          | 3721.129   | -43.43      | -40         | Pass   |




2024-07-26 15:46:25




2024-07-26 15:46:30







2024-07-29 13:08:15



2024-07-29 13:08:30




2024-07-25 15:32:35




2024-09-05 14:16:00


| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3410        | 3530       | 1         | CHP    | 1          | 3526.589   | -45.06      | -40         | Pass   |
| 3530        | 3540       | 1         | CHP    | 2          | 3537.442   | -44.14      | -25         | Pass   |
| 3540        | 3549.665   | 0.62      | /      | 3          | 3549.535   | -35.67      | -13         | Pass   |
| 3549.665    | 3590.336   | 0.62      | /      | /          | /          | /           | /           | /      |
| 3590.336    | 3600.336   | 1         | CHP    | 4          | 3590.465   | -26.37      | -13         | Pass   |
| 3600.336    | 3720       | 1         | CHP    | 5          | 3686.279   | -39.47      | -25         | Pass   |
| 3720        | 3720       | 1         | CHP    | 6          | 3718.217   | -53.62      | -25         | Pass   |
| 3720        | 3730       | 1         | CHP    | 7          | 3721.008   | -52.64      | -40         | Pass   |




2024-07-25 15:32:43




2024-07-25 15:32:49




2024-07-25 15:32:49




2024-08-07 15:51:55




2024-07-29 13:55:46



2024-07-29 13:56:01






2024-07-26 16:51:15




2024-09-05 14:55:31

| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3410        | 3530       | 1         | CHP    | 1          | 3520.698   | -45.26      | -40         | Pass   |
| 3530        | 3540       | 1         | CHP    | 2          | 3538.992   | -45.36      | -25         | Pass   |
| 3540        | 3549.617   | 0.62      | /      | 3          | 3549.535   | -36.73      | -13         | Pass   |
| 3549.617    | 3590.383   | 0.62      | /      | /          | /          | /           | /           | /      |
| 3590.383    | 3600.383   | 1         | CHP    | 4          | 3590.465   | -29.24      | -13         | Pass   |
| 3600.383    | 3720       | 1         | CHP    | 5          | 3601.938   | -41.50      | -25         | Pass   |
| 3720        | 3720       | 1         | CHP    | 6          | 3710.155   | -51.64      | -25         | Pass   |
| 3720        | 3730       | 1         | CHP    | 7          | 3721.008   | -47.55      | -40         | Pass   |







2024-07-26 16:51:33




2024-08-07 16:04:46




2024-07-29 14:05:52



2024-07-29 14:06:07




2024-07-25 15:32:35




2024-09-05 14:55:31


| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3410        | 3530       | 1         | CHP    | 1          | 3526.589   | -42.37      | -40         | Pass   |
| 3530        | 3540       | 1         | CHP    | 2          | 3538.992   | -41.99      | -25         | Pass   |
| 3540        | 3549.597   | 0.62      | /      | 3          | 3549.535   | -33.16      | -13         | Pass   |
| 3549.597    | 3590.404   | 0.62      | /      | /          | /          | /           | /           | /      |
| 3590.404    | 3600.404   | 1         | CHP    | 4          | 3590.465   | -24.56      | -13         | Pass   |
| 3600.404    | 3720       | 1         | CHP    | 5          | 3602.248   | -38.60      | -25         | Pass   |
| 3720        | 3720       | 1         | CHP    | 6          | 3710.155   | -50.10      | -25         | Pass   |
| 3720        | 3730       | 1         | CHP    | 7          | 3721.008   | -46.39      | -40         | Pass   |




2024-07-26 16:51:27





2024-07-26 16:51:32




2024-07-26 16:51:33




2024-08-07 16:04:46






2024-07-25 16:51:18




2024-09-05 14:16:32


| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3410        | 3530       | 1         | CHP    | 1          | 3522.248   | -42.71      | -40         | Pass   |
| 3530        | 3540       | 1         | CHP    | 2          | 3534.961   | -42.80      | -25         | Pass   |
| 3540        | 3549.665   | 0.62      | /      | 3          | 3549.225   | -35.64      | -13         | Pass   |
| 3549.665    | 3590.336   | 0.62      | /      | /          | /          | /           | /           | /      |
| 3590.336    | 3600.336   | 1         | CHP    | 4          | 3590.465   | -27.11      | -13         | Pass   |
| 3600.336    | 3720       | 1         | CHP    | 5          | 3686.279   | -39.13      | -25         | Pass   |
| 3720        | 3720       | 1         | CHP    | 6          | 3713.876   | -53.50      | -25         | Pass   |
| 3720        | 3730       | 1         | CHP    | 7          | 3721.008   | -50.54      | -40         | Pass   |




2024-07-25 16:51:27




2024-07-25 16:51:32




2024-07-25 16:51:32




2024-08-07 15:52:05




2024-07-29 13:56:57



2024-07-29 13:57:12



2024-07-26 17:01:06



2024-09-05 14:58:28

| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3410        | 3530       | 1         | CHP    | 1          | 3525.659   | -46.33      | -40         | Pass   |
| 3530        | 3540       | 1         | CHP    | 2          | 3539.922   | -43.68      | -25         | Pass   |
| 3540        | 3549.617   | 0.62      | /      | 3          | 3549.535   | -31.88      | -13         | Pass   |
| 3549.617    | 3590.383   | 0.62      | /      | /          | /          | /           | /           | /      |
| 3590.383    | 3600.383   | 1         | CHP    | 4          | 3590.465   | -28.11      | -13         | Pass   |
| 3600.383    | 3720       | 1         | CHP    | 5          | 3601.008   | -41.94      | -25         | Pass   |
| 3720        | 3720       | 1         | CHP    | 6          | 3711.705   | -52.89      | -25         | Pass   |
| 3720        | 3730       | 1         | CHP    | 7          | 3721.008   | -48.44      | -40         | Pass   |

