







2024-07-26 17:01:24




2024-08-07 16:05:01




2024-07-29 14:07:42



2024-07-29 14:07:57




2024-07-25 16:51:18




2024-09-05 14:58:28


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3410	3530	1	CHP	1	3521.938	-41.46	-40	Pass
3530	3540	1	CHP	2	3539.922	-40.67	-25	Pass
3540	3549.597	0.62	/	3	3549.535	-30.66	-13	Pass
3549.597	3590.404	0.62	/	/	/	/	/	/
3590.404	3600.404	1	CHP	4	3590.465	-24.57	-13	Pass
3600.404	3720	1	CHP	5	3686.279	-38.96	-25	Pass
3720	3720	1	CHP	6	3712.326	-50.36	-25	Pass
3720	3730	1	CHP	7	3721.008	-46.35	-40	Pass




2024-07-26 17:01:18





2024-07-26 17:01:23




2024-07-26 17:01:24




2024-08-07 16:05:01






2024-07-25 16:57:46




2024-09-05 14:18:56


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3410	3530	1	CHP	1	3529.380	-45.36	-40	Pass
3530	3540	1	CHP	2	3537.442	-44.65	-25	Pass
3540	3549.665	0.62	/	3	3549.535	-35.97	-13	Pass
3549.665	3590.336	0.62	/	/	/	/	/	/
3590.336	3600.336	1	CHP	4	3590.465	-27.17	-13	Pass
3600.336	3720	1	CHP	5	3686.279	-39.21	-25	Pass
3720	3720	1	CHP	6	3711.085	-54.28	-25	Pass
3720	3730	1	CHP	7	3721.318	-50.77	-40	Pass




2024-07-25 16:57:54




2024-07-25 16:57:58




2024-07-25 16:57:59




2024-08-07 15:52:24




2024-07-29 13:59:32



2024-07-29 13:59:47






2024-07-26 17:10:41




2024-09-05 15:03:30

Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3410	3530	1	CHP	1	3524.419	-46.53	-40	Pass
3530	3540	1	CHP	2	3538.992	-44.43	-25	Pass
3540	3549.627	0.62	/	3	3549.535	-37.31	-13	Pass
3549.627	3590.373	0.62	/	/	/	/	/	/
3590.373	3600.373	1	CHP	4	3590.465	-28.00	-13	Pass
3600.373	3720	1	CHP	5	3602.248	-42.40	-25	Pass
3720	3720	1	CHP	6	3713.566	-52.49	-25	Pass
3720	3730	1	CHP	7	3721.008	-46.56	-40	Pass







2024-07-26 17:10:59




2024-08-07 16:05:33




2024-07-29 14:08:46



2024-07-29 14:09:01




2024-07-25 16:57:46




2024-09-05 15:03:30



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3410	3530	1	CHP	1	3529.380	-43.31	-40	Pass
3530	3540	1	CHP	2	3538.992	-41.68	-25	Pass
3540	3549.597	0.62	/	3	3549.535	-33.58	-13	Pass
3549.597	3590.404	0.62	/	/	/	/	/	/
3590.404	3600.404	1	CHP	4	3590.465	-24.56	-13	Pass
3600.404	3720	1	CHP	5	3686.279	-38.89	-25	Pass
3720	3720	1	CHP	6	3713.566	-50.50	-25	Pass
3720	3730	1	CHP	7	3721.008	-45.19	-40	Pass




2024-07-26 17:10:53




2024-07-26 17:10:58









2024-07-29 14:08:46




2024-07-29 14:09:01




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3528.381	-46.80	-40	Pass
3530	3540	1	CHP	2	3538.882	-46.63	-25	Pass
3540	3594.65	1	CHP	3	3589.497	-40.18	-25	Pass
3594.65	3604.65	0.62	/	4	3604.408	-32.69	-13	Pass
3604.65	3645.33	0.62	/	/	/	/	/	/
3645.33	3655.33	1	CHP	5	3645.362	-31.02	-13	Pass
3655.33	3720	1	CHP	6	3686.316	-37.60	-25	Pass
3720	3720	1	CHP	7	3711.728	-43.69	-25	Pass
3720	3730	1	CHP	8	3723.489	-45.87	-40	Pass







2024-07-25 17:03:56




2024-08-07 15:52:33




2024-07-29 14:00:07



2024-07-29 14:00:22




2024-07-26 19:23:40




2024-08-07 16:32:55


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3528.801	-41.07	-40	Pass
3530	3540	1	CHP	2	3535.731	-41.18	-25	Pass
3540	3594.607	1	CHP	3	3593.277	-37.62	-25	Pass
3594.607	3604.607	0.62	/	4	3603.778	-34.79	-13	Pass
3604.607	3645.373	0.62	/	/	/	/	/	/
3645.373	3655.373	1	CHP	5	3645.572	-31.66	-13	Pass
3655.373	3720	1	CHP	6	3655.443	-37.47	-25	Pass
3720	3720	1	CHP	7	3710.888	-43.50	-25	Pass
3720	3730	1	CHP	8	3722.859	-44.12	-40	Pass




2024-07-26 19:23:54




2024-07-26 19:23:58




2024-07-26 19:23:59




2024-08-07 16:05:51




2024-07-29 14:13:35



2024-07-29 14:13:50




2024-07-25 17:03:41




2024-08-07 16:32:55


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3528.801	-40.13	-40	Pass
3530	3540	1	CHP	2	3539.092	-40.24	-25	Pass
3540	3594.607	1	CHP	3	3589.497	-36.15	-25	Pass
3594.607	3604.607	0.62	/	4	3604.408	-31.41	-13	Pass
3604.607	3645.373	0.62	/	/	/	/	/	/
3645.373	3655.373	1	CHP	5	3645.572	-29.79	-13	Pass
3655.373	3720	1	CHP	6	3656.073	-35.71	-25	Pass
3720	3720	1	CHP	7	3711.728	-40.68	-25	Pass
3720	3730	1	CHP	8	3723.489	-42.07	-40	Pass




2024-07-26 19:23:54





2024-07-26 19:23:58




2024-07-26 19:23:59




2024-08-07 16:05:51






2024-07-25 17:12:35




2024-09-05 14:25:26



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3521.660	-46.39	-40	Pass
3530	3540	1	CHP	2	3539.512	-46.82	-25	Pass
3540	3594.65	1	CHP	3	3591.597	-40.27	-25	Pass
3594.65	3604.65	0.62	/	4	3604.618	-28.02	-13	Pass
3604.65	3645.33	0.62	/	/	/	/	/	/
3645.33	3655.33	1	CHP	5	3645.362	-33.67	-13	Pass
3655.33	3720	1	CHP	6	3686.316	-36.04	-25	Pass
3720	3720	1	CHP	7	3711.098	-43.18	-25	Pass
3720	3730	1	CHP	8	3722.019	-43.74	-40	Pass




2024-07-25 17:12:45




2024-07-25 17:12:49







2024-07-29 14:00:39



2024-07-29 14:00:54




2024-07-26 19:26:42




2024-08-08 11:57:03


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3529.641	-41.24	-40	Pass
3530	3540	1	CHP	2	3539.932	-38.77	-25	Pass
3540	3594.607	1	CHP	3	3546.022	-37.15	-25	Pass
3594.607	3604.607	0.62	/	4	3604.408	-34.10	-13	Pass
3604.607	3645.373	0.62	/	/	/	/	/	/
3645.373	3655.373	1	CHP	5	3645.572	-34.04	-13	Pass
3655.373	3720	1	CHP	6	3693.877	-39.26	-25	Pass
3720	3720	1	CHP	7	3712.988	-41.47	-25	Pass
3720	3730	1	CHP	8	3720.549	-43.54	-40	Pass




2024-07-26 19:26:55




2024-07-26 19:27:00




2024-07-26 19:27:01




2024-08-07 16:08:09




2024-07-29 14:26:57



2024-07-29 14:27:12




2024-07-25 17:12:35




2024-08-08 11:57:03


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3529.011	-40.54	-40	Pass
3530	3540	1	CHP	2	3539.932	-38.16	-25	Pass
3540	3594.607	1	CHP	3	3593.907	-36.50	-25	Pass
3594.607	3604.607	0.62	/	4	3604.408	-32.61	-13	Pass
3604.607	3645.373	0.62	/	/	/	/	/	/
3645.373	3655.373	1	CHP	5	3645.572	-32.27	-13	Pass
3655.373	3720	1	CHP	6	3686.106	-34.82	-25	Pass
3720	3720	1	CHP	7	3710.678	-39.42	-25	Pass
3720	3730	1	CHP	8	3720.549	-40.64	-40	Pass




2024-07-26 19:26:55





2024-07-26 19:27:00




2024-07-26 19:27:01




2024-08-07 16:08:09









2024-07-25 17:24:34




2024-09-05 14:27:24


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3522.290	-45.84	-40	Pass
3530	3540	1	CHP	2	3536.782	-46.75	-25	Pass
3540	3594.65	1	CHP	3	3588.447	-39.90	-25	Pass
3594.65	3604.65	0.62	/	4	3604.618	-36.91	-13	Pass
3604.65	3645.33	0.62	/	/	/	/	/	/
3645.33	3655.33	1	CHP	5	3645.362	-29.87	-13	Pass
3655.33	3720	1	CHP	6	3686.316	-36.12	-25	Pass
3720	3720	1	CHP	7	3711.308	-43.27	-25	Pass
3720	3730	1	CHP	8	3720.549	-43.99	-40	Pass









2024-07-29 14:01:25



2024-07-29 14:01:40




2024-07-26 19:29:45




2024-09-05 15:07:51


Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3525.441	-47.15	-40	Pass
3530	3540	1	CHP	2	3538.882	-46.48	-25	Pass
3540	3594.662	1	CHP	3	3592.227	-42.69	-25	Pass
3594.662	3604.662	0.62	/	4	3604.618	-34.81	-13	Pass
3604.662	3645.318	0.62	/	/	/	/	/	/
3645.318	3655.318	1	CHP	5	3645.362	-33.18	-13	Pass
3655.318	3720	1	CHP	6	3657.123	-43.21	-25	Pass
3720	3720	1	CHP	7	3713.408	-46.89	-25	Pass
3720	3730	1	CHP	8	3722.439	-47.61	-40	Pass




2024-07-26 19:29:58




2024-07-26 19:30:03




2024-07-26 19:30:04



2024-08-07 16:08:20



2024-07-29 14:29:24



2024-07-29 14:29:39