

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 30_Single_Power

Band n77 Single NTN								
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Conducted Power (dBm)	EIRP (dBm)		Verdict	
				CC1	Total	Limit		
CC1:100	CC1:3600	NR-FR1-TM1.1	1	22.26	25.76	25.76	/	Pass
			2	22.08	25.58	25.58	/	Pass
			Sum	25.18	28.68	28.68	/	Pass
		NR-FR1-TM3.1	1	22.27	25.77	25.77	/	Pass
			2	22.16	25.66	25.66	/	Pass
			Sum	25.23	28.73	28.73	/	Pass
		NR-FR1-TM3.1a	1	22.32	25.82	25.82	/	Pass
			2	22.12	25.62	25.62	/	Pass
			Sum	25.23	28.73	28.73	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	22.59	26.09	26.09	/	Pass
			2	22.36	25.86	25.86	/	Pass
			Sum	25.49	28.99	28.99	/	Pass
		NR-FR1-TM3.1	1	22.37	25.87	25.87	/	Pass
			2	22.44	25.94	25.94	/	Pass
			Sum	25.42	28.92	28.92	/	Pass
		NR-FR1-TM3.1a	1	22.49	25.99	25.99	/	Pass
			2	22.35	25.85	25.85	/	Pass
			Sum	25.43	28.93	28.93	/	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	22.48	25.98	25.98	/	Pass
			2	22.45	25.95	25.95	/	Pass
			Sum	25.48	28.98	28.98	/	Pass
		NR-FR1-TM3.1	1	22.52	26.02	26.02	/	Pass
			2	22.33	25.83	25.83	/	Pass
			Sum	25.44	28.94	28.94	/	Pass
		NR-FR1-TM3.1a	1	22.64	26.14	26.14	/	Pass
			2	22.34	25.84	25.84	/	Pass
			Sum	25.50	29	29	/	Pass

1.1.2 30_Single_Power2

Band n77 Single NTN								
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Conducted Power (dBm/MHz)	EIRP (dBm/MHz)		Verdict	
				CC1	Total	Limit		
CC1:100	CC1:3600	NR-FR1-TM1.1	1	3.44	6.94	/	/	Pass
			2	3.19	6.69	/	/	Pass
			Sum	6.33	9.83	/	<=20	Pass
		NR-FR1-TM3.1	1	3.31	6.81	/	/	Pass
			2	3.31	6.81	/	/	Pass
			Sum	6.32	9.82	/	<=20	Pass
		NR-FR1-TM3.1a	1	3.47	6.97	/	/	Pass
			2	3.36	6.86	/	/	Pass
			Sum	6.43	9.93	/	<=20	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	3.69	7.19	/	/	Pass
			2	3.72	7.22	/	/	Pass
			Sum	6.72	10.22	/	<=20	Pass
		NR-FR1-TM3.1	1	3.42	6.92	/	/	Pass
			2	3.71	7.21	/	/	Pass
			Sum	6.58	10.08	/	<=20	Pass
		NR-FR1-TM3.1a	1	3.62	7.12	/	/	Pass
			2	3.64	7.14	/	/	Pass
			Sum	6.64	10.14	/	<=20	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	3.55	7.05	/	/	Pass
			2	3.68	7.18	/	/	Pass
			Sum	6.63	10.13	/	<=20	Pass
		NR-FR1-TM3.1	1	3.49	6.99	/	/	Pass
			2	3.57	7.07	/	/	Pass
			Sum	6.54	10.04	/	<=20	Pass
		NR-FR1-TM3.1a	1	3.59	7.09	/	/	Pass
			2	3.70	7.2	/	/	Pass
			Sum	6.66	10.16	/	<=20	Pass

1.1.3 30_Single_Power3

Band n77 Single NTN								
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Conducted Power (dBm/10MHz)	EIRP (dBm/10MHz)		Verdict	
				CC1	Total	Limit		
CC1:100	CC1:3600	NR-FR1-TM1.1	1	12.49	15.99	/	/	Pass
			2	12.11	15.61	/	/	Pass
			Sum	15.31	18.81	/	<=30	Pass
		NR-FR1-TM3.1	1	12.42	15.92	/	/	Pass
			2	12.26	15.76	/	/	Pass
			Sum	15.35	18.85	/	<=30	Pass
		NR-FR1-TM3.1a	1	12.33	15.83	/	/	Pass
			2	12.15	15.65	/	/	Pass
			Sum	15.25	18.75	/	<=30	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	12.63	16.13	/	/	Pass
			2	12.39	15.89	/	/	Pass
			Sum	15.52	19.02	/	<=30	Pass
		NR-FR1-TM3.1	1	12.32	15.82	/	/	Pass
			2	12.54	16.04	/	/	Pass
			Sum	15.44	18.94	/	<=30	Pass
		NR-FR1-TM3.1a	1	12.47	15.97	/	/	Pass
			2	12.35	15.85	/	/	Pass
			Sum	15.42	18.92	/	<=30	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	12.72	16.22	/	/	Pass
			2	12.51	16.01	/	/	Pass
			Sum	15.63	19.13	/	<=30	Pass
		NR-FR1-TM3.1	1	12.61	16.11	/	/	Pass
			2	12.31	15.81	/	/	Pass
			Sum	15.47	18.97	/	<=30	Pass
		NR-FR1-TM3.1a	1	12.72	16.22	/	/	Pass
			2	12.40	15.9	/	/	Pass
			Sum	15.57	19.07	/	<=30	Pass

2. Frequency Stability

2.1 Test Result

2.1.1 30_Single_Ant1

Band n77 Single Ant1								
BW (MHz)	DL Frequency (MHz)	Test Mode	Temp. (°C)	Voltage (VDC)	Frequency Deviation (Hz)	Freq. vs. Rated (ppm)		Verdict
						Result	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	20	40.8	-91	-0.0253	/	Pass
				48	-43	-0.0119	/	Pass
				55.2	41	0.0114	/	Pass
			-30	48	-64	-0.0178	/	Pass
			-20	48	-79	-0.0219	/	Pass
			-10	48	72	0.02	/	Pass
			0	48	-2	-0.0006	/	Pass
			10	48	72	0.02	/	Pass
			30	48	33	0.0092	/	Pass
			40	48	69	0.0192	/	Pass
			50	48	-76	-0.0211	/	Pass
		NR-FR1-TM3.1	20	40.8	-34	-0.0094	/	Pass
				48	4	0.0011	/	Pass
				55.2	-2	-0.0006	/	Pass
			-30	48	24	0.0067	/	Pass
			-20	48	85	0.0236	/	Pass
			-10	48	46	0.0128	/	Pass
			0	48	-82	-0.0228	/	Pass
			10	48	34	0.0094	/	Pass
			30	48	-27	-0.0075	/	Pass
			40	48	-35	-0.0097	/	Pass
			50	48	-42	-0.0117	/	Pass
		NR-FR1-TM3.1a	20	40.8	-79	-0.0219	/	Pass
				48	46	0.0128	/	Pass
				55.2	29	0.0081	/	Pass
			-30	48	31	0.0086	/	Pass
			-20	48	-29	-0.0081	/	Pass
			-10	48	92	0.0256	/	Pass
			0	48	-57	-0.0158	/	Pass
			10	48	-20	-0.0056	/	Pass
			30	48	95	0.0264	/	Pass
			40	48	-11	-0.0031	/	Pass
			50	48	-67	-0.0186	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	20	40.8	17	0.0047	/	Pass
				48	-27	-0.0074	/	Pass
				55.2	94	0.0259	/	Pass
			-30	48	-51	-0.0141	/	Pass
			-20	48	-89	-0.0246	/	Pass
			-10	48	-3	-0.0008	/	Pass
			0	48	58	0.016	/	Pass
			10	48	-12	-0.0033	/	Pass
			30	48	63	0.0174	/	Pass
			40	48	53	0.0146	/	Pass
			50	48	77	0.0212	/	Pass

		NR-FR1-TM3.1	20	40.8	48	0.0132	/	Pass
				48	-5	-0.0014	/	Pass
				55.2	0	0	/	Pass
			-30	48	91	0.0251	/	Pass
			-20	48	92	0.0254	/	Pass
			-10	48	56	0.0154	/	Pass
			0	48	80	0.0221	/	Pass
			10	48	-91	-0.0251	/	Pass
			30	48	79	0.0218	/	Pass
			40	48	14	0.0039	/	Pass
			50	48	-72	-0.0199	/	Pass
		NR-FR1-TM3.1a	20	40.8	-28	-0.0077	/	Pass
				48	69	0.019	/	Pass
				55.2	-23	-0.0063	/	Pass
			-30	48	-16	-0.0044	/	Pass
			-20	48	-40	-0.011	/	Pass
			-10	48	75	0.0207	/	Pass
			0	48	46	0.0127	/	Pass
			10	48	-10	-0.0028	/	Pass
			30	48	5	0.0014	/	Pass
			40	48	-8	-0.0022	/	Pass
			50	48	15	0.0041	/	Pass
	CC1:3649.98	NR-FR1-TM1.1	20	40.8	-26	-0.0071	/	Pass
				48	-69	-0.019	/	Pass
				55.2	82	0.0226	/	Pass
			-30	48	-44	-0.0121	/	Pass
			-20	48	19	0.0052	/	Pass
			-10	48	14	0.0039	/	Pass
			0	48	-24	-0.0066	/	Pass
			10	48	62	0.0171	/	Pass
			30	48	-21	-0.0058	/	Pass
			40	48	63	0.0174	/	Pass
			50	48	39	0.0108	/	Pass
		NR-FR1-TM3.1	20	40.8	-90	-0.0248	/	Pass
				48	41	0.0113	/	Pass
				55.2	59	0.0163	/	Pass
			-30	48	-85	-0.0234	/	Pass
			-20	48	-30	-0.0083	/	Pass
			-10	48	90	0.0248	/	Pass
			0	48	-89	-0.0246	/	Pass
			10	48	-45	-0.0124	/	Pass
			30	48	46	0.0127	/	Pass
			40	48	2	0.0006	/	Pass
			50	48	-91	-0.0251	/	Pass
		NR-FR1-TM3.1a	20	40.8	16	0.0044	/	Pass
				48	40	0.011	/	Pass
				55.2	-33	-0.0091	/	Pass
			-30	48	-1	-0.0003	/	Pass
			-20	48	9	0.0025	/	Pass
			-10	48	38	0.0105	/	Pass
			0	48	29	0.008	/	Pass
			10	48	-14	-0.0039	/	Pass
			30	48	-32	-0.0088	/	Pass
			40	48	-5	-0.0014	/	Pass
			50	48	20	0.0055	/	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 30_Single_OBW


Band n77 Single NTN						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	1	97.64	/	Pass
			2	97.14	/	Pass
		NR-FR1-TM3.1	1	97.39	/	Pass
			2	97.59	/	Pass
		NR-FR1-TM3.1a	1	97.32	/	Pass
			2	97.23	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	97.08	/	Pass
			2	97.31	/	Pass
		NR-FR1-TM3.1	1	97.31	/	Pass
			2	97.19	/	Pass
		NR-FR1-TM3.1a	1	97.38	/	Pass
			2	97.32	/	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	97.66	/	Pass
			2	97.48	/	Pass
		NR-FR1-TM3.1	1	97.55	/	Pass
			2	97.39	/	Pass
		NR-FR1-TM3.1a	1	97.19	/	Pass
			2	97.18	/	Pass

3.1.2 30_Single_XDB


Band n77 Single NTN						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	26dB Bandwidth (MHz)		Verdict
				Result	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	1	102.58	/	Pass
			2	102.57	/	Pass
		NR-FR1-TM3.1	1	102.40	/	Pass
			2	102.11	/	Pass
		NR-FR1-TM3.1a	1	102.61	/	Pass
			2	102.51	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	102.53	/	Pass
			2	102.39	/	Pass
		NR-FR1-TM3.1	1	102.42	/	Pass
			2	102.61	/	Pass
		NR-FR1-TM3.1a	1	102.49	/	Pass
			2	102.42	/	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	102.59	/	Pass
			2	102.41	/	Pass
		NR-FR1-TM3.1	1	102.25	/	Pass
			2	102.45	/	Pass
		NR-FR1-TM3.1a	1	102.58	/	Pass
			2	102.36	/	Pass

3.2 Test Graph


3.2.1 30_Single_OBW




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant2



n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1



n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant2




3.2.2 30_Single_XDB




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant1



n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant2



n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant2




n77 BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant1




n77 BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant2



n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1



n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant2



4. Peak-Average Ratio


4.1 Test Result

4.1.1 30_Single


Band n77 Single NTN Ant1						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Peak-Average Ratio (dB)		Verdict
				Result	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	1	9.73	<=13	Pass
			2	9.60	<=13	Pass
		NR-FR1-TM3.1	1	9.20	<=13	Pass
			2	9.53	<=13	Pass
		NR-FR1-TM3.1a	1	9.38	<=13	Pass
			2	9.26	<=13	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	9.55	<=13	Pass
			2	9.63	<=13	Pass
		NR-FR1-TM3.1	1	9.34	<=13	Pass
			2	9.38	<=13	Pass
		NR-FR1-TM3.1a	1	9.51	<=13	Pass
			2	9.44	<=13	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	9.44	<=13	Pass
			2	9.74	<=13	Pass
		NR-FR1-TM3.1	1	9.65	<=13	Pass
			2	9.46	<=13	Pass
		NR-FR1-TM3.1a	1	9.51	<=13	Pass
			2	9.62	<=13	Pass

4.2 Test Graph


4.2.1 30_Single




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant2



n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1



n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant2



5. Spurious Emission


5.1 Test Result

5.1.1 30_Single


Band n77 Single NTN Ant1						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Spurious Emission		Verdict
				Result	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
	CC1:3624.99	NR-FR1-TM1.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
	CC1:3649.98	NR-FR1-TM1.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 30_Single




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1



n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3470	3530	1	CHP	1	3490.800	-44.88	-40	Pass
3530	3540	1	CHP	2	3536.560	-47.23	-25	Pass
3540	3547.714	1	CHP	3	3544.100	-47.38	-13	Pass
3547.714	3548.714	1	CHP	4	3548.520	-47.34	-13	Pass
3548.714	3651.286	1	CHP	/	/	/	/	/
3651.286	3652.286	1	CHP	5	3651.740	-46.10	-13	Pass
3652.286	3710	1	CHP	6	3654.860	-45.70	-13	Pass
3710	3720	1	CHP	7	3711.280	-46.62	-25	Pass
3720	3730	1	CHP	8	3729.480	-47.18	-40	Pass


n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2



n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3470	3530	1	CHP	1	3490.800	-42.73	-40	Pass
3530	3540	1	CHP	2	3539.420	-44.45	-25	Pass
3540	3547.696	1	CHP	3	3546.960	-44.11	-13	Pass
3547.696	3548.696	1	CHP	4	3548.520	-43.43	-13	Pass
3548.696	3651.304	1	CHP	/	/	/	/	/
3651.304	3652.304	1	CHP	5	3651.740	-41.37	-13	Pass
3652.304	3710	1	CHP	6	3654.860	-41.36	-13	Pass
3710	3720	1	CHP	7	3716.220	-42.75	-25	Pass
3720	3730	1	CHP	8	3722.720	-42.97	-40	Pass


n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum



n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum



n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum



n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum

