

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 30_Single_Power

Band n78 Single NTN								
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Conducted Power (dBm)	EIRP (dBm)		Verdict	
				CC1	Total	Limit		
CC1:100	CC1:3600	NR-FR1-TM1.1	1	22.21	25.71	25.71	/	Pass
			2	22.07	25.57	25.57	/	Pass
			Sum	25.15	28.65	28.65	/	Pass
		NR-FR1-TM3.1	1	22.17	25.67	25.67	/	Pass
			2	22.04	25.54	25.54	/	Pass
			Sum	25.12	28.62	28.62	/	Pass
		NR-FR1-TM3.1a	1	22.12	25.62	25.62	/	Pass
			2	22.10	25.60	25.60	/	Pass
			Sum	25.12	28.62	28.62	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	22.09	25.59	25.59	/	Pass
			2	22.11	25.61	25.61	/	Pass
			Sum	25.11	28.61	28.61	/	Pass
		NR-FR1-TM3.1	1	22.11	25.61	25.61	/	Pass
			2	22.15	25.65	25.65	/	Pass
			Sum	25.14	28.64	28.64	/	Pass
		NR-FR1-TM3.1a	1	22.13	25.63	25.63	/	Pass
			2	22.03	25.53	25.53	/	Pass
			Sum	25.09	28.59	28.59	/	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	22.21	25.71	25.71	/	Pass
			2	22.10	25.60	25.60	/	Pass
			Sum	25.17	28.67	28.67	/	Pass
		NR-FR1-TM3.1	1	22.21	25.71	25.71	/	Pass
			2	22.18	25.68	25.68	/	Pass
			Sum	25.21	28.71	28.71	/	Pass
		NR-FR1-TM3.1a	1	22.20	25.70	25.70	/	Pass
			2	22.14	25.64	25.64	/	Pass
			Sum	25.18	28.68	28.68	/	Pass

1.1.2 30_Single_Power2

Band n78 Single NTN								
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Conducted Power (dBm/MHz)	EIRP (dBm/MHz)		Verdict	
				CC1	Total	Limit		
CC1:100	CC1:3600	NR-FR1-TM1.1	1	3.22	6.72	/	/	Pass
			2	3.34	6.84	/	/	Pass
			Sum	6.29	9.79	/	<=20	Pass
		NR-FR1-TM3.1	1	3.40	6.90	/	/	Pass
			2	3.23	6.73	/	/	Pass
			Sum	6.33	9.83	/	<=20	Pass
		NR-FR1-TM3.1a	1	3.17	6.67	/	/	Pass
			2	3.32	6.82	/	/	Pass
			Sum	6.26	9.76	/	<=20	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	3.11	6.61	/	/	Pass
			2	3.36	6.86	/	/	Pass
			Sum	6.25	9.75	/	<=20	Pass
		NR-FR1-TM3.1	1	3.26	6.76	/	/	Pass
			2	3.47	6.97	/	/	Pass
			Sum	6.38	9.88	/	<=20	Pass
		NR-FR1-TM3.1a	1	3.34	6.84	/	/	Pass
			2	3.22	6.72	/	/	Pass
			Sum	6.29	9.79	/	<=20	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	3.30	6.80	/	/	Pass
			2	3.23	6.73	/	/	Pass
			Sum	6.28	9.78	/	<=20	Pass
		NR-FR1-TM3.1	1	3.17	6.67	/	/	Pass
			2	3.44	6.94	/	/	Pass
			Sum	6.32	9.82	/	<=20	Pass
		NR-FR1-TM3.1a	1	3.38	6.88	/	/	Pass
			2	3.41	6.91	/	/	Pass
			Sum	6.41	9.91	/	<=20	Pass

1.1.3 30_Single_Power3

Band n78 Single NTN								
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Conducted Power (dBm/10MHz)	EIRP (dBm/10MHz)		Verdict	
				CC1	Total	Limit		
CC1:100	CC1:3600	NR-FR1-TM1.1	1	12.40	15.90	/	/	Pass
			2	12.16	15.66	/	/	Pass
			Sum	15.29	18.79	/	<=30	Pass
		NR-FR1-TM3.1	1	12.27	15.77	/	/	Pass
			2	12.18	15.68	/	/	Pass
			Sum	15.24	18.74	/	<=30	Pass
		NR-FR1-TM3.1a	1	12.25	15.75	/	/	Pass
			2	12.19	15.69	/	/	Pass
			Sum	15.23	18.73	/	<=30	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	12.10	15.60	/	/	Pass
			2	12.08	15.58	/	/	Pass
			Sum	15.10	18.60	/	<=30	Pass
		NR-FR1-TM3.1	1	12.09	15.59	/	/	Pass
			2	12.12	15.62	/	/	Pass
			Sum	15.12	18.62	/	<=30	Pass
		NR-FR1-TM3.1a	1	12.16	15.66	/	/	Pass
			2	11.98	15.48	/	/	Pass
			Sum	15.08	18.58	/	<=30	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	12.29	15.79	/	/	Pass
			2	12.20	15.70	/	/	Pass
			Sum	15.26	18.76	/	<=30	Pass
		NR-FR1-TM3.1	1	12.28	15.78	/	/	Pass
			2	12.27	15.77	/	/	Pass
			Sum	15.29	18.79	/	<=30	Pass
		NR-FR1-TM3.1a	1	12.34	15.84	/	/	Pass
			2	12.35	15.85	/	/	Pass
			Sum	15.36	18.86	/	<=30	Pass

2. Frequency Stability

2.1 Test Result

2.1.1 30_Single_Ant1

Band n78 Single Ant1								
BW (MHz)	DL Frequency (MHz)	Test Mode	Temp. (°C)	Voltage (VDC)	Frequency Deviation (Hz)	Freq. vs. Rated (ppm)		Verdict
						Result	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	20	40.8	-12	-0.0033	/	Pass
				48	69	0.0192	/	Pass
				55.2	26	0.0072	/	Pass
			-30	48	85	0.0236	/	Pass
			-20	48	82	0.0228	/	Pass
			-10	48	84	0.0233	/	Pass
			0	48	-77	-0.0214	/	Pass
			10	48	-65	-0.0181	/	Pass
			30	48	-11	-0.0031	/	Pass
			40	48	-11	-0.0031	/	Pass
			50	48	-26	-0.0072	/	Pass
		NR-FR1-TM3.1	20	40.8	51	0.0142	/	Pass
				48	-60	-0.0167	/	Pass
				55.2	94	0.0261	/	Pass
			-30	48	-35	-0.0097	/	Pass
			-20	48	-82	-0.0228	/	Pass
			-10	48	-44	-0.0122	/	Pass
			0	48	58	0.0161	/	Pass
			10	48	41	0.0114	/	Pass
			30	48	-85	-0.0236	/	Pass
			40	48	50	0.0139	/	Pass
			50	48	-71	-0.0197	/	Pass
		NR-FR1-TM3.1a	20	40.8	69	0.0192	/	Pass
				48	-15	-0.0042	/	Pass
				55.2	64	0.0178	/	Pass
			-30	48	90	0.025	/	Pass
			-20	48	54	0.015	/	Pass
			-10	48	59	0.0164	/	Pass
			0	48	15	0.0042	/	Pass
			10	48	-37	-0.0103	/	Pass
			30	48	-90	-0.025	/	Pass
			40	48	-75	-0.0208	/	Pass
			50	48	64	0.0178	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	20	40.8	92	0.0254	/	Pass
				48	88	0.0243	/	Pass
				55.2	-54	-0.0149	/	Pass
			-30	48	-75	-0.0207	/	Pass
			-20	48	13	0.0036	/	Pass
			-10	48	-7	-0.0019	/	Pass
			0	48	68	0.0188	/	Pass
			10	48	-27	-0.0074	/	Pass
			30	48	29	0.008	/	Pass
			40	48	-60	-0.0166	/	Pass
			50	48	-69	-0.019	/	Pass

	CC1:3649.98	NR-FR1-TM3.1	20	40.8	15	0.0041	/	Pass
				48	-68	-0.0188	/	Pass
				55.2	62	0.0171	/	Pass
			-30	48	77	0.0212	/	Pass
			-20	48	-81	-0.0223	/	Pass
			-10	48	59	0.0163	/	Pass
			0	48	-85	-0.0234	/	Pass
			10	48	-21	-0.0058	/	Pass
			30	48	-80	-0.0221	/	Pass
			40	48	-71	-0.0196	/	Pass
			50	48	-49	-0.0135	/	Pass
		NR-FR1-TM3.1a	20	40.8	56	0.0154	/	Pass
				48	16	0.0044	/	Pass
				55.2	59	0.0163	/	Pass
			-30	48	35	0.0097	/	Pass
			-20	48	-70	-0.0193	/	Pass
			-10	48	-5	-0.0014	/	Pass
			0	48	-63	-0.0174	/	Pass
			10	48	4	0.0011	/	Pass
			30	48	-67	-0.0185	/	Pass
			40	48	47	0.013	/	Pass
			50	48	79	0.0218	/	Pass
	CC1:3649.98	NR-FR1-TM1.1	20	40.8	80	0.0219	/	Pass
				48	33	0.0091	/	Pass
				55.2	8	0.0022	/	Pass
			-30	48	-91	-0.0251	/	Pass
			-20	48	15	0.0041	/	Pass
			-10	48	-18	-0.005	/	Pass
			0	48	-3	-0.0008	/	Pass
			10	48	47	0.013	/	Pass
			30	48	-65	-0.0179	/	Pass
			40	48	24	0.0066	/	Pass
			50	48	20	0.0055	/	Pass
		NR-FR1-TM3.1	20	40.8	18	0.005	/	Pass
				48	11	0.003	/	Pass
				55.2	80	0.0221	/	Pass
			-30	48	-93	-0.0257	/	Pass
			-20	48	-34	-0.0094	/	Pass
			-10	48	-78	-0.0215	/	Pass
			0	48	16	0.0044	/	Pass
			10	48	-36	-0.0099	/	Pass
			30	48	-41	-0.0113	/	Pass
			40	48	79	0.0218	/	Pass
			50	48	-44	-0.0121	/	Pass
		NR-FR1-TM3.1a	20	40.8	5	0.0014	/	Pass
				48	4	0.0011	/	Pass
				55.2	-77	-0.0212	/	Pass
			-30	48	-28	-0.0077	/	Pass
			-20	48	-37	-0.0102	/	Pass
			-10	48	-37	-0.0102	/	Pass
			0	48	-85	-0.0234	/	Pass
			10	48	52	0.0143	/	Pass
			30	48	50	0.0138	/	Pass
			40	48	-61	-0.0168	/	Pass
			50	48	46	0.0127	/	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 30_Single_OBW


Band n78 Single NTN						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	1	97.62	/	Pass
			2	97.58	/	Pass
		NR-FR1-TM3.1	1	97.89	/	Pass
			2	97.41	/	Pass
		NR-FR1-TM3.1a	1	97.54	/	Pass
			2	97.38	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	97.58	/	Pass
			2	97.44	/	Pass
		NR-FR1-TM3.1	1	97.36	/	Pass
			2	97.20	/	Pass
		NR-FR1-TM3.1a	1	97.59	/	Pass
			2	97.59	/	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	97.54	/	Pass
			2	97.64	/	Pass
		NR-FR1-TM3.1	1	97.37	/	Pass
			2	97.70	/	Pass
		NR-FR1-TM3.1a	1	97.42	/	Pass
			2	97.62	/	Pass

3.1.2 30_Single_XDB


Band n78 Single NTN						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	26dB Bandwidth (MHz)		Verdict
				Result	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	1	102.47	/	Pass
			2	102.69	/	Pass
		NR-FR1-TM3.1	1	102.67	/	Pass
			2	102.41	/	Pass
		NR-FR1-TM3.1a	1	102.52	/	Pass
			2	102.31	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	102.56	/	Pass
			2	102.72	/	Pass
		NR-FR1-TM3.1	1	102.50	/	Pass
			2	102.43	/	Pass
		NR-FR1-TM3.1a	1	102.38	/	Pass
			2	102.53	/	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	102.56	/	Pass
			2	102.54	/	Pass
		NR-FR1-TM3.1	1	102.49	/	Pass
			2	102.45	/	Pass
		NR-FR1-TM3.1a	1	102.63	/	Pass
			2	102.42	/	Pass

3.2 Test Graph


3.2.1 30_Single_OBW




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant2




3.2.2 30_Single_XDB




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant2



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant2



4. Peak-Average Ratio


4.1 Test Result

4.1.1 30_Single


Band n78 Single NTN Ant1						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Peak-Average Ratio (dB)		Verdict
				Result	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	1	9.68	<=13	Pass
			2	9.63	<=13	Pass
		NR-FR1-TM3.1	1	9.36	<=13	Pass
			2	9.43	<=13	Pass
		NR-FR1-TM3.1a	1	9.65	<=13	Pass
			2	9.64	<=13	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	9.60	<=13	Pass
			2	9.67	<=13	Pass
		NR-FR1-TM3.1	1	9.43	<=13	Pass
			2	9.54	<=13	Pass
		NR-FR1-TM3.1a	1	9.51	<=13	Pass
			2	9.39	<=13	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	9.71	<=13	Pass
			2	9.61	<=13	Pass
		NR-FR1-TM3.1	1	9.53	<=13	Pass
			2	9.49	<=13	Pass
		NR-FR1-TM3.1a	1	9.45	<=13	Pass
			2	9.49	<=13	Pass

4.2 Test Graph


4.2.1 30_Single




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant2



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant2



5. Spurious Emission


5.1 Test Result

5.1.1 30_Single


Band n78 Single NTN Ant1						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Spurious Emission		Verdict
				Result	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
	CC1:3624.99	NR-FR1-TM1.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
	CC1:3649.98	NR-FR1-TM1.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 30_Single




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3470	3530	1	CHP	1	3473.380	-44.62	-40	Pass
3530	3540	1	CHP	2	3537.080	-44.27	-25	Pass
3540	3547.654	1	CHP	3	3545.660	-44.08	-13	Pass
3547.654	3548.654	1	CHP	4	3548.520	-44.40	-13	Pass
3548.654	3651.347	1	CHP	/	/	/	/	/
3651.347	3652.347	1	CHP	5	3651.740	-44.31	-13	Pass
3652.347	3710	1	CHP	6	3653.040	-43.85	-13	Pass
3710	3720	1	CHP	7	3711.280	-45.94	-25	Pass
3720	3730	1	CHP	8	3722.980	-46.23	-40	Pass


n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3470	3530	1	CHP	1	3512.120	-42.47	-40	Pass
3530	3540	1	CHP	2	3533.700	-42.39	-25	Pass
3540	3547.743	1	CHP	3	3543.840	-41.93	-13	Pass
3547.743	3548.743	1	CHP	4	3548.520	-41.18	-13	Pass
3548.743	3651.258	1	CHP	/	/	/	/	/
3651.258	3652.258	1	CHP	5	3651.740	-40.18	-13	Pass
3652.258	3710	1	CHP	6	3654.600	-40.11	-13	Pass
3710	3720	1	CHP	7	3711.540	-42.30	-25	Pass
3720	3730	1	CHP	8	3722.980	-42.37	-40	Pass


n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum

