




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3470	3530	1	CHP	1	3501.460	-46.29	-40	Pass
3530	3540	1	CHP	2	3538.900	-46.72	-25	Pass
3540	3547.743	1	CHP	3	3544.100	-45.80	-13	Pass
3547.743	3548.743	1	CHP	4	3548.520	-45.70	-13	Pass
3548.743	3651.258	1	CHP	/	/	/	/	/
3651.258	3652.258	1	CHP	5	3651.740	-43.24	-13	Pass
3652.258	3710	1	CHP	6	3653.300	-42.31	-13	Pass
3710	3720	1	CHP	7	3715.700	-44.21	-25	Pass
3720	3730	1	CHP	8	3722.980	-44.80	-40	Pass


n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3470	3530	1	CHP	1	3486.900	-44.54	-40	Pass
3530	3540	1	CHP	2	3539.680	-45.95	-25	Pass
3540	3547.798	1	CHP	3	3544.100	-45.60	-13	Pass
3547.798	3548.798	1	CHP	4	3548.780	-45.65	-13	Pass
3548.798	3651.203	1	CHP	/	/	/	/	/
3651.203	3652.203	1	CHP	5	3651.220	-45.03	-13	Pass
3652.203	3710	1	CHP	6	3652.780	-44.09	-13	Pass
3710	3720	1	CHP	7	3712.060	-46.47	-25	Pass
3720	3730	1	CHP	8	3721.420	-46.90	-40	Pass


n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant2



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Sum




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3470	3530	1	CHP	1	3492.360	-42.52	-40	Pass
3530	3540	1	CHP	2	3539.680	-43.54	-25	Pass
3540	3547.743	1	CHP	3	3544.100	-42.69	-13	Pass
3547.743	3548.743	1	CHP	4	3548.520	-42.80	-13	Pass
3548.743	3651.258	1	CHP	/	/	/	/	/
3651.258	3652.258	1	CHP	5	3651.740	-41.20	-13	Pass
3652.258	3710	1	CHP	6	3652.780	-40.40	-13	Pass
3710	3720	1	CHP	7	3715.700	-42.27	-25	Pass
3720	3730	1	CHP	8	3722.980	-42.81	-40	Pass


n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Sum



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3470	3530	1	CHP	1	3510.040	-46.31	-40	Pass
3530	3540	1	CHP	2	3539.420	-47.08	-25	Pass
3540	3547.766	1	CHP	3	3546.960	-45.26	-13	Pass
3547.766	3548.766	1	CHP	4	3548.520	-46.39	-13	Pass
3548.766	3651.234	1	CHP	/	/	/	/	/
3651.234	3652.234	1	CHP	5	3651.480	-41.57	-13	Pass
3652.234	3710	1	CHP	6	3653.560	-42.32	-13	Pass
3710	3720	1	CHP	7	3719.600	-44.72	-25	Pass
3720	3730	1	CHP	8	3723.240	-44.80	-40	Pass


n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3470	3530	1	CHP	1	3479.100	-44.35	-40	Pass
3530	3540	1	CHP	2	3533.440	-47.14	-25	Pass
3540	3547.654	1	CHP	3	3546.960	-46.49	-13	Pass
3547.654	3548.654	1	CHP	4	3548.260	-47.00	-13	Pass
3548.654	3651.347	1	CHP	/	/	/	/	/
3651.347	3652.347	1	CHP	5	3651.480	-40.26	-13	Pass
3652.347	3710	1	CHP	6	3656.160	-43.89	-13	Pass
3710	3720	1	CHP	7	3712.840	-45.62	-25	Pass
3720	3730	1	CHP	8	3720.900	-45.99	-40	Pass


n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant2



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Sum




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3470	3530	1	CHP	1	3477.540	-42.71	-40	Pass
3530	3540	1	CHP	2	3532.660	-44.28	-25	Pass
3540	3547.743	1	CHP	3	3546.960	-42.83	-13	Pass
3547.743	3548.743	1	CHP	4	3548.260	-43.68	-13	Pass
3548.743	3651.258	1	CHP	/	/	/	/	/
3651.258	3652.258	1	CHP	5	3651.480	-37.86	-13	Pass
3652.258	3710	1	CHP	6	3653.560	-40.26	-13	Pass
3710	3720	1	CHP	7	3719.600	-42.31	-25	Pass
3720	3730	1	CHP	8	3722.720	-42.42	-40	Pass


n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Sum



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3526.701	-45.69	-40	Pass
3530	3540	1	CHP	2	3537.412	-45.62	-25	Pass
3540	3572.711	1	CHP	3	3544.342	-46.06	-13	Pass
3572.711	3573.711	1	CHP	4	3573.535	-45.62	-13	Pass
3573.711	3676.269	1	CHP	/	/	/	/	/
3676.269	3677.269	1	CHP	5	3676.445	-42.28	-13	Pass
3677.269	3710	1	CHP	6	3677.915	-43.02	-13	Pass
3710	3720	1	CHP	7	3711.098	-45.89	-25	Pass
3720	3730	1	CHP	8	3721.599	-45.91	-40	Pass


n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant1



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3527.961	-44.45	-40	Pass
3530	3540	1	CHP	2	3537.412	-43.38	-25	Pass
3540	3572.63	1	CHP	3	3570.805	-40.67	-13	Pass
3572.63	3573.63	1	CHP	4	3573.535	-40.03	-13	Pass
3573.63	3676.35	1	CHP	/	/	/	/	/
3676.35	3677.35	1	CHP	5	3676.445	-42.87	-13	Pass
3677.35	3710	1	CHP	6	3678.125	-43.10	-13	Pass
3710	3720	1	CHP	7	3719.919	-46.67	-25	Pass
3720	3730	1	CHP	8	3720.549	-46.39	-40	Pass


n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant2



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Sum




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3527.751	-42.18	-40	Pass
3530	3540	1	CHP	2	3537.412	-41.36	-25	Pass
3540	3572.773	1	CHP	3	3570.805	-39.74	-13	Pass
3572.773	3573.773	1	CHP	4	3573.745	-38.72	-13	Pass
3573.773	3676.207	1	CHP	/	/	/	/	/
3676.207	3677.207	1	CHP	5	3676.235	-39.36	-13	Pass
3677.207	3710	1	CHP	6	3677.915	-40.09	-13	Pass
3710	3720	1	CHP	7	3715.299	-43.56	-25	Pass
3720	3730	1	CHP	8	3727.690	-43.39	-40	Pass


n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Sum



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3526.911	-46.10	-40	Pass
3530	3540	1	CHP	2	3538.882	-46.16	-25	Pass
3540	3572.711	1	CHP	3	3572.065	-45.95	-13	Pass
3572.711	3573.711	1	CHP	4	3573.535	-44.72	-13	Pass
3573.711	3676.269	1	CHP	/	/	/	/	/
3676.269	3677.269	1	CHP	5	3676.445	-43.70	-13	Pass
3677.269	3710	1	CHP	6	3678.125	-43.88	-13	Pass
3710	3720	1	CHP	7	3710.048	-45.48	-25	Pass
3720	3730	1	CHP	8	3724.119	-46.40	-40	Pass


n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant1



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3523.760	-45.02	-40	Pass
3530	3540	1	CHP	2	3537.832	-44.50	-25	Pass
3540	3572.773	1	CHP	3	3569.755	-44.25	-13	Pass
3572.773	3573.773	1	CHP	4	3573.325	-43.32	-13	Pass
3573.773	3676.207	1	CHP	/	/	/	/	/
3676.207	3677.207	1	CHP	5	3676.235	-44.61	-13	Pass
3677.207	3710	1	CHP	6	3677.915	-45.23	-13	Pass
3710	3720	1	CHP	7	3719.079	-47.31	-25	Pass
3720	3730	1	CHP	8	3724.749	-46.97	-40	Pass


n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant2



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Sum



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Sum



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3519.98	3530	1	CHP	1	3523.760	-42.65	-40	Pass
3530	3540	1	CHP	2	3537.832	-42.34	-25	Pass
3540	3572.773	1	CHP	3	3569.545	-42.18	-13	Pass
3572.773	3573.773	1	CHP	4	3573.745	-40.94	-13	Pass
3573.773	3676.207	1	CHP	/	/	/	/	/
3676.207	3677.207	1	CHP	5	3676.235	-41.03	-13	Pass
3677.207	3710	1	CHP	6	3677.915	-41.52	-13	Pass
3710	3720	1	CHP	7	3710.048	-43.58	-25	Pass
3720	3730	1	CHP	8	3724.539	-43.81	-40	Pass