

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 30_Single_Power

Band n78 Single NTN								
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Conducted Power (dBm)	EIRP (dBm)		Verdict	
				CC1	Total	Limit		
CC1:100	CC1:3600	NR-FR1-TM1.1	1	37.48	50.48	50.48	/	Pass
			2	37.01	50.01	50.01	/	Pass
			Sum	40.26	53.26	53.26	/	Pass
		NR-FR1-TM3.1	1	37.82	50.82	50.82	/	Pass
			2	36.97	49.97	49.97	/	Pass
			Sum	40.43	53.43	53.43	/	Pass
		NR-FR1-TM3.1a	1	37.73	50.73	50.73	/	Pass
			2	36.85	49.85	49.85	/	Pass
			Sum	40.32	53.32	53.32	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	37.80	50.80	50.80	/	Pass
			2	36.89	49.89	49.89	/	Pass
			Sum	40.38	53.38	53.38	/	Pass
		NR-FR1-TM3.1	1	37.90	50.90	50.90	/	Pass
			2	36.87	49.87	49.87	/	Pass
			Sum	40.43	53.43	53.43	/	Pass
		NR-FR1-TM3.1a	1	37.90	50.90	50.90	/	Pass
			2	36.92	49.92	49.92	/	Pass
			Sum	40.45	53.45	53.45	/	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	37.52	50.52	50.52	/	Pass
			2	36.66	49.66	49.66	/	Pass
			Sum	40.12	53.12	53.12	/	Pass
		NR-FR1-TM3.1	1	37.46	50.46	50.46	/	Pass
			2	36.34	49.34	49.34	/	Pass
			Sum	39.95	52.95	52.95	/	Pass
		NR-FR1-TM3.1a	1	37.48	50.48	50.48	/	Pass
			2	36.04	49.04	49.04	/	Pass
			Sum	39.83	52.83	52.83	/	Pass

1.1.2 30_Single_Power2

Band n78 Single NTNV								
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Conducted Power (dBm/MHz)	EIRP (dBm/MHz)			Verdict
				CC1		Total	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	1	18.66	31.66	/	/	Pass
			2	18.40	31.40	/	/	Pass
			Sum	21.54	34.54	/	<=37	Pass
		NR-FR1-TM3.1	1	19.04	32.04	/	/	Pass
			2	18.25	31.25	/	/	Pass
			Sum	21.67	34.67	/	<=37	Pass
		NR-FR1-TM3.1a	1	18.95	31.95	/	/	Pass
			2	18.12	31.12	/	/	Pass
			Sum	21.57	34.57	/	<=37	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	19.04	32.04	/	/	Pass
			2	18.24	31.24	/	/	Pass
			Sum	21.67	34.67	/	<=37	Pass
		NR-FR1-TM3.1	1	19.15	32.15	/	/	Pass
			2	18.41	31.41	/	/	Pass
			Sum	21.81	34.81	/	<=37	Pass
		NR-FR1-TM3.1a	1	19.06	32.06	/	/	Pass
			2	18.19	31.19	/	/	Pass
			Sum	21.66	34.66	/	<=37	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	18.70	31.70	/	/	Pass
			2	18.32	31.32	/	/	Pass
			Sum	21.52	34.52	/	<=37	Pass
		NR-FR1-TM3.1	1	18.68	31.68	/	/	Pass
			2	18.79	31.79	/	/	Pass
			Sum	21.75	34.75	/	<=37	Pass
		NR-FR1-TM3.1a	1	18.66	31.66	/	/	Pass
			2	17.25	30.25	/	/	Pass
			Sum	21.02	34.02	/	<=37	Pass

1.1.3 30_Single_Power3

Band n78 Single NTN								
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Conducted Power (dBm/10MHz)	EIRP (dBm/10MHz)		Verdict	
				CC1	Total	Limit		
CC1:100	CC1:3600	NR-FR1-TM1.1	1	27.93	40.93	/	/	Pass
			2	28.16	41.16	/	/	Pass
			Sum	31.06	44.06	/	<=47	Pass
		NR-FR1-TM3.1	1	27.98	40.98	/	/	Pass
			2	27.88	40.88	/	/	Pass
			Sum	30.94	43.94	/	<=47	Pass
		NR-FR1-TM3.1a	1	28.12	41.12	/	/	Pass
			2	28.04	41.04	/	/	Pass
			Sum	31.09	44.09	/	<=47	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	28.03	41.03	/	/	Pass
			2	28.17	41.17	/	/	Pass
			Sum	31.11	44.11	/	<=47	Pass
		NR-FR1-TM3.1	1	28.14	41.14	/	/	Pass
			2	28.26	41.26	/	/	Pass
			Sum	31.21	44.21	/	<=47	Pass
		NR-FR1-TM3.1a	1	28.03	41.03	/	/	Pass
			2	28.19	41.19	/	/	Pass
			Sum	31.12	44.12	/	<=47	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	27.58	40.58	/	/	Pass
			2	28.10	41.10	/	/	Pass
			Sum	30.86	43.86	/	<=47	Pass
		NR-FR1-TM3.1	1	27.57	40.57	/	/	Pass
			2	28.04	41.04	/	/	Pass
			Sum	30.82	43.82	/	<=47	Pass
		NR-FR1-TM3.1a	1	27.49	40.49	/	/	Pass
			2	27.81	40.81	/	/	Pass
			Sum	30.66	43.66	/	<=47	Pass

2. Frequency Stability

2.1 Test Result

2.1.1 30_Single_Ant1

Band n78 Single nt1								
BW (MHz)	DL Frequency (MHz)	Test Mode	Temp. (°C)	Voltage (VDC)	Frequency Deviation (Hz)	Freq. vs. Rated (ppm)		Verdict
						Result	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	20	40.8	-0.27	-0.0001	/	Pass
				48	6.51	0.0018	/	Pass
				55.2	14.44	0.004	/	Pass
			-30	48	-11.23	-0.0031	/	Pass
			-20	48	11.75	0.0033	/	Pass
			-10	48	6.61	0.0018	/	Pass
			0	48	-6.15	-0.0017	/	Pass
			10	48	19.12	0.0053	/	Pass
			30	48	16.8	0.0047	/	Pass
			40	48	-14.35	-0.004	/	Pass
			50	48	8.83	0.0025	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	20	40.8	12.42	0.0034	/	Pass
				48	0.63	0.0002	/	Pass
				55.2	-12.41	-0.0034	/	Pass
			-30	48	5.31	0.0015	/	Pass
			-20	48	-9.54	-0.0026	/	Pass
			-10	48	16.39	0.0045	/	Pass
			0	48	-8.64	-0.0024	/	Pass
			10	48	12.29	0.0034	/	Pass
			30	48	-9.78	-0.0027	/	Pass
			40	48	-7.95	-0.0022	/	Pass
			50	48	15.8	0.0044	/	Pass
	CC1:3649.98	NR-FR1-TM1.1	20	40.8	14.66	0.004	/	Pass
				48	5.63	0.0015	/	Pass
				55.2	13.84	0.0038	/	Pass
			-30	48	-8.42	-0.0023	/	Pass
			-20	48	-16.89	-0.0046	/	Pass
			-10	48	-17.58	-0.0048	/	Pass
			0	48	18.07	0.005	/	Pass
			10	48	0.32	0.0001	/	Pass
			30	48	-19.04	-0.0052	/	Pass
			40	48	-19.52	-0.0053	/	Pass
			50	48	19.87	0.0054	/	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 30_Single_OBW


Band n78 Single NTN						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	1	97.62	/	Pass
			2	97.26	/	Pass
		NR-FR1-TM3.1	1	97.63	/	Pass
			2	97.54	/	Pass
		NR-FR1-TM3.1a	1	97.34	/	Pass
			2	97.39	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	97.07	/	Pass
			2	97.31	/	Pass
		NR-FR1-TM3.1	1	97.12	/	Pass
			2	98.06	/	Pass
		NR-FR1-TM3.1a	1	97.15	/	Pass
			2	97.11	/	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	97.59	/	Pass
			2	97.34	/	Pass
		NR-FR1-TM3.1	1	97.62	/	Pass
			2	97.49	/	Pass
		NR-FR1-TM3.1a	1	97.48	/	Pass
			2	97.56	/	Pass

3.1.2 30_Single_XDB


Band n78 Single NTN						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	26dB Bandwidth (MHz)		Verdict
				Result	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	1	102.15	/	Pass
			2	102.45	/	Pass
		NR-FR1-TM3.1	1	102.24	/	Pass
			2	102.52	/	Pass
		NR-FR1-TM3.1a	1	105.37	/	Pass
			2	102.46	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	102.03	/	Pass
			2	102.22	/	Pass
		NR-FR1-TM3.1	1	102.57	/	Pass
			2	102.29	/	Pass
		NR-FR1-TM3.1a	1	102.28	/	Pass
			2	102.05	/	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	102.54	/	Pass
			2	102.19	/	Pass
		NR-FR1-TM3.1	1	102.47	/	Pass
			2	102.44	/	Pass
		NR-FR1-TM3.1a	1	102.42	/	Pass
			2	104.88	/	Pass

3.2 Test Graph


3.2.1 30_Single_OBW




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant2




3.2.2 30_Single_XDB




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant2



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant2



4. Peak-Average Ratio


4.1 Test Result

4.1.1 30_Single


Band n78 Single NTN Ant1						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Peak-Average Ratio (dB)		Verdict
				Result	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	1	9.62	<=13	Pass
			2	10.42	<=13	Pass
		NR-FR1-TM3.1	1	9.31	<=13	Pass
			2	9.85	<=13	Pass
		NR-FR1-TM3.1a	1	9.34	<=13	Pass
			2	10.04	<=13	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	9.57	<=13	Pass
			2	10.42	<=13	Pass
		NR-FR1-TM3.1	1	9.08	<=13	Pass
			2	9.90	<=13	Pass
		NR-FR1-TM3.1a	1	9.27	<=13	Pass
			2	9.72	<=13	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	9.53	<=13	Pass
			2	10.02	<=13	Pass
		NR-FR1-TM3.1	1	9.54	<=13	Pass
			2	9.99	<=13	Pass
		NR-FR1-TM3.1a	1	9.38	<=13	Pass
			2	10.16	<=13	Pass

4.2 Test Graph


4.2.1 30_Single




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant2



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant2



5. Spurious Emission


5.1 Test Result

5.1.1 30_Single


Band n78 Single NTN Ant1						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Spurious Emission		Verdict
				Result	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
	CC1:3624.99	NR-FR1-TM1.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
	CC1:3649.98	NR-FR1-TM1.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 30_Single




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3470	3530	1	CHP	1	3482.740	-53.08	-40	Pass
3530	3540	1	CHP	2	3539.940	-42.81	-25	Pass
3540	3547.776	1	CHP	3	3546.960	-26.46	-13	Pass
3547.776	3548.776	1	CHP	4	3548.520	-25.56	-13	Pass
3548.776	3651.225	1	CHP	/	/	/	/	/
3651.225	3652.225	1	CHP	5	3651.480	-26.79	-13	Pass
3652.225	3710	1	CHP	6	3656.420	-26.07	-13	Pass
3710	3720	1	CHP	7	3710.240	-48.39	-25	Pass
3720	3730	1	CHP	8	3724.800	-47.07	-40	Pass


n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3470	3530	1	CHP	1	3487.160	-50.37	-40	Pass
3530	3540	1	CHP	2	3539.940	-37.89	-25	Pass
3540	3547.771	1	CHP	3	3547.220	-22.50	-13	Pass
3547.771	3548.771	1	CHP	4	3548.520	-21.34	-13	Pass
3548.771	3651.229	1	CHP	/	/	/	/	/
3651.229	3652.229	1	CHP	5	3651.480	-22.64	-13	Pass
3652.229	3710	1	CHP	6	3656.420	-22.05	-13	Pass
3710	3720	1	CHP	7	3716.480	-45.52	-25	Pass
3720	3730	1	CHP	8	3725.060	-45.13	-40	Pass


n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum




n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1



n78_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3470	3530	1	CHP	1	3510.040	-52.66	-40	Pass
3530	3540	1	CHP	2	3539.940	-41.28	-25	Pass
3540	3547.925	1	CHP	3	3547.220	-26.13	-13	Pass
3547.925	3548.925	1	CHP	4	3548.780	-25.03	-13	Pass
3548.925	3651.075	1	CHP	/	/	/	/	/
3651.075	3652.075	1	CHP	5	3651.220	-27.33	-13	Pass
3652.075	3710	1	CHP	6	3654.860	-26.97	-13	Pass
3710	3720	1	CHP	7	3719.080	-47.80	-25	Pass
3720	3730	1	CHP	8	3728.180	-47.37	-40	Pass