



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei City
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #3

Date: 2024/9/4

Temperature: 24.9 °C

90.0 dBuV/m

Time: 下午 08:25:05

Humidity: 49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH140

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11400.000	33.18	peak	15.92	49.10	74.00	150	320	-24.90	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9

Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:28:35

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11400.000	32.86	peak	15.92	48.78	74.00	150	360	-25.22	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:25:53

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17100.000	21.45	peak	22.00	43.45	74.00	150	36	-30.55	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement


Operator: Gino
Temperature:24.9 °C
Humidity:49.2 %

File :3

Data :#10

Date: 2024/9/4
Time: 下午 08:29:23

90.0 dBuV/m



Site : Chamber_01
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M22405-23479
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: Vertical
Power : 5 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17100.000	22.20	peak	22.00	44.20	74.00	150	115	-29.80	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:26:04

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH140

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#11


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:29:34

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:26:15

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH140

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#12


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:29:45

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH140

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kai

File :3

Data :#1

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 05:56:31

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH100

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kai

File :3

Data :#7

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 05:59:56

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH100

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kai

File :3

Data :#2


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 05:57:13

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH100

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kai

File :3

Data :#8


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:00:39

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH100

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei City
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #3

Date: 2024/9/5

Temperature: 25.2 °C

90.0 dBuV/m

Time: 下午 05:57:56

Humidity: 45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11000.000	32.64	peak	15.43	48.07	74.00	150	142	-25.93	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kai

File :3

Data :#9


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:01:21

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH100

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11000.000	32.05	peak	15.43	47.48	74.00	150	75	-26.52	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kai

File :3

Data :#4


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 05:58:43

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH100

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16500.000	22.12	peak	22.09	44.21	74.00	150	329	-29.79	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kai

File :3

Data :#10


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:02:08

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16500.000	22.55	peak	22.09	44.64	74.00	150	359	-29.36	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kai

File :3

Data :#5


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 05:58:53

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH100

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kai

File :3

Data :#11


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:02:19

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kai

File :3

Data :#6


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 05:59:04

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH100

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kai

File :3

Data :#12

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:02:29

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:09:59

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH120

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:13:28

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH120

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:10:41

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:14:11

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH120

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:11:25

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH120

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11200.000	32.27	peak	15.65	47.92	74.00	150	0	-26.08	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei City
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #9

Date: 2024/9/5

Temperature: 25.2 °C

90.0 dBuV/m

Time: 下午 06:14:55

Humidity: 45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11200.000	32.29	peak	15.65	47.94	74.00	150	157	-26.06	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:12:12

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH120

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16800.000	21.05	peak	22.39	43.44	74.00	150	1	-30.56	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:15:42

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16800.000	22.81	peak	22.39	45.20	74.00	150	203	-28.80	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:12:23

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#11

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:15:53

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:12:34

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#12


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:16:05

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH120

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:21:44

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: Horizontal

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:25:14

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH140

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:22:27

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH140

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:25:57

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:23:10

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH140

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11400.000	33.38	peak	15.92	49.30	74.00	150	345	-24.70	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei City
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #9

Date: 2024/9/5

Temperature: 25.2 °C

90.0 dBuV/m

Time: 下午 06:26:40

Humidity: 45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH140

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11400.000	33.73	peak	15.92	49.65	74.00	150	116	-24.35	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:23:58

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH140

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17100.000	22.42	peak	22.00	44.42	74.00	150	1	-29.58	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:27:28

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH140

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17100.000	22.17	peak	22.00	44.17	74.00	150	1	-29.83	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:24:09

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#11

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:27:38

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH140

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:24:20

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH140

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#12


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:27:50

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:25:37

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH102

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:29:07

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH102

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:26:20

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH102

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:29:50

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax40 CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:27:03

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH102

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11020.000	32.77	peak	15.46	48.23	74.00	150	15	-25.77	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:30:33

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH102

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11020.000	32.70	peak	15.46	48.16	74.00	150	0	-25.84	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement


Operator: Gino
Temperature:25.2 °C
Humidity:45.6 %

File :3

Data :#4

Date: 2024/9/5
Time: 下午 08:27:51

90.0 dBuV/m



Site : Chamber_01
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M22405-23479
M/N:
Test Mode : TX 802.11ax40 CH102
Note :

Polarization: **Horizontal**
Power : 5 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16530.000	22.20	peak	22.12	44.32	74.00	150	330	-29.68	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement


Operator: Gino
Temperature:25.2 °C
Humidity:45.6 %

File :3

Data :#10

Date: 2024/9/5
Time: 下午 08:31:21

90.0 dBuV/m



Site : Chamber_01
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M22405-23479
M/N:
Test Mode : TX 802.11ax40 CH102
Note :

Polarization: Vertical
Power : 5 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16530.000	22.43	peak	22.12	44.55	74.00	150	205	-29.45	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:28:02

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH102

Note :

Polarization: *Horizontal*

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#11


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:31:32

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax40 CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:28:13

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH102

Note :

Polarization: Horizontal

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#12

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:31:43

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH102

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:37:25

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH118

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:40:55

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH118

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:38:08

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH118

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:41:38

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax40 CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei City
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #3


Date: 2024/9/5

Temperature: 25.2 °C

90.0 dBuV/m

Time: 下午 08:38:51

Humidity: 45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax40 CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11180.000	31.72	peak	15.64	47.36	74.00	150	244	-26.64	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:42:21

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH118

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11180.000	32.20	peak	15.64	47.84	74.00	150	238	-26.16	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:39:39

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax40 CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16770.000	21.75	peak	22.32	44.07	74.00	150	359	-29.93	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:43:09

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH118

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16770.000	22.13	peak	22.32	44.45	74.00	150	121	-29.55	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:39:50

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH118

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement


Operator: Gino
Temperature:25.2 °C
Humidity:45.6 %

File :3

Data :#11

Date: 2024/9/5
Time: 下午 08:43:20

90.0 dBuV/m



Site : Chamber_01
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M22405-23479
M/N:
Test Mode : TX 802.11ax40 CH118
Note :

Polarization: Vertical
Power : 5 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:40:01

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax40 CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#12


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:43:31

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax40 CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:47:37

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax40 CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:51:06

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH134

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:48:20

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH134

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:51:50

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH134

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei City
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #3

Date: 2024/9/5

Temperature: 25.2 °C

90.0 dBuV/m

Time: 下午 08:49:03

Humidity: 45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH134

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11340.000	32.53	peak	16.17	48.70	74.00	150	331	-25.30	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:52:33

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH134

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11340.000	32.66	peak	16.17	48.83	74.00	150	279	-25.17	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:49:51

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH134

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17010.000	22.69	peak	22.34	45.03	74.00	150	163	-28.97	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:53:21

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax40 CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17010.000	23.24	peak	22.34	45.58	74.00	150	1	-28.42	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:50:02

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH134

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#11


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:53:32

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH134

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement


Operator: Gino
Temperature:25.2 °C
Humidity:45.6 %

File :3

Data :#6

Date: 2024/9/5
Time: 下午 08:50:13

90.0 dBuV/m



Site : Chamber_01
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M22405-23479
M/N:
Test Mode : TX 802.11ax40 CH134
Note :

Polarization: **Horizontal**
Power : 5 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#12


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:53:43

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax40 CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:54:20

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: Horizontal

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax80 CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:57:50

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH106

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:55:03

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH106

Note :

Polarization: *Horizontal*

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:58:32

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH106

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:55:46

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH106

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11060.000	31.79	peak	15.53	47.32	74.00	150	69	-26.68	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:59:16

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax80 CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11060.000	31.69	peak	15.53	47.22	74.00	150	1	-26.78	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement


Operator: Gino
Temperature:25.2 °C
Humidity:45.6 %

File :3

Data :#4

Date: 2024/9/5
Time: 下午 09:56:34

90.0 dBuV/m



Site : Chamber_01
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M22405-23479
M/N:
Test Mode : TX 802.11ax80 CH106
Note :

Polarization: **Horizontal**
Power : 5 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16590.000	22.13	peak	22.17	44.30	74.00	150	290	-29.70	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:00:04

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH106

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16590.000	22.04	peak	22.17	44.21	74.00	150	330	-29.79	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:56:45

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH106

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#11


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:00:15

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax80 CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:56:56

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH106

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#12


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:00:26

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH106

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:05:05

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH122

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:08:35

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax80 CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:05:48

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH122

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:09:18

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH122

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:06:31

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH122

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11220.000	32.37	peak	15.79	48.16	74.00	150	149	-25.84	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:10:01

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax80 CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11220.000	32.34	peak	15.79	48.13	74.00	150	238	-25.87	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:07:19

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH122

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16830.000	22.67	peak	22.38	45.05	74.00	150	165	-28.95	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:10:49

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax80 CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16830.000	22.47	peak	22.38	44.85	74.00	150	359	-29.15	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:07:30

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH122

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#11


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:11:00

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax80 CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:07:41

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH122

Note :

Polarization: Horizontal

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement


Operator: Gino
Temperature:25.2 °C
Humidity:45.6 %

File :3

Data :#12

Date: 2024/9/5
Time: 下午 10:11:11

90.0 dBuV/m



Site : Chamber_01
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M22405-23479
M/N:
Test Mode : TX 802.11ax80 CH122
Note :

Polarization: Vertical
Power : 5 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:38:49

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:42:18

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:39:31

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:43:02

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:40:15

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11490.000	31.04	peak	16.54	47.58	74.00	150	210	-26.42	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei City
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #9

Date: 2024/9/4

Temperature: 24.9 °C

90.0 dBuV/m

Time: 下午 09:43:45

Humidity: 49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11490.000	31.09	peak	16.54	47.63	74.00	150	283	-26.37	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:41:03

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	21.03	peak	23.19	44.22	74.00	150	359	-29.78	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:44:33

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	20.84	peak	23.19	44.03	74.00	150	359	-29.97	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:41:13

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#11

Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:44:43

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:41:25

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#12


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:44:55

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:51:07

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7

Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:54:36

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:51:49

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: Horizontal

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:55:19

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3

Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:52:33

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11570.000	31.56	peak	16.25	47.81	74.00	150	278	-26.19	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:56:03

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11570.000	31.54	peak	16.25	47.79	74.00	150	258	-26.21	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:53:20

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17355.000	21.00	peak	23.00	44.00	74.00	150	0	-30.00	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement


Operator: Gino
Temperature:24.9 °C
Humidity:49.2 %

File :3

Data :#10

Date: 2024/9/4
Time: 下午 09:56:50

90.0 dBuV/m



Site : Chamber_01
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M22405-23479
M/N:
Test Mode : TX 802.11a CH157
Note :

Polarization: Vertical
Power : 5 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17355.000	22.40	peak	23.00	45.40	74.00	150	116	-28.60	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:53:31

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#11


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:57:01

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:53:43

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#12


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:57:13

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1

Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 10:00:59

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: *Horizontal*

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7

Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 10:04:29

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 10:01:42

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 10:05:12

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3

Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 10:02:25

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	31.76	peak	16.01	47.77	74.00	150	209	-26.23	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei City
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #9

Date: 2024/9/4

Temperature: 24.9 °C

90.0 dBuV/m

Time: 下午 10:05:55

Humidity: 49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	32.10	peak	16.01	48.11	74.00	150	156	-25.89	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 10:03:13

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	21.35	peak	22.73	44.08	74.00	150	156	-29.92	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 10:06:43

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	21.83	peak	22.73	44.56	74.00	150	158	-29.44	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 10:03:24

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#11


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 10:06:54

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 10:03:35

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#12


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 10:07:05

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1

Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:34:09

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7

Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:37:39

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:34:52

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:38:22

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement


Operator: Gino
Temperature:24.9 °C
Humidity:49.2 %

File :3

Data :#3

Date: 2024/9/4
Time: 下午 08:35:35

90.0 dBuV/m



Site : Chamber_01
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M22405-23479
M/N:
Test Mode : TX 802.11a CH149
Note :

Polarization: *Horizontal*
Power : 5 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11490.000	31.34	peak	16.54	47.88	74.00	150	292	-26.12	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:39:06

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11490.000	30.92	peak	16.54	47.46	74.00	150	285	-26.54	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:36:23

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	20.63	peak	23.19	43.82	74.00	150	284	-30.18	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:39:54

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	20.44	peak	23.19	43.63	74.00	150	359	-30.37	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:36:34

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#11


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:40:04

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:36:45

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#12


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:40:16

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:45:18

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:48:48

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:46:01

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:49:31

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:46:44

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11570.000	31.54	peak	16.25	47.79	74.00	150	195	-26.21	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9

Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:50:15

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11570.000	31.68	peak	16.25	47.93	74.00	150	0	-26.07	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:47:32

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17355.000	22.05	peak	23.00	45.05	74.00	150	155	-28.95	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:51:02

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17355.000	21.20	peak	23.00	44.20	74.00	150	0	-29.80	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:47:43

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#11

Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:51:13

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:47:54

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#12

Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:51:25

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:55:10

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: *Horizontal*

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:58:40

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:55:53

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:59:23

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3

Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:56:36

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	31.63	peak	16.01	47.64	74.00	150	29	-26.36	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:00:06

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	31.71	peak	16.01	47.72	74.00	150	251	-26.28	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:57:24

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	21.13	peak	22.73	43.86	74.00	150	195	-30.14	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:00:54

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	21.54	peak	22.73	44.27	74.00	150	196	-29.73	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:57:35

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#11


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:01:05

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 08:57:46

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: Horizontal

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#12


Date: 2024/9/4

Temperature:24.9 °C

90.0 dBuV/m

Time: 下午 09:01:16

Humidity:49.2 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:32:44

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH149

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement


Operator: Gino
Temperature:25.2 °C
Humidity:45.6 %

File :3

Data :#7

Date: 2024/9/5
Time: 下午 06:36:14

90.0 dBuV/m



Site : Chamber_01
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M22405-23479
M/N:
Test Mode : TX 802.11ax20 CH149
Note :

Polarization: Vertical
Power : 5 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:33:27

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH149

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:36:57

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:34:10

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH149

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11490.000	31.96	peak	16.54	48.50	74.00	150	356	-25.50	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:37:40

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11490.000	31.46	peak	16.54	48.00	74.00	150	5	-26.00	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:34:58

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH149

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	21.85	peak	23.19	45.04	74.00	150	162	-28.96	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:38:28

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH149

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	21.44	peak	23.19	44.63	74.00	150	284	-29.37	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:35:09

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#11

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:38:39

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 06:35:20

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH149

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement


Operator: Gino
Temperature:25.2 °C
Humidity:45.6 %

File :3

Data :#12

Date: 2024/9/5
Time: 下午 06:38:50

90.0 dBuV/m



Site : Chamber_01
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M22405-23479
M/N:
Test Mode : TX 802.11ax20 CH149
Note :

Polarization: Vertical
Power : 5 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:17:45

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: Horizontal

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:21:14

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH157

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:18:28

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:21:57

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH157

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:19:11

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11570.000	32.20	peak	16.25	48.45	74.00	150	42	-25.55	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei City
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #9

Date: 2024/9/5

Temperature: 25.2 °C

90.0 dBuV/m

Time: 下午 07:22:40

Humidity: 45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH157

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11570.000	32.06	peak	16.25	48.31	74.00	150	30	-25.69	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:19:59

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17355.000	22.41	peak	23.00	45.41	74.00	150	240	-28.59	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement


Operator: Gino
Temperature:25.2 °C
Humidity:45.6 %

File :3

Data :#10

Date: 2024/9/5
Time: 下午 07:23:28

90.0 dBuV/m



Site : Chamber_01
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M22405-23479
M/N:
Test Mode : TX 802.11ax20 CH157
Note :

Polarization: Vertical
Power : 5 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17355.000	22.86	peak	23.00	45.86	74.00	150	202	-28.14	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:20:10

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH157

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#11


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:23:39

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH157

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:20:21

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH157

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#12


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:23:51

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:29:36

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH165

Note :

Polarization: *Horizontal*

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:33:05

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH165

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:30:19

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH165

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:33:48

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH165

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:31:02

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH165

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	33.40	peak	16.01	49.41	74.00	150	155	-24.59	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:34:31

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH165

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	32.18	peak	16.01	48.19	74.00	150	250	-25.81	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:31:49

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH165

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	23.28	peak	22.73	46.01	74.00	150	283	-27.99	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:35:19

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH165

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	22.40	peak	22.73	45.13	74.00	150	113	-28.87	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:32:00

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: Horizontal

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#11


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:35:30

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:32:12

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH165

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#12

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 07:35:41

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:59:01

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH151

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:02:31

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH151

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 08:59:44

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH151

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:03:14

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH151

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement


Operator: Gino
Temperature:25.2 °C
Humidity:45.6 %

File :3

Data :#3

Date: 2024/9/5
Time: 下午 09:00:27

90.0 dBuV/m



Site : Chamber_01
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M22405-23479
M/N:
Test Mode : TX 802.11ax40 CH151
Note :

Polarization: *Horizontal*
Power : 5 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11510.000	32.26	peak	16.56	48.82	74.00	150	358	-25.18	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:03:57

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH151

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11510.000	32.60	peak	16.56	49.16	74.00	150	298	-24.84	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:01:15

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH151

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17265.000	22.10	peak	23.17	45.27	74.00	150	74	-28.73	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:04:45

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax40 CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17265.000	22.59	peak	23.17	45.76	74.00	150	116	-28.24	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:01:26

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax40 CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#11


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:04:56

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH151

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:01:37

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH151

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#12


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:05:07

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH151

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:10:20

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH159

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:13:50

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH159

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:11:03

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax40 CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:14:33

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH159

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:11:46

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH159

Note :

Polarization: *Horizontal*

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11590.000	32.38	peak	16.15	48.53	74.00	150	193	-25.47	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:15:16

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax40 CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11590.000	32.39	peak	16.15	48.54	74.00	150	197	-25.46	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:12:34

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH159

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17385.000	22.56	peak	22.91	45.47	74.00	150	115	-28.53	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:16:03

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH159

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17385.000	21.79	peak	22.91	44.70	74.00	150	323	-29.30	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:12:45

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH159

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#11


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:16:14

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax40 CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:12:56

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH159

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#12

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 09:16:26

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax40 CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:15:59

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax80 CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:19:29

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH155

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:16:42

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH155

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:20:12

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH155

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:17:25

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH155

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11550.000	32.57	peak	16.35	48.92	74.00	150	360	-25.08	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9

Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:20:55

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH155

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11550.000	32.61	peak	16.35	48.96	74.00	150	297	-25.04	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement


Operator: Gino
Temperature:25.2 °C
Humidity:45.6 %

File :3

Data :#4

Date: 2024/9/5
Time: 下午 10:18:13

90.0 dBuV/m



Site : Chamber_01
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M22405-23479
M/N:
Test Mode : TX 802.11ax80 CH155
Note :

Polarization: **Horizontal**
Power : 5 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17325.000	22.61	peak	23.09	45.70	74.00	150	157	-28.30	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:21:43

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax80 CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17325.000	22.90	peak	23.09	45.99	74.00	150	116	-28.01	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:18:24

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH155

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#11


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:21:54

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH155

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:18:35

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH155

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#12


Date: 2024/9/5

Temperature:25.2 °C

90.0 dBuV/m

Time: 下午 10:22:06

Humidity:45.6 %



Site : Chamber_01

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax80 CH155

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Jeff

File :BandEdge

Data :#1


Date: 2024/9/4

Temperature:24.9 °C

120.0 dBuV/m

Time: 下午 05:46:37

Humidity:49.2 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B1_5150_5250)

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH36

Note :

Polarization: Horizontal

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5150.000	41.66	peak	5.23	46.89	74.00	167	315	-27.11	
*	5150.000	35.86	AVG	5.23	41.09	54.00	167	315	-12.91	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Jeff

File :BandEdge

Data :#2


Date: 2024/9/4

Temperature:24.9 °C

120.0 dBuV/m

Time: 下午 05:49:33

Humidity:49.2 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B1_5150_5250)

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5150.000	45.09	peak	5.23	50.32	74.00	179	130	-23.68	
*	5150.000	35.90	AVG	5.23	41.13	54.00	179	130	-12.87	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Jeff

File : BandEdge

Data : #1


Date: 2024/9/4

Temperature: 24.9 °C

120.0 dBuV/m

Time: 下午 05:35:36

Humidity: 49.2 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B1_5150_5250)

Polarization: *Horizontal*

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5150.000	41.00	peak	5.23	46.23	74.00	174	277	-27.77	
*	5150.000	35.84	AVG	5.23	41.07	54.00	174	277	-12.93	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Jeff

File :BandEdge

Data :#2


Date: 2024/9/4

Temperature:24.9 °C

120.0 dBuV/m

Time: 下午 05:38:42

Humidity:49.2 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B1_5150_5250)

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5150.000	40.45	peak	5.23	45.68	74.00	181	310	-28.32	
*	5150.000	35.85	AVG	5.23	41.08	54.00	181	310	-12.92	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :1

Data :#1


Date: 2024/9/5

Temperature:25.2 °C

120.0 dBuV/m

Time: 下午 04:22:35

Humidity:45.6 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B1_5150_5250)

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH36

Note :

Polarization: *Horizontal*

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5150.000	41.82	peak	5.23	47.05	74.00	150	318	-26.95	
*	5150.000	36.33	AVG	5.23	41.56	54.00	150	318	-12.44	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 1

Data : #2


Date: 2024/9/5

Temperature: 25.2 °C

120.0 dBuV/m

Time: 下午 04:25:59

Humidity: 45.6 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B1_5150_5250)

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5150.000	47.38	peak	5.23	52.61	74.00	176	317	-21.39	
*	5150.000	36.46	AVG	5.23	41.69	54.00	176	317	-12.31	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 1

Data : #1


Date: 2024/9/6

Temperature: 24.9 °C

120.0 dBuV/m

Time: 上午 01:29:24

Humidity: 49.6 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B1_5150_5250)

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax40 CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5150.000	45.29	peak	5.23	50.52	74.00	150	166	-23.48	
*	5150.000	31.33	AVG	5.23	36.56	54.00	150	166	-17.44	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 1

Data : #2


Date: 2024/9/6

Temperature: 24.9 °C

120.0 dBuV/m

Time: 上午 01:32:26

Humidity: 49.6 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B1_5150_5250)

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH38

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5145.400	49.49	peak	5.24	54.73	74.00	150	328	-19.27	
*	5145.400	33.10	AVG	5.24	38.34	54.00	150	328	-15.66	
	5150.000	47.70	peak	5.23	52.93	74.00	150	328	-21.07	
	5150.000	32.78	AVG	5.23	38.01	54.00	150	328	-15.99	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 1

Data : #1

Date: 2024/9/6

Temperature: 24.9 °C

120.0 dBuV/m

Time: 上午 01:43:38

Humidity: 49.6 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B1_5150_5250)

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax80 CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5150.000	46.12	peak	5.23	51.35	74.00	150	172	-22.65	
*	5150.000	31.15	AVG	5.23	36.38	54.00	150	172	-17.62	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File :1

Data :#2


Date: 2024/9/6

Temperature: 24.9 °C

120.0 dBuV/m

Time: 上午 01:47:29

Humidity: 49.6 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B1_5150_5250)

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax80 CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5111.300	49.70	peak	5.30	55.00	74.00	150	324	-19.00	
	5111.300	32.47	AVG	5.30	37.77	54.00	150	324	-16.23	
	5127.100	52.75	peak	5.27	58.02	74.00	150	324	-15.98	
	5127.100	33.69	AVG	5.27	38.96	54.00	150	324	-15.04	
	5144.200	52.98	peak	5.24	58.22	74.00	150	324	-15.78	
	5144.200	33.27	AVG	5.24	38.51	54.00	150	324	-15.49	
	5150.000	51.56	peak	5.23	56.79	74.00	150	324	-17.21	
*	5150.000	34.71	AVG	5.23	39.94	54.00	150	324	-14.06	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 1

Data : #1


Date: 2024/9/4

Temperature: 24.9 °C

120.0 dBuV/m

Time: 下午 06:24:06

Humidity: 49.2 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B2_5250_5350)

Polarization: Horizontal

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5350.000	40.66	peak	4.87	45.53	74.00	150	326	-28.47	
*	5350.000	27.66	AVG	4.87	32.53	54.00	150	326	-21.47	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 1

Data : #2


Date: 2024/9/4

Temperature: 24.9 °C

120.0 dBuV/m

Time: 下午 06:36:08

Humidity: 49.2 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B2_5250_5350)

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5350.000	41.31	peak	4.87	46.18	74.00	150	161	-27.82	
*	5350.000	29.40	AVG	4.87	34.27	54.00	150	161	-19.73	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #1


Date: 2024/9/4

Temperature: 24.9 °C

120.0 dBuV/m

Time: 下午 11:21:44

Humidity: 49.2 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B2_5250_5350)

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5350.000	39.47	peak	4.87	44.34	74.00	151	254	-29.66	
*	5350.000	27.92	AVG	4.87	32.79	54.00	151	254	-21.21	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #2


Date: 2024/9/4

Temperature: 24.9 °C

120.0 dBuV/m

Time: 下午 11:26:11

Humidity: 49.2 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B2_5250_5350)

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5350.000	38.72	peak	4.87	43.59	74.00	150	31	-30.41	
*	5350.000	27.96	AVG	4.87	32.83	54.00	150	31	-21.17	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 1

Data : #1


Date: 2024/9/5

Temperature: 25.2 °C

120.0 dBuV/m

Time: 下午 05:51:05

Humidity: 45.6 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B2_5250_5350)

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5350.000	43.47	peak	4.87	48.34	74.00	150	162	-25.66	
*	5350.000	35.94	AVG	4.87	40.81	54.00	150	160	-13.19	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 1

Data : #2


Date: 2024/9/5

Temperature: 25.2 °C

120.0 dBuV/m

Time: 下午 05:53:02

Humidity: 45.6 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B2_5250_5350)

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax20 CH64

Note :

Polarization: Vertical

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5350.000	47.41	peak	4.87	52.28	74.00	174	316	-21.72	
*	5350.000	36.13	AVG	4.87	41.00	54.00	174	316	-13.00	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 1

Data : #1


Date: 2024/9/6

Temperature: 24.9 °C

120.0 dBuV/m

Time: 上午 12:41:44

Humidity: 49.6 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B2_5250_5350)

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH62

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5350.000	43.79	peak	4.87	48.66	74.00	150	171	-25.34	
*	5350.000	30.83	AVG	4.87	35.70	54.00	150	171	-18.30	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 1

Data : #2

Date: 2024/9/6

Temperature: 24.9 °C

120.0 dBuV/m

Time: 上午 12:47:29

Humidity: 49.6 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B2_5250_5350)

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax40 CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5350.000	46.78	peak	4.87	51.65	74.00	150	324	-22.35	
	5350.000	33.52	AVG	4.87	38.39	54.00	150	324	-15.61	
	5354.800	51.13	peak	4.87	56.00	74.00	150	324	-18.00	
*	5354.800	34.17	AVG	4.87	39.04	54.00	150	324	-14.96	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File :1

Data :#1

Date: 2024/9/5

Temperature: 25.2 °C

120.0 dBuV/m

Time: 下午 11:03:03

Humidity: 45.6 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B2_5250_5350)

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax80 CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5350.000	45.45	peak	4.87	50.32	74.00	153	162	-23.68	
*	5350.000	35.67	AVG	4.87	40.54	54.00	153	162	-13.46	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File :1

Data :#2

Date: 2024/9/5

Temperature: 25.2 °C

120.0 dBuV/m

Time: 下午 11:06:45

Humidity: 45.6 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B2_5250_5350)

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax80 CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5350.000	46.41	peak	4.87	51.28	74.00	161	328	-22.72	
	5350.000	36.66	AVG	4.87	41.53	54.00	161	328	-12.47	
	5354.500	52.91	peak	4.87	57.78	74.00	161	328	-16.22	
*	5354.500	39.55	AVG	4.87	44.42	54.00	161	328	-9.58	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement


Operator: Gino
Temperature:24.9 °C
Humidity:49.2 %

File :1

Data :#1

Date: 2024/9/4
Time: 下午 10:33:17

120.0 dBuV/m



Site : 966A Chamber
Condition : FCC 15.407 PK (Bandedge)(B3_5460_5725)
EUT : W6M22405-23479
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: **Horizontal**
Power : 5 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5460.000	39.73	peak	5.28	45.01	74.00	150	183	-28.99	
*	5460.000	29.11	AVG	5.28	34.39	54.00	150	183	-19.61	



Radiated Emission Measurement


Operator: Gino
Temperature:24.9 °C
Humidity:49.2 %

File :1

Data :#2

Date: 2024/9/4
Time: 下午 10:38:49

120.0 dBuV/m



Site : 966A Chamber
Condition : FCC 15.407 PK (Bandedge)(B3_5460_5725)
EUT : W6M22405-23479
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: **Vertical**
Power : 5 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5460.000	39.49	peak	5.28	44.77	74.00	152	166	-29.23	
*	5460.000	27.64	AVG	5.28	32.92	54.00	152	166	-21.08	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 2

Data : #1


Date: 2024/9/4

Temperature: 24.9 °C

Time: 下午 10:46:21

Humidity: 49.2 %

120.0 dBuV/m



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5460_5725)

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11a CH140

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5725.000	38.62	peak	6.86	45.48	74.00	150	181	-28.52	
*	5725.000	28.27	AVG	6.86	35.13	54.00	150	181	-18.87	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 2


Data : #2

Date: 2024/9/4

Temperature: 24.9 °C

Time: 下午 10:50:48

Humidity: 49.2 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5460_5725)

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5725.000	39.62	peak	6.86	46.48	74.00	150	358	-27.52	
*	5725.000	28.38	AVG	6.86	35.24	54.00	150	358	-18.76	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File :1

Data :#1


Date: 2024/9/4

Temperature:24.9 °C

120.0 dBuV/m

Time: 下午 11:09:35

Humidity:49.2 %



Site : 966A Chamber
Condition : FCC 15.407 PK (Bandedge)(B3_5460_5725)
EUT : W6M22405-23479
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Horizontal*
Power : 5 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5460.000	39.38	peak	5.28	44.66	74.00	150	3	-29.34	
*	5460.000	27.58	AVG	5.28	32.86	54.00	150	3	-21.14	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 1

Data : #2


Date: 2024/9/4

Temperature: 24.9 °C

120.0 dBuV/m

Time: 下午 11:16:16

Humidity: 49.2 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5460_5725)

Polarization: **Vertical**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5460.000	38.44	peak	5.28	43.72	74.00	152	170	-30.28	
*	5460.000	27.61	AVG	5.28	32.89	54.00	152	170	-21.11	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 2

Data : #1


Date: 2024/9/4

Temperature: 24.9 °C

120.0 dBuV/m

Time: 下午 10:56:08

Humidity: 49.2 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5460_5725)

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5725.000	37.69	peak	6.86	44.55	74.00	153	140	-29.45	
*	5725.000	28.22	AVG	6.86	35.08	54.00	153	140	-18.92	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File :2

Data :#2


Date: 2024/9/4

Temperature:24.9 °C

120.0 dBuV/m

Time: 下午 11:03:36

Humidity:49.2 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5460_5725)

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5725.000	38.26	peak	6.86	45.12	74.00	150	11	-28.88	
*	5725.000	28.25	AVG	6.86	35.11	54.00	150	11	-18.89	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 1

Data : #1


Date: 2024/9/6

Temperature: 24.9 °C

120.0 dBuV/m

Time: 上午 01:57:59

Humidity: 49.6 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5460_5725)

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5460.000	41.08	peak	5.28	46.36	74.00	150	170	-27.64	
*	5460.000	28.23	AVG	5.28	33.51	54.00	150	170	-20.49	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 1

Data : #2


Date: 2024/9/6

Temperature: 24.9 °C

120.0 dBuV/m

Time: 上午 02:00:58

Humidity: 49.6 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5460_5725)

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5460.000	40.67	peak	5.28	45.95	74.00	150	356	-28.05	
*	5460.000	28.29	AVG	5.28	33.57	54.00	150	356	-20.43	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 2

Data : #1


Date: 2024/9/6

Temperature: 24.9 °C

120.0 dBuV/m

Time: 上午 02:17:03

Humidity: 49.6 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5460_5725)

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5725.000	41.10	peak	6.86	47.96	74.00	150	170	-26.04	
*	5725.000	28.94	AVG	6.86	35.80	54.00	150	170	-18.20	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 2

Data : #2


Date: 2024/9/6

Temperature: 24.9 °C

120.0 dBuV/m

Time: 上午 02:19:50

Humidity: 49.6 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5460_5725)

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax20 CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5725.000	43.97	peak	6.86	50.83	74.00	150	357	-23.17	
*	5725.000	29.73	AVG	6.86	36.59	54.00	150	357	-17.41	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 1

Data : #1


Date: 2024/9/5

Temperature: 25.2 °C

120.0 dBuV/m

Time: 下午 11:25:23

Humidity: 45.6 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5460_5725)

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax40 CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5460.000	39.64	peak	5.28	44.92	74.00	231	72	-29.08	
*	5460.000	28.81	AVG	5.28	34.09	54.00	231	72	-19.91	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 1

Data : #2

Date: 2024/9/5

Temperature: 25.2 °C

120.0 dBuV/m

Time: 下午 11:29:40

Humidity: 45.6 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5460_5725)

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax40 CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5460.000	39.94	peak	5.28	45.22	74.00	157	182	-28.78	
*	5460.000	28.83	AVG	5.28	34.11	54.00	157	182	-19.89	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 2


Data : #1

Date: 2024/9/5

Temperature: 25.2 °C

Time: 下午 11:15:14

Humidity: 45.6 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5460_5725)

Polarization: **Horizontal**

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax40 CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5725.000	38.49	peak	6.86	45.35	74.00	150	325	-28.65	
*	5725.000	28.71	AVG	6.86	35.57	54.00	150	325	-18.43	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 2

Data : #2

Date: 2024/9/5

Temperature: 25.2 °C

Time: 下午 11:18:58

Humidity: 45.6 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5460_5725)

EUT : W6M22405-23479

M/N:

Test Mode : TX 802.11ax40 CH134

Note :

Polarization: **Vertical**

Power : 5 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5725.000	37.86	peak	6.86	44.72	74.00	150	180	-29.28	
*	5725.000	29.01	AVG	6.86	35.87	54.00	150	180	-18.13	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement


Operator: Gino
Temperature:25.2 °C
Humidity:45.6 %

File :1

Data :#1

Date: 2024/9/5
Time: 下午 10:31:52

120.0 dBuV/m



Site : 966A Chamber
Condition : FCC 15.407 PK (Bandedge)(B3_5460_5725)
EUT : W6M22405-23479
M/N:
Test Mode : TX 802.11ax80 CH106
Note :

Polarization: *Horizontal*
Power : 5 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5460.000	43.23	peak	5.28	48.51	74.00	153	331	-25.49	
*	5460.000	29.07	AVG	5.28	34.35	54.00	153	331	-19.65	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 1

Data : #2


Date: 2024/9/5

Temperature: 25.2 °C

120.0 dBuV/m

Time: 下午 10:48:21

Humidity: 45.6 %



Site : 966A Chamber

Condition : FCC 15.407 PK (Bandedge)(B3_5460_5725)

Polarization: Vertical

EUT : W6M22405-23479

Power : 5 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ax80 CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5460.000	44.42	peak	5.28	49.70	74.00	158	192	-24.30	
*	5460.000	31.85	AVG	5.28	37.13	54.00	158	192	-16.87	

*:Maximum data x:Over limit !:over margin