

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B5_1.4MHz_ERP

Band: 5 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.39	0.86	22.10	<=38.45	Pass
			2	23.47	0.86	22.18	<=38.45	Pass
			5	23.39	0.86	22.10	<=38.45	Pass
		3	0	23.39	0.86	22.10	<=38.45	Pass
			2	23.39	0.86	22.10	<=38.45	Pass
			3	23.32	0.86	22.03	<=38.45	Pass
		6	0	22.46	0.86	21.17	<=38.45	Pass
	836.5	1	0	23.50	0.86	22.21	<=38.45	Pass
			2	23.51	0.86	22.22	<=38.45	Pass
			5	23.32	0.86	22.03	<=38.45	Pass
		3	0	23.34	0.86	22.05	<=38.45	Pass
			2	23.34	0.86	22.05	<=38.45	Pass
			3	23.32	0.86	22.03	<=38.45	Pass
		6	0	22.53	0.86	21.24	<=38.45	Pass
	848.3	1	0	23.25	0.86	21.96	<=38.45	Pass
			2	23.65	0.86	22.36	<=38.45	Pass
			5	23.47	0.86	22.18	<=38.45	Pass
		3	0	23.47	0.86	22.18	<=38.45	Pass
			2	23.48	0.86	22.19	<=38.45	Pass
			3	23.32	0.86	22.03	<=38.45	Pass
		6	0	22.38	0.86	21.09	<=38.45	Pass
16QAM	824.7	1	0	21.96	0.86	20.67	<=38.45	Pass
			2	22.22	0.86	20.93	<=38.45	Pass
			5	22.10	0.86	20.81	<=38.45	Pass
		3	0	21.81	0.86	20.52	<=38.45	Pass
			2	21.83	0.86	20.54	<=38.45	Pass
			3	21.71	0.86	20.42	<=38.45	Pass
		6	0	21.08	0.86	19.79	<=38.45	Pass
	836.5	1	0	22.08	0.86	20.79	<=38.45	Pass
			2	22.08	0.86	20.79	<=38.45	Pass
			5	22.07	0.86	20.78	<=38.45	Pass
		3	0	22.47	0.86	21.18	<=38.45	Pass
			2	22.19	0.86	20.90	<=38.45	Pass
			3	22.27	0.86	20.98	<=38.45	Pass
		6	0	21.58	0.86	20.29	<=38.45	Pass
	848.3	1	0	22.32	0.86	21.03	<=38.45	Pass
			2	22.22	0.86	20.93	<=38.45	Pass
			5	22.01	0.86	20.72	<=38.45	Pass
		3	0	22.16	0.86	20.87	<=38.45	Pass
			2	22.29	0.86	21.00	<=38.45	Pass
			3	22.18	0.86	20.89	<=38.45	Pass
		6	0	21.52	0.86	20.23	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B5_3MHz_ERP

Band: 5 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.25	0.86	21.96	<=38.45	Pass
			7	23.62	0.86	22.33	<=38.45	Pass
			14	23.59	0.86	22.30	<=38.45	Pass
		8	0	22.42	0.86	21.13	<=38.45	Pass
			4	22.47	0.86	21.18	<=38.45	Pass
			7	22.49	0.86	21.20	<=38.45	Pass
		15	0	22.41	0.86	21.12	<=38.45	Pass
	836.5	1	0	23.24	0.86	21.95	<=38.45	Pass
			7	23.54	0.86	22.25	<=38.45	Pass
			14	23.36	0.86	22.07	<=38.45	Pass
		8	0	22.46	0.86	21.17	<=38.45	Pass
			4	22.37	0.86	21.08	<=38.45	Pass
			7	22.36	0.86	21.07	<=38.45	Pass
		15	0	22.40	0.86	21.11	<=38.45	Pass
	847.5	1	0	23.47	0.86	22.18	<=38.45	Pass
			7	23.91	0.86	22.62	<=38.45	Pass
			14	23.52	0.86	22.23	<=38.45	Pass
		8	0	22.38	0.86	21.09	<=38.45	Pass
			4	22.40	0.86	21.11	<=38.45	Pass
			7	22.47	0.86	21.18	<=38.45	Pass
		15	0	22.47	0.86	21.18	<=38.45	Pass
16QAM	825.5	1	0	21.81	0.86	20.52	<=38.45	Pass
			7	22.14	0.86	20.85	<=38.45	Pass
			14	22.08	0.86	20.79	<=38.45	Pass
		8	0	21.23	0.86	19.94	<=38.45	Pass
			4	21.23	0.86	19.94	<=38.45	Pass
			7	21.28	0.86	19.99	<=38.45	Pass
		15	0	21.28	0.86	19.99	<=38.45	Pass
	836.5	1	0	21.97	0.86	20.68	<=38.45	Pass
			7	22.17	0.86	20.88	<=38.45	Pass
			14	21.91	0.86	20.62	<=38.45	Pass
		8	0	21.11	0.86	19.82	<=38.45	Pass
			4	21.18	0.86	19.89	<=38.45	Pass
			7	21.11	0.86	19.82	<=38.45	Pass
		15	0	21.27	0.86	19.98	<=38.45	Pass
	847.5	1	0	22.14	0.86	20.85	<=38.45	Pass
			7	22.28	0.86	20.99	<=38.45	Pass
			14	21.92	0.86	20.63	<=38.45	Pass
		8	0	21.14	0.86	19.85	<=38.45	Pass
			4	21.21	0.86	19.92	<=38.45	Pass
			7	21.12	0.86	19.83	<=38.45	Pass
		15	0	21.16	0.86	19.87	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B5_5MHz_ERP

Band: 5 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	23.14	0.86	21.85	<=38.45	Pass
			13	23.68	0.86	22.39	<=38.45	Pass
			24	23.37	0.86	22.08	<=38.45	Pass
		12	0	22.40	0.86	21.11	<=38.45	Pass
			6	22.52	0.86	21.23	<=38.45	Pass
			13	22.37	0.86	21.08	<=38.45	Pass
		25	0	22.35	0.86	21.06	<=38.45	Pass
	836.5	1	0	23.20	0.86	21.91	<=38.45	Pass
			13	23.45	0.86	22.16	<=38.45	Pass
			24	23.33	0.86	22.04	<=38.45	Pass
		12	0	22.48	0.86	21.19	<=38.45	Pass
			6	22.38	0.86	21.09	<=38.45	Pass
			13	22.22	0.86	20.93	<=38.45	Pass
		25	0	22.30	0.86	21.01	<=38.45	Pass
	846.5	1	0	23.37	0.86	22.08	<=38.45	Pass
			13	23.65	0.86	22.36	<=38.45	Pass
			24	23.17	0.86	21.88	<=38.45	Pass
		12	0	22.44	0.86	21.15	<=38.45	Pass
			6	22.41	0.86	21.12	<=38.45	Pass
			13	22.40	0.86	21.11	<=38.45	Pass
		25	0	22.34	0.86	21.05	<=38.45	Pass
16QAM	826.5	1	0	21.76	0.86	20.47	<=38.45	Pass
			13	22.22	0.86	20.93	<=38.45	Pass
			24	21.72	0.86	20.43	<=38.45	Pass
		12	0	21.36	0.86	20.07	<=38.45	Pass
			6	21.47	0.86	20.18	<=38.45	Pass
			13	21.31	0.86	20.02	<=38.45	Pass
		25	0	21.14	0.86	19.85	<=38.45	Pass
	836.5	1	0	21.84	0.86	20.55	<=38.45	Pass
			13	21.86	0.86	20.57	<=38.45	Pass
			24	21.69	0.86	20.40	<=38.45	Pass
		12	0	21.33	0.86	20.04	<=38.45	Pass
			6	21.42	0.86	20.13	<=38.45	Pass
			13	21.31	0.86	20.02	<=38.45	Pass
		25	0	21.55	0.86	20.26	<=38.45	Pass
	846.5	1	0	22.19	0.86	20.90	<=38.45	Pass
			13	22.17	0.86	20.88	<=38.45	Pass
			24	21.90	0.86	20.61	<=38.45	Pass
		12	0	21.00	0.86	19.71	<=38.45	Pass
			6	21.36	0.86	20.07	<=38.45	Pass
			13	21.36	0.86	20.07	<=38.45	Pass
		25	0	21.08	0.86	19.79	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B5_10MHz_ERP

Band: 5 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.31	0.86	22.02	<=38.45	Pass
			25	23.95	0.86	22.66	<=38.45	Pass
			49	23.32	0.86	22.03	<=38.45	Pass
		25	0	22.49	0.86	21.20	<=38.45	Pass
			13	22.50	0.86	21.21	<=38.45	Pass
			25	22.34	0.86	21.05	<=38.45	Pass
		50	0	22.46	0.86	21.17	<=38.45	Pass
	836.5	1	0	23.47	0.86	22.18	<=38.45	Pass
			25	23.85	0.86	22.56	<=38.45	Pass
			49	23.42	0.86	22.13	<=38.45	Pass
		25	0	22.40	0.86	21.11	<=38.45	Pass
			13	22.34	0.86	21.05	<=38.45	Pass
			25	22.35	0.86	21.06	<=38.45	Pass
		50	0	22.30	0.86	21.01	<=38.45	Pass
	844	1	0	23.37	0.86	22.08	<=38.45	Pass
			25	23.75	0.86	22.46	<=38.45	Pass
			49	23.33	0.86	22.04	<=38.45	Pass
		25	0	22.40	0.86	21.11	<=38.45	Pass
			13	22.46	0.86	21.17	<=38.45	Pass
			25	22.34	0.86	21.05	<=38.45	Pass
		50	0	22.40	0.86	21.11	<=38.45	Pass
16QAM	829	1	0	21.99	0.86	20.70	<=38.45	Pass
			25	22.40	0.86	21.11	<=38.45	Pass
			49	21.79	0.86	20.50	<=38.45	Pass
		25	0	21.51	0.86	20.22	<=38.45	Pass
			13	21.29	0.86	20.00	<=38.45	Pass
			25	21.20	0.86	19.91	<=38.45	Pass
		50	0	21.47	0.86	20.18	<=38.45	Pass
	836.5	1	0	21.68	0.86	20.39	<=38.45	Pass
			25	22.28	0.86	20.99	<=38.45	Pass
			49	21.94	0.86	20.65	<=38.45	Pass
		25	0	20.95	0.86	19.66	<=38.45	Pass
			13	21.27	0.86	19.98	<=38.45	Pass
			25	21.27	0.86	19.98	<=38.45	Pass
		50	0	21.28	0.86	19.99	<=38.45	Pass
	844	1	0	22.03	0.86	20.74	<=38.45	Pass
			25	22.18	0.86	20.89	<=38.45	Pass
			49	21.97	0.86	20.68	<=38.45	Pass
		25	0	21.07	0.86	19.78	<=38.45	Pass
			13	21.07	0.86	19.78	<=38.45	Pass
			25	21.24	0.86	19.95	<=38.45	Pass
		50	0	21.41	0.86	20.12	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B5_10MHz

Band: 5 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	836.5	50	0	20	LV	0.900	0.0011	-2.5 to 2.5	Pass
					NV	0.300	0.0004	-2.5 to 2.5	Pass
					HV	0.800	0.0010	-2.5 to 2.5	Pass
				-30	NV	1.600	0.0019	-2.5 to 2.5	Pass
				-20	NV	2.000	0.0024	-2.5 to 2.5	Pass
				-10	NV	0.400	0.0005	-2.5 to 2.5	Pass
				0	NV	1.100	0.0013	-2.5 to 2.5	Pass
				10	NV	-0.800	-0.0010	-2.5 to 2.5	Pass
				30	NV	-1.500	-0.0018	-2.5 to 2.5	Pass
				40	NV	2.000	0.0024	-2.5 to 2.5	Pass
				50	NV	1.700	0.0020	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band5_OBW


Band: 5 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.110	/	Pass
	16QAM	836.5	6	0	1.111	/	Pass
3	QPSK	836.5	15	0	2.727	/	Pass
	16QAM	836.5	15	0	2.727	/	Pass
5	QPSK	836.5	25	0	4.534	/	Pass
	16QAM	836.5	25	0	4.536	/	Pass
10	QPSK	836.5	50	0	9.074	/	Pass
	16QAM	836.5	50	0	8.992	/	Pass

3.1.2 Band5_XDB


Band: 5 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.322	/	Pass
	16QAM	836.5	6	0	1.321	/	Pass
3	QPSK	836.5	15	0	3.028	/	Pass
	16QAM	836.5	15	0	3.052	/	Pass
5	QPSK	836.5	25	0	5.061	/	Pass
	16QAM	836.5	25	0	5.062	/	Pass
10	QPSK	836.5	50	0	9.993	/	Pass
	16QAM	836.5	50	0	9.937	/	Pass

3.2 Test Graph


3.2.1 Band5_OBW




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




3.2.2 Band5_XDB




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV



Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV





4. Peak-Average Ratio


4.1 Test Result

4.1.1 B5_10MHz

Band: 5 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	5.68	<=13	Pass
16QAM	836.5	50	0	6.33	<=13	Pass

4.2 Test Graph

4.2.1 B5_10MHz



5. Spurious Emission

5.1 Test Result

5.1.1 B5_1.4MHz

Band: 5 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B5_3MHz

Band: 5 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B5_5MHz


Band: 5 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B5_10MHz


Band: 5 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B5_1.4MHz




Band5_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV




Band5_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.016	-27.96	-13	Pass
850	852	0.1	CHP	2	850.553	-47.75	-13	Pass

Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.013	CHP	/	/	/	/	/
849	850	0.013	CHP	1	849.005	-33.71	-13	Pass
850	852	0.1	CHP	2	850.060	-37.24	-13	Pass


5.2.2 B5_3MHz




Band5_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band5_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.015	-29.69	-13	Pass
850	852	0.1	CHP	2	850.077	-44.72	-13	Pass

Band5_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.03	/	/	/	/	/	/
849	850	0.03	/	1	849.006	-33.37	-13	Pass
850	852	0.1	CHP	2	850.086	-39.68	-13	Pass


5.2.3 B5_5MHz




Band5_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band5_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-34.00	-13	Pass
850	854	0.1	CHP	2	850.755	-44.76	-13	Pass

Band5_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.051	CHP	/	/	/	/	/
849	850	0.051	CHP	1	849.010	-34.25	-13	Pass
850	854	0.1	CHP	2	850.120	-41.29	-13	Pass


5.2.4 B5_10MHz




Band5_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band5_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band5_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.004	-47.84	-13	Pass
850	859	0.1	CHP	2	850.057	-50.17	-13	Pass

Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.1	/	/	/	/	/	/
849	850	0.1	/	1	849.060	-35.42	-13	Pass
850	859	0.1	/	2	850.020	-42.90	-13	Pass