



Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11b 2462 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	57.03	-6.13	50.90	54.00	-3.10	AVG
2*	2484.670	59.10	-6.14	52.96	54.00	-1.04	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11g 2412 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.380	58.23	-6.09	52.14	54.00	-1.86	AVG
2*	2390.000	58.52	-6.09	52.43	54.00	-1.57	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11g 2412 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.660	58.07	-6.09	51.98	54.00	-2.02	AVG
2*	2390.000	58.91	-6.09	52.82	54.00	-1.18	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11g 2437 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.040	54.78	-6.08	48.70	54.00	-5.30	AVG
2*	2390.000	54.85	-6.09	48.76	54.00	-5.24	AVG
3	2483.500	53.07	-6.13	46.94	54.00	-7.06	AVG
4	2484.230	53.15	-6.14	47.01	54.00	-6.99	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11g 2437 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.420	53.65	-6.09	47.56	54.00	-6.44	AVG
2	2390.000	53.67	-6.09	47.58	54.00	-6.42	AVG
3*	2483.500	53.81	-6.13	47.68	54.00	-6.32	AVG
4	2484.040	53.72	-6.13	47.59	54.00	-6.41	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11g 2462 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	54.24	-6.13	48.11	54.00	-5.89	AVG
2*	2483.970	54.26	-6.13	48.13	54.00	-5.87	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11g 2462 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2483.500	56.74	-6.13	50.61	54.00	-3.39	AVG
2	2483.830	56.38	-6.13	50.25	54.00	-3.75	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11n HT20 2412 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.660	57.83	-6.09	51.74	54.00	-2.26	AVG
2*	2390.000	58.29	-6.09	52.20	54.00	-1.80	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11n HT20 2412 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.380	56.56	-6.09	50.47	54.00	-3.53	AVG
2*	2390.000	57.24	-6.09	51.15	54.00	-2.85	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11n HT20 2417 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.660	58.56	-6.09	52.47	54.00	-1.53	AVG
2*	2390.000	58.67	-6.09	52.58	54.00	-1.42	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11n HT20 2417 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.660	58.00	-6.09	51.91	54.00	-2.09	AVG
2*	2390.000	58.29	-6.09	52.20	54.00	-1.80	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11n HT20 2437 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2388.470	55.92	-6.08	49.84	54.00	-4.16	AVG
2*	2390.000	56.31	-6.09	50.22	54.00	-3.78	AVG
3	2483.500	53.51	-6.13	47.38	54.00	-6.62	AVG
4	2484.800	53.64	-6.14	47.50	54.00	-6.50	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11n HT20 2437 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.420	54.61	-6.09	48.52	54.00	-5.48	AVG
2*	2390.000	54.84	-6.09	48.75	54.00	-5.25	AVG
3	2483.500	54.43	-6.13	48.30	54.00	-5.70	AVG
4	2484.230	54.41	-6.14	48.27	54.00	-5.73	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11n HT20 2457 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2483.500	57.09	-6.13	50.96	54.00	-3.04	AVG
2	2483.690	57.01	-6.13	50.88	54.00	-3.12	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11n HT20 2457 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2483.500	58.82	-6.13	52.69	54.00	-1.31	AVG
2	2483.690	58.74	-6.13	52.61	54.00	-1.39	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11n HT20 2462 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2483.500	55.87	-6.13	49.74	54.00	-4.26	AVG
2	2483.760	55.80	-6.13	49.67	54.00	-4.33	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11n HT20 2462 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	58.35	-6.13	52.22	54.00	-1.78	AVG
2*	2483.690	58.45	-6.13	52.32	54.00	-1.68	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11n HT40 2422 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2388.680	58.73	-6.08	52.65	54.00	-1.35	AVG
2*	2390.000	58.97	-6.09	52.88	54.00	-1.12	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11n HT40 2422 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2388.540	58.72	-6.08	52.64	54.00	-1.36	AVG
2*	2390.000	58.86	-6.09	52.77	54.00	-1.23	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11n HT40 2427 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2388.120	58.59	-6.08	52.51	54.00	-1.49	AVG
2	2390.000	57.81	-6.09	51.72	54.00	-2.28	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11n HT40 2427 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2388.120	58.48	-6.08	52.40	54.00	-1.60	AVG
2	2390.000	58.24	-6.09	52.15	54.00	-1.85	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11n HT40 2437 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2379.160	57.51	-6.03	51.48	54.00	-2.52	AVG
2*	2390.000	58.80	-6.09	52.71	54.00	-1.29	AVG
3	2483.500	57.21	-6.13	51.08	54.00	-2.92	AVG
4	2483.850	56.97	-6.13	50.84	54.00	-3.16	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11n HT40 2437 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2390.000	56.23	-6.09	50.14	54.00	-3.86	AVG
2*	2483.500	57.23	-6.13	51.10	54.00	-2.90	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11n HT40 2447 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2387.900	53.51	-6.08	47.43	54.00	-6.57	AVG
2	2390.000	53.36	-6.09	47.27	54.00	-6.73	AVG
3	2483.500	58.12	-6.13	51.99	54.00	-2.01	AVG
4*	2484.990	58.31	-6.14	52.17	54.00	-1.83	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11n HT40 2447 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2368.710	53.29	-5.98	47.31	54.00	-6.69	AVG
2	2390.000	53.38	-6.09	47.29	54.00	-6.71	AVG
3*	2483.500	58.24	-6.13	52.11	54.00	-1.89	AVG
4	2483.850	58.09	-6.13	51.96	54.00	-2.04	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11n HT40 2452 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	55.84	-6.13	49.71	54.00	-4.29	AVG
2*	2489.570	56.14	-6.16	49.98	54.00	-4.02	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11n HT40 2452 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2483.500	58.42	-6.13	52.29	54.00	-1.71	AVG
2	2484.040	58.42	-6.13	52.29	54.00	-1.71	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 2412 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.520	55.83	-6.09	49.74	54.00	-4.26	AVG
2*	2390.000	56.04	-6.09	49.95	54.00	-4.05	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 2412 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.660	57.55	-6.09	51.46	54.00	-2.54	AVG
2*	2390.000	57.74	-6.09	51.65	54.00	-2.35	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 2417 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2389.520	55.93	-6.09	49.84	54.00	-4.16	AVG
2	2390.000	55.66	-6.09	49.57	54.00	-4.43	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 2417 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2388.820	58.60	-6.08	52.52	54.00	-1.48	AVG
2*	2390.000	58.80	-6.09	52.71	54.00	-1.29	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 2437 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2384.670	55.20	-6.07	49.13	54.00	-4.87	AVG
2	2390.000	55.21	-6.09	49.12	54.00	-4.88	AVG
3*	2483.500	55.74	-6.13	49.61	54.00	-4.39	AVG
4	2484.230	55.60	-6.14	49.46	54.00	-4.54	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 2437 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2388.660	56.42	-6.08	50.34	54.00	-3.66	AVG
2*	2390.000	56.44	-6.09	50.35	54.00	-3.65	AVG
3	2483.500	56.26	-6.13	50.13	54.00	-3.87	AVG
4	2484.230	56.25	-6.14	50.11	54.00	-3.89	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 2457 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2483.500	58.63	-6.13	52.50	54.00	-1.50	AVG
2	2483.690	58.40	-6.13	52.27	54.00	-1.73	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 2457 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2483.500	57.54	-6.13	51.41	54.00	-2.59	AVG
2	2483.830	57.10	-6.13	50.97	54.00	-3.03	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 2462 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2483.500	58.64	-6.13	52.51	54.00	-1.49	AVG
2	2483.690	58.40	-6.13	52.27	54.00	-1.73	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 2462 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2483.500	57.39	-6.13	51.26	54.00	-2.74	AVG
2	2483.760	57.23	-6.13	51.10	54.00	-2.90	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 2422 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.660	56.22	-6.09	50.13	54.00	-3.87	AVG
2*	2390.000	56.23	-6.09	50.14	54.00	-3.86	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT40 2422 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2387.420	57.97	-6.07	51.90	54.00	-2.10	AVG
2	2390.000	57.62	-6.09	51.53	54.00	-2.47	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 2427 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.660	57.71	-6.09	51.62	54.00	-2.38	AVG
2*	2390.000	57.72	-6.09	51.63	54.00	-2.37	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT40 2427 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2382.940	59.06	-6.06	53.00	54.00	-1.00	AVG
2	2390.000	58.99	-6.09	52.90	54.00	-1.10	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 2437 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.230	56.21	-6.09	50.12	54.00	-3.88	AVG
2*	2390.000	57.32	-6.09	51.23	54.00	-2.77	AVG
3	2483.500	56.96	-6.13	50.83	54.00	-3.17	AVG
4	2484.040	56.77	-6.13	50.64	54.00	-3.36	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT40 2437 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.420	56.37	-6.09	50.28	54.00	-3.72	AVG
2	2390.000	56.57	-6.09	50.48	54.00	-3.52	AVG
3*	2483.500	57.50	-6.13	51.37	54.00	-2.63	AVG
4	2484.230	57.38	-6.14	51.24	54.00	-2.76	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 2447 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2387.710	53.62	-6.08	47.54	54.00	-6.46	AVG
2	2390.000	53.34	-6.09	47.25	54.00	-6.75	AVG
3*	2483.500	58.40	-6.13	52.27	54.00	-1.73	AVG
4	2483.850	58.15	-6.13	52.02	54.00	-1.98	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT40 2447 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2388.660	54.78	-6.08	48.70	54.00	-5.30	AVG
2	2390.000	54.53	-6.09	48.44	54.00	-5.56	AVG
3*	2483.500	56.98	-6.13	50.85	54.00	-3.15	AVG
4	2484.230	56.99	-6.14	50.85	54.00	-3.15	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 2452 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2483.500	57.56	-6.13	51.43	54.00	-2.57	AVG
2	2483.830	57.53	-6.13	51.40	54.00	-2.60	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT40 2452 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	57.21	-6.13	51.08	54.00	-2.92	AVG
2*	2483.690	57.23	-6.13	51.10	54.00	-2.90	AVG

Beamforming on


Below 1 GHz

Standard: Part 15C Test Site: 966 Chamber
Polarization: Horizontal
Test Mode: 802.11be EHT20 2462 MHz
Remark:



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	179.3800	42.15	-7.83	34.32	43.50	-9.18	QP
2	227.8800	44.22	-8.44	35.78	46.00	-10.22	QP
3	285.1100	37.74	-5.76	31.98	46.00	-14.02	QP
4	313.2400	38.42	-5.23	33.19	46.00	-12.81	QP
5	574.1700	32.59	-0.45	32.14	46.00	-13.86	QP
6	657.5900	31.06	1.00	32.06	46.00	-13.94	QP

Standard: Part 15C Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11be EHT20 2462 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	180.3500	41.73	-7.93	33.80	43.50	-9.70	QP
2	230.7900	40.02	-8.22	31.80	46.00	-14.20	QP
3	284.1400	35.38	-5.80	29.58	46.00	-16.42	QP
4	311.3000	35.03	-5.26	29.77	46.00	-16.23	QP
5	564.4700	35.66	-0.69	34.97	46.00	-11.03	QP
6	594.5400	34.77	0.07	34.84	46.00	-11.16	QP

Harmonic


Above 1 GHz

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 2412 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4824.000	34.78	0.09	34.87	74.00	-39.13	peak
2*	7236.000	32.26	7.13	39.39	74.00	-34.61	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 2412 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4824.000	33.76	0.09	33.85	74.00	-40.15	peak
2*	7236.000	30.78	7.13	37.91	74.00	-36.09	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 2417 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4834.000	35.32	0.12	35.44	74.00	-38.56	peak
2*	7251.000	32.26	7.18	39.44	74.00	-34.56	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 2417 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4834.000	36.14	0.12	36.26	74.00	-37.74	peak
2*	7251.000	33.25	7.18	40.43	74.00	-33.57	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 2437 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4874.000	35.95	0.29	36.24	74.00	-37.76	peak
2*	7311.000	32.82	7.16	39.98	74.00	-34.02	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 2437 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4874.000	36.32	0.29	36.61	74.00	-37.39	peak
2*	7311.000	32.88	7.16	40.04	74.00	-33.96	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 2457 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4914.000	37.28	0.39	37.67	74.00	-36.33	peak
2*	7371.000	32.62	7.39	40.01	74.00	-33.99	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 2457 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4914.000	34.70	0.39	35.09	74.00	-38.91	peak
2*	7371.000	33.09	7.39	40.48	74.00	-33.52	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 2462 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4924.000	34.34	0.39	34.73	74.00	-39.27	peak
2*	7386.000	33.24	7.46	40.70	74.00	-33.30	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 2462 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4924.000	34.88	0.39	35.27	74.00	-38.73	peak
2*	7386.000	34.39	7.46	41.85	74.00	-32.15	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 2422 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4844.000	36.81	0.16	36.97	74.00	-37.03	peak
2*	7266.000	33.33	7.16	40.49	74.00	-33.51	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT40 2422 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4844.000	35.33	0.16	35.49	74.00	-38.51	peak
2*	7266.000	32.83	7.16	39.99	74.00	-34.01	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 2437 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4874.000	35.44	0.29	35.73	74.00	-38.27	peak
2*	7311.000	32.11	7.16	39.27	74.00	-34.73	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT40 2437 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4874.000	35.77	0.29	36.06	74.00	-37.94	peak
2*	7311.000	33.25	7.16	40.41	74.00	-33.59	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 2452 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4904.000	35.63	0.39	36.02	74.00	-37.98	peak
2*	7356.000	33.55	7.31	40.86	74.00	-33.14	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT40 2452 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4904.000	35.37	0.39	35.76	74.00	-38.24	peak
2*	7356.000	32.27	7.31	39.58	74.00	-34.42	peak

Band Edge


Peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 2412 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2388.540	73.59	-6.08	67.51	74.00	-6.49	peak
2	2390.000	69.37	-6.09	63.28	74.00	-10.72	peak
3*	2407.020	118.62	-6.11	112.51	74.00	38.51	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 2412 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2388.400	68.42	-6.08	62.34	74.00	-11.66	peak
2	2390.000	68.42	-6.09	62.33	74.00	-11.67	peak
3*	2415.560	117.15	-6.09	111.06	74.00	37.06	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 2417 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.800	71.11	-6.09	65.02	74.00	-8.98	peak
2	2390.000	71.50	-6.09	65.41	74.00	-8.59	peak
3*	2409.540	122.16	-6.10	116.06	74.00	42.06	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 2417 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.520	68.75	-6.09	62.66	74.00	-11.34	peak
2	2390.000	68.34	-6.09	62.25	74.00	-11.75	peak
3*	2421.160	120.61	-6.07	114.54	74.00	40.54	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 2437 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.230	69.11	-6.09	63.02	74.00	-10.98	peak
2	2390.000	69.19	-6.09	63.10	74.00	-10.90	peak
3*	2443.380	124.12	-5.99	118.13	74.00	44.13	peak
4	2483.500	65.52	-6.13	59.39	74.00	-14.61	peak
5	2493.160	67.75	-6.18	61.57	74.00	-12.43	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 2437 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2382.770	68.30	-6.06	62.24	74.00	-11.76	peak
2	2390.000	66.89	-6.09	60.80	74.00	-13.20	peak
3*	2432.550	124.78	-6.03	118.75	74.00	44.75	peak
4	2483.500	66.05	-6.13	59.92	74.00	-14.08	peak
5	2496.770	67.43	-6.19	61.24	74.00	-12.76	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 2457 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2462.900	118.94	-6.04	112.90	74.00	38.90	peak
2	2483.500	72.23	-6.13	66.10	74.00	-7.90	peak
3	2483.620	71.94	-6.13	65.81	74.00	-8.19	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 2457 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2450.370	121.26	-5.97	115.29	74.00	41.29	peak
2	2483.500	73.99	-6.13	67.86	74.00	-6.14	peak
3	2484.040	76.06	-6.13	69.93	74.00	-4.07	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 2462 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2456.880	119.13	-6.00	113.13	74.00	39.13	peak
2	2483.500	72.02	-6.13	65.89	74.00	-8.11	peak
3	2487.120	76.45	-6.14	70.31	74.00	-3.69	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 2462 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2454.570	121.52	-6.00	115.52	74.00	41.52	peak
2	2483.500	74.27	-6.13	68.14	74.00	-5.86	peak
3	2483.690	74.80	-6.13	68.67	74.00	-5.33	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 2422 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.380	72.89	-6.09	66.80	74.00	-7.20	peak
2	2390.000	70.98	-6.09	64.89	74.00	-9.11	peak
3*	2415.840	116.49	-6.09	110.40	74.00	36.40	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT40 2422 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2388.960	72.02	-6.08	65.94	74.00	-8.06	peak
2	2390.000	72.21	-6.09	66.12	74.00	-7.88	peak
3*	2406.880	115.99	-6.11	109.88	74.00	35.88	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 2437 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.420	72.55	-6.09	66.46	74.00	-7.54	peak
2	2390.000	72.45	-6.09	66.36	74.00	-7.64	peak
3*	2425.330	116.65	-6.06	110.59	74.00	36.59	peak
4	2483.500	65.08	-6.13	58.95	74.00	-15.05	peak
5	2488.790	66.40	-6.15	60.25	74.00	-13.75	peak

Standard: Part 15C Test Site: 966 Chamber
Polarization: Vertical
Test Mode: 802.11be EHT40 2437 MHz
Remark:




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2388.470	70.21	-6.08	64.13	74.00	-9.87	peak
2	2390.000	68.25	-6.09	62.16	74.00	-11.84	peak
3*	2430.650	116.77	-6.04	110.73	74.00	36.73	peak
4	2483.500	65.16	-6.13	59.03	74.00	-14.97	peak
5	2485.370	66.41	-6.13	60.28	74.00	-13.72	peak

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 2452 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2435.600	115.75	-6.03	109.72	74.00	35.72	peak
2	2483.500	68.24	-6.13	62.11	74.00	-11.89	peak
3	2484.110	70.35	-6.13	64.22	74.00	-9.78	peak


Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT40 2452 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2447.990	116.65	-5.97	110.68	74.00	36.68	peak
2	2483.500	70.75	-6.13	64.62	74.00	-9.38	peak
3	2484.180	71.97	-6.14	65.83	74.00	-8.17	peak


Average

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 2412 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.800	56.18	-6.09	50.09	54.00	-3.91	AVG
2*	2390.000	56.52	-6.09	50.43	54.00	-3.57	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 2412 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.660	55.48	-6.09	49.39	54.00	-4.61	AVG
2*	2390.000	55.72	-6.09	49.63	54.00	-4.37	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 2417 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.800	57.05	-6.09	50.96	54.00	-3.04	AVG
2*	2390.000	57.21	-6.09	51.12	54.00	-2.88	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 2417 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2389.660	55.77	-6.09	49.68	54.00	-4.32	AVG
2	2390.000	55.57	-6.09	49.48	54.00	-4.52	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 2437 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2368.140	55.93	-5.98	49.95	54.00	-4.05	AVG
2	2390.000	55.71	-6.09	49.62	54.00	-4.38	AVG
3	2483.500	53.80	-6.13	47.67	54.00	-6.33	AVG
4	2483.850	53.82	-6.13	47.69	54.00	-6.31	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 2437 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2383.340	55.51	-6.06	49.45	54.00	-4.55	AVG
2	2390.000	55.32	-6.09	49.23	54.00	-4.77	AVG
3	2483.500	54.54	-6.13	48.41	54.00	-5.59	AVG
4	2484.040	54.59	-6.13	48.46	54.00	-5.54	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 2457 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2483.500	55.93	-6.13	49.80	54.00	-4.20	AVG
2	2483.620	55.90	-6.13	49.77	54.00	-4.23	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 2457 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2483.500	58.19	-6.13	52.06	54.00	-1.94	AVG
2	2483.620	58.10	-6.13	51.97	54.00	-2.03	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT20 2462 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2483.500	57.96	-6.13	51.83	54.00	-2.17	AVG
2	2483.620	57.95	-6.13	51.82	54.00	-2.18	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT20 2462 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2483.500	58.93	-6.13	52.80	54.00	-1.20	AVG
2	2483.620	58.66	-6.13	52.53	54.00	-1.47	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 2422 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2389.380	58.70	-6.09	52.61	54.00	-1.39	AVG
2	2390.000	58.56	-6.09	52.47	54.00	-1.53	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT40 2422 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1*	2388.820	58.42	-6.08	52.34	54.00	-1.66	AVG
2	2390.000	58.24	-6.09	52.15	54.00	-1.85	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 2437 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.610	57.07	-6.09	50.98	54.00	-3.02	AVG
2*	2390.000	57.08	-6.09	50.99	54.00	-3.01	AVG
3	2483.500	53.53	-6.13	47.40	54.00	-6.60	AVG
4	2484.230	53.59	-6.14	47.45	54.00	-6.55	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT40 2437 MHz		
Remark:			




No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2389.040	55.87	-6.08	49.79	54.00	-4.21	AVG
2*	2390.000	55.94	-6.09	49.85	54.00	-4.15	AVG
3	2483.500	54.08	-6.13	47.95	54.00	-6.05	AVG
4	2483.660	54.08	-6.13	47.95	54.00	-6.05	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Horizontal		
Test Mode:	802.11be EHT40 2452 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	56.74	-6.13	50.61	54.00	-3.39	AVG
2*	2483.620	56.82	-6.13	50.69	54.00	-3.31	AVG

Standard:	Part 15C	Test Site:	966 Chamber
Polarization:	Vertical		
Test Mode:	802.11be EHT40 2452 MHz		
Remark:			



No.	Frequency (MHz)	Reading (dBuV)	Correction (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2483.500	57.48	-6.13	51.35	54.00	-2.65	AVG
2*	2483.620	57.49	-6.13	51.36	54.00	-2.64	AVG

5.3. Conducted Test Results

Duty cycle

Reference Appendix A / Appendix B

Maximum Conducted Output Power Measurement

Reference Appendix A

6 dB RF Bandwidth Measurement

Reference Appendix A / Appendix B

Maximum Power Spectral Density Measurement

Reference Appendix A / Appendix B

Out of Band Conducted Emissions Measurement

Reference level

Reference Appendix B

Out of Band Conducted Emissions

Reference Appendix B

Conducted Band Edge

Reference Appendix B

---END---