

	Ant1	5230	30~5140	4800.53	-54.37	≤ -27	PASS
			5360~40000	38925.01	-49.92	≤ -27	PASS
	Ant2	5230	30~5140	4800.19	-52.85	≤ -27	PASS
			5360~40000	38582.07	-49.71	≤ -27	PASS
	Ant1	5755	30~5650	4800.07	-44.21	≤ -27	PASS
			5925~40000	38391.66	-50.3	≤ -27	PASS
	Ant2	5755	30~5650	4800.26	-43.93	≤ -27	PASS
			5925~40000	5951.12	-48.46	≤ -27	PASS
	Ant1	5795	30~5650	4800.07	-44.5	≤ -27	PASS
			5925~40000	38121.33	-49.03	≤ -27	PASS
	Ant2	5795	30~5650	4800.07	-43.65	≤ -27	PASS
			5925~40000	5993.15	-47.59	≤ -27	PASS
11AX80SISO	Ant1	5210	30~5140	3778.87	-55.29	≤ -27	PASS
			5360~40000	38154.84	-50.25	≤ -27	PASS
	Ant2	5210	30~5140	3755.53	-55.48	≤ -27	PASS
			5360~40000	38060.16	-49.22	≤ -27	PASS
	Ant1	5775	30~5650	5280.2	-45.24	≤ -27	PASS
			5925~40000	38179.26	-50.38	≤ -27	PASS
11A-CDD	Ant1	5180	30~5140	4800.19	-55.63	≤ -27	PASS
			5360~40000	38050.92	-49.32	≤ -27	PASS
	Ant2	5180	30~5140	4800.53	-53.93	≤ -27	PASS
			5360~40000	37905.43	-49.48	≤ -27	PASS
	Ant1	5200	30~5140	4800.53	-55.03	≤ -27	PASS
			5360~40000	38934.24	-49.24	≤ -27	PASS
	Ant2	5200	30~5140	1783.92	-52.89	≤ -27	PASS
			5360~40000	38022.06	-49.77	≤ -27	PASS
	Ant1	5240	30~5140	3756.72	-54.86	≤ -27	PASS
			5360~40000	38219.5	-50.02	≤ -27	PASS
	Ant2	5240	30~5140	4800.53	-52.45	≤ -27	PASS
			5360~40000	38739.1	-49.39	≤ -27	PASS
	Ant1	5745	30~5650	4800.07	-50.13	≤ -27	PASS
			5925~40000	38102.02	-48.73	≤ -27	PASS
	Ant2	5745	30~5650	4800.26	-46.87	≤ -27	PASS
			5925~40000	5935.22	-49.18	≤ -27	PASS
	Ant1	5785	30~5650	4800.07	-51.32	≤ -27	PASS

	Ant2	5785	5925~40000	38092.94	-48.52	≤ -27	PASS
			30~5650	5594.17	-46.59	≤ -27	PASS
			5925~40000	38398.48	-49.8	≤ -27	PASS
	Ant1	5825	30~5650	4800.07	-51.32	≤ -27	PASS
			5925~40000	38044.1	-48.21	≤ -27	PASS
	Ant2	5825	30~5650	5633.89	-47.93	≤ -27	PASS
			5925~40000	6015.87	-49.09	≤ -27	PASS
11N20MIMO	Ant1	5180	30~5140	4800.01	-53.43	≤ -27	PASS
			5360~40000	38072.86	-49.49	≤ -27	PASS
	Ant2	5180	30~5140	4800.19	-53.28	≤ -27	PASS
			5360~40000	38883.44	-49.99	≤ -27	PASS
	Ant1	5200	30~5140	4799.67	-55.06	≤ -27	PASS
			5360~40000	38149.07	-49.55	≤ -27	PASS
	Ant2	5200	30~5140	4800.19	-54.18	≤ -27	PASS
			5360~40000	37963.17	-49.34	≤ -27	PASS
	Ant1	5240	30~5140	3804.42	-55.25	≤ -27	PASS
			5360~40000	38973.5	-49.6	≤ -27	PASS
	Ant2	5240	30~5140	1769.44	-52.29	≤ -27	PASS
			5360~40000	38106.35	-48.86	≤ -27	PASS
	Ant1	5745	30~5650	4800.07	-52.3	≤ -27	PASS
			5925~40000	38466.63	-49.1	≤ -27	PASS
	Ant2	5745	30~5650	5552.21	-48.94	≤ -27	PASS
			5925~40000	38205.38	-49.18	≤ -27	PASS
	Ant1	5785	30~5650	4800.26	-51.14	≤ -27	PASS
			5925~40000	38936.86	-49.28	≤ -27	PASS
	Ant2	5785	30~5650	5591.55	-49.3	≤ -27	PASS
			5925~40000	38167.9	-49.79	≤ -27	PASS
	Ant1	5825	30~5650	4800.44	-51.82	≤ -27	PASS
			5925~40000	35583.88	-49.21	≤ -27	PASS
	Ant2	5825	30~5650	5631.83	-49.88	≤ -27	PASS
			5925~40000	37193.36	-49.6	≤ -27	PASS
11N40MIMO	Ant1	5190	30~5140	3718.57	-56.19	≤ -27	PASS
			5360~40000	38065.93	-49.45	≤ -27	PASS
	Ant2	5190	30~5140	4800.19	-53.68	≤ -27	PASS
			5360~40000	38165.23	-49.64	≤ -27	PASS
	Ant1	5230	30~5140	5026.05	-55.28	≤ -27	PASS
			5360~40000	38125.98	-49.54	≤ -27	PASS

	Ant2	5230	30~5140	4800.36	-53.33	≤ -27	PASS
			5360~40000	37926.22	-49.21	≤ -27	PASS
	Ant1	5755	30~5650	4800.26	-50.44	≤ -27	PASS
			5925~40000	38002.07	-50.14	≤ -27	PASS
	Ant2	5755	30~5650	4800.26	-50.3	≤ -27	PASS
			5925~40000	38132.69	-48.18	≤ -27	PASS
	Ant1	5795	30~5650	4800.07	-50.33	≤ -27	PASS
			5925~40000	38969.8	-50.28	≤ -27	PASS
	Ant2	5795	30~5650	5093.99	-46.38	≤ -27	PASS
			5925~40000	38940.27	-50.08	≤ -27	PASS
11AC20MIMO	Ant1	5180	30~5140	3750.42	-54.98	≤ -27	PASS
			5360~40000	38056.7	-48.78	≤ -27	PASS
	Ant2	5180	30~5140	4800.36	-53.65	≤ -27	PASS
			5360~40000	36291.21	-49.56	≤ -27	PASS
	Ant1	5200	30~5140	3787.55	-54.84	≤ -27	PASS
			5360~40000	38913.46	-48.37	≤ -27	PASS
	Ant2	5200	30~5140	4800.36	-54.44	≤ -27	PASS
			5360~40000	37920.45	-49.56	≤ -27	PASS
	Ant1	5240	30~5140	4800.19	-55.76	≤ -27	PASS
			5360~40000	38110.97	-49.62	≤ -27	PASS
	Ant2	5240	30~5140	4799.67	-53.44	≤ -27	PASS
			5360~40000	5741.04	-47.91	≤ -27	PASS
	Ant1	5745	30~5650	4800.26	-51.78	≤ -27	PASS
			5925~40000	38970.94	-49.7	≤ -27	PASS
	Ant2	5745	30~5650	5554.83	-49.9	≤ -27	PASS
			5925~40000	38054.32	-48.88	≤ -27	PASS
	Ant1	5785	30~5650	5106.55	-46.45	≤ -27	PASS
			5925~40000	38084.99	-49.05	≤ -27	PASS
	Ant2	5785	30~5650	5591.74	-48.24	≤ -27	PASS
			5925~40000	5980.66	-48.87	≤ -27	PASS
	Ant1	5825	30~5650	4800.26	-50.82	≤ -27	PASS
			5925~40000	38186.07	-49.07	≤ -27	PASS
	Ant2	5825	30~5650	5634.83	-48.65	≤ -27	PASS
			5925~40000	6015.87	-49.4	≤ -27	PASS
11AC40MIMO	Ant1	5190	30~5140	4800.36	-54.86	≤ -27	PASS
			5360~40000	38041.69	-48.57	≤ -27	PASS
	Ant2	5190	30~5140	4800.19	-53.83	≤ -27	PASS

	Ant1	5230	5360~40000	38931.93	-49.79	≤ -27	PASS
			30~5140	5115.98	-52	≤ -27	PASS
			5360~40000	5746.81	-44.55	≤ -27	PASS
	Ant2	5230	30~5140	4800.01	-53.98	≤ -27	PASS
			5360~40000	5744.5	-42.63	≤ -27	PASS
	Ant1	5755	30~5650	4800.07	-51.75	≤ -27	PASS
			5925~40000	38906.19	-49.5	≤ -27	PASS
	Ant2	5755	30~5650	4800.26	-50.51	≤ -27	PASS
			5925~40000	38048.64	-49.57	≤ -27	PASS
	Ant1	5795	30~5650	4800.07	-50.88	≤ -27	PASS
			5925~40000	38102.02	-49.57	≤ -27	PASS
11AC80MIMO	Ant1	5210	30~5140	4992.49	-56.4	≤ -27	PASS
			5360~40000	36783.1	-49.75	≤ -27	PASS
	Ant2	5210	30~5140	3721.29	-54.35	≤ -27	PASS
			5360~40000	5739.89	-44.46	≤ -27	PASS
	Ant1	5775	30~5650	5280.2	-53.23	≤ -27	PASS
			5925~40000	37980.49	-47.97	≤ -27	PASS
	Ant2	5775	30~5650	5280.2	-52.82	≤ -27	PASS
			5925~40000	35369.21	-49.07	≤ -27	PASS
11AX20MIMO	Ant1	5180	30~5140	3765.07	-54.3	≤ -27	PASS
			5360~40000	38142.14	-49.1	≤ -27	PASS
	Ant2	5180	30~5140	4800.19	-53.83	≤ -27	PASS
			5360~40000	36627.22	-49.38	≤ -27	PASS
	Ant1	5200	30~5140	2435.62	-53.39	≤ -27	PASS
			5360~40000	39006.99	-48.38	≤ -27	PASS
	Ant2	5200	30~5140	4800.19	-53.81	≤ -27	PASS
			5360~40000	5743.35	-41.36	≤ -27	PASS
	Ant1	5240	30~5140	1783.92	-51.46	≤ -27	PASS
			5360~40000	38131.75	-49.7	≤ -27	PASS
	Ant2	5240	30~5140	4800.01	-53.27	≤ -27	PASS
			5360~40000	5744.5	-42.65	≤ -27	PASS
	Ant1	5745	30~5650	4800.26	-45.84	≤ -27	PASS
			5925~40000	38082.71	-49.01	≤ -27	PASS
	Ant2	5745	30~5650	4800.26	-44.37	≤ -27	PASS
			5925~40000	38082.71	-49.04	≤ -27	PASS

	Ant1	5785	30~5650	4800.26	-45.85	≤ -27	PASS
			5925~40000	38074.76	-49.76	≤ -27	PASS
	Ant2	5785	30~5650	4800.26	-44.07	≤ -27	PASS
			5925~40000	38792.61	-48.88	≤ -27	PASS
	Ant1	5825	30~5650	4800.26	-45.46	≤ -27	PASS
			5925~40000	36672.01	-50.07	≤ -27	PASS
11AX40MIMO	Ant1	5190	30~5140	5094.35	-44.85	≤ -27	PASS
			5360~40000	38131.75	-48.41	≤ -27	PASS
	Ant2	5190	30~5140	4800.01	-54.44	≤ -27	PASS
			5360~40000	38882.28	-49.25	≤ -27	PASS
	Ant1	5230	30~5140	4800.19	-52.23	≤ -27	PASS
			5360~40000	35201.21	-50.8	≤ -27	PASS
	Ant2	5230	30~5140	4800.01	-51.78	≤ -27	PASS
			5360~40000	38890.37	-49.64	≤ -27	PASS
	Ant1	5755	30~5650	4800.07	-48.35	≤ -27	PASS
			5925~40000	38083.85	-49.69	≤ -27	PASS
	Ant2	5755	30~5650	4800.26	-48.45	≤ -27	PASS
			5925~40000	38099.75	-49.88	≤ -27	PASS
	Ant1	5795	30~5650	4800.07	-49.1	≤ -27	PASS
			5925~40000	38036.14	-49.78	≤ -27	PASS
	Ant2	5795	30~5650	4800.07	-47.46	≤ -27	PASS
			5925~40000	38824.41	-49.22	≤ -27	PASS
11AX80MIMO	Ant1	5210	30~5140	4957.4	-55.97	≤ -27	PASS
			5360~40000	38948.1	-50	≤ -27	PASS
	Ant2	5210	30~5140	4800.01	-55.65	≤ -27	PASS
			5360~40000	38210.27	-50.14	≤ -27	PASS
	Ant1	5775	30~5650	5280.2	-50.38	≤ -27	PASS
			5925~40000	38691.52	-50.21	≤ -27	PASS
	Ant2	5775	30~5650	5280.02	-51	≤ -27	PASS
			5925~40000	38056.59	-49.46	≤ -27	PASS


Test Graphs see Appendix H

The radiated spurious emission test data

The worst case of Radiated Emission below 1GHz:

30MHz – 1GHz Test Data

EUT:	Wireless Router Module	Polarity:	Horizontal
Model:	DR5018S	SN:	N/A
Mode:	Transmit by 802.11a-CDD at Channel 5180MHz	Voltage:	DC 48V
Environment:	Temp: 21.1°C; Humi:38%	Engineer:	Stone Zhang



Final Data List										
NO.	Frequency [MHz]	Factor [dB/m]	QP Reading [dBμV]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Pol	Verdict
1	55.71	14.14	9.68	23.82	40.00	16.18	150	295	Horizontal	PASS
2	79.96	10.51	17.65	28.16	40.00	11.84	100	179	Horizontal	PASS
3	147.86	15.43	9.34	24.77	43.50	18.73	100	76	Horizontal	PASS
4	356.89	16.50	10.65	27.15	46.00	18.85	100	56	Horizontal	PASS
5	439.34	18.55	13.28	31.83	46.00	14.17	100	0	Horizontal	PASS
6	791.45	24.35	11.73	36.08	46.00	9.92	150	33	Horizontal	PASS


Note:

(1) Level=Reading + Factor

(2) Margin=Limit-Level

(3) The test trace is same as the ambient noise and the amplitude of the emissions are attenuated more than 20dB below the permissible (the test frequency range: 9kHz ~ 30MHz, 18GHz ~ 25GHz), therefore no data appear in the report.

EUT:	Wireless Router Module	Polarity:	Vertical
Model:	DR5018S	SN:	N/A
Mode:	Transmit by 802.11a-CDD at Channel 5180MHz	Voltage:	DC 48V
Environment:	Temp: 21.1°C; Humi:38%	Engineer:	Stone Zhang



Final Data List										
NO.	Frequency [MHz]	Factor [dB/m]	QP Reading [dBμV]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Pol	Verdict
1	40.19	14.91	18.13	33.04	40.00	6.96	100	326	Vertical	PASS
2	53.77	14.27	19.37	33.64	40.00	6.36	100	241	Vertical	PASS
3	79.78	10.58	22.48	33.06	40.00	6.94	150	212	Vertical	PASS
4	94.51	11.08	24.99	36.07	43.50	7.43	150	9	Vertical	PASS
5	137.19	14.94	13.28	28.22	43.50	15.28	100	359	Vertical	PASS
6	787.09	24.32	11.31	35.63	46.00	10.37	100	118	Vertical	PASS

Note:


(1) Level=Reading + Factor

(2) Margin=Limit-Level

(3) The test trace is same as the ambient noise and the amplitude of the emissions are attenuated more than 20dB below the permissible (the test frequency range: 9kHz ~ 30MHz, 18GHz ~ 25GHz), therefore no data appear in the report.

1GHz-6.5GHz

Test Mode:	802.11a-Antenna1	Test Date:	2024-12-09
Test Channel:	36-5180MHz	Test Engineer:	Stone Zhang




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1254.10	57.41	34.26	-23.15	74.00	39.74	150	165	PK	Horizontal	PASS
2	1783.20	65.42	45.80	-19.62	74.00	28.20	150	277	PK	Horizontal	PASS
3	1974.60	60.93	42.55	-18.38	74.00	31.45	150	109	PK	Horizontal	PASS
4	2369.50	63.57	47.11	-16.46	74.00	26.89	150	0	PK	Horizontal	PASS
5	4800.50	55.91	49.12	-6.79	74.00	24.88	150	179	PK	Horizontal	PASS
6	6216.20	49.99	45.70	-4.29	74.00	28.30	150	174	PK	Horizontal	PASS
7	1309.10	47.77	24.94	-22.83	54.00	29.06	150	277	AV	Horizontal	PASS
8	1772.20	55.68	35.96	-19.72	54.00	18.04	150	272	AV	Horizontal	PASS
9	1977.90	50.50	32.15	-18.35	54.00	21.85	150	114	AV	Horizontal	PASS
10	2372.80	52.39	35.94	-16.45	54.00	18.06	150	346	AV	Horizontal	PASS
11	4801.60	49.56	42.77	-6.79	54.00	11.23	150	179	AV	Horizontal	PASS
12	6217.30	44.22	39.93	-4.29	54.00	14.07	150	179	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1304.70	60.31	38.37	-21.94	74.00	35.63	150	202	PK	Vertical	PASS
2	1766.70	64.51	45.34	-19.17	74.00	28.66	150	138	PK	Vertical	PASS
3	1973.50	62.15	44.18	-17.97	74.00	29.82	150	236	PK	Vertical	PASS
4	2368.40	61.09	44.51	-16.58	74.00	29.49	150	152	PK	Vertical	PASS
5	2455.30	60.58	44.32	-16.26	74.00	29.68	150	358	PK	Vertical	PASS
6	4088.80	49.06	41.11	-7.95	74.00	32.89	150	226	PK	Vertical	PASS
7	1316.80	49.69	27.83	-21.86	54.00	26.17	150	212	AV	Vertical	PASS
8	1768.90	58.08	38.92	-19.16	54.00	15.08	150	138	AV	Vertical	PASS
9	1972.40	50.32	32.34	-17.98	54.00	21.66	150	221	AV	Vertical	PASS
10	2376.10	51.08	34.53	-16.55	54.00	19.47	150	180	AV	Vertical	PASS
11	2455.30	57.93	41.67	-16.26	54.00	12.33	150	355	AV	Vertical	PASS
12	4135.00	39.22	31.30	-7.92	54.00	22.70	150	111	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-Antenna1	Test Date:	2024-12-09
Test Channel:	40-5200MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1293.70	57.90	34.97	-22.93	74.00	39.03	150	281	PK	Horizontal	PASS
2	1782.10	63.74	44.11	-19.63	74.00	29.89	150	300	PK	Horizontal	PASS
3	1970.20	62.16	43.74	-18.42	74.00	30.26	150	27	PK	Horizontal	PASS
4	2368.40	62.32	45.85	-16.47	74.00	28.15	150	343	PK	Horizontal	PASS
5	4800.50	56.80	50.01	-6.79	74.00	23.99	150	179	PK	Horizontal	PASS
6	6239.30	48.47	44.23	-4.24	74.00	29.77	150	174	PK	Horizontal	PASS
7	1311.30	47.97	25.16	-22.81	54.00	28.84	150	281	AV	Horizontal	PASS
8	1790.90	52.03	32.48	-19.55	54.00	21.52	150	300	AV	Horizontal	PASS
9	1980.10	50.66	32.32	-18.34	54.00	21.68	150	32	AV	Horizontal	PASS
10	2369.50	51.87	35.41	-16.46	54.00	18.59	150	343	AV	Horizontal	PASS
11	4800.50	49.49	42.70	-6.79	54.00	11.30	150	174	AV	Horizontal	PASS
12	6241.50	42.82	38.59	-4.23	54.00	15.41	150	174	AV	Horizontal	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1773.30	60.72	41.59	-19.13	74.00	32.41	150	358	PK	Vertical	PASS
2	1975.70	59.32	41.36	-17.96	74.00	32.64	150	227	PK	Vertical	PASS
3	2376.10	61.78	45.23	-16.55	74.00	28.77	150	177	PK	Vertical	PASS
4	2480.60	59.47	43.30	-16.17	74.00	30.70	150	340	PK	Vertical	PASS
5	4331.90	49.32	41.64	-7.68	74.00	32.36	150	9	PK	Vertical	PASS
6	6124.90	48.22	43.93	-4.29	74.00	30.07	150	125	PK	Vertical	PASS
7	1792.00	47.21	28.23	-18.98	54.00	25.77	150	182	AV	Vertical	PASS
8	1979.00	49.16	31.23	-17.93	54.00	22.77	150	205	AV	Vertical	PASS
9	2377.20	50.36	33.81	-16.55	54.00	20.19	150	177	AV	Vertical	PASS
10	2480.60	54.60	38.43	-16.17	54.00	15.57	150	340	AV	Vertical	PASS
11	4338.50	39.76	32.08	-7.68	54.00	21.92	150	340	AV	Vertical	PASS
12	6124.90	37.56	33.27	-4.29	54.00	20.73	150	303	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-Antenna1	Test Date:	2024-12-09
Test Channel:	48-5240MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1284.90	58.35	35.37	-22.98	74.00	38.63	150	0	PK	Horizontal	PASS
2	1778.80	63.36	43.70	-19.66	74.00	30.30	150	217	PK	Horizontal	PASS
3	1979.00	60.45	42.10	-18.35	74.00	31.90	150	115	PK	Horizontal	PASS
4	2373.90	67.51	51.07	-16.44	74.00	22.93	150	333	PK	Horizontal	PASS
5	4800.50	56.08	49.29	-6.79	74.00	24.71	150	184	PK	Horizontal	PASS
6	5999.50	50.88	45.97	-4.91	74.00	28.03	150	176	PK	Horizontal	PASS
7	1297.00	46.96	24.06	-22.90	54.00	29.94	150	310	AV	Horizontal	PASS
8	1787.60	52.40	32.82	-19.58	54.00	21.18	150	286	AV	Horizontal	PASS
9	1980.10	50.02	31.68	-18.34	54.00	22.32	150	34	AV	Horizontal	PASS
10	2367.30	51.43	34.95	-16.48	54.00	19.05	150	278	AV	Horizontal	PASS
11	4801.60	49.49	42.70	-6.79	54.00	11.30	150	176	AV	Horizontal	PASS
12	6000.60	42.39	37.48	-4.91	54.00	16.52	150	176	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1290.40	60.10	38.08	-22.02	74.00	35.92	150	210	PK	Vertical	PASS
2	1973.50	61.63	43.66	-17.97	74.00	30.34	150	233	PK	Vertical	PASS
3	2365.10	62.41	45.82	-16.59	74.00	28.18	150	299	PK	Vertical	PASS
4	2452.00	58.52	42.25	-16.27	74.00	31.75	150	0	PK	Vertical	PASS
5	4330.80	50.27	42.59	-7.68	74.00	31.41	150	124	PK	Vertical	PASS
6	6308.60	47.41	43.37	-4.04	74.00	30.63	150	55	PK	Vertical	PASS
7	1292.60	49.05	27.04	-22.01	54.00	26.96	150	205	AV	Vertical	PASS
8	1973.50	50.08	32.11	-17.97	54.00	21.89	150	218	AV	Vertical	PASS
9	2380.50	50.22	33.68	-16.54	54.00	20.32	150	158	AV	Vertical	PASS
10	2467.40	51.88	35.67	-16.21	54.00	18.33	150	143	AV	Vertical	PASS
11	4344.00	39.71	32.03	-7.68	54.00	21.97	150	88	AV	Vertical	PASS
12	6298.70	37.48	33.52	-3.96	54.00	20.48	150	138	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-Antenna2	Test Date:	2024-12-09
Test Channel:	36-5180MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1337.70	57.38	34.75	-22.63	74.00	39.25	150	216	PK	Horizontal	PASS
2	1779.90	71.18	51.53	-19.65	74.00	22.47	150	305	PK	Horizontal	PASS
3	1972.40	61.48	43.07	-18.41	74.00	30.93	150	47	PK	Horizontal	PASS
4	2366.20	62.93	46.45	-16.48	74.00	27.55	150	319	PK	Horizontal	PASS
5	3934.80	49.04	40.02	-9.02	74.00	33.98	150	324	PK	Horizontal	PASS
6	6195.30	47.48	43.15	-4.33	74.00	30.85	150	10	PK	Horizontal	PASS
7	1303.60	48.69	25.83	-22.86	54.00	28.17	150	281	AV	Horizontal	PASS
8	1767.80	52.40	32.65	-19.75	54.00	21.35	150	281	AV	Horizontal	PASS
9	1981.20	48.80	30.48	-18.32	54.00	23.52	150	38	AV	Horizontal	PASS
10	2376.10	52.04	35.61	-16.43	54.00	18.39	150	249	AV	Horizontal	PASS
11	3970.00	39.09	30.30	-8.79	54.00	23.70	150	324	AV	Horizontal	PASS
12	6206.30	37.52	33.20	-4.32	54.00	20.80	150	285	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1299.20	61.05	39.08	-21.97	74.00	34.92	150	204	PK	Vertical	PASS
2	1766.70	67.36	48.19	-19.17	74.00	25.81	150	167	PK	Vertical	PASS
3	1974.60	60.05	42.09	-17.96	74.00	31.91	150	221	PK	Vertical	PASS
4	2431.10	63.94	47.59	-16.35	74.00	26.41	150	93	PK	Vertical	PASS
5	4800.50	57.06	49.73	-7.33	74.00	24.27	150	176	PK	Vertical	PASS
6	5978.60	49.25	44.21	-5.04	74.00	29.79	150	181	PK	Vertical	PASS
7	1300.30	51.18	29.21	-21.97	54.00	24.79	150	204	AV	Vertical	PASS
8	1785.40	61.71	42.67	-19.04	54.00	11.33	150	199	AV	Vertical	PASS
9	1975.70	49.31	31.35	-17.96	54.00	22.65	150	221	AV	Vertical	PASS
10	2432.20	52.81	36.46	-16.35	54.00	17.54	150	88	AV	Vertical	PASS
11	4801.60	49.52	42.19	-7.33	54.00	11.81	150	181	AV	Vertical	PASS
12	5953.30	41.91	36.83	-5.08	54.00	17.17	150	181	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-Antenna2	Test Date:	2024-12-09
Test Channel:	40-5200MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1774.40	65.36	45.67	-19.69	74.00	28.33	150	295	PK	Horizontal	PASS
2	1976.80	59.79	41.43	-18.36	74.00	32.57	150	117	PK	Horizontal	PASS
3	2368.40	62.48	46.01	-16.47	74.00	27.99	150	295	PK	Horizontal	PASS
4	3599.30	51.42	39.92	-11.50	74.00	34.08	150	1	PK	Horizontal	PASS
5	4862.10	49.96	43.35	-6.61	74.00	30.65	150	195	PK	Horizontal	PASS
6	6098.50	47.78	43.49	-4.29	74.00	30.51	150	276	PK	Horizontal	PASS
7	1785.40	51.44	31.83	-19.61	54.00	22.17	150	300	AV	Horizontal	PASS
8	1971.30	49.42	31.01	-18.41	54.00	22.99	150	34	AV	Horizontal	PASS
9	2369.50	52.59	36.13	-16.46	54.00	17.87	150	295	AV	Horizontal	PASS
10	3590.50	41.30	29.72	-11.58	54.00	24.28	150	327	AV	Horizontal	PASS
11	4801.60	42.48	35.69	-6.79	54.00	18.31	150	214	AV	Horizontal	PASS
12	6097.40	38.08	33.78	-4.30	54.00	20.22	150	1	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1182.60	58.16	35.63	-22.53	74.00	38.37	150	153	PK	Vertical	PASS
2	1766.70	69.74	50.57	-19.17	74.00	23.43	150	237	PK	Vertical	PASS
3	2368.40	63.38	46.80	-16.58	74.00	27.20	150	287	PK	Vertical	PASS
4	2439.90	62.58	46.26	-16.32	74.00	27.74	150	353	PK	Vertical	PASS
5	4799.40	55.82	48.49	-7.33	74.00	25.51	150	180	PK	Vertical	PASS
6	6039.10	49.03	44.30	-4.73	74.00	29.70	150	180	PK	Vertical	PASS
7	1188.10	48.33	25.82	-22.51	54.00	28.18	150	69	AV	Vertical	PASS
8	1767.80	65.31	46.14	-19.17	54.00	7.86	150	237	AV	Vertical	PASS
9	2373.90	50.20	33.63	-16.57	54.00	20.37	150	180	AV	Vertical	PASS
10	2441.00	58.72	42.41	-16.31	54.00	11.59	150	353	AV	Vertical	PASS
11	4801.60	48.99	41.66	-7.33	54.00	12.34	150	180	AV	Vertical	PASS
12	6049.00	40.17	35.51	-4.66	54.00	18.49	150	185	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-Antenna2	Test Date:	2024-12-09
Test Channel:	48-5240MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1183.70	57.88	34.37	-23.51	74.00	39.63	150	58	PK	Horizontal	PASS
2	1751.30	66.67	46.78	-19.89	74.00	27.22	150	53	PK	Horizontal	PASS
3	1971.30	63.52	45.11	-18.41	74.00	28.89	150	305	PK	Horizontal	PASS
4	2376.10	62.31	45.88	-16.43	74.00	28.12	150	360	PK	Horizontal	PASS
5	4800.50	51.46	44.67	-6.79	74.00	29.33	150	216	PK	Horizontal	PASS
6	6120.50	48.10	43.81	-4.29	74.00	30.19	150	314	PK	Horizontal	PASS
7	1184.80	48.27	24.76	-23.51	54.00	29.24	150	58	AV	Horizontal	PASS
8	1751.30	61.93	42.04	-19.89	54.00	11.96	150	53	AV	Horizontal	PASS
9	1977.90	52.55	34.20	-18.35	54.00	19.80	150	309	AV	Horizontal	PASS
10	2369.50	51.87	35.41	-16.46	54.00	18.59	150	320	AV	Horizontal	PASS
11	4801.60	42.53	35.74	-6.79	54.00	18.26	150	216	AV	Horizontal	PASS
12	6201.90	37.49	33.16	-4.33	54.00	20.84	150	234	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1183.70	59.35	36.82	-22.53	74.00	37.18	150	101	PK	Vertical	PASS
2	1746.90	69.32	49.99	-19.33	74.00	24.01	150	119	PK	Vertical	PASS
3	1979.00	59.82	41.89	-17.93	74.00	32.11	150	212	PK	Vertical	PASS
4	2368.40	61.65	45.07	-16.58	74.00	28.93	150	304	PK	Vertical	PASS
5	4800.50	56.98	49.65	-7.33	74.00	24.35	150	184	PK	Vertical	PASS
6	6000.60	50.44	45.43	-5.01	74.00	28.57	150	175	PK	Vertical	PASS
7	1187.00	49.57	27.06	-22.51	54.00	26.94	150	83	AV	Vertical	PASS
8	1748.00	63.93	44.61	-19.32	54.00	9.39	150	119	AV	Vertical	PASS
9	1973.50	48.87	30.90	-17.97	54.00	23.10	150	221	AV	Vertical	PASS
10	2376.10	51.23	34.68	-16.55	54.00	19.32	150	180	AV	Vertical	PASS
11	4801.60	49.36	42.03	-7.33	54.00	11.97	150	180	AV	Vertical	PASS
12	6049.00	40.67	36.01	-4.66	54.00	17.99	150	184	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-CDD	Test Date:	2024-12-09
Test Channel:	36-5180MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1183.70	59.14	35.63	-23.51	74.00	38.37	150	243	PK	Horizontal	PASS
2	1748.00	66.93	47.01	-19.92	74.00	26.99	150	111	PK	Horizontal	PASS
3	1973.50	61.89	43.50	-18.39	74.00	30.50	150	116	PK	Horizontal	PASS
4	2369.50	63.54	47.08	-16.46	74.00	26.92	150	280	PK	Horizontal	PASS
5	4800.50	55.12	48.33	-6.79	74.00	25.67	150	176	PK	Horizontal	PASS
6	5952.20	51.14	46.15	-4.99	74.00	27.85	150	176	PK	Horizontal	PASS
7	1182.60	47.98	24.46	-23.52	54.00	29.54	150	243	AV	Horizontal	PASS
8	1748.00	60.50	40.58	-19.92	54.00	13.42	150	116	AV	Horizontal	PASS
9	1971.30	49.61	31.20	-18.41	54.00	22.80	150	130	AV	Horizontal	PASS
10	2370.60	51.23	34.77	-16.46	54.00	19.23	150	280	AV	Horizontal	PASS
11	4801.60	49.21	42.42	-6.79	54.00	11.58	150	176	AV	Horizontal	PASS
12	5953.30	43.19	38.20	-4.99	54.00	15.80	150	176	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1287.10	57.36	35.33	-22.03	74.00	38.67	150	289	PK	Vertical	PASS
2	1783.20	72.31	53.26	-19.05	74.00	20.74	150	143	PK	Vertical	PASS
3	2368.40	61.77	45.19	-16.58	74.00	28.81	150	162	PK	Vertical	PASS
4	3498.10	55.16	43.58	-11.58	74.00	30.42	150	208	PK	Vertical	PASS
5	4799.40	56.50	49.17	-7.33	74.00	24.83	150	186	PK	Vertical	PASS
6	6216.20	49.05	44.83	-4.22	74.00	29.17	150	181	PK	Vertical	PASS
7	1288.20	47.70	25.67	-22.03	54.00	28.33	150	26	AV	Vertical	PASS
8	1784.30	67.38	48.34	-19.04	54.00	5.66	150	143	AV	Vertical	PASS
9	2375.00	50.71	34.15	-16.56	54.00	19.85	150	171	AV	Vertical	PASS
10	3499.20	49.24	37.67	-11.57	54.00	16.33	150	208	AV	Vertical	PASS
11	4801.60	49.77	42.44	-7.33	54.00	11.56	150	181	AV	Vertical	PASS
12	6217.30	41.88	37.66	-4.22	54.00	16.34	150	181	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-CDD	Test Date:	2024-12-09
Test Channel:	40-5200MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1183.70	55.33	31.82	-23.51	74.00	42.18	150	249	PK	Horizontal	PASS
2	1774.40	66.11	46.42	-19.69	74.00	27.58	150	52	PK	Horizontal	PASS
3	1970.20	60.80	42.38	-18.42	74.00	31.62	150	118	PK	Horizontal	PASS
4	2375.00	62.77	46.33	-16.44	74.00	27.67	150	0	PK	Horizontal	PASS
5	4799.40	54.68	47.89	-6.79	74.00	26.11	150	183	PK	Horizontal	PASS
6	5952.20	49.89	44.90	-4.99	74.00	29.10	150	174	PK	Horizontal	PASS
7	1183.70	46.18	22.67	-23.51	54.00	31.33	150	249	AV	Horizontal	PASS
8	1763.40	53.63	33.84	-19.79	54.00	20.16	150	62	AV	Horizontal	PASS
9	1971.30	51.68	33.27	-18.41	54.00	20.73	150	118	AV	Horizontal	PASS
10	2369.50	51.55	35.09	-16.46	54.00	18.91	150	323	AV	Horizontal	PASS
11	4801.60	48.46	41.67	-6.79	54.00	12.33	150	179	AV	Horizontal	PASS
12	5953.30	43.17	38.18	-4.99	54.00	15.82	150	174	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1185.90	57.11	34.59	-22.52	74.00	39.41	150	93	PK	Vertical	PASS
2	1756.80	67.82	48.57	-19.25	74.00	25.43	150	189	PK	Vertical	PASS
3	1975.70	61.76	43.80	-17.96	74.00	30.20	150	218	PK	Vertical	PASS
4	2369.50	61.49	44.91	-16.58	74.00	29.09	150	157	PK	Vertical	PASS
5	4800.50	56.36	49.03	-7.33	74.00	24.97	150	181	PK	Vertical	PASS
6	6201.90	48.94	44.67	-4.27	74.00	29.33	150	176	PK	Vertical	PASS
7	1187.00	47.21	24.70	-22.51	54.00	29.30	150	98	AV	Vertical	PASS
8	1757.90	62.70	43.45	-19.25	54.00	10.55	150	189	AV	Vertical	PASS
9	1976.80	53.36	35.42	-17.94	54.00	18.58	150	218	AV	Vertical	PASS
10	2368.40	49.10	32.52	-16.58	54.00	21.48	150	302	AV	Vertical	PASS
11	4800.50	49.61	42.28	-7.33	54.00	11.72	150	181	AV	Vertical	PASS
12	6241.50	39.74	35.60	-4.14	54.00	18.40	150	176	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-CDD	Test Date:	2024-12-09
Test Channel:	48-5240MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1150.70	56.35	32.70	-23.65	74.00	41.30	150	327	PK	Horizontal	PASS
2	1777.70	69.33	49.66	-19.67	74.00	24.34	150	283	PK	Horizontal	PASS
3	1977.90	63.47	45.12	-18.35	74.00	28.88	150	29	PK	Horizontal	PASS
4	2372.80	62.55	46.10	-16.45	74.00	27.90	150	332	PK	Horizontal	PASS
5	4800.50	54.63	47.84	-6.79	74.00	26.16	150	175	PK	Horizontal	PASS
6	5951.10	50.40	45.41	-4.99	74.00	28.59	150	180	PK	Horizontal	PASS
7	1156.20	47.21	23.59	-23.62	54.00	30.41	150	47	AV	Horizontal	PASS
8	1783.20	54.61	34.99	-19.62	54.00	19.01	150	288	AV	Horizontal	PASS
9	1979.00	52.31	33.96	-18.35	54.00	20.04	150	29	AV	Horizontal	PASS
10	2382.70	50.66	34.27	-16.39	54.00	19.73	150	308	AV	Horizontal	PASS
11	4801.60	47.60	40.81	-6.79	54.00	13.19	150	183	AV	Horizontal	PASS
12	5953.30	42.68	37.69	-4.99	54.00	16.31	150	175	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1293.70	56.55	34.54	-22.01	74.00	39.46	150	196	PK	Vertical	PASS
2	1779.90	69.78	50.71	-19.07	74.00	23.29	150	148	PK	Vertical	PASS
3	1976.80	60.24	42.30	-17.94	74.00	31.70	150	242	PK	Vertical	PASS
4	2366.20	61.83	45.24	-16.59	74.00	28.76	150	158	PK	Vertical	PASS
5	4799.40	56.27	48.94	-7.33	74.00	25.06	150	176	PK	Vertical	PASS
6	6005.00	50.20	45.22	-4.98	74.00	28.78	150	180	PK	Vertical	PASS
7	1268.40	49.08	26.95	-22.13	54.00	27.05	150	199	AV	Vertical	PASS
8	1766.70	63.55	44.38	-19.17	54.00	9.62	150	111	AV	Vertical	PASS
9	1977.90	49.10	31.17	-17.93	54.00	22.83	150	199	AV	Vertical	PASS
10	2371.70	51.18	34.61	-16.57	54.00	19.39	150	176	AV	Vertical	PASS
11	4801.60	49.18	41.85	-7.33	54.00	12.15	150	180	AV	Vertical	PASS
12	6000.60	42.10	37.09	-5.01	54.00	16.91	150	176	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-MIMO	Test Date:	2024-12-09
Test Channel:	36-5180MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1185.90	60.67	37.17	-23.50	74.00	36.83	150	225	PK	Horizontal	PASS
2	1765.60	66.17	46.39	-19.78	74.00	27.61	150	94	PK	Horizontal	PASS
3	1973.50	60.55	42.16	-18.39	74.00	31.84	150	315	PK	Horizontal	PASS
4	2371.70	61.73	45.28	-16.45	74.00	28.72	150	250	PK	Horizontal	PASS
5	3211.00	53.87	40.33	-13.54	74.00	33.67	150	127	PK	Horizontal	PASS
6	4800.50	56.01	49.22	-6.79	74.00	24.78	150	183	PK	Horizontal	PASS
7	1188.10	49.04	25.55	-23.49	54.00	28.45	150	230	AV	Horizontal	PASS
8	1767.80	59.18	39.43	-19.75	54.00	14.57	150	94	AV	Horizontal	PASS
9	1974.60	49.67	31.29	-18.38	54.00	22.71	150	315	AV	Horizontal	PASS
10	2372.80	50.85	34.40	-16.45	54.00	19.60	150	254	AV	Horizontal	PASS
11	3226.40	42.25	28.77	-13.48	54.00	25.23	150	57	AV	Horizontal	PASS
12	4801.60	50.16	43.37	-6.79	54.00	10.63	150	179	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1184.80	58.75	36.23	-22.52	74.00	37.77	150	64	PK	Vertical	PASS
2	1784.30	74.29	55.25	-19.04	74.00	18.75	150	59	PK	Vertical	PASS
3	1975.70	60.69	42.73	-17.96	74.00	31.27	150	223	PK	Vertical	PASS
4	2372.80	60.28	43.71	-16.57	74.00	30.29	150	130	PK	Vertical	PASS
5	4799.40	57.44	50.11	-7.33	74.00	23.89	150	180	PK	Vertical	PASS
6	6216.20	49.35	45.13	-4.22	74.00	28.87	150	175	PK	Vertical	PASS
7	1188.10	48.86	26.35	-22.51	54.00	27.65	150	87	AV	Vertical	PASS
8	1785.40	69.67	50.63	-19.04	54.00	3.37	150	54	AV	Vertical	PASS
9	1973.50	51.18	33.21	-17.97	54.00	20.79	150	208	AV	Vertical	PASS
10	2368.40	49.77	33.19	-16.58	54.00	20.81	150	180	AV	Vertical	PASS
11	4801.60	50.93	43.60	-7.33	54.00	10.40	150	180	AV	Vertical	PASS
12	6217.30	42.85	38.63	-4.22	54.00	15.37	150	180	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-MIMO	Test Date:	2024-12-09
Test Channel:	40-5200MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1183.70	56.98	33.47	-23.51	74.00	40.53	150	51	PK	Horizontal	PASS
2	1779.90	66.65	47.00	-19.65	74.00	27.00	150	292	PK	Horizontal	PASS
3	1972.40	60.92	42.51	-18.41	74.00	31.49	150	108	PK	Horizontal	PASS
4	2366.20	62.27	45.79	-16.48	74.00	28.21	150	330	PK	Horizontal	PASS
5	4800.50	55.94	49.15	-6.79	74.00	24.85	150	182	PK	Horizontal	PASS
6	6239.30	50.51	46.27	-4.24	74.00	27.73	150	182	PK	Horizontal	PASS
7	1182.60	46.95	23.43	-23.52	54.00	30.57	150	51	AV	Horizontal	PASS
8	1789.80	52.96	33.39	-19.57	54.00	20.61	150	282	AV	Horizontal	PASS
9	1973.50	49.08	30.69	-18.39	54.00	23.31	150	112	AV	Horizontal	PASS
10	2376.10	50.55	34.12	-16.43	54.00	19.88	150	254	AV	Horizontal	PASS
11	4801.60	49.34	42.55	-6.79	54.00	11.45	150	177	AV	Horizontal	PASS
12	6241.50	43.49	39.26	-4.23	54.00	14.74	150	182	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1185.90	55.76	33.24	-22.52	74.00	40.76	150	124	PK	Vertical	PASS
2	1778.80	58.95	39.87	-19.08	74.00	34.13	150	9	PK	Vertical	PASS
3	1980.10	61.33	43.41	-17.92	74.00	30.59	150	240	PK	Vertical	PASS
4	2366.20	61.08	44.49	-16.59	74.00	29.51	150	296	PK	Vertical	PASS
5	4799.40	57.66	50.33	-7.33	74.00	23.67	150	181	PK	Vertical	PASS
6	5999.50	51.05	46.04	-5.01	74.00	27.96	150	176	PK	Vertical	PASS
7	1189.20	46.21	23.71	-22.50	54.00	30.29	150	124	AV	Vertical	PASS
8	1792.00	48.81	29.83	-18.98	54.00	24.17	150	186	AV	Vertical	PASS
9	1977.90	49.85	31.92	-17.93	54.00	22.08	150	236	AV	Vertical	PASS
10	2379.40	50.77	34.23	-16.54	54.00	19.77	150	157	AV	Vertical	PASS
11	4800.50	50.53	43.20	-7.33	54.00	10.80	150	181	AV	Vertical	PASS
12	6000.60	41.73	36.72	-5.01	54.00	17.28	150	176	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-MIMO	Test Date:	2024-12-09
Test Channel:	48-5240MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1187.00	62.58	39.08	-23.50	74.00	34.92	150	243	PK	Horizontal	PASS
2	1775.50	63.56	43.87	-19.69	74.00	30.13	150	43	PK	Horizontal	PASS
3	1976.80	61.20	42.84	-18.36	74.00	31.16	150	360	PK	Horizontal	PASS
4	2364.00	59.94	43.44	-16.50	74.00	30.56	150	295	PK	Horizontal	PASS
5	4800.50	56.32	49.53	-6.79	74.00	24.47	150	176	PK	Horizontal	PASS
6	6047.90	51.35	46.74	-4.61	74.00	27.26	150	176	PK	Horizontal	PASS
7	1184.80	50.73	27.22	-23.51	54.00	26.78	150	342	AV	Horizontal	PASS
8	1771.10	50.98	31.26	-19.72	54.00	22.74	150	300	AV	Horizontal	PASS
9	1974.60	48.65	30.27	-18.38	54.00	23.73	150	48	AV	Horizontal	PASS
10	2376.10	50.44	34.01	-16.43	54.00	19.99	150	257	AV	Horizontal	PASS
11	4801.60	49.55	42.76	-6.79	54.00	11.24	150	181	AV	Horizontal	PASS
12	5953.30	44.05	39.06	-4.99	54.00	14.94	150	176	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1187.00	61.92	39.41	-22.51	74.00	34.59	150	92	PK	Vertical	PASS
2	1974.60	59.93	41.97	-17.96	74.00	32.03	150	360	PK	Vertical	PASS
3	2371.70	60.12	43.55	-16.57	74.00	30.45	150	160	PK	Vertical	PASS
4	2434.40	60.71	44.37	-16.34	74.00	29.63	150	69	PK	Vertical	PASS
5	4800.50	57.95	50.62	-7.33	74.00	23.38	150	181	PK	Vertical	PASS
6	5961.00	50.10	45.04	-5.06	74.00	28.96	150	181	PK	Vertical	PASS
7	1184.80	52.76	30.24	-22.52	54.00	23.76	150	78	AV	Vertical	PASS
8	1975.70	49.51	31.55	-17.96	54.00	22.45	150	232	AV	Vertical	PASS
9	2369.50	49.59	33.01	-16.58	54.00	20.99	150	155	AV	Vertical	PASS
10	2435.50	52.94	36.61	-16.33	54.00	17.39	150	69	AV	Vertical	PASS
11	4801.60	51.43	44.10	-7.33	54.00	9.90	150	173	AV	Vertical	PASS
12	6000.60	41.73	36.72	-5.01	54.00	17.28	150	181	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-Antenna1	Test Date:	2024-12-09
Test Channel:	149-5745MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1321.20	57.74	35.00	-22.74	74.00	39.00	150	283	PK	Horizontal	PASS
2	1781.00	65.55	45.91	-19.64	74.00	28.09	150	287	PK	Horizontal	PASS
3	1976.80	63.16	44.80	-18.36	74.00	29.20	150	21	PK	Horizontal	PASS
4	2366.20	63.22	46.74	-16.48	74.00	27.26	150	246	PK	Horizontal	PASS
5	3402.40	55.69	42.92	-12.77	74.00	31.08	150	246	PK	Horizontal	PASS
6	4800.50	64.46	57.67	-6.79	74.00	16.33	150	176	PK	Horizontal	PASS
7	1310.20	47.58	24.76	-22.82	54.00	29.24	150	329	AV	Horizontal	PASS
8	1763.40	54.86	35.07	-19.79	54.00	18.93	150	180	AV	Horizontal	PASS
9	1976.80	52.48	34.12	-18.36	54.00	19.88	150	21	AV	Horizontal	PASS
10	2371.70	52.14	35.69	-16.45	54.00	18.31	150	278	AV	Horizontal	PASS
11	3402.40	49.05	36.28	-12.77	54.00	17.72	150	250	AV	Horizontal	PASS
12	4800.50	58.43	51.64	-6.79	54.00	2.36	150	176	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1302.50	60.63	38.68	-21.95	74.00	35.32	150	202	PK	Vertical	PASS
2	1749.10	70.31	51.00	-19.31	74.00	23.00	150	360	PK	Vertical	PASS
3	1974.60	62.10	44.14	-17.96	74.00	29.86	150	257	PK	Vertical	PASS
4	2368.40	62.00	45.42	-16.58	74.00	28.58	150	179	PK	Vertical	PASS
5	4799.40	53.96	46.63	-7.33	74.00	27.37	150	192	PK	Vertical	PASS
6	6150.20	48.76	44.47	-4.29	74.00	29.53	150	179	PK	Vertical	PASS
7	1295.90	50.16	28.17	-21.99	54.00	25.83	150	206	AV	Vertical	PASS
8	1750.20	64.47	45.17	-19.30	54.00	8.83	150	360	AV	Vertical	PASS
9	1977.90	51.88	33.95	-17.93	54.00	20.05	150	216	AV	Vertical	PASS
10	2376.10	51.49	34.94	-16.55	54.00	19.06	150	174	AV	Vertical	PASS
11	4801.60	46.99	39.66	-7.33	54.00	14.34	150	189	AV	Vertical	PASS
12	6119.40	39.36	35.07	-4.29	54.00	18.93	150	161	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-Antenna1	Test Date:	2024-12-09
Test Channel:	157-5785MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1183.70	57.26	33.75	-23.51	74.00	40.25	150	55	PK	Horizontal	PASS
2	1781.00	65.87	46.23	-19.64	74.00	27.77	150	309	PK	Horizontal	PASS
3	1979.00	63.20	44.85	-18.35	74.00	29.15	150	21	PK	Horizontal	PASS
4	2367.30	64.14	47.66	-16.48	74.00	26.34	150	245	PK	Horizontal	PASS
5	4800.50	65.59	58.80	-6.79	74.00	15.20	150	175	PK	Horizontal	PASS
6	6000.60	57.97	53.06	-4.91	74.00	20.94	150	175	PK	Horizontal	PASS
7	1188.10	46.18	22.69	-23.49	54.00	31.31	150	240	AV	Horizontal	PASS
8	1785.40	53.23	33.62	-19.61	54.00	20.38	150	305	AV	Horizontal	PASS
9	1973.50	51.09	32.70	-18.39	54.00	21.30	150	31	AV	Horizontal	PASS
10	2373.90	52.92	36.48	-16.44	54.00	17.52	150	245	AV	Horizontal	PASS
11	4801.60	58.96	52.17	-6.79	54.00	1.83	150	180	AV	Horizontal	PASS
12	6001.70	50.63	45.73	-4.90	54.00	8.27	150	175	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1188.10	56.53	34.02	-22.51	74.00	39.98	150	193	PK	Vertical	PASS
2	1766.70	68.49	49.32	-19.17	74.00	24.68	150	359	PK	Vertical	PASS
3	1975.70	60.63	42.67	-17.96	74.00	31.33	150	249	PK	Vertical	PASS
4	2373.90	63.20	46.63	-16.57	74.00	27.37	150	153	PK	Vertical	PASS
5	4800.50	53.55	46.22	-7.33	74.00	27.78	150	166	PK	Vertical	PASS
6	6138.10	49.39	45.10	-4.29	74.00	28.90	150	171	PK	Vertical	PASS
7	1187.00	47.81	25.30	-22.51	54.00	28.70	150	134	AV	Vertical	PASS
8	1766.70	62.39	43.22	-19.17	54.00	10.78	150	55	AV	Vertical	PASS
9	1976.80	51.71	33.77	-17.94	54.00	20.23	150	244	AV	Vertical	PASS
10	2369.50	50.95	34.37	-16.58	54.00	19.63	150	158	AV	Vertical	PASS
11	4801.60	47.06	39.73	-7.33	54.00	14.27	150	166	AV	Vertical	PASS
12	6083.10	39.29	34.87	-4.42	54.00	19.13	150	221	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-Antenna1	Test Date:	2024-12-09
Test Channel:	165-5825MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1183.70	55.98	32.47	-23.51	74.00	41.53	150	50	PK	Horizontal	PASS
2	1776.60	65.74	46.06	-19.68	74.00	27.94	150	318	PK	Horizontal	PASS
3	1979.00	63.73	45.38	-18.35	74.00	28.62	150	31	PK	Horizontal	PASS
4	2372.80	66.93	50.48	-16.45	74.00	23.52	150	293	PK	Horizontal	PASS
5	4799.40	64.38	57.59	-6.79	74.00	16.41	150	176	PK	Horizontal	PASS
6	5920.30	62.06	57.03	-5.03	74.00	16.97	150	176	PK	Horizontal	PASS
7	1182.60	47.45	23.93	-23.52	54.00	30.07	150	238	AV	Horizontal	PASS
8	1786.50	53.52	33.93	-19.59	54.00	20.07	150	302	AV	Horizontal	PASS
9	1977.90	51.47	33.12	-18.35	54.00	20.88	150	31	AV	Horizontal	PASS
10	2368.40	52.71	36.24	-16.47	54.00	17.76	150	275	AV	Horizontal	PASS
11	4801.60	58.81	52.02	-6.79	54.00	1.98	150	176	AV	Horizontal	PASS
12	5923.60	54.10	49.07	-5.03	54.00	4.93	150	176	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1187.00	55.22	32.71	-22.51	74.00	41.29	150	95	PK	Vertical	PASS
2	1773.30	57.16	38.03	-19.13	74.00	35.97	150	178	PK	Vertical	PASS
3	1972.40	61.95	43.97	-17.98	74.00	30.03	150	225	PK	Vertical	PASS
4	2371.70	61.42	44.85	-16.57	74.00	29.15	150	301	PK	Vertical	PASS
5	4800.50	53.75	46.42	-7.33	74.00	27.58	150	192	PK	Vertical	PASS
6	6294.30	49.06	45.09	-3.97	74.00	28.91	150	73	PK	Vertical	PASS
7	1184.80	46.63	24.11	-22.52	54.00	29.89	150	86	AV	Vertical	PASS
8	1792.00	48.56	29.58	-18.98	54.00	24.42	150	183	AV	Vertical	PASS
9	1976.80	49.29	31.35	-17.94	54.00	22.65	150	215	AV	Vertical	PASS
10	2373.90	50.45	33.88	-16.57	54.00	20.12	150	155	AV	Vertical	PASS
11	4801.60	46.80	39.47	-7.33	54.00	14.53	150	192	AV	Vertical	PASS
12	6241.50	39.73	35.59	-4.14	54.00	18.41	150	211	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-Antenna2	Test Date:	2024-12-09
Test Channel:	149-5745MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1372.90	55.77	33.39	-22.38	74.00	40.61	150	17	PK	Horizontal	PASS
2	1779.90	65.14	45.49	-19.65	74.00	28.51	150	54	PK	Horizontal	PASS
3	1973.50	61.71	43.32	-18.39	74.00	30.68	150	291	PK	Horizontal	PASS
4	2366.20	61.85	45.37	-16.48	74.00	28.63	150	342	PK	Horizontal	PASS
5	4799.40	53.63	46.84	-6.79	74.00	27.16	150	217	PK	Horizontal	PASS
6	5939.00	52.25	47.24	-5.01	74.00	26.76	150	174	PK	Horizontal	PASS
7	1370.70	44.73	22.34	-22.39	54.00	31.66	150	333	AV	Horizontal	PASS
8	1785.40	54.54	34.93	-19.61	54.00	19.07	150	304	AV	Horizontal	PASS
9	1974.60	50.39	32.01	-18.38	54.00	21.99	150	294	AV	Horizontal	PASS
10	2389.30	51.31	34.95	-16.36	54.00	19.05	150	323	AV	Horizontal	PASS
11	4801.60	47.05	40.26	-6.79	54.00	13.74	150	212	AV	Horizontal	PASS
12	5940.10	43.54	38.53	-5.01	54.00	15.47	150	113	AV	Horizontal	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1182.60	56.38	33.85	-22.53	74.00	40.15	150	294	PK	Vertical	PASS
2	1782.10	65.16	46.11	-19.05	74.00	27.89	150	327	PK	Vertical	PASS
3	1972.40	60.99	43.01	-17.98	74.00	30.99	150	360	PK	Vertical	PASS
4	2380.50	60.83	44.29	-16.54	74.00	29.71	150	179	PK	Vertical	PASS
5	4800.50	61.06	53.73	-7.33	74.00	20.27	150	184	PK	Vertical	PASS
6	5934.60	65.12	60.02	-5.10	74.00	13.98	150	179	PK	Vertical	PASS
7	1187.00	46.69	24.18	-22.51	54.00	29.82	150	91	AV	Vertical	PASS
8	1790.90	50.36	31.37	-18.99	54.00	22.63	150	353	AV	Vertical	PASS
9	1976.80	50.13	32.19	-17.94	54.00	21.81	150	1	AV	Vertical	PASS
10	2376.10	50.02	33.47	-16.55	54.00	20.53	150	179	AV	Vertical	PASS
11	4801.60	55.56	48.23	-7.33	54.00	5.77	150	179	AV	Vertical	PASS
12	5940.10	57.31	52.21	-5.10	54.00	1.79	150	179	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-Antenna2	Test Date:	2024-12-09
Test Channel:	157-5785MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1256.30	55.94	32.81	-23.13	74.00	41.19	150	342	PK	Horizontal	PASS
2	1767.80	64.19	44.44	-19.75	74.00	29.56	150	290	PK	Horizontal	PASS
3	1975.70	60.49	42.11	-18.38	74.00	31.89	150	342	PK	Horizontal	PASS
4	2376.10	60.85	44.42	-16.43	74.00	29.58	150	275	PK	Horizontal	PASS
5	4800.50	56.68	49.89	-6.79	74.00	24.11	150	216	PK	Horizontal	PASS
6	5977.50	51.90	46.95	-4.95	74.00	27.05	150	108	PK	Horizontal	PASS
7	1247.50	45.54	22.36	-23.18	54.00	31.64	150	356	AV	Horizontal	PASS
8	1774.40	53.55	33.86	-19.69	54.00	20.14	150	290	AV	Horizontal	PASS
9	1973.50	50.80	32.41	-18.39	54.00	21.59	150	290	AV	Horizontal	PASS
10	2379.40	50.89	34.48	-16.41	54.00	19.52	150	247	AV	Horizontal	PASS
11	4801.60	51.22	44.43	-6.79	54.00	9.57	150	216	AV	Horizontal	PASS
12	5979.70	44.93	39.98	-4.95	54.00	14.02	150	112	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1820.60	60.83	41.99	-18.84	74.00	32.01	150	205	PK	Vertical	PASS
2	1977.90	62.35	44.42	-17.93	74.00	29.58	150	219	PK	Vertical	PASS
3	2366.20	61.44	44.85	-16.59	74.00	29.15	150	182	PK	Vertical	PASS
4	2425.60	62.58	46.22	-16.36	74.00	27.78	150	95	PK	Vertical	PASS
5	4800.50	65.58	58.25	-7.33	74.00	15.75	150	178	PK	Vertical	PASS
6	5978.60	64.92	59.88	-5.04	74.00	14.12	150	178	PK	Vertical	PASS
7	1847.00	47.90	29.14	-18.76	54.00	24.86	150	320	AV	Vertical	PASS
8	1981.20	52.00	34.09	-17.91	54.00	19.91	150	219	AV	Vertical	PASS
9	2366.20	49.77	33.18	-16.59	54.00	20.82	150	297	AV	Vertical	PASS
10	2426.70	57.75	41.39	-16.36	54.00	12.61	150	95	AV	Vertical	PASS
11	4801.60	59.61	52.28	-7.33	54.00	1.72	150	182	AV	Vertical	PASS
12	5976.40	56.91	51.87	-5.04	54.00	2.13	150	178	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-Antenna2	Test Date:	2024-12-09
Test Channel:	165-5825MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1183.70	56.19	32.68	-23.51	74.00	41.32	150	114	PK	Horizontal	PASS
2	1773.30	69.67	49.96	-19.71	74.00	24.04	150	318	PK	Horizontal	PASS
3	1975.70	65.04	46.66	-18.38	74.00	27.34	150	309	PK	Horizontal	PASS
4	2376.10	62.43	46.00	-16.43	74.00	28.00	150	235	PK	Horizontal	PASS
5	4800.50	56.77	49.98	-6.79	74.00	24.02	150	212	PK	Horizontal	PASS
6	6018.20	52.43	47.63	-4.80	74.00	26.37	150	114	PK	Horizontal	PASS
7	1187.00	46.64	23.14	-23.50	54.00	30.86	150	235	AV	Horizontal	PASS
8	1773.30	53.89	34.18	-19.71	54.00	19.82	150	309	AV	Horizontal	PASS
9	1975.70	51.41	33.03	-18.38	54.00	20.97	150	309	AV	Horizontal	PASS
10	2369.50	51.37	34.91	-16.46	54.00	19.09	150	1	AV	Horizontal	PASS
11	4801.60	50.72	43.93	-6.79	54.00	10.07	150	217	AV	Horizontal	PASS
12	6019.30	44.26	39.47	-4.79	54.00	14.53	150	114	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1268.40	56.27	34.14	-22.13	74.00	39.86	150	168	PK	Vertical	PASS
2	1972.40	63.05	45.07	-17.98	74.00	28.93	150	237	PK	Vertical	PASS
3	2375.00	65.19	48.63	-16.56	74.00	25.37	150	155	PK	Vertical	PASS
4	3498.10	54.54	42.96	-11.58	74.00	31.04	150	292	PK	Vertical	PASS
5	4800.50	64.91	57.58	-7.33	74.00	16.42	150	181	PK	Vertical	PASS
6	6017.10	65.70	60.81	-4.89	74.00	13.19	150	181	PK	Vertical	PASS
7	1275.00	45.58	23.48	-22.10	54.00	30.52	150	55	AV	Vertical	PASS
8	1979.00	53.17	35.24	-17.93	54.00	18.76	150	219	AV	Vertical	PASS
9	2370.60	50.79	34.21	-16.58	54.00	19.79	150	155	AV	Vertical	PASS
10	3499.20	47.81	36.24	-11.57	54.00	17.76	150	292	AV	Vertical	PASS
11	4801.60	59.76	52.43	-7.33	54.00	1.57	150	177	AV	Vertical	PASS
12	6019.30	57.69	52.82	-4.87	54.00	1.18	150	177	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-CDD	Test Date:	2024-12-09
Test Channel:	149-5745MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1250.80	57.26	34.09	-23.17	74.00	39.91	150	39	PK	Horizontal	PASS
2	1782.10	68.53	48.90	-19.63	74.00	25.10	150	287	PK	Horizontal	PASS
3	1976.80	60.95	42.59	-18.36	74.00	31.41	150	35	PK	Horizontal	PASS
4	2368.40	63.70	47.23	-16.47	74.00	26.77	150	360	PK	Horizontal	PASS
5	3450.80	53.09	40.52	-12.57	74.00	33.48	150	0	PK	Horizontal	PASS
6	4799.40	58.40	51.61	-6.79	74.00	22.39	150	175	PK	Horizontal	PASS
7	1251.90	45.80	22.64	-23.16	54.00	31.36	150	39	AV	Horizontal	PASS
8	1788.70	53.57	33.99	-19.58	54.00	20.01	150	282	AV	Horizontal	PASS
9	1972.40	49.34	30.93	-18.41	54.00	23.07	150	123	AV	Horizontal	PASS
10	2371.70	52.57	36.12	-16.45	54.00	17.88	150	277	AV	Horizontal	PASS
11	3499.20	47.63	35.26	-12.37	54.00	18.74	150	333	AV	Horizontal	PASS
12	4801.60	50.85	44.06	-6.79	54.00	9.94	150	180	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1292.60	59.86	37.85	-22.01	74.00	36.15	150	198	PK	Vertical	PASS
2	1773.30	65.57	46.44	-19.13	74.00	27.56	150	350	PK	Vertical	PASS
3	2152.80	60.31	43.08	-17.23	74.00	30.92	150	332	PK	Vertical	PASS
4	2412.40	60.95	44.53	-16.42	74.00	29.47	150	309	PK	Vertical	PASS
5	4799.40	57.78	50.45	-7.33	74.00	23.55	150	179	PK	Vertical	PASS
6	5935.70	62.19	57.09	-5.10	74.00	16.91	150	184	PK	Vertical	PASS
7	1293.70	48.87	26.86	-22.01	54.00	27.14	150	198	AV	Vertical	PASS
8	1776.60	49.60	30.50	-19.10	54.00	23.50	150	0	AV	Vertical	PASS
9	2177.00	48.51	31.35	-17.16	54.00	22.65	150	36	AV	Vertical	PASS
10	2413.50	56.15	39.74	-16.41	54.00	14.26	150	309	AV	Vertical	PASS
11	4801.60	52.17	44.84	-7.33	54.00	9.16	150	174	AV	Vertical	PASS
12	5936.80	53.84	48.74	-5.10	54.00	5.26	150	179	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-CDD	Test Date:	2024-12-09
Test Channel:	157-5785MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1775.50	66.83	47.14	-19.69	74.00	26.86	150	319	PK	Horizontal	PASS
2	1975.70	61.63	43.25	-18.38	74.00	30.75	150	351	PK	Horizontal	PASS
3	2375.00	63.32	46.88	-16.44	74.00	27.12	150	257	PK	Horizontal	PASS
4	2766.60	57.58	42.40	-15.18	74.00	31.60	150	314	PK	Horizontal	PASS
5	4800.50	57.81	51.02	-6.79	74.00	22.98	150	175	PK	Horizontal	PASS
6	5999.50	53.84	48.93	-4.91	74.00	25.07	150	180	PK	Horizontal	PASS
7	1775.50	53.53	33.84	-19.69	54.00	20.16	150	305	AV	Horizontal	PASS
8	1980.10	51.59	33.25	-18.34	54.00	20.75	150	309	AV	Horizontal	PASS
9	2376.10	51.64	35.21	-16.43	54.00	18.79	150	257	AV	Horizontal	PASS
10	2775.40	43.18	28.00	-15.18	54.00	26.00	150	175	AV	Horizontal	PASS
11	4801.60	51.38	44.59	-6.79	54.00	9.41	150	185	AV	Horizontal	PASS
12	6000.60	47.29	42.38	-4.91	54.00	11.62	150	180	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1778.80	60.62	41.54	-19.08	74.00	32.46	150	1	PK	Vertical	PASS
2	1979.00	60.68	42.75	-17.93	74.00	31.25	150	213	PK	Vertical	PASS
3	2372.80	60.95	44.38	-16.57	74.00	29.62	150	313	PK	Vertical	PASS
4	3495.90	55.24	43.65	-11.59	74.00	30.35	150	166	PK	Vertical	PASS
5	4800.50	58.08	50.75	-7.33	74.00	23.25	150	176	PK	Vertical	PASS
6	5974.20	61.48	56.43	-5.05	74.00	17.57	150	181	PK	Vertical	PASS
7	1770.00	47.41	28.25	-19.16	54.00	25.75	150	345	AV	Vertical	PASS
8	1973.50	50.49	32.52	-17.97	54.00	21.48	150	245	AV	Vertical	PASS
9	2377.20	50.74	34.19	-16.55	54.00	19.81	150	176	AV	Vertical	PASS
10	3497.00	49.62	38.03	-11.59	54.00	15.97	150	166	AV	Vertical	PASS
11	4801.60	52.09	44.76	-7.33	54.00	9.24	150	181	AV	Vertical	PASS
12	5979.70	53.87	48.83	-5.04	54.00	5.17	150	181	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11a-CDD	Test Date:	2024-12-09
Test Channel:	165-5825MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1766.70	65.42	45.66	-19.76	74.00	28.34	150	236	PK	Horizontal	PASS
2	1976.80	64.07	45.71	-18.36	74.00	28.29	150	318	PK	Horizontal	PASS
3	2376.10	61.84	45.41	-16.43	74.00	28.59	150	318	PK	Horizontal	PASS
4	3387.00	52.99	40.17	-12.82	74.00	33.83	150	128	PK	Horizontal	PASS
5	4800.50	57.86	51.07	-6.79	74.00	22.93	150	179	PK	Horizontal	PASS
6	5921.40	55.75	50.72	-5.03	74.00	23.28	150	174	PK	Horizontal	PASS
7	1763.40	59.14	39.35	-19.79	54.00	14.65	150	137	AV	Horizontal	PASS
8	1980.10	50.43	32.09	-18.34	54.00	21.91	150	304	AV	Horizontal	PASS
9	2371.70	50.96	34.51	-16.45	54.00	19.49	150	274	AV	Horizontal	PASS
10	3359.50	43.32	30.40	-12.92	54.00	23.60	150	0	AV	Horizontal	PASS
11	4801.60	51.45	44.66	-6.79	54.00	9.34	150	179	AV	Horizontal	PASS
12	5925.80	47.68	42.65	-5.03	54.00	11.35	150	179	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1273.90	56.30	34.20	-22.10	74.00	39.80	150	193	PK	Vertical	PASS
2	1767.80	69.84	50.67	-19.17	74.00	23.33	150	353	PK	Vertical	PASS
3	1979.00	58.85	40.92	-17.93	74.00	33.08	150	1	PK	Vertical	PASS
4	2373.90	60.56	43.99	-16.57	74.00	30.01	150	157	PK	Vertical	PASS
5	4800.50	58.38	51.05	-7.33	74.00	22.95	150	183	PK	Vertical	PASS
6	6018.20	61.36	56.47	-4.89	74.00	17.53	150	183	PK	Vertical	PASS
7	1320.10	47.37	25.53	-21.84	54.00	28.47	150	201	AV	Vertical	PASS
8	1768.90	64.17	45.01	-19.16	54.00	8.99	150	349	AV	Vertical	PASS
9	1980.10	49.02	31.10	-17.92	54.00	22.90	150	1	AV	Vertical	PASS
10	2376.10	50.12	33.57	-16.55	54.00	20.43	150	180	AV	Vertical	PASS
11	4801.60	52.33	45.00	-7.33	54.00	9.00	150	180	AV	Vertical	PASS
12	6019.30	54.03	49.16	-4.87	54.00	4.84	150	180	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-MIMO	Test Date:	2024-12-09
Test Channel:	149-5745MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1183.70	57.40	33.89	-23.51	74.00	40.11	150	232	PK	Horizontal	PASS
2	1749.10	66.91	46.99	-19.92	74.00	27.01	150	24	PK	Horizontal	PASS
3	1972.40	60.25	41.84	-18.41	74.00	32.16	150	29	PK	Horizontal	PASS
4	2379.40	61.94	45.53	-16.41	74.00	28.47	150	0	PK	Horizontal	PASS
5	4800.50	60.39	53.60	-6.79	74.00	20.40	150	179	PK	Horizontal	PASS
6	6000.60	55.59	50.68	-4.91	74.00	23.32	150	174	PK	Horizontal	PASS
7	1183.70	47.73	24.22	-23.51	54.00	29.78	150	47	AV	Horizontal	PASS
8	1750.20	62.84	42.94	-19.90	54.00	11.06	150	24	AV	Horizontal	PASS
9	1979.00	49.61	31.26	-18.35	54.00	22.74	150	47	AV	Horizontal	PASS
10	2376.10	51.30	34.87	-16.43	54.00	19.13	150	1	AV	Horizontal	PASS
11	4801.60	55.38	48.59	-6.79	54.00	5.41	150	174	AV	Horizontal	PASS
12	6000.60	49.31	44.40	-4.91	54.00	9.60	150	179	AV	Horizontal	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1184.80	55.30	32.78	-22.52	74.00	41.22	150	74	PK	Vertical	PASS
2	1748.00	73.83	54.51	-19.32	74.00	19.49	150	97	PK	Vertical	PASS
3	1976.80	59.81	41.87	-17.94	74.00	32.13	150	217	PK	Vertical	PASS
4	2367.30	61.83	45.24	-16.59	74.00	28.76	150	305	PK	Vertical	PASS
5	4800.50	64.08	56.75	-7.33	74.00	17.25	150	185	PK	Vertical	PASS
6	5944.50	61.23	56.15	-5.08	74.00	17.85	150	180	PK	Vertical	PASS
7	1188.10	46.80	24.29	-22.51	54.00	29.71	150	69	AV	Vertical	PASS
8	1749.10	67.23	47.92	-19.31	54.00	6.08	150	97	AV	Vertical	PASS
9	1972.40	51.95	33.97	-17.98	54.00	20.03	150	217	AV	Vertical	PASS
10	2368.40	49.29	32.71	-16.58	54.00	21.29	150	9	AV	Vertical	PASS
11	4801.60	58.15	50.82	-7.33	54.00	3.18	150	185	AV	Vertical	PASS
12	5943.40	51.89	46.80	-5.09	54.00	7.20	150	180	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-MIMO	Test Date:	2024-12-09
Test Channel:	157-5785MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1774.40	69.73	50.04	-19.69	74.00	23.96	150	319	PK	Horizontal	PASS
2	1976.80	60.54	42.18	-18.36	74.00	31.82	150	309	PK	Horizontal	PASS
3	2372.80	60.41	43.96	-16.45	74.00	30.04	150	0	PK	Horizontal	PASS
4	4799.40	61.18	54.39	-6.79	74.00	19.61	150	181	PK	Horizontal	PASS
5	5040.30	58.60	52.56	-6.04	74.00	21.44	150	176	PK	Horizontal	PASS
6	6000.60	56.96	52.05	-4.91	74.00	21.95	150	176	PK	Horizontal	PASS
7	1762.30	58.74	38.94	-19.80	54.00	15.06	150	176	AV	Horizontal	PASS
8	1977.90	50.83	32.48	-18.35	54.00	21.52	150	309	AV	Horizontal	PASS
9	2375.00	51.41	34.97	-16.44	54.00	19.03	150	0	AV	Horizontal	PASS
10	4801.60	56.09	49.30	-6.79	54.00	4.70	150	181	AV	Horizontal	PASS
11	5041.40	53.11	47.07	-6.04	54.00	6.93	150	176	AV	Horizontal	PASS
12	6000.60	50.56	45.65	-4.91	54.00	8.35	150	176	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1294.80	58.37	36.37	-22.00	74.00	37.63	150	201	PK	Vertical	PASS
2	1976.80	62.19	44.25	-17.94	74.00	29.75	150	214	PK	Vertical	PASS
3	2372.80	63.21	46.64	-16.57	74.00	27.36	150	160	PK	Vertical	PASS
4	4800.50	64.29	56.96	-7.33	74.00	17.04	150	178	PK	Vertical	PASS
5	5040.30	61.02	54.34	-6.68	74.00	19.66	150	182	PK	Vertical	PASS
6	5981.90	61.07	56.04	-5.03	74.00	17.96	150	182	PK	Vertical	PASS
7	1295.90	46.52	24.53	-21.99	54.00	29.47	150	201	AV	Vertical	PASS
8	1981.20	50.64	32.73	-17.91	54.00	21.27	150	214	AV	Vertical	PASS
9	2371.70	51.01	34.44	-16.57	54.00	19.56	150	160	AV	Vertical	PASS
10	4801.60	58.15	50.82	-7.33	54.00	3.18	150	178	AV	Vertical	PASS
11	5041.40	56.61	49.93	-6.68	54.00	4.07	150	182	AV	Vertical	PASS
12	5970.90	51.73	46.68	-5.05	54.00	7.32	150	178	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


Test Mode:	802.11ax-HE20-MIMO	Test Date:	2024-12-09
Test Channel:	165-5825MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1777.70	69.52	49.85	-19.67	74.00	24.15	150	39	PK	Horizontal	PASS
2	1972.40	61.87	43.46	-18.41	74.00	30.54	150	29	PK	Horizontal	PASS
3	2368.40	63.61	47.14	-16.47	74.00	26.86	150	248	PK	Horizontal	PASS
4	4800.50	60.86	54.07	-6.79	74.00	19.93	150	180	PK	Horizontal	PASS
5	5040.30	57.77	51.73	-6.04	74.00	22.27	150	176	PK	Horizontal	PASS
6	5929.10	57.39	52.36	-5.03	74.00	21.64	150	176	PK	Horizontal	PASS
7	1785.40	53.18	33.57	-19.61	54.00	20.43	150	305	AV	Horizontal	PASS
8	1973.50	51.16	32.77	-18.39	54.00	21.23	150	29	AV	Horizontal	PASS
9	2375.00	53.63	37.19	-16.44	54.00	16.81	150	0	AV	Horizontal	PASS
10	4801.60	55.62	48.83	-6.79	54.00	5.17	150	180	AV	Horizontal	PASS
11	5041.40	52.71	46.67	-6.04	54.00	7.33	150	176	AV	Horizontal	PASS
12	5930.20	48.11	43.08	-5.03	54.00	10.92	150	176	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	1344.30	58.20	36.52	-21.68	74.00	37.48	150	204	PK	Vertical	PASS
2	1774.40	64.98	45.87	-19.11	74.00	28.13	150	345	PK	Vertical	PASS
3	1976.80	59.85	41.91	-17.94	74.00	32.09	150	221	PK	Vertical	PASS
4	2377.20	59.96	43.41	-16.55	74.00	30.59	150	176	PK	Vertical	PASS
5	4799.40	63.37	56.04	-7.33	74.00	17.96	150	180	PK	Vertical	PASS
6	6013.80	61.00	56.09	-4.91	74.00	17.91	150	180	PK	Vertical	PASS
7	1346.50	46.27	24.60	-21.67	54.00	29.40	150	204	AV	Vertical	PASS
8	1759.00	49.18	29.95	-19.23	54.00	24.05	150	61	AV	Vertical	PASS
9	1971.30	51.03	33.04	-17.99	54.00	20.96	150	249	AV	Vertical	PASS
10	2370.60	50.37	33.79	-16.58	54.00	20.21	150	171	AV	Vertical	PASS
11	4801.60	58.24	50.91	-7.33	54.00	3.09	150	180	AV	Vertical	PASS
12	6016.00	52.15	47.25	-4.90	54.00	6.75	150	180	AV	Vertical	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level

Above 6.5GHz

Test Mode:	802.11a-Antenna1	Test Date:	2024-12-09
Test Channel:	36-5180MHz	Test Engineer:	Stone Zhang




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7317.94	47.23	43.89	-3.34	74.00	30.11	150	318	PK	Horizontal	PASS
2	8288.25	47.39	46.19	-1.20	74.00	27.81	150	0	PK	Horizontal	PASS
3	11929.44	45.54	46.74	1.20	74.00	27.26	150	301	PK	Horizontal	PASS
4	14400.50	43.20	48.36	5.16	74.00	25.64	150	127	PK	Horizontal	PASS
5	15947.25	41.97	51.75	9.78	74.00	22.25	150	110	PK	Horizontal	PASS
6	17862.00	40.85	55.08	14.23	74.00	18.92	150	281	PK	Horizontal	PASS
7	7356.75	37.48	34.43	-3.05	54.00	19.57	150	0	AV	Horizontal	PASS
8	8289.69	41.79	40.59	-1.20	54.00	13.41	150	0	AV	Horizontal	PASS
9	11930.88	37.76	38.97	1.21	54.00	15.03	150	301	AV	Horizontal	PASS
10	14427.81	33.83	38.77	4.94	54.00	15.23	150	307	AV	Horizontal	PASS
11	15930.00	33.24	43.02	9.78	54.00	10.98	150	217	AV	Horizontal	PASS
12	17902.25	31.74	46.14	14.40	54.00	7.86	150	360	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	7374.00	47.18	44.25	-2.93	74.00	29.75	150	358	PK	Vertical	PASS
2	8288.25	46.53	45.33	-1.20	74.00	28.67	150	38	PK	Vertical	PASS
3	10949.06	44.53	45.78	1.25	74.00	28.22	150	309	PK	Vertical	PASS
4	14324.31	42.64	48.03	5.39	74.00	25.97	150	213	PK	Vertical	PASS
5	16368.44	42.16	51.74	9.58	74.00	22.26	150	10	PK	Vertical	PASS
6	17870.63	40.75	55.59	14.84	74.00	18.41	150	52	PK	Vertical	PASS
7	7395.56	38.23	35.47	-2.76	54.00	18.53	150	360	AV	Vertical	PASS
8	8289.69	42.00	40.80	-1.20	54.00	13.20	150	5	AV	Vertical	PASS
9	10921.75	34.83	36.00	1.17	54.00	18.00	150	0	AV	Vertical	PASS
10	14374.63	34.03	39.57	5.54	54.00	14.43	150	360	AV	Vertical	PASS
11	16400.06	33.11	42.83	9.72	54.00	11.17	150	341	AV	Vertical	PASS
12	17863.44	31.75	46.55	14.80	54.00	7.45	150	171	AV	Vertical	PASS

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level

Test Mode:	802.11a-Antenna1	Test Date:	2024-12-09
Test Channel:	40-5200MHz	Test Engineer:	Stone Zhang



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Pol	Verdict
1	8319.88	49.52	48.39	-1.13	74.00	25.61	150	345	PK	Horizontal	PASS
2	10333.81	45.23	45.32	0.09	74.00	28.68	150	38	PK	Horizontal	PASS
3	11929.44	45.16	46.36	1.20	74.00	27.64	150	305	PK	Horizontal	PASS
4	14330.06	42.84	47.71	4.87	74.00	26.29	150	178	PK	Horizontal	PASS
5	16407.25	41.76	51.22	9.46	74.00	22.78	150	97	PK	Horizontal	PASS
6	17797.31	40.92	54.80	13.88	74.00	19.20	150	311	PK	Horizontal	PASS
7	8321.31	45.02	43.89	-1.13	54.00	10.11	150	345	AV	Horizontal	PASS
8	10302.19	35.03	35.08	0.05	54.00	18.92	150	64	AV	Horizontal	PASS
9	11930.88	38.75	39.96	1.21	54.00	14.04	150	305	AV	Horizontal	PASS
10	14400.50	33.75	38.91	5.16	54.00	15.09	150	257	AV	Horizontal	PASS
11	16375.63	33.16	42.59	9.43	54.00	11.41	150	1	AV	Horizontal	PASS
12	17872.06	31.54	45.82	14.28	54.00	8.18	150	70	AV	Horizontal	PASS

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level